

B1

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
20 September 2001 (20.09.2001)

PCT

(10) International Publication Number
WO 01/68805 A2

- (51) International Patent Classification⁷: C12N (74) Agents: TESKIN, Robin, L. et al.; Pillsbury Winthrop LLP, 1100 New York Avenue, NW, Washington, DC 20005 (US).
- (21) International Application Number: PCT/US01/07771
- (22) International Filing Date: 13 March 2001 (13.03.2001) (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
- | | | |
|------------|-------------------------------|----|
| 60/188,914 | 13 March 2000 (13.03.2000) | US |
| 60/192,033 | 24 March 2000 (24.03.2000) | US |
| 60/198,474 | 12 April 2000 (12.04.2000) | US |
| 60/199,335 | 24 April 2000 (24.04.2000) | US |
| 60/207,702 | 26 May 2000 (26.05.2000) | US |
| 60/213,849 | 23 June 2000 (23.06.2000) | US |
| 60/226,534 | 16 August 2000 (16.08.2000) | US |
| 60/230,732 | 7 September 2000 (07.09.2000) | US |
| 60/266,862 | 7 February 2001 (07.02.2001) | US |
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— without international search report and to be republished upon receipt of that report
- (71) Applicant: SENOMYX, INC. [US/US]; Suite 160, 11099 N. Torrey Pines Road, La Jolla, CA 92037 (US).
- (72) Inventor: ZOZULYA, Sergey; 3950 Mahaila Avenue #B22, San Diego, CA 92122 (US).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: HUMAN OLFACTORY RECEPTORS AND GENES ENCODING SAME

(57) Abstract: Newly identified Olfactory G protein-coupled receptors (ORs), and the genes and cDNA encoding said receptors are described. Specifically, G protein-coupled receptors active in olfactory signaling, and the genes and cDNA encoding the same, are described, along with methods for isolating such genes and for isolating and expressing such receptors. Methods for representing olfactory perception of a particular odorant in a mammal are also described, as are methods for generating novel molecules or combinations of molecules that elicit a predetermined odor perception in a mammal, and methods for simulating one or more odors. Further, methods for stimulating or blocking odor perception in a mammal are also disclosed.

WO 01/68805 A2

HUMAN OLFACTORY RECEPTORS AND GENES ENCODING SAME

Cross Reference to Related Applications

This application claims priority to the following provisional applications: U.S. Ser. No. 60/188,914, filed March 13, 2000, entitled, "NOVEL OLFACTORY RECEPTORS AND GENES ENCODING SAME," to Zozulya; U.S. Ser. No. 60/192,033, filed March 24, 2000, entitled, "NOVEL OLFACTORY RECEPTORS AND GENES ENCODING SAME," to Zozulya; U.S. Ser. No. 60/198,474, filed April 12, 2000, entitled, "NOVEL OLFACTORY RECEPTORS AND GENE ENCODING THE SAME to Zozulya; U.S. Ser. No. 60/199,335, filed April 24, 2000, "HUMAN OLFACTORY RECEPTORS AND GENES ENCODING THE SAME", to Zozulya; U.S. Ser. No. 60/207,702, filed May 26, 2000, entitled, "HUMAN OLFACTORY RECEPTORS AND GENES ENCODING THE SAME", to Zozulya; U.S. Ser. No. 60/213,849, filed June 23, 2000, entitled, "HUMAN OLFACTORY RECEPTORS AND GENES ENCODING THE SAME", to Zozulya; U.S. Ser. No. 60/226,534, filed August 16, 2000, "HUMAN OLFACTORY RECEPTORS AND GENES ENCODING THE SAME", to Zozulya; U.S. Ser. No. 60/230,732, filed September 7, 2000, "HUMAN OLFACTORY RECEPTORS AND GENES ENCODING THE SAME", to Zozulya; and U.S. Ser. No. 60/266,862, filed February 7, 2001, "HUMAN OLFACTORY RECEPTORS AND GENES ENCODING THE SAME", to Zozulya. All of these applications are herein incorporated by reference in their entireties.

Field of the Invention

The invention relates to newly identified mammalian chemosensory G protein-coupled receptors, particularly olfactory receptors, fragments thereof, classes of such receptors, genes and cDNAs encoding said receptors, vectors including said receptors, and cells that express said receptors. The invention also relates to methods of using such receptors, fragments, genes, cDNAs, vectors, and cells to identify molecules involved in olfactory perception. The invention therefore has application in the selection and design of odorant compositions, as well as malodor blockers (olfactory receptor antagonists), particularly perfumes and fragrance compositions and components of deodorants and other malodor blocking compositions.

Description of the Related Art

The olfactory system provides sensory information about the chemical composition of the external world. Olfactory sensation is thought to involve distinct signaling pathways. These pathways are believed to be mediated by olfactory receptors (ORs). Cells which express olfactory receptors, when exposed to certain chemical stimuli, elicit olfactory sensation by depolarizing to generate an action potential, which is believed to trigger the sensation.

As such, olfactory receptors specifically recognize molecules that elicit specific olfactory sensation. These molecules are also referred to herein as "odorants." Olfactory receptors belong to the 7-transmembrane receptor superfamily (Buck *et al.*, *Cell* 65:175-87 (1991)), which are also known as G protein-coupled receptors (GPCRs). G protein-coupled receptors control many physiological functions, such as endocrine function, exocrine function, heart rate, lipolysis, carbohydrate metabolism, and transmembrane signaling. The biochemical analysis and molecular cloning of a number of such receptors has revealed many basic principles regarding the function of these receptors.

For example, U. S. Patent No. 5,691,188 describes how upon a ligand binding to a GPCR, the receptor presumably undergoes a conformational change leading to activation of the G protein. G proteins are comprised of three subunits: a guanyl nucleotide binding α subunit, a β subunit, and a γ subunit. G proteins cycle between two forms, depending on whether GDP or GTP is bound to the α subunit. When GDP is bound, the G protein exists as a heterotrimer: the $G\alpha\beta\gamma$ complex. When GTP is bound, the α subunit dissociates from the heterotrimer, leaving a $G\beta\gamma$ complex. When a $G\alpha\beta\gamma$ complex operatively associates with an activated G protein-coupled receptor in a cell membrane, the rate of exchange of GTP for bound GDP is increased and the rate of dissociation of the bound $G\alpha$ subunit from the $G\alpha\beta\gamma$ complex increases. The free $G\alpha$ subunit and $G\beta\gamma$ complex are thus capable of transmitting a signal to downstream elements of a variety of signal transduction pathways. These events form the basis for a multiplicity of different cell signaling phenomena, including for example the signaling phenomena that are identified as neurological sensory perceptions such as taste and/or smell.

Genes encoding the olfactory receptors are active primarily in olfactory neurons (Axel, *Sci. Amer.*, 273:154-59 (1995)). Individual olfactory receptor types are expressed in subsets of cells distributed in distinct zones of the olfactory epithelium (Breer, *Semin. Cell Biol.*, 5:25-32 (1994)). The human genome contains approximately one thousand genes that encode a diverse repertoire of olfactory receptors (Rouquier, *Nat. Genet.*, 18:243-50 (1998); Trask, *Hum. Mol. Genet.*, 7:2007-20 (1998)). It has been demonstrated that members of the OR gene family are distributed on all but a few human chromosomes. Through fluorescence *in situ* hybridization analysis, Rouquier showed that OR sequences reside at more than 25 locations in the human genome. Rouquier also determined that the human genome has accumulated a striking number of dysfunctional OR copies: 72% of the analyzed sequences were found to be pseudogenes. An understanding of an animal's ability to detect and discriminate among the thousands of distinct odorants or tastants, and more particularly to distinguish, for example beneficial tastants or odorants from toxic tastants or odorants, is complicated by the fact that chemosensory receptors belong to a multigene family with over a thousand members. For instance, there are up to 1,000 odorant receptors in mammals.

Moreover, each chemosensory receptor neuron may express only one or a few of these receptors. With respect to odorant receptors, any given olfactory neuron can respond to a small set of odorant ligands. In addition, odorant discrimination for a given neuron may depend on the ligand specificity of the one or few receptors it expresses. To analyze odorant-receptor interactions and their effects on olfactory cells, specific ligands and the olfactory receptors to which they bind are identified. This analysis requires isolation and expression of olfactory polypeptides, followed by binding assays.

Some studies suggest that OR genes can be expressed in tissues other than the olfactory epithelium, indicating potential alternative biological roles for this class of chemosensory receptors. Expression of various ORs has been reported in human and murine erythroid cells (Feingold 1999), developing rat heart (Drutel, *Receptor Channels*, 3(1):33-40 (1995)), avian notochord (Nef, *PNAS*, 94(9):4766-71 (1997)) and lingual epithelium (Abe, *FES Lett.*, 316(3):253-56 (1993)). One experimentally documented case also established the existence of a large subset of mammalian ORs transcribed in testes and expressed on the surface of mature spermatozoa, thereby

suggesting a possible role of ORs in sperm chemotaxis (Parmenthler, *Nature*, 355:453-55 (1992); Walensky, *Mol. Med.*, 1(2):130-41 (1998); Branscomb, *Genetics*, 156(2):785-97 (2000)). It was also hypothesized that olfactory receptors might provide molecular codes for highly specific cell-cell recognition functions in development and embryogenesis (Dreyer, *PNAS*, 95(11):9072-77 (1998)).

Complete or partial sequences of numerous human and other eukaryotic chemosensory receptors are currently known. *See, e.g.*, Pilpel, Y. and Lancet, D., *Protein Science*, 8:969-77 (1999); Mombaerts, P., *Annu. Rev. Neurosci.*, 22:487-50 (1999); *see also*, EP0867508A2, US 5874243, WO 92/17585, WO 95/18140, WO 97/17444, WO 99/67282. Due to the complexity of ligand-receptor interactions, and more particularly odorant-receptor interactions, information about ligand-receptor recognition is lacking. In part, the present invention addresses the need for better understanding of these interactions. The present invention also provides, among other things, novel chemosensory receptors, and methods for utilizing such novel chemosensory receptors and the genes and cDNAs encoding such receptors, especially for identifying compounds that can be used to module chemosensory transduction, such as olfaction.

Summary of the Invention

Toward that end, it is an object of the invention to provide a new family of G protein-coupled receptors comprising over two hundred fifty olfactory G protein-coupled receptors (OR) active in olfactory perception. It is another object of the invention to provide fragments and variants of such ORs which retain odorant-binding activity.

It is yet another object of the invention to provide nucleic acid sequences or molecules that encode such ORs, fragments, or allelic variants.

It is still another object of the invention to provide expression vectors which include nucleic acid sequences that encode such ORs, or fragments, or variants thereof, which are operably linked to at least one regulatory sequence such as a promoter, enhancer, or other sequences involved in positive or negative gene transcription and/or translation.

It is still another object of the invention to provide human or non-human cells that functionally express at least one of such ORs, or fragments, or variants thereof.

It is still another object of the invention to provide OR fusion proteins or polypeptides which include at least a fragment of at least one of such ORs.

It is another object of the invention to provide an isolated nucleic acid molecule encoding an OR comprising a nucleic acid sequence that is at least 30%,
5 more preferably at least 50%, still more preferably at least 60-70%, and still more preferably 75%, preferably 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical to a nucleic acid sequence selected from the group consisting of: SEQ. ID. NO. 2, SEQ. ID. NO. 4, SEQ. ID. NO. 6, SEQ. ID. NO. 8, SEQ. ID. NO. 10, SEQ. ID. NO. 12, SEQ. ID. NO. 14, SEQ. ID. NO. 16, SEQ. ID. NO. 18, SEQ. ID. NO. 20, SEQ. ID. NO. 22, SEQ. ID. NO. 24, SEQ. ID. NO. 26, SEQ. ID. NO. 28, SEQ. ID. NO. 30, SEQ. ID. NO. 32, SEQ. ID. NO. 34, SEQ. ID. NO. 36, SEQ. ID. NO. 38, SEQ. ID. NO. 40, SEQ. ID. NO. 42, SEQ. ID. NO. 44, SEQ. ID. NO. 46, SEQ. ID. NO. 48, SEQ. ID. NO. 50, SEQ. ID. NO. 52, SEQ. ID. NO. 54, SEQ. ID. NO. 56, SEQ. ID. NO. 58, SEQ. ID. NO. 60, SEQ. ID. NO. 62, SEQ. ID. NO. 64, SEQ. ID. NO. 66, SEQ. ID. NO. 68, SEQ. ID. NO. 70, SEQ. ID. NO. 72, SEQ. ID. NO. 74, SEQ. ID. NO. 76, SEQ. ID. NO. 78, SEQ. ID. NO. 80, SEQ. ID. NO. 82, SEQ. ID. NO. 84, SEQ. ID. NO. 86, SEQ. ID. NO. 88, SEQ. ID. NO. 90, SEQ. ID. NO. 92, SEQ. ID. NO. 94, SEQ. ID. NO. 96, SEQ. ID. NO. 98, SEQ. ID. NO. 100, SEQ. ID. NO. 102, SEQ. ID. NO. 104, SEQ. ID. NO. 106, SEQ. ID. NO. 108, SEQ. ID. NO. 110, SEQ. ID. NO. 112, SEQ. ID. NO. 114, SEQ. ID. NO. 116, SEQ. ID. NO. 118, SEQ. ID. NO. 120, SEQ. ID. NO. 122, SEQ. ID. NO. 124, SEQ. ID. NO. 126, SEQ. ID. NO. 128, SEQ. ID. NO. 130, SEQ. ID. NO. 132, SEQ. ID. NO. 134, SEQ. ID. NO. 136, SEQ. ID. NO. 138, SEQ. ID. NO. 140, SEQ. ID. NO. 142, SEQ. ID. NO. 144, SEQ. ID. NO. 146, SEQ. ID. NO. 148, SEQ. ID. NO. 150, SEQ. ID. NO. 152, SEQ. ID. NO. 154, SEQ. ID. NO. 156, SEQ. ID. NO. 158, SEQ. ID. NO. 160, SEQ. ID. NO. 162, SEQ. ID. NO. 164, SEQ. ID. NO. 166, SEQ. ID. NO. 168, SEQ. ID. NO. 170, SEQ. ID. NO. 172, SEQ. ID. NO. 174, SEQ. ID. NO. 176, SEQ. ID. NO. 178, SEQ. ID. NO. 180, SEQ. ID. NO. 182, SEQ. ID. NO. 184, SEQ. ID. NO. 186, SEQ. ID. NO. 188, SEQ. ID. NO. 190, SEQ. ID. NO. 192, SEQ. ID. NO. 194, SEQ. ID. NO. 196, SEQ. ID. NO. 198, SEQ. ID. NO. 200, SEQ. ID. NO. 202, SEQ. ID. NO. 204, SEQ. ID. NO. 206, SEQ. ID. NO. 208, SEQ. ID. NO. 210, SEQ. ID. NO. 212, SEQ. ID. NO. 214, SEQ. ID. NO. 216, SEQ. ID. NO. 218, SEQ. ID. NO. 220, SEQ. ID. NO. 222, SEQ. ID.

NO. 224, SEQ. ID. NO. 226, SEQ. ID. NO. 228, SEQ. ID. NO. 230, SEQ. ID.
NO. 232, SEQ. ID. NO. 234, SEQ. ID. NO. 236, SEQ. ID. NO. 238, SEQ. ID.
NO. 240, SEQ. ID. NO. 242, SEQ. ID. NO. 244, SEQ. ID. NO. 246, SEQ. ID. NO.
248, SEQ. ID. NO. 250, SEQ. ID. NO. 252, SEQ. ID. NO. 254, SEQ. ID. NO. 256,
5 SEQ. ID. NO. 258, SEQ. ID. NO. 260, SEQ. ID. NO. 262, SEQ. ID. NO. 264, SEQ.
ID. NO. 266, SEQ. ID. NO. 268, SEQ. ID. NO. 270, SEQ. ID. NO. 272, SEQ. ID.
NO. 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID NO: 282,
SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290, SEQ ID
NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID NO: 300,
10 SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308, SEQ ID
NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID NO: 318,
SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326, SEQ ID
NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID NO: 336,
SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344, SEQ ID
15 NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID NO: 354,
SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362, SEQ ID
NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID NO: 372,
SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380, SEQ ID
NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID NO: 390,
20 SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398, SEQ ID
NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID NO: 408,
SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416, SEQ ID
NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID NO: 426,
SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434, SEQ ID
25 NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID NO: 444,
SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452, SEQ ID
NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID NO: 462,
SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470, SEQ ID
NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID NO: 480,
30 SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488, SEQ ID
NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID NO: 498,
SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506, SEQ ID
NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512.

It is a further object of the invention to provide an isolated nucleic acid molecule comprising a nucleic acid sequence that encodes a polypeptide having an amino acid sequence which is at least 40%, more preferably at least 50%, still more preferably at least 60-70%, and still more preferably 75%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical to an amino acid sequence selected from the group consisting of: SEQ. ID. NO. 1, SEQ. ID. NO. 3, SEQ. ID. NO. 5, SEQ. ID. NO. 7, SEQ. ID. NO. 9, SEQ. ID. NO. 11, SEQ. ID. NO. 13, SEQ. ID. NO. 15, SEQ. ID. NO. 17, SEQ. ID. NO. 19, SEQ. ID. NO. 21, SEQ. ID. NO. 23, SEQ. ID. NO. 25, SEQ. ID. NO. 27, SEQ. ID. NO. 29, SEQ. ID. NO. 31, SEQ. ID. NO. 33, SEQ. ID. NO. 35, SEQ. ID. NO. 37, SEQ. ID. NO. 39, SEQ. ID. NO. 41, SEQ. ID. NO. 43, SEQ. ID. NO. 45, SEQ. ID. NO. 47, SEQ. ID. NO. 49, SEQ. ID. NO. 51, SEQ. ID. NO. 53, SEQ. ID. NO. 55, SEQ. ID. NO. 57, SEQ. ID. NO. 59, SEQ. ID. NO. 61, SEQ. ID. NO. 63, SEQ. ID. NO. 65, SEQ. ID. NO. 67, SEQ. ID. NO. 69, SEQ. ID. NO. 71, SEQ. ID. NO. 73, SEQ. ID. NO. 75, SEQ. ID. NO. 77, SEQ. ID. NO. 79, SEQ. ID. NO. 81, SEQ. ID. NO. 83, SEQ. ID. NO. 85, SEQ. ID. NO. 87, SEQ. ID. NO. 89, SEQ. ID. NO. 91, SEQ. ID. NO. 93, SEQ. ID. NO. 95, SEQ. ID. NO. 97, SEQ. ID. NO. 99, SEQ. ID. NO. 101, SEQ. ID. NO. 103, SEQ. ID. NO. 105, SEQ. ID. NO. 107, SEQ. ID. NO. 109, SEQ. ID. NO. 111, SEQ. ID. NO. 113, SEQ. ID. NO. 115, SEQ. ID. NO. 117, SEQ. ID. NO. 119, SEQ. ID. NO. 121, SEQ. ID. NO. 123, SEQ. ID. NO. 125, SEQ. ID. NO. 127, SEQ. ID. NO. 129, SEQ. ID. NO. 131, SEQ. ID. NO. 133, SEQ. ID. NO. 135, SEQ. ID. NO. 137, SEQ. ID. NO. 139, SEQ. ID. NO. 141, SEQ. ID. NO. 143, SEQ. ID. NO. 145, SEQ. ID. NO. 147, SEQ. ID. NO. 149, SEQ. ID. NO. 151, SEQ. ID. NO. 153, SEQ. ID. NO. 155, SEQ. ID. NO. 157, SEQ. ID. NO. 159, SEQ. ID. NO. 161, SEQ. ID. NO. 163, SEQ. ID. NO. 165, SEQ. ID. NO. 167, SEQ. ID. NO. 169, SEQ. ID. NO. 171, SEQ. ID. NO. 173, SEQ. ID. NO. 175, SEQ. ID. NO. 177, SEQ. ID. NO. 179, SEQ. ID. NO. 181, SEQ. ID. NO. 183, SEQ. ID. NO. 185, SEQ. ID. NO. 187, SEQ. ID. NO. 189, SEQ. ID. NO. 191, SEQ. ID. NO. 193, SEQ. ID. NO. 195, SEQ. ID. NO. 197, SEQ. ID. NO. 199, SEQ. ID. NO. 201, SEQ. ID. NO. 203, SEQ. ID. NO. 205, SEQ. ID. NO. 207, SEQ. ID. NO. 209, SEQ. ID. NO. 211, SEQ. ID. NO. 213, SEQ. ID. NO. 215, SEQ. ID. NO. 217, SEQ. ID. NO. 219, SEQ. ID. NO. 221, SEQ. ID. NO. 223, SEQ. ID. NO. 225, SEQ. ID. NO. 227, SEQ. ID. NO. 229, SEQ. ID. NO. 231, SEQ. ID. NO. 233, SEQ. ID.

NO. 235, SEQ. ID. NO. 237, SEQ. ID. NO. 239, SEQ. ID. NO. 241, SEQ. ID. NO. 243, SEQ. ID. NO. 245, SEQ. ID. NO. 247, SEQ. ID. NO. 249, SEQ. ID. NO. 251, SEQ. ID. NO. 253, SEQ. ID. NO. 255, SEQ. ID. NO. 257, SEQ. ID. NO. 259, SEQ. ID. NO. 261, SEQ. ID. NO., 263, SEQ. ID. NO., 265, SEQ. ID. NO. 267, SEQ. ID. NO. 269, SEQ. ID. NO. 271, SEQ. ID. NO. 273, SEQ. ID. NO. 275, SEQ. ID. NO. 277, SEQ. ID. NO. 279, SEQ. ID. NO. 281, SEQ. ID. NO. 283, SEQ. ID. NO. 285, SEQ. ID. NO. 287, SEQ. ID. NO. 289, SEQ. ID. NO. 291, SEQ. ID. NO. 293, SEQ. ID. NO. 295, SEQ. ID. NO. 297, SEQ. ID. NO. 299, SEQ. ID. NO. 301, SEQ. ID. NO. 303, SEQ. ID. NO. 305, SEQ. ID. NO. 307, SEQ. ID. NO. 309, SEQ. ID. NO. 311, SEQ. ID. NO. 313, SEQ. ID. NO. 315, SEQ. ID. NO. 317, SEQ. ID. NO. 319, SEQ. ID. NO. 321, SEQ. ID. NO. 323, SEQ. ID. NO. 325, SEQ. ID. NO. 327, SEQ. ID. NO. 329, SEQ. ID. NO. 331, SEQ. ID. NO. 333, SEQ. ID. NO. 335, SEQ. ID. NO. 337, SEQ. ID. NO. 339, SEQ. ID. NO. 341, SEQ. ID. NO. 343, SEQ. ID. NO. 345, SEQ. ID. NO. 347, SEQ. ID. NO. 349, SEQ. ID. NO. 351, SEQ. ID. NO. 353, SEQ. ID. NO. 355, SEQ. ID. NO. 357, SEQ. ID. NO. 359, SEQ. ID. NO. 361, SEQ. ID. NO. 363, SEQ. ID. NO. 365, SEQ. ID. NO. 367, SEQ. ID. NO. 369, SEQ ID NO: 371, SEQ. ID. NO. 373, SEQ. ID. NO. 375, SEQ. ID. NO. 377, SEQ. ID. NO. 379, SEQ. ID. NO. 381, SEQ. ID. NO. 383, SEQ. ID. NO. 385, SEQ. ID. NO. 387, SEQ. ID. NO. 389, SEQ. ID. NO. 391, SEQ. ID. NO. 393, SEQ. ID. NO. 395, SEQ. ID. NO. 397, SEQ. ID. NO. 399, SEQ. ID. NO. 401, SEQ. ID. NO. 403, SEQ. ID. NO. 405, SEQ. ID. NO. 407, SEQ. ID. NO. 409, SEQ. ID. NO. 411, SEQ. ID. NO. 413, SEQ. ID. NO. 415, SEQ. ID. NO. 417, SEQ. ID. NO. 419, SEQ. ID. NO. 421, SEQ. ID. NO. 423, SEQ. ID. NO. 425, SEQ. ID. NO. 427, SEQ. ID. NO. 429, SEQ. ID. NO. 431, SEQ. ID. NO. 433, SEQ. ID. NO. 435, SEQ. ID. NO. 437, SEQ. ID. NO. 439, SEQ. ID. NO. 441, SEQ. ID. NO. 443, SEQ. ID. NO. 445, SEQ. ID. NO. 447, SEQ. ID. NO. 449, SEQ. ID. NO. 451, SEQ. ID. NO. 453, SEQ. ID. NO. 455, SEQ. ID. NO. 457, SEQ. ID. NO. 459, SEQ. ID. NO. 461, SEQ. ID. NO. 463, SEQ. ID. NO. 465, SEQ. ID. NO. 467, SEQ. ID. NO. 469, SEQ. ID. NO. 471, SEQ. ID. NO. 473, SEQ. ID. NO. 475, SEQ. ID. NO. 477, SEQ. ID. NO. 479, SEQ. ID. NO. 481, SEQ. ID. NO. 483, SEQ. ID. NO. 485, SEQ. ID. NO. 487, SEQ. ID. NO. 489, SEQ. ID. NO. 491, SEQ. ID. NO. 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511.

It is still a further object of the invention to provide an isolated nucleic acid molecule comprising a nucleic acid sequence that encodes a fragment of a polypeptide having an amino acid sequence selected from the group consisting of: SEQ. ID. NO. 1, SEQ. ID. NO. 3, SEQ. ID. NO. 5, SEQ. ID. NO. 7, SEQ. ID. NO. 9, SEQ. ID. NO. 11, SEQ. ID. NO. 13, SEQ. ID. NO. 15, SEQ. ID. NO. 17, SEQ. ID. NO. 19, SEQ. ID. NO. 21, SEQ. ID. NO. 23, SEQ. ID. NO. 25, SEQ. ID. NO. 27, SEQ. ID. NO. 29, SEQ. ID. NO. 31, SEQ. ID. NO. 33, SEQ. ID. NO. 35, SEQ. ID. NO. 37, SEQ. ID. NO. 39, SEQ. ID. NO. 41, SEQ. ID. NO. 43, SEQ. ID. NO. 45, SEQ. ID. NO. 47, SEQ. ID. NO. 49, SEQ. ID. NO. 51, SEQ. ID. NO. 53, SEQ. ID. NO. 55, SEQ. ID. NO. 57, SEQ. ID. NO. 59, SEQ. ID. NO. 61, SEQ. ID. NO. 63, SEQ. ID. NO. 65, SEQ. ID. NO. 67, SEQ. ID. NO. 69, SEQ. ID. NO. 71, SEQ. ID. NO. 73, SEQ. ID. NO. 75, SEQ. ID. NO. 77, SEQ. ID. NO. 79, SEQ. ID. NO. 81, SEQ. ID. NO. 83, SEQ. ID. NO. 85, SEQ. ID. NO. 87, SEQ. ID. NO. 89, SEQ. ID. NO. 91, SEQ. ID. NO. 93, SEQ. ID. NO. 95, SEQ. ID. NO. 97, SEQ. ID. NO. 99, SEQ. ID. NO. 101, SEQ. ID. NO. 103, SEQ. ID. NO. 105, SEQ. ID. NO. 107, SEQ. ID. NO. 109, SEQ. ID. NO. 111, SEQ. ID. NO. 113, SEQ. ID. NO. 115, SEQ. ID. NO. 117, SEQ. ID. NO. 119, SEQ. ID. NO. 121, SEQ. ID. NO. 123, SEQ. ID. NO. 125, SEQ. ID. NO. 127, SEQ. ID. NO. 129, SEQ. ID. NO. 131, SEQ. ID. NO. 133, SEQ. ID. NO. 135, SEQ. ID. NO. 137, SEQ. ID. NO. 139, SEQ. ID. NO. 141, SEQ. ID. NO. 143, SEQ. ID. NO. 145, SEQ. ID. NO. 147, SEQ. ID. NO. 149, SEQ. ID. NO. 151, SEQ. ID. NO. 153, SEQ. ID. NO. 155, SEQ. ID. NO. 157, SEQ. ID. NO. 159, SEQ. ID. NO. 161, SEQ. ID. NO. 163, SEQ. ID. NO. 165, SEQ. ID. NO. 167, SEQ. ID. NO. 169, SEQ. ID. NO. 171, SEQ. ID. NO. 173, SEQ. ID. NO. 175, SEQ. ID. NO. 177, SEQ. ID. NO. 179, SEQ. ID. NO. 181, SEQ. ID. NO. 183, SEQ. ID. NO. 185, SEQ. ID. NO. 187, SEQ. ID. NO. 189, SEQ. ID. NO. 191, SEQ. ID. NO. 193, SEQ. ID. NO. 195, SEQ. ID. NO. 197, SEQ. ID. NO. 199, SEQ. ID. NO. 201, SEQ. ID. NO. 203, SEQ. ID. NO. 205, SEQ. ID. NO. 207, SEQ. ID. NO. 209, SEQ. ID. NO. 211, SEQ. ID. NO. 213, SEQ. ID. NO. 215, SEQ. ID. NO. 217, SEQ. ID. NO. 219, SEQ. ID. NO. 221, SEQ. ID. NO. 223, SEQ. ID. NO. 225, SEQ. ID. NO. 227, SEQ. ID. NO. 229, SEQ. ID. NO. 231, SEQ. ID. NO. 233, SEQ. ID. NO. 235, SEQ. ID. NO. 237, SEQ. ID. NO. 239, SEQ. ID. NO. 241, SEQ. ID. NO. 243, SEQ. ID. NO. 245, SEQ. ID. NO. 247, SEQ. ID. NO. 249, SEQ. ID. NO. 251, SEQ. ID. NO. 253,

SEQ. ID. NO. 255, SEQ. ID. NO. 257, SEQ. ID. NO. 259, SEQ. ID. NO. 261, SEQ. ID. NO., 263, SEQ. ID. NO., 265, SEQ. ID. NO. 267, SEQ. ID. NO. 269, SEQ. ID. NO. 271, SEQ. ID. NO. 273, SEQ. ID. NO. 275, SEQ. ID. NO. 277, SEQ. ID. NO. 279, SEQ. ID. NO. 281, SEQ. ID. NO. 283, SEQ. ID. NO. 285, SEQ. ID. NO. 287, 5 SEQ. ID. NO. 289, SEQ. ID. NO. 291, SEQ. ID. NO. 293, SEQ. ID. NO. 295, SEQ. ID. NO. 297, SEQ. ID. NO. 299, SEQ. ID. NO. 301, SEQ. ID. NO. 303, SEQ. ID. NO. 305, SEQ. ID. NO. 307, SEQ. ID. NO. 309, SEQ. ID. NO. 311, SEQ. ID. NO. 313, SEQ. ID. NO. 315, SEQ. ID. NO. 317, SEQ. ID. NO. 319, SEQ. ID. NO. 321, SEQ. ID. NO. 323, SEQ. ID. NO. 325, SEQ. ID. NO. 327, SEQ. ID. NO. 329, SEQ. 10 ID. NO. 331, SEQ. ID. NO. 333, SEQ. ID. NO. 335, SEQ. ID. NO. 337, SEQ. ID. NO. 339, SEQ. ID. NO. 341, SEQ. ID. NO. 343, SEQ. ID. NO. 345, SEQ. ID. NO. 347, SEQ. ID. NO. 349, SEQ. ID. NO. 351, SEQ. ID. NO. 353, SEQ. ID. NO. 355, SEQ. ID. NO. 357, SEQ. ID. NO. 359, SEQ. ID. NO. 361, SEQ. ID. NO. 363, SEQ. ID. NO. 365, SEQ. ID. NO. 367, SEQ. ID. NO. 369, SEQ ID NO: 371, SEQ. ID. NO. 15 373, SEQ. ID. NO. 375, SEQ. ID. NO. 377, SEQ. ID. NO. 379, SEQ. ID. NO. 381, SEQ. ID. NO. 383, SEQ. ID. NO. 385, SEQ. ID. NO. 387, SEQ. ID. NO. 389, SEQ. ID. NO. 391, SEQ. ID. NO. 393, SEQ. ID. NO. 395, SEQ. ID. NO. 397, SEQ. ID. NO. 399, SEQ. ID. NO. 401, SEQ. ID. NO. 403, SEQ. ID. NO. 405, SEQ. ID. NO. 407, SEQ. ID. NO. 409, SEQ. ID. NO. 411, SEQ. ID. NO. 413, SEQ. ID. NO. 415, 20 SEQ. ID. NO. 417, SEQ. ID. NO. 419, SEQ. ID. NO. 421, SEQ. ID. NO. 423, SEQ. ID. NO. 425, SEQ. ID. NO. 427, SEQ. ID. NO. 429, SEQ. ID. NO. 431, SEQ. ID. NO. 433, SEQ. ID. NO. 435, SEQ. ID. NO. 437, SEQ. ID. NO. 439, SEQ. ID. NO. 441, SEQ. ID. NO. 443, SEQ. ID. NO. 445, SEQ. ID. NO. 447, SEQ. ID. NO. 449, SEQ. ID. NO. 451, SEQ. ID. NO. 453, SEQ. ID. NO. 455, SEQ. ID. NO. 457, SEQ. 25 ID. NO. 459, SEQ. ID. NO. 461, SEQ. ID. NO. 463, SEQ. ID. NO. 465, SEQ. ID. NO. 467, SEQ. ID. NO. 469, SEQ. ID. NO. 471, SEQ. ID. NO. 473, SEQ. ID. NO. 475, SEQ. ID. NO. 477, SEQ. ID. NO. 479, SEQ. ID. NO. 481, SEQ. ID. NO. 483, SEQ. ID. NO. 485, SEQ. ID. NO. 487, SEQ. ID. NO. 489, SEQ. ID. NO. 491, SEQ. ID. NO. 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 30 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511, wherein the fragment is at least 10, preferably 20, 30, 50, 70, 100, or 150 amino acids in length.

It is still a further object of the invention to provide an isolated nucleic acid molecule comprising a nucleic acid sequence that encodes a variant of said fragment, wherein there is a variation in at most 10, preferably 5, 4, 3, 2, or 1 amino acid residues.

5 It is still another object of the invention to provide an isolated polypeptide comprising an amino acid sequence that is at least 40%, 50%, 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, or 99% identical to an amino acid sequence selected from the group consisting of: SEQ. ID. NO. 1, SEQ. ID. NO. 3, SEQ. ID. NO. 5, SEQ. ID. NO. 7, SEQ. ID. NO. 9, SEQ. ID. NO. 11, SEQ. ID. NO. 13, SEQ. ID. NO. 15, SEQ. ID. NO. 17, SEQ. ID. NO. 19, SEQ. ID. NO. 21, SEQ. ID. NO. 23, SEQ. ID. NO. 25, SEQ. ID. NO. 27, SEQ. ID. NO. 29, SEQ. ID. NO. 31, SEQ. ID. NO. 33, SEQ. ID. NO. 35, SEQ. ID. NO. 37, SEQ. ID. NO. 39, SEQ. ID. NO. 41, SEQ. ID. NO. 43, SEQ. ID. NO. 45, SEQ. ID. NO. 47, SEQ. ID. NO. 49, SEQ. ID. NO. 51, SEQ. ID. NO. 53, SEQ. ID. NO. 55, SEQ. ID. NO. 57, SEQ. ID. NO. 59, SEQ. ID. NO. 61, SEQ. ID. NO. 63, SEQ. ID. NO. 65, SEQ. ID. NO. 67, SEQ. ID. NO. 69, SEQ. ID. NO. 71, SEQ. ID. NO. 73, SEQ. ID. NO. 75, SEQ. ID. NO. 77, SEQ. ID. NO. 79, SEQ. ID. NO. 81, SEQ. ID. NO. 83, SEQ. ID. NO. 85, SEQ. ID. NO. 87, SEQ. ID. NO. 89, SEQ. ID. NO. 91, SEQ. ID. NO. 93, SEQ. ID. NO. 95, SEQ. ID. NO. 97, SEQ. ID. NO. 99, SEQ. ID. NO. 101, SEQ. ID. NO. 103, SEQ. ID. NO. 105, SEQ. ID. NO. 107, SEQ. ID. NO. 109, SEQ. ID. NO. 111, SEQ. ID. NO. 113, SEQ. ID. NO. 115, SEQ. ID. NO. 117, SEQ. ID. NO. 119, SEQ. ID. NO. 121, SEQ. ID. NO. 123, SEQ. ID. NO. 125, SEQ. ID. NO. 127, SEQ. ID. NO. 129, SEQ. ID. NO. 131, SEQ. ID. NO. 133, SEQ. ID. NO. 135, SEQ. ID. NO. 137, SEQ. ID. NO. 139, SEQ. ID. NO. 141, SEQ. ID. NO. 143, SEQ. ID. NO. 145, SEQ. ID. NO. 147, SEQ. ID. NO. 149, SEQ. ID. NO. 151, SEQ. ID. NO. 153, SEQ. ID. NO. 155, SEQ. ID. NO. 157, SEQ. ID. NO. 159, SEQ. ID. NO. 161, SEQ. ID. NO. 163, SEQ. ID. NO. 165, SEQ. ID. NO. 167, SEQ. ID. NO. 169, SEQ. ID. NO. 171, SEQ. ID. NO. 173, SEQ. ID. NO. 175, SEQ. ID. NO. 177, SEQ. ID. NO. 179, SEQ. ID. NO. 181, SEQ. ID. NO. 183, SEQ. ID. NO. 185, SEQ. ID. NO. 187, SEQ. ID. NO. 189, SEQ. ID. NO. 191, SEQ. ID. NO. 193, SEQ. ID. NO. 195, SEQ. ID. NO. 197, SEQ. ID. NO. 199, SEQ. ID. NO. 201, SEQ. ID. NO. 203, SEQ. ID. NO. 205, SEQ. ID. NO. 207, SEQ. ID. NO. 209, SEQ. ID. NO. 211, SEQ. ID. NO. 213, SEQ. ID. NO. 215, SEQ. ID. NO. 217, SEQ. ID.

NO. 219, SEQ. ID. NO. 221, SEQ. ID. NO. 223, SEQ. ID. NO. 225, SEQ. ID.
NO. 227, SEQ. ID. NO. 229, SEQ. ID. NO. 231, SEQ. ID. NO. 233, SEQ. ID.
NO. 235, SEQ. ID. NO. 237, SEQ. ID. NO. 239, SEQ. ID. NO. 241, SEQ. ID. NO.
243, SEQ. ID. NO. 245, SEQ. ID. NO. 247, SEQ. ID. NO. 249, SEQ. ID. NO. 251,
5 SEQ. ID. NO. 253, SEQ. ID. NO. 255, SEQ. ID. NO. 257, SEQ. ID. NO. 259, SEQ.
ID. NO. 261, SEQ. ID. NO., 263, SEQ. ID. NO., 265, SEQ. ID. NO. 267, SEQ. ID.
NO. 269, SEQ. ID. NO. 271, SEQ. ID. NO. 273, SEQ. ID. NO. 275, SEQ. ID. NO.
277, SEQ. ID. NO. 279, SEQ. ID. NO. 281, SEQ. ID. NO. 283, SEQ. ID. NO. 285,
SEQ. ID. NO. 287, SEQ. ID. NO. 289, SEQ. ID. NO. 291, SEQ. ID. NO. 293, SEQ.
10 ID. NO. 295, SEQ. ID. NO. 297, SEQ. ID. NO. 299, SEQ. ID. NO. 301, SEQ. ID.
NO. 303, SEQ. ID. NO. 305, SEQ. ID. NO. 307, SEQ. ID. NO. 309, SEQ. ID. NO.
311, SEQ. ID. NO. 313, SEQ. ID. NO. 315, SEQ. ID. NO. 317, SEQ. ID. NO. 319,
SEQ. ID. NO. 321, SEQ. ID. NO. 323, SEQ. ID. NO. 325, SEQ. ID. NO. 327, SEQ.
ID. NO. 329, SEQ. ID. NO. 331, SEQ. ID. NO. 333, SEQ. ID. NO. 335, SEQ. ID.
15 NO. 337, SEQ. ID. NO. 339, SEQ. ID. NO. 341, SEQ. ID. NO. 343, SEQ. ID. NO.
345, SEQ. ID. NO. 347, SEQ. ID. NO. 349, SEQ. ID. NO. 351, SEQ. ID. NO. 353,
SEQ. ID. NO. 355, SEQ. ID. NO. 357, SEQ. ID. NO. 359, SEQ. ID. NO. 361, SEQ.
ID. NO. 363, SEQ. ID. NO. 365, SEQ. ID. NO. 367, SEQ. ID. NO. 369, SEQ ID NO:
371, SEQ. ID. NO. 373, SEQ. ID. NO. 375, SEQ. ID. NO. 377, SEQ. ID. NO. 379,
20 SEQ. ID. NO. 381, SEQ. ID. NO. 383, SEQ. ID. NO. 385, SEQ. ID. NO. 387, SEQ.
ID. NO. 389, SEQ. ID. NO. 391, SEQ. ID. NO. 393, SEQ. ID. NO. 395, SEQ. ID.
NO. 397, SEQ. ID. NO. 399, SEQ. ID. NO. 401, SEQ. ID. NO. 403, SEQ. ID. NO.
405, SEQ. ID. NO. 407, SEQ. ID. NO. 409, SEQ. ID. NO. 411, SEQ. ID. NO. 413,
SEQ. ID. NO. 415, SEQ. ID. NO. 417, SEQ. ID. NO. 419, SEQ. ID. NO. 421, SEQ.
25 ID. NO. 423, SEQ. ID. NO. 425, SEQ. ID. NO. 427, SEQ. ID. NO. 429, SEQ. ID.
NO. 431, SEQ. ID. NO. 433, SEQ. ID. NO. 435, SEQ. ID. NO. 437, SEQ. ID. NO.
439, SEQ. ID. NO. 441, SEQ. ID. NO. 443, SEQ. ID. NO. 445, SEQ. ID. NO. 447,
SEQ. ID. NO. 449, SEQ. ID. NO. 451, SEQ. ID. NO. 453, SEQ. ID. NO. 455, SEQ.
ID. NO. 457, SEQ. ID. NO. 459, SEQ. ID. NO. 461, SEQ. ID. NO. 463, SEQ. ID.
30 NO. 465, SEQ. ID. NO. 467, SEQ. ID. NO. 469, SEQ. ID. NO. 471, SEQ. ID. NO.
473, SEQ. ID. NO. 475, SEQ. ID. NO. 477, SEQ. ID. NO. 479, SEQ. ID. NO. 481,
SEQ. ID. NO. 483, SEQ. ID. NO. 485, SEQ. ID. NO. 487, SEQ. ID. NO. 489, SEQ.
ID. NO. 491, SEQ. ID. NO. 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO:

499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511.

It is still a further object of the invention to provide an isolated polypeptide comprising a fragment of a polypeptide having an amino acid sequence selected from the group consisting of: SEQ. ID. NO. 1, SEQ. ID. NO. 3, SEQ. ID. NO. 5, SEQ. ID. NO. 7, SEQ. ID. NO. 9, SEQ. ID. NO. 11, SEQ. ID. NO. 13, SEQ. ID. NO. 15, SEQ. ID. NO. 17, SEQ. ID. NO. 19, SEQ. ID. NO. 21, SEQ. ID. NO. 23, SEQ. ID. NO. 25, SEQ. ID. NO. 27, SEQ. ID. NO. 29, SEQ. ID. NO. 31, SEQ. ID. NO. 33, SEQ. ID. NO. 35, SEQ. ID. NO. 37, SEQ. ID. NO. 39, SEQ. ID. NO. 41, SEQ. ID. NO. 43, SEQ. ID. NO. 45, SEQ. ID. NO. 47, SEQ. ID. NO. 49, SEQ. ID. NO. 51, SEQ. ID. NO. 53, SEQ. ID. NO. 55, SEQ. ID. NO. 57, SEQ. ID. NO. 59, SEQ. ID. NO. 61, SEQ. ID. NO. 63, SEQ. ID. NO. 65, SEQ. ID. NO. 67, SEQ. ID. NO. 69, SEQ. ID. NO. 71, SEQ. ID. NO. 73, SEQ. ID. NO. 75, SEQ. ID. NO. 77, SEQ. ID. NO. 79, SEQ. ID. NO. 81, SEQ. ID. NO. 83, SEQ. ID. NO. 85, SEQ. ID. NO. 87, SEQ. ID. NO. 89, SEQ. ID. NO. 91, SEQ. ID. NO. 93, SEQ. ID. NO. 95, SEQ. ID. NO. 97, SEQ. ID. NO. 99, SEQ. ID. NO. 101, SEQ. ID. NO. 103, SEQ. ID. NO. 105, SEQ. ID. NO. 107, SEQ. ID. NO. 109, SEQ. ID. NO. 111, SEQ. ID. NO. 113, SEQ. ID. NO. 115, SEQ. ID. NO. 117, SEQ. ID. NO. 119, SEQ. ID. NO. 121, SEQ. ID. NO. 123, SEQ. ID. NO. 125, SEQ. ID. NO. 127, SEQ. ID. NO. 129, SEQ. ID. NO. 131, SEQ. ID. NO. 133, SEQ. ID. NO. 135, SEQ. ID. NO. 137, SEQ. ID. NO. 139, SEQ. ID. NO. 141, SEQ. ID. NO. 143, SEQ. ID. NO. 145, SEQ. ID. NO. 147, SEQ. ID. NO. 149, SEQ. ID. NO. 151, SEQ. ID. NO. 153, SEQ. ID. NO. 155, SEQ. ID. NO. 157, SEQ. ID. NO. 159, SEQ. ID. NO. 161, SEQ. ID. NO. 163, SEQ. ID. NO. 165, SEQ. ID. NO. 167, SEQ. ID. NO. 169, SEQ. ID. NO. 171, SEQ. ID. NO. 173, SEQ. ID. NO. 175, SEQ. ID. NO. 177, SEQ. ID. NO. 179, SEQ. ID. NO. 181, SEQ. ID. NO. 183, SEQ. ID. NO. 185, SEQ. ID. NO. 187, SEQ. ID. NO. 189, SEQ. ID. NO. 191, SEQ. ID. NO. 193, SEQ. ID. NO. 195, SEQ. ID. NO. 197, SEQ. ID. NO. 199, SEQ. ID. NO. 201, SEQ. ID. NO. 203, SEQ. ID. NO. 205, SEQ. ID. NO. 207, SEQ. ID. NO. 209, SEQ. ID. NO. 211, SEQ. ID. NO. 213, SEQ. ID. NO. 215, SEQ. ID. NO. 217, SEQ. ID. NO. 219, SEQ. ID. NO. 221, SEQ. ID. NO. 223, SEQ. ID. NO. 225, SEQ. ID. NO. 227, SEQ. ID. NO. 229, SEQ. ID. NO. 231, SEQ. ID. NO. 233, SEQ. ID. NO. 235, SEQ. ID. NO. 237, SEQ. ID. NO. 239, SEQ. ID. NO. 241, SEQ. ID. NO.

243, SEQ. ID. NO. 245, SEQ. ID. NO. 247, SEQ. ID. NO. 249, SEQ. ID. NO. 251, SEQ. ID. NO. 253, SEQ. ID. NO. 255, SEQ. ID. NO. 257, SEQ. ID. NO. 259, SEQ. ID. NO. 261, SEQ. ID. NO., 263, SEQ. ID. NO., 265, SEQ. ID. NO. 267, SEQ. ID. NO. 269, SEQ. ID. NO. 271, SEQ. ID. NO. 273, SEQ. ID. NO. 275, SEQ. ID. NO. 277, SEQ. ID. NO. 279, SEQ. ID. NO. 281, SEQ. ID. NO. 283, SEQ. ID. NO. 285, SEQ. ID. NO. 287, SEQ. ID. NO. 289, SEQ. ID. NO. 291, SEQ. ID. NO. 293, SEQ. ID. NO. 295, SEQ. ID. NO. 297, SEQ. ID. NO. 299, SEQ. ID. NO. 301, SEQ. ID. NO. 303, SEQ. ID. NO. 305, SEQ. ID. NO. 307, SEQ. ID. NO. 309, SEQ. ID. NO. 311, SEQ. ID. NO. 313, SEQ. ID. NO. 315, SEQ. ID. NO. 317, SEQ. ID. NO. 319, SEQ. ID. NO. 321, SEQ. ID. NO. 323, SEQ. ID. NO. 325, SEQ. ID. NO. 327, SEQ. ID. NO. 329, SEQ. ID. NO. 331, SEQ. ID. NO. 333, SEQ. ID. NO. 335, SEQ. ID. NO. 337, SEQ. ID. NO. 339, SEQ. ID. NO. 341, SEQ. ID. NO. 343, SEQ. ID. NO. 345, SEQ. ID. NO. 347, SEQ. ID. NO. 349, SEQ. ID. NO. 351, SEQ. ID. NO. 353, SEQ. ID. NO. 355, SEQ. ID. NO. 357, SEQ. ID. NO. 359, SEQ. ID. NO. 361, SEQ. ID. NO. 363, SEQ. ID. NO. 365, SEQ. ID. NO. 367, SEQ. ID. NO. 369, SEQ ID NO: 371, SEQ. ID. NO. 373, SEQ. ID. NO. 375, SEQ. ID. NO. 377, SEQ. ID. NO. 379, SEQ. ID. NO. 381, SEQ. ID. NO. 383, SEQ. ID. NO. 385, SEQ. ID. NO. 387, SEQ. ID. NO. 389, SEQ. ID. NO. 391, SEQ. ID. NO. 393, SEQ. ID. NO. 395, SEQ. ID. NO. 397, SEQ. ID. NO. 399, SEQ. ID. NO. 401, SEQ. ID. NO. 403, SEQ. ID. NO. 405, SEQ. ID. NO. 407, SEQ. ID. NO. 409, SEQ. ID. NO. 411, SEQ. ID. NO. 413, SEQ. ID. NO. 415, SEQ. ID. NO. 417, SEQ. ID. NO. 419, SEQ. ID. NO. 421, SEQ. ID. NO. 423, SEQ. ID. NO. 425, SEQ. ID. NO. 427, SEQ. ID. NO. 429, SEQ. ID. NO. 431, SEQ. ID. NO. 433, SEQ. ID. NO. 435, SEQ. ID. NO. 437, SEQ. ID. NO. 439, SEQ. ID. NO. 441, SEQ. ID. NO. 443, SEQ. ID. NO. 445, SEQ. ID. NO. 447, SEQ. ID. NO. 449, SEQ. ID. NO. 451, SEQ. ID. NO. 453, SEQ. ID. NO. 455, SEQ. ID. NO. 457, SEQ. ID. NO. 459, SEQ. ID. NO. 461, SEQ. ID. NO. 463, SEQ. ID. NO. 465, SEQ. ID. NO. 467, SEQ. ID. NO. 469, SEQ. ID. NO. 471, SEQ. ID. NO. 473, SEQ. ID. NO. 475, SEQ. ID. NO. 477, SEQ. ID. NO. 479, SEQ. ID. NO. 481, SEQ. ID. NO. 483, SEQ. ID. NO. 485, SEQ. ID. NO. 487, SEQ. ID. NO. 489, SEQ. ID. NO. 491, SEQ. ID. NO. 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511, wherein the fragment is at least 40, preferably 60, 80, 100, 150, 200, or 250 amino acids in length.

It is still a further object of the invention to provide an isolated polypeptide comprising a variant of said fragment, especially naturally occurring allelic variants, the expression of which may be significant in the manner by which different persons in the human population perceive odors differently, both on a qualitative and quantitative level, wherein there is a variation in at most 10, preferably 5, 4, 3, 2, or 1 amino acid residues.

It is still another object of the invention to provide agonists, including inverse agonists, or antagonists of such ORs, or fragments or variants thereof.

It is yet another object of the invention to provide methods for representing the perception of odor and/or for predicting the perception of odor in a mammal, including in a human. Preferably, such methods may be performed by using the ORs, or fragments or variants thereof, and genes encoding such ORs, or fragments or variants thereof, disclosed herein.

It is yet another object of the invention to provide novel molecules or combinations of molecules which elicit a predetermined olfactory perception in a mammal. Such molecules or compositions can be generated by determining a value of olfactory perception in a mammal for a known molecule or combinations of molecules; determining a value of olfactory perception in a mammal for one or more unknown molecules or combinations of molecules; comparing the value of olfactory perception in a mammal for one or more unknown compositions to the value of olfactory perception in a mammal for one or more known compositions; selecting a molecule or combination of molecules that elicits a predetermined olfactory perception in a mammal; and combining two or more unknown molecules or combinations of molecules to form a molecule or combination of molecules that elicits a predetermined olfactory perception in a mammal. The combining step yields a single molecule or a combination of molecules that elicits a predetermined olfactory perception in a mammal.

It is still a further object of the invention to provide a method of screening one or more compounds for the presence of an odor detectable by a mammal, comprising: a step of contacting said one or more compounds with the disclosed ORs, fragments or variants thereof, preferably wherein the mammal is a human.

It is another object of the invention to provided a method for simulating a fragrance, comprising: for each of a plurality of ORs, or fragments of variants thereof

disclosed herein, preferably human ORs, ascertaining the extent to which the OR interacts with the fragrance; and combining a plurality of compounds, each having a previously ascertained interaction with one or more of the ORs, in amounts that together provide a receptor-stimulation profile that mimics the profile for the fragrance. Interaction of a fragrance with an OR can be determined using any of the binding or reporter assays described herein. The plurality of compounds may then be combined to form a mixture. If desired, one or more of the plurality of the compounds can be combined covalently. The combined compounds substantially stimulate at least 50%, 60%, 70%, 75%, 80% or 90% or all of the receptors that are substantially stimulated by the fragrance.

In yet another aspect of the invention, a method is provided wherein a plurality of standard compounds are tested against a plurality of ORs, or fragments or variants thereof, to ascertain the extent to which the ORs each interact with each standard compound, thereby generating a receptor stimulation profile for each standard compound. These receptor stimulation profiles may then be stored in a relational database on a data storage medium. The method may further comprise providing a desired receptor-stimulation profile for a scent; comparing the desired receptor stimulation profile to the relational database; and ascertaining one or more combinations of standard compounds that most closely match the desired receptor-stimulation profile. The method may further comprise combining standard compounds in one or more of the ascertained combinations to simulate the scent.

It is a further object of the invention to provide a method for representing olfactory perception of a particular smell in a mammal, comprising: providing values X_1 to X_n representative of the quantitative stimulation of each of n ORs of said vertebrate, where n is greater than or equal to 4, n is greater than or equal to 12; n is greater than or equal to 24, n is greater than or equal to 48; n is greater than or equal to 72; n is greater than or equal to 96; n is greater than or equal to 120; n is greater than or equal to 144; n is greater than or equal to 168; n is greater than or equal to 192; n is greater than or equal to 216, or n is greater than or equal to 256; and generating from said values a quantitative representation of olfactory perception. The ORs may be an olfactory receptor disclosed herein, or fragments or variants thereof, the representation may constitute a point or a volume in n -dimensional space, may constitute a graph or a spectrum, and may constitute a matrix of quantitative representations. Also, the

providing step may comprise contacting a plurality of recombinantly produced ORs, or fragments or variants thereof, with a test composition and quantitatively measuring the interaction of said composition with said receptors.

It is yet another object of the invention to provide a method for predicting the
5 olfactory perception in a mammal generated by one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal, comprising: providing values X_1 to X_n representative of the quantitative stimulation of each of n ORs of said vertebrate, where n is greater than or equal to 4 n is greater than or equal to 12; n is greater than or equal to 24, n is greater than or equal to 48; n is
10 greater than or equal to 72; n is greater than or equal to 96; n is greater than or equal to 120; n is greater than or equal to 144; n is greater than or equal to 168; n is greater than or equal to 192; n is greater than or equal to 216, or n is greater than or equal to 256; for one or more molecules or combinations of molecules yielding known olfactory perception in a mammal; and generating from said values a quantitative
15 representation of olfactory perception in a mammal for the one or more molecules or combinations of molecules yielding known olfactory perception in a mammal, providing values X_1 to X_n representative of the quantitative stimulation of each of n ORs of said vertebrate, where n is greater than or equal to 4, n is greater than or equal to 12; n is greater than or equal to 24, n is greater than or equal to 48; n is greater than
20 or equal to 72; n is greater than or equal to 96; n is greater than or equal to 120; n is greater than or equal to 144; n is greater than or equal to 168; n is greater than or equal to 192; n is greater than or equal to 216, or n is greater than or equal to 273; for one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal; and generating from said values a quantitative representation of
25 olfactory perception in a mammal for the one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal, and predicting the olfactory perception in a mammal generated by one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal by comparing the quantitative representation of olfactory perception in a mammal for the
30 one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal to the quantitative representation of olfactory perception in a mammal for the one or more molecules or combinations of molecules yielding known

olfactory perception in a mammal. The ORs used in this method may include an olfactory receptor, or fragment or variant thereof, disclosed herein.

Brief Description of the Drawings

5 Figure 1 illustrates the multiple sequence alignment derived for fifty novel ORs, indicating areas of homology and presence of sequence motifs characteristic for olfactory receptors. The fifty novel human olfactory receptors (hOR) proteins described herein are designated AOLFR1 through AOLFR52. The alignment protocol used the Clustal method with PAM250 residue weight table. Amino acid sequences
10 AOLFR2 through AOLFR52 were analyzed for alignment with the AOLFR1 amino acid sequence.

 Figure 2 illustrates the multiple sequence alignment derived for fifty novel ORs, indicating areas of homology and presence of sequence motifs characteristic for olfactory receptors. The fifty novel human olfactory receptors (hOR) proteins
15 described herein are designated AOLFR54 through AOLFR109. The alignment protocol used the Clustal method with PAM250 residue weight table. Amino acid sequences AOLFR55 through AOLFR109 were analyzed for alignment with the AOLFR54 amino acid sequence.

 Figure 3 illustrates the multiple sequence alignment derived for fifty novel
20 ORs, indicating areas of homology and presence of sequence motifs characteristic for olfactory receptors. The fifty novel human olfactory receptors (hOR) proteins described herein are designated AOLFR110 through AOLFR163. The alignment protocol used the Clustal method with PAM250 residue weight table. Amino acid sequences AOLFR111 through AOLFR163 were analyzed for alignment with the
25 AOLFR110 amino acid sequence.

 Figure 4 illustrates the multiple sequence alignment derived for fifty-four novel ORs, indicating areas of homology and presence of sequence motifs characteristic for olfactory receptors. The fifty-four novel human olfactory receptors (hOR) proteins described herein are designated AOLFR165 through AOLFR217. The
30 alignment protocol used the Clustal method with PAM250 residue weight table. Amino acid sequences AOLFR166 through AOLFR217 were analyzed for alignment with the AOLFR165 amino acid sequence.

Figure 5 illustrates the multiple sequence alignment derived for fifty-two novel ORs, indicating areas of homology and presence of sequence motifs characteristic for olfactory receptors. The fifty-two novel human olfactory receptors (hOR) proteins described herein, which are designated AOLFR218 through AOLFR328. The alignment protocol used the Clustal method with PAM250 residue weight table. Amino acid sequences AOLFR219 through AOLFR328 were analyzed for alignment with the AOLFR218 amino acid sequence.

Detailed Description of the Invention

The invention thus provides isolated nucleic acid molecules encoding olfactory-cell-specific G protein-coupled receptors ("GPCRs"), and the polypeptides they encode. These nucleic acid molecules and the polypeptides that they encode are members of the olfactory receptor family. Other members of the olfactory receptor family are disclosed in Krautwurst, *et al.*, *Cell*, 95:917-26 (1998), and WO 0035274, the contents of which are herein incorporated by reference in their entireties.

According to one aspect of the invention, genes encoding over two hundred fifty distinct, novel human olfactory (odorant) receptors (also herein referred to ORs) have been identified in genome sequence databases. All of these receptor genes have been initially detected by computer DNA sequence analysis of genomic clones (unfinished High Throughput Genomic Sequence database accession numbers AB045359, AP002532, AP002533, AL365440, AC073487, AL359636, AL359955, AP002535, AB045365, AL359218, AC002555, AB045361, AL359512, AC023255, AL358773, AL357767, AL358874, AC068380, AC025283, AP002407, AC018700, AC022289, AC006313, AC002556, AC011571, AL121944, AC007194, AP001112, AC021660, AP000723, AC016856, AC018700, AP000818, AC00596, AP000916, AC011517, AP001112, AP000916, AC021427, AC021427, AC020884, AC019108, AL135841, AL133410, AF186996, AL138834, AC009237, AC025249, AC010930, AC009758, AC009642, AC009758, AC025249, AF101706, AC009642, AC025249, AC021660, AC011647, AC011711, AC09642, AC020597, AC011711, AC019088, AC022882, AC011571, AL121944, AP000435, AC012616, AC010332, AC010766, AP000743, AC021809, AC011879, AC021304, AC023226, AL160314, AC021304, AC020380, AC011904, AC004977, AC021304, AP000868, AP000825, AC023080, AC022207, AC121986, AC010814, AC018700, AC021304, AC008620, AC011537,

AC010760, AC027641, AC017103, AC024729, AC024257, AC025115, AP001524, AP000916, AC010814, AL162254, AC025234, AP001521, AC026090, AC019088, AC016856, AC016787, AC009594, AC026038, AQ628489, AC025942, AL163152, AC026975, AC024654, AP001803, AP001804, AL353767, AP001884, AC026083, 5 AC018793, AP000818, AL353894, AL049734, AL355366, AC011464, AC037472, AC036111, AC019093, AC027239, AC027522, AC009545, AC021333, AC036216, AC021935, AC022762, AL356019, AC055861, AC018375, AC072059, AC068339, AC022891, AL357039, AP002345, AC044810, AC073113, AC024399, AC023564, AL390860, AC074365, AP002826, AL359636, AL391534, AC055731, AC076959, 10 AP002826, AC019088, AC009779, AL445307, AP002512, AP000818, AC079190) by virtue of their sequence homology to some of the known human and other mammalian olfactory receptor genes.

Alternatively, nucleic acids encoding the olfactory receptors (ORs) and polypeptides of the invention can be isolated from a variety of sources, genetically 15 engineered, amplified, synthesized, and/or expressed recombinantly according to the methods disclosed in WO 0035374, which is herein incorporated by reference in its entirety.

These nucleic acids provide valuable probes for the identification of olfactory cells, as the nucleic acids are specifically expressed in olfactory cells. They can also 20 serve as tools for the generation of sensory topographical maps that elucidate the relationship between olfactory cells and olfactory sensory neurons leading to olfactory centers in the brain. Furthermore, the nucleic acids and the polypeptides they encode can be used as probes to elucidate olfactory-induced behaviors.

The invention also provides methods of screening for modulators, *e.g.*, 25 activators, inhibitors, stimulators, enhancers, agonists, inverse agonists and antagonists, of the ORs, or fragments or variants thereof, of the invention. Such modulators of olfactory transduction are useful for pharmacological and genetic modulation of olfactory signaling pathways. These methods of screening can be used to identify high affinity agonists and antagonists of olfactory cell activity. These 30 modulator compounds can then be used in the food, pharmaceutical, and cosmetic industries to customize odors and fragrances.

Thus, the invention provides assays for olfactory modulation, where the ORs, or fragments or variants thereof, of the invention act as direct or indirect reporter

molecules for the effect of modulators on olfactory transduction. The ORs, or fragments or variants thereof, can be used in assays, *e.g.*, to measure changes in ion concentration, membrane potential, current flow, ion flux, transcription, signal transduction, receptor-ligand interaction, second messenger concentrations, *in vitro*, *in vivo* and *ex vivo*. In one embodiment, the ORs, or fragments or variants thereof, can be used as an indirect reporters via attachment to second reporter molecules, such as green fluorescent protein (*see, e.g., Mistili et al., Nature Biotech., 15:961-64 (1997)*). In another embodiment, the ORs, or fragments or variants thereof, can be expressed in host cells, and modulation of olfactory transduction via OR activity can be assayed by measuring changes in Ca^{2+} levels.

Methods of assaying for modulators of olfactory transduction include *in vitro* ligand binding assays using the ORs of the invention, or fragments or variants thereof. More particularly, such assays can use the ORs; portions thereof such as the extracellular or transmembrane domains; chimeric proteins comprising one or more of such domains; oocyte receptor expression; tissue culture cell receptor expression; transcriptional activation of the receptor; G protein binding to the receptor; ligand binding assays; voltage, membrane potential and conductance changes; ion flux assays; changes in intracellular second messengers such as cAMP and inositol triphosphate; changes in intracellular Ca^{2+} levels; and neurotransmitter release.

The invention also provides for methods of detecting olfactory nucleic acid and protein expression, allowing for the investigation of olfactory transduction regulation and specific identification of olfactory receptor cells. The ORs, fragments, and variants of the invention can also be used to generate monoclonal and polyclonal antibodies useful for identifying olfactory receptor cells. Olfactory receptor cells can be identified using techniques such as reverse transcription and amplification of mRNA, isolation of total RNA or poly A⁺ RNA, northern blotting, dot blotting, *in situ* hybridization, RNase protection, S1 digestion, probing DNA microchip arrays, western blots, and the like.

A. Identification and Characterization of Olfactory Receptors

The amino acid sequences of the ORs and polypeptides of the invention can be identified by putative translation of the coding nucleic acid sequences. These various

amino acid sequences and the coding nucleic acid sequences may be compared to one another or to other sequences according to a number of methods.

For example, in sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. When using a sequence
5 comparison algorithm, test and reference sequences are entered into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. Default program parameters can be used, as described below for the BLASTN and BLASTP programs, or alternative parameters can be designated. The sequence comparison algorithm then calculates the percent
10 sequence identities for the test sequences relative to the reference sequence, based on the program parameters.

A "comparison window," as used herein, includes reference to a segment of any one of the number of contiguous positions selected from the group consisting of: from 20 to 600, usually about 50 to about 200, more usually about 100 to about 150 in
15 which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned. Methods of alignment of sequences for comparison are well known in the art. Optimal alignment of sequences for comparison can be conducted, *e.g.*, by the local homology algorithm of Smith & Waterman, *Adv. Appl. Math.* 2:482 (1981), by the homology alignment
20 algorithm of Needleman & Wunsch, *J Mol. Biol.* 48:443 (1970), by the search for similarity method of Pearson & Lipman, *PNAS*, 85:2444 (1988), by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI), or by manual alignment and visual inspection (*see, e.g., Current*
25 *Protocols in Molecular Biology* (Ausubel *et al.*, eds. 1995 supplement)).

A preferred example of an algorithm that is suitable for determining percent sequence identity and sequence similarity are the BLAST and BLAST 2.0 algorithms, which are described in Altschul *et al.*, *Nuc. Acids Res.* 25:3389-3402 (1977) and Altschul *et al.*, *J Mol. Biol.* 215:403-410 (1990), respectively. Software for
30 performing BLAST analyses is publicly available through the National Center for Biotechnology Information (<http://www.ncbi.nlm.nih.gov/>). This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short words of length W in the query sequence, which either match or satisfy some positive-valued

threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul *et al.*, Altschul *et al.*, *Nuc. Acids Res.* 25:3389-3402 (1977) and Altschul *et al.*, *J Mol. Biol.* 215:403-410 (1990)). These initial neighborhood word hits act as seeds for initiating
5 searches to find longer HSPs containing them. The word hits are extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always > 0) and N (penalty score for mismatching residues; always < 0). For amino acid sequences, a
10 scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and
15 X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) uses as defaults a wordlength (W) of 11, an expectation (E) or 10, M=5, N=-4 and a comparison of both strands. For amino acid sequences, the BLASTP program uses as defaults a wordlength of 3, and expectation (E) of 10, and the BLOSUM62 scoring matrix (*see* Henikoff & Henikoff, *PNAS*, 89:10915 (1989))
20 alignments (B) of 50, expectation (E) of 10, M=5, N=-4, and a comparison of both strands.

Another example of a useful algorithm is PILEUP. PILEUP creates a multiple sequence alignment from a group of related sequences using progressive, pairwise alignments to show relationship and percent sequence identity. It also plots a so-
25 called "tree" or "dendrogram" showing the clustering relationships used to create the alignment (*see, e.g.*, Figure 2). PILEUP uses a simplification of the progressive alignment method of Feng & Doolittle, *J Mol. Evol.* 35:351-60 (1987). The method used is similar to the method described by Higgins & Sharp, *CABIOS* 5:151-153 (1989). The program can align up to 300 sequences, each of a maximum length of
30 5,000 nucleotides or amino acids. The multiple alignment procedure begins with the pairwise alignment of the two most similar sequences, producing a cluster of two aligned sequences. This cluster is then aligned to the next most related sequence or cluster of aligned sequences. Two clusters of sequences are aligned by a simple

extension of the pairwise alignment of two individual sequences. The final alignment is achieved by a series of progressive, pairwise alignments. The program is run by designating specific sequences and their amino acid or nucleotide coordinates for regions of sequence comparison and by designating the program parameters. Using
5 PILEUP, a reference sequence is compared to other test sequences to determine the percent sequence identity relationship using the following parameters: default gap weight (3.00), default gap length weight (0.10), and weighted end gaps. PILEUP can be obtained from the GCG sequence analysis software package, *e.g.*, version 7. 0 (Devereaux *et al.*, *Nuc. Acids Res.* 12:387-395 (1984) encoded by the genes were
10 derived by conceptual translation of the corresponding open reading frames. Comparison of these protein sequences to all known proteins in the public sequence databases using BLASTP algorithm revealed their strong homology to the members of the mammalian olfactory receptor family, each of the odorant receptor sequences having at least 50%, and preferably at least 55%, at least 60%, at least 65%, and most
15 preferably at least 70%, amino acid identity to at least one known member of the family.

The nucleic acid molecules of the present invention are typically intronless and encode putative OR proteins generally having lengths of approximately 290 to approximately 400 amino acid residues that contain seven transmembrane domains, as
20 predicted by hydrophobicity plotting analysis, indicating that they belong to the G protein-coupled receptor 7-transmembrane (7TM) superfamily, which includes the subset of taste and olfactory receptors. In addition to the overall structural similarity, each of the ORs identified herein has a characteristic sequence signature of an olfactory receptor. In particular, all the identified sequences contain very close
25 matches to the following consensus amino acid motifs (Mombaerts, 1999, Pilpel 1999): EFILL (SEQ ID NO: 513) before transmembrane domain 1, LHTPMY (SEQ ID No: 514) in intracellular loop 1, MAYDRYVAIC (SEQ ID NO: 510) at the end of transmembrane domain 3 and the beginning of intracellular loop 2, SY at the end of transmembrane domain 5, FSTCSSH (SEQ ID NO: 516) in the beginning of
30 transmembrane domain 6, and PMLNPF (SEQ ID NO: 517) in transmembrane domain 7. Combination of all the above-mentioned structural features of the identified genes and encoded proteins strongly suggests that they represent novel members of the human olfactory receptor family.

As noted above, complete or partial sequences of numerous human and other eukaryotic olfactory receptors are currently known. The novel human receptors have amino acid sequences distinctly different from the previously known human olfactory receptors, which suggests their different specificity in odorant recognition. Therefore, these novel receptors and their genes can be used, alone or in combination with known olfactory receptors, in developing detection systems and assays for chemically distinct types of odorants not recognized by the known receptors, as well as for diagnostic and research purposes.

B. Definitions

As used herein, the following terms have the meanings ascribed to them unless specified otherwise.

“OR” refers to one or more members of a family of G protein-coupled receptors that are expressed in olfactory cells. Olfactory receptor cells can also be identified on the basis of morphology (*see, e.g., Roper, supra*), or by the expression of proteins specifically expressed in olfactory cells. OR family members may have the ability to act as receptors for olfactory transduction.

“OR” nucleic acids encode a family of GPCRs with seven transmembrane regions that have “G protein-coupled receptor activity,” *e.g.*, they may bind to G proteins in response to extracellular stimuli and promote production of second messengers such as IP₃, cAMP, cGMP, and Ca²⁺ via stimulation of enzymes such as phospholipase C and adenylate cyclase (for a description of the structure and function of GPCRs, *see, e.g., Fong, supra*, and Baldwin, *supra*). A single olfactory cell may contain many distinct OR polypeptides.

Topologically, certain chemosensory GPCRs have an “N-terminal domain;” “extracellular domains;” “transmembrane domains” comprising seven transmembrane regions, and corresponding cytoplasmic, and extracellular loops; “cytoplasmic domains,” and a “C-terminal domain” (*see, e.g., Hoon et al., Cell*, 96:541-51 (1999); Buck & Axel, *Cell*, 65:175-87 (1991)). These domains can be structurally identified using methods known to those of skill in the art, such as sequence analysis programs that identify hydrophobic and hydrophilic domains (*see, e.g., Stryer, Biochemistry*, (3rd ed. 1988); *see also* any of a number of Internet based sequence analysis programs, such as those found at dot.imgen.bcm.tmc.edu). Such domains are useful

for making chimeric proteins and for *in vitro* assays of the invention, *e.g.*, ligand binding assays.

“Extracellular domains” therefore refers to the domains of OR polypeptides that protrude from the cellular membrane and are exposed to the extracellular face of the cell. Such domains generally include the “N terminal domain” that is exposed to the extracellular face of the cell, and optionally can include portions of the extracellular loops of the transmembrane domain that are exposed to the extracellular face of the cell, *i.e.*, the loops between transmembrane regions 2 and 3, between transmembrane regions 4 and 5, and between transmembrane regions 6 and 7.

The “N terminal domain” region starts at the N-terminus and extends to a region close to the start of the transmembrane domain. “Transmembrane domain,” which comprises the seven “transmembrane regions,” refers to the domain of OR polypeptides that lies within the plasma membrane, and may also include the corresponding cytoplasmic (intracellular) and extracellular loops. The seven transmembrane regions and extracellular and cytoplasmic loops can be identified using standard methods, as described in Kyte & Doolittle, *J. Mol. Biol.*, 157:105-32 (1982)), or in Stryer, *supra*. The general secondary and tertiary structure of transmembrane domains, in particular the seven transmembrane domains of 7-transmembrane receptors such as olfactory receptors, are well known in the art. Thus, primary structure sequence can be designed or predicted based on known transmembrane domain sequences, as described in detail below. These transmembrane domains are useful for *in vitro* ligand-binding assays, both soluble and solid phase.

“Cytoplasmic domains” refers to the domains of OR polypeptides that face the inside of the cell, *e.g.*, the “C terminal domain” and the intracellular loops of the transmembrane domain, *e.g.*, the intracellular loop between transmembrane regions 1 and 2, the intracellular loop between transmembrane regions 3 and 4, and the intracellular loop between transmembrane regions 5 and 6. “C terminal domain” refers to the region that spans the end of the last transmembrane domain and the C-terminus of the protein, and which is normally located within the cytoplasm.

The term “ligand-binding region” or “ligand-binding domain” refers to sequences derived from a chemosensory receptor, particularly an olfactory receptor,

that substantially incorporates at least transmembrane domains II to VII. The ligand-binding region may be capable of binding a ligand, and more particularly, an odorant.

The phrase "functional effects" in the context of assays for testing compounds that modulate OR family member mediated olfactory transduction includes the
5 determination of any parameter that is indirectly or directly under the influence of the receptor, *e.g.*, functional, physical and chemical effects. It includes ligand binding, changes in ion flux, membrane potential, current flow, transcription, G protein binding, GPCR phosphorylation or dephosphorylation, signal transduction, receptor-ligand interactions, second messenger concentrations (*e.g.*, cAMP, cGMP,
10 IP3, or intracellular Ca^{2+}), *in vitro*, *in vivo*, and *ex vivo* and also includes other physiologic effects such increases or decreases of neurotransmitter or hormone release.

By "determining the functional effect" in the context of assays is meant assays for a compound that increases or decreases a parameter that is indirectly or directly
15 under the influence of an OR family member, *e.g.*, functional, physical and chemical effects. Such functional effects can be measured by any means known to those skilled in the art, *e.g.*, changes in spectroscopic characteristics (*e.g.*, fluorescence, absorbance, refractive index), hydrodynamic (*e.g.*, shape), chromatographic, or solubility properties, patch clamping, voltage-sensitive dyes, whole cell currents,
20 radioisotope efflux, inducible markers, oocyte OR gene expression; tissue culture cell OR expression; transcriptional activation of OR genes; ligand-binding assays; voltage, membrane potential and conductance changes; ion flux assays; changes in intracellular second messengers such as cAMP, cGMP, and inositol triphosphate (IP3); changes in intracellular calcium levels; neurotransmitter release, and the like.

25 "Inhibitors," "activators," and "modulators" of OR genes or proteins are used interchangeably to refer to inhibitory, activating, or modulating molecules identified using *in vitro* and *in vivo* assays for olfactory transduction, *e.g.*, ligands, agonists, antagonists, and their homologs and mimetics. Inhibitors are compounds that, *e.g.*, bind to, partially or totally block stimulation, decrease, prevent, delay activation,
30 inactivate, desensitize, or down regulate olfactory transduction, *e.g.*, antagonists. Activators are compounds that, *e.g.*, bind to, stimulate, increase, open, activate, facilitate, enhance activation, sensitize, or up regulate olfactory transduction, *e.g.*, agonists. Modulators include compounds that, *e.g.*, alter the interaction of a receptor

with: extracellular proteins that bind activators or inhibitor (*e.g.*, ebnerin and other members of the hydrophobic carrier family); G proteins; kinases (*e.g.*, homologs of rhodopsin kinase and beta adrenergic receptor kinases that are involved in deactivation and desensitization of a receptor); and arrestins, which also deactivate and desensitize receptors. Modulators can include genetically modified versions of OR family members, *e.g.*, with altered activity, as well as naturally occurring and synthetic ligands, antagonists, agonists, small chemical molecules and the like. Such assays for inhibitors and activators include, *e.g.*, expressing OR family members in cells or cell membranes, applying putative modulator compounds, in the presence or absence of tastants, *e.g.*, sweet tastants, and then determining the functional effects on olfactory transduction, as described above. Samples or assays comprising OR family members that are treated with a potential activator, inhibitor, or modulator are compared to control samples without the inhibitor, activator, or modulator to examine the extent of modulation. Control samples (untreated with modulators) are assigned a relative OR activity value of 100%. Inhibition of a OR is achieved when the OR activity value relative to the control is about 80%, optionally 50% or 25-0%. Activation of an OR is achieved when the OR activity value relative to the control is 110%, optionally 150%, optionally 200-500%, or 1000-3000% higher.

The terms "purified," "substantially purified," and "isolated" as used herein refer to the state of being free of other, dissimilar compounds with which the compound of the invention is normally associated in its natural state, so that the "purified," "substantially purified," and "isolated" subject comprises at least 0.5%, 1%, 5%, 10%, or 20%, and most preferably at least 50% or 75% of the mass, by weight, of a given sample. In one preferred embodiment, these terms refer to the compound of the invention comprising at least 95% of the mass, by weight, of a given sample. As used herein, the terms "purified," "substantially purified," and "isolated" "isolated," when referring to a nucleic acid or protein, of nucleic acids or proteins, also refers to a state of purification or concentration different than that which occurs naturally in the mammalian, especially human, body. Any degree of purification or concentration greater than that which occurs naturally in the mammalian, especially human, body, including (1) the purification from other associated structures or compounds or (2) the association with structures or compounds to which it is not normally associated in the mammalian, especially human, body, are within the

meaning of "isolated." The nucleic acid or protein or classes of nucleic acids or proteins, described herein, may be isolated, or otherwise associated with structures or compounds to which they are not normally associated in nature, according to a variety of methods and processes known to those of skill in the art.

5 As used herein, the term "isolated," when referring to a nucleic acid or polypeptide refers to a state of purification or concentration different than that which occurs naturally in the mammalian, especially human, body. Any degree of purification or concentration greater than that which occurs naturally in the body, including (1) the purification from other naturally-occurring associated structures or
10 compounds, or (2) the association with structures or compounds to which it is not normally associated in the body are within the meaning of "isolated" as used herein. The nucleic acids or polypeptides described herein may be isolated or otherwise associated with structures or compounds to which they are not normally associated in nature, according to a variety of methods and processes known to those of skill in the
15 art.

 As used herein, the terms "amplifying" and "amplification" refer to the use of any suitable amplification methodology for generating or detecting recombinant or naturally expressed nucleic acid, as described in detail, below. For example, the invention provides methods and reagents (*e.g.*, specific degenerate oligonucleotide
20 primer pairs) for amplifying (*e.g.*, by polymerase chain reaction, PCR) naturally expressed (*e.g.*, genomic or mRNA) or recombinant (*e.g.*, cDNA) nucleic acids of the invention (*e.g.*, tastant-binding sequences of the invention) *in vivo* or *in vitro*.

 The term "7- transmembrane receptor" means a polypeptide belonging to a superfamily of transmembrane proteins that have seven domains that span the plasma
25 membrane seven times (thus, the seven domains are called "transmembrane" or "TM" domains TM I to TM VII). The families of olfactory and certain taste receptors each belong to this super-family. 7-transmembrane receptor polypeptides have similar and characteristic primary, secondary and tertiary structures, as discussed in further detail below.

30 The term "library" means a preparation that is a mixture of different nucleic acid or polypeptide molecules, such as the library of recombinantly generated chemosensory, particularly olfactory receptor ligand-binding domains generated by amplification of nucleic acid with degenerate primer pairs, or an isolated collection of

vectors that incorporate the amplified ligand-binding domains, or a mixture of cells each randomly transfected with at least one vector encoding an olfactory receptor.

The term "nucleic acid" or "nucleic acid sequence" refers to a deoxy-ribonucleotide or ribonucleotide oligonucleotide in either single- or double-stranded
5 form. The term encompasses nucleic acids, i.e., oligonucleotides, containing known analogs of natural nucleotides. The term also encompasses nucleic-acid-like structures with synthetic backbones (*see e.g., Oligonucleotides and Analogues, a Practical Approach*, ed. F. Eckstein, Oxford Univ. Press (1991); *Antisense Strategies, Annals of the N.Y. Acad. of Sci.*, Vol. 600, Eds. Baserga *et al.* (NYAS 1992); Milligan
10 *J. Med. Chem.* 36:1923-1937 (1993); *Antisense Research and Applications* (1993, CRC Press), WO 97/03211; WO 96/39154; Mata, *Toxicol. Appl. Pharmacol.* 144:189-197 (1997); Strauss-Soukup, *Biochemistry* 36:8692-8698 (1997); Samstag, *Antisense Nucleic Acid Drug Dev*, 6:153-156 (1996)).

Unless otherwise indicated, a particular nucleic acid sequence also implicitly
15 encompasses conservatively modified variants thereof (*e.g.*, degenerate codon substitutions) and complementary sequences, as well as the sequence explicitly indicated. Specifically, degenerate codon substitutions may be achieved by generating, *e.g.*, sequences in which the third position of one or more selected codons is substituted with mixed-base and/or deoxyinosine residues (Batzner *et al.*, *Nucleic
20 Acid Res.*, 19:5081 (1991); Ohtsuka *et al.*, *J. Biol. Chem.*, 260:2605-08 (1985); Rossolini *et al.*, *Mol. Cell. Probes*, 8:91-98 (1994)). The term nucleic acid is used interchangeably with gene, cDNA, mRNA, oligonucleotide, and polynucleotide.

The terms "polypeptide," "peptide" and "protein" are used interchangeably herein to refer to a polymer of amino acid residues. The terms apply to amino acid
25 polymers in which one or more amino acid residue is an artificial chemical mimetic of a corresponding naturally occurring amino acid, as well as to naturally occurring amino acid polymers and non-naturally occurring amino acid polymer.

The term "plasma membrane translocation domain" or simply "translocation domain" means a polypeptide domain that, when incorporated into the amino terminus
30 of a polypeptide coding sequence, can with great efficiency "chaperone" or "translocate" the hybrid ("fusion") protein to the cell plasma membrane. For instance, a "translocation domain" may be derived from the amino terminus of the bovine rhodopsin receptor polypeptide. In one embodiment, the translocation domain may be

functionally equivalent to an exemplary translocation domain (5'-MNGTEGPNFYVPFSNKTGVV; SEQ ID NO: 518). However, rhodopsin from any mammal may be used, as can other translocation facilitating sequences. Thus, the translocation domain is particularly efficient in translocating 7-transmembrane fusion proteins to the plasma membrane, and a protein (*e.g.*, an olfactory receptor polypeptide) comprising an amino terminal translocating domain will be transported to the plasma membrane more efficiently than without the domain. However, if the N-terminal domain of the polypeptide is active in binding, the use of other translocation domains may be preferred.

“Functional equivalency” means the domain’s ability and efficiency in translocating newly translated proteins to the plasma membrane as efficiently as exemplary SEQ ID NO: 518 under similar conditions; relative efficiencies can be measured (in quantitative terms) and compared, as described herein. Domains falling within the scope of the invention can be determined by routine screening for their efficiency in translocating newly synthesized polypeptides to the plasma membrane in a cell (mammalian, *Xenopus*, and the like) with the same efficiency as the twenty amino acid long translocation domain SEQ ID NO: 518, as described in detail below.

The “translocation domain,” “ligand-binding domain”, and chimeric receptor compositions described herein also include “analogs,” or “conservative variants” and “mimetics” (“peptidomimetics”) with structures and activity that substantially correspond to the exemplary sequences. Thus, the terms “conservative variant” or “analog” or “mimetic” refer to a polypeptide which has a modified amino acid sequence, such that the change(s) do not substantially alter the polypeptide’s (the conservative variant’s) structure and/or activity, as defined herein. These include conservatively modified variations of an amino acid sequence, *i.e.*, amino acid substitutions, additions or deletions of those residues that are not critical for protein activity, or substitution of amino acids with residues having similar properties (*e.g.*, acidic, basic, positively or negatively charged, polar or non-polar, *etc.*) such that the substitutions of even critical amino acids does not substantially alter structure and/or activity. Conservative substitution tables providing functionally similar amino acids are well known in the art.

More particularly, “conservatively modified variants” applies to both amino acid and nucleic acid sequences. With respect to particular nucleic acid sequences,

conservatively modified variants refers to those nucleic acids which encode identical or essentially identical amino acid sequences, or where the nucleic acid does not encode an amino acid sequence, to essentially identical sequences. Because of the degeneracy of the genetic code, a large number of functionally identical nucleic acids
5 encode any given protein.

For instance, the codons GCA, GCC, GCG and GCU all encode the amino acid alanine. Thus, at every position where an alanine is specified by a codon, the codon can be altered to any of the corresponding codons described without altering the encoded polypeptide.

10 Such nucleic acid variations are "silent variations," which are one species of conservatively modified variations. Every nucleic acid sequence herein which encodes a polypeptide also describes every possible silent variation of the nucleic acid. One of skill will recognize that each codon in a nucleic acid (except AUG, which is ordinarily the only codon for methionine, and TGG, which is ordinarily the only
15 codon for tryptophan) can be modified to yield a functionally identical molecule. Accordingly, each silent variation of a nucleic acid which encodes a polypeptide is implicit in each described sequence.

Conservative substitution tables providing functionally similar amino acids are well known in the art. For example, one exemplary guideline to select conservative
20 substitutions includes (original residue followed by exemplary substitution): ala/gly or ser; arg/lys; asn/gln or his; asp/glu; cys/ser; gln/asn; gly/asp; gly/ala or pro; his/asn or gln; ile/leu or val; leu/ile or val; lys/arg or gln or glu; met/leu or tyr or ile; phe/met or leu or tyr; ser/thr; thr/ser; trp/tyr; tyr/trp or phe; val/ile or leu. An alternative exemplary guideline uses the following six groups, each containing amino acids that
25 are conservative substitutions for one another: 1) Alanine (A), Serine (S), Threonine (T); 2) Aspartic acid (D), Glutamic acid (E); 3) Asparagine (N), Glutamine (Q); 4) Arginine (R), Lysine (I); 5) Isoleucine (I), Leucine (L), Methionine (M), Valine (V); and 6) Phenylalanine (F), Tyrosine (Y), Tryptophan (W); (*see also, e.g.,* Creighton, *Proteins*, W.H. Freeman and Company (1984); Schultz and Schimer, *Principles of*
30 *Protein Structure*, Springer-Verlag (1979)). One of skill in the art will appreciate that the above-identified substitutions are not the only possible conservative substitutions. For example, for some purposes, one may regard all charged amino acids as conservative substitutions for each other whether they are positive or negative. In

addition, individual substitutions, deletions or additions that alter, add or delete a single amino acid or a small percentage of amino acids in an encoded sequence can also be considered "conservatively modified variations."

5 The terms "mimetic" and "peptidomimetic" refer to a synthetic chemical compound that has substantially the same structural and/or functional characteristics of the polypeptides, *e.g.*, translocation domains, ligand-binding domains, or chimeric
10 receptors of the invention. The mimetic can be either entirely composed of synthetic, non-natural analogs of amino acids, or may be a chimeric molecule of partly natural peptide amino acids and partly non-natural analogs of amino acids. The mimetic can
15 also incorporate any amount of natural amino acid conservative substitutions as long as such substitutions also do not substantially alter the mimetic's structure and/or activity.

As with polypeptides of the invention which are conservative variants, routine experimentation will determine whether a mimetic is within the scope of the
15 invention, *i.e.*, that its structure and/or function is not substantially altered. Polypeptide mimetic compositions can contain any combination of non-natural structural components, which are typically from three structural groups: a) residue linkage groups other than the natural amide bond ("peptide bond") linkages; b) non-
20 natural residues in place of naturally occurring amino acid residues; or c) residues which induce secondary structural mimicry, *i.e.*, to induce or stabilize a secondary structure, *e.g.*, a beta turn, gamma turn, beta sheet, alpha helix conformation, and the like. A polypeptide can be characterized as a mimetic when all or some of its residues
25 are joined by chemical means other than natural peptide bonds. Individual peptidomimetic residues can be joined by peptide bonds, other chemical bonds or coupling means, such as, *e.g.*, glutaraldehyde, N-hydroxysuccinimide esters, bifunctional maleimides, N,N'-dicyclohexylcarbodiimide (DCC) or N,N'-diisopropylcarbodiimide (DIC). Linking groups that can be an alternative to the
30 traditional amide bond ("peptide bond") linkages include, *e.g.*, ketomethylene (*e.g.*, -C(=O)-CH₂- for -C(=O)-NH-), aminomethylene (CH₂-NH), ethylene, olefin (CH=CH), ether (CH₂-O), thioether (CH₂-S), tetrazole (CN₄), thiazole, retroamide, thioamide, or ester (*see, e.g.*, Spatola, *Chemistry and Biochemistry of Amino Acids, Peptides and Proteins*, 7:267-357, "Peptide Backbone Modifications," Marcell Dekker, NY (1983)). A polypeptide can also be characterized as a mimetic by

containing all or some non-natural residues in place of naturally occurring amino acid residues; non-natural residues are well described in the scientific and patent literature.

A "label" or a "detectable moiety" is a composition detectable by spectroscopic, photochemical, biochemical, immunochemical, or chemical means. For example, useful labels include ³²P, fluorescent dyes, electron-dense reagents, enzymes (e.g., as commonly used in an ELISA), biotin, digoxigenin, or haptens and proteins which can be made detectable, e.g., by incorporating a radiolabel into the peptide or used to detect antibodies specifically reactive with the peptide.

A "labeled nucleic acid probe or oligonucleotide" is one that is bound, either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds to a label such that the presence of the probe may be detected by detecting the presence of the label bound to the probe.

As used herein a "nucleic acid probe or oligonucleotide" is defined as a nucleic acid capable of binding to a target nucleic acid of complementary sequence through one or more types of chemical bonds, usually through complementary base pairing, usually through hydrogen bond formation. As used herein, a probe may include natural (i.e., A, G, C, or T) or modified bases (7-deazaguanosine, inosine, etc.). In addition, the bases in a probe may be joined by a linkage other than a phosphodiester bond, so long as it does not interfere with hybridization. Thus, for example, probes may be peptide nucleic acids in which the constituent bases are joined by peptide bonds rather than phosphodiester linkages. It will be understood by one of skill in the art that probes may bind target sequences lacking complete complementarity with the probe sequence depending upon the stringency of the hybridization conditions. The probes are optionally directly labeled as with isotopes, chromophores, lumiphores, chromogens, or indirectly labeled such as with biotin to which a streptavidin complex may later bind. By assaying for the presence or absence of the probe, one can detect the presence or absence of the select sequence or subsequence.

The term "heterologous" when used with reference to portions of a nucleic acid indicates that the nucleic acid comprises two or more subsequences that are not found in the same relationship to each other in nature. For instance, the nucleic acid is typically recombinantly produced, having two or more sequences from unrelated genes arranged to make a new functional nucleic acid, e.g., a promoter from one

source and a coding region from another source. Similarly, a heterologous protein indicates that the protein comprises two or more subsequences that are not found in the same relationship to each other in nature (*e.g.*, a fusion protein).

5 A "promoter" is defined as an array of nucleic acid sequences that direct transcription of a nucleic acid. As used herein, a promoter includes necessary nucleic acid sequences near the start site of transcription, such as, in the case of a polymerase II type promoter, a TATA element. A promoter also optionally includes distal enhancer or repressor elements, which can be located as much as several thousand base pairs from the start site of transcription. A "constitutive" promoter is a promoter
10 that is active under most environmental and developmental conditions. An "inducible" promoter is a promoter that is active under environmental or developmental regulation. The term "operably linked" refers to a functional linkage between a nucleic acid expression control sequence (such as a promoter, or array of transcription factor binding sites) and a second nucleic acid sequence, wherein the
15 expression control sequence directs transcription of the nucleic acid corresponding to the second sequence.

As used herein, "recombinant" refers to a polynucleotide synthesized or otherwise manipulated *in vitro* (*e.g.*, "recombinant polynucleotide"), to methods of using recombinant polynucleotides to produce gene products in cells or other
20 biological systems, or to a polypeptide ("recombinant protein") encoded by a recombinant polynucleotide. "Recombinant means" also encompass the ligation of nucleic acids having various coding regions or domains or promoter sequences from different sources into an expression cassette or vector for expression of, *e.g.*, inducible or constitutive expression of a fusion protein comprising a translocation domain of the
25 invention and a nucleic acid sequence amplified using a primer of the invention.

The phrase "selectively (or specifically) hybridizes to" refers to the binding, duplexing, or hybridizing of a molecule only to a particular nucleotide sequence under stringent hybridization conditions when that sequence is present in a complex mixture (*e.g.*, total cellular or library DNA or RNA).

30 The phrase "stringent hybridization conditions" refers to conditions under which a probe will hybridize to its target subsequence, typically in a complex mixture of nucleic acid, but to no other sequences. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer

sequences hybridize specifically at higher temperatures. An extensive guide to the hybridization of nucleic acids is found in Tijssen, *Techniques in Biochemistry and Molecular Biology - Hybridisation with Nucleic Probes*, "Overview of principles of hybridization and the strategy of nucleic acid assays" (1993). Generally, stringent
5 conditions are selected to be about 5-10° C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength pH. The T_m is the temperature (under defined ionic strength, pH, and nucleic concentration) at which 50% of the probes complementary to the target hybridize to the target sequence at equilibrium (as the target sequences are present in excess, at T_m, 50% of the probes are occupied at
10 equilibrium). Stringent conditions will be those in which the salt concentration is less than about 1.0 M sodium ion, typically about 0.01 to 1.0 M sodium ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30° C for short probes (e.g., 10 to 50 nucleotides) and at least about 60° C for long probes (e.g., greater than 50 nucleotides). Stringent conditions may also be achieved with the
15 addition of destabilizing agents such as formamide. For selective or specific hybridization, a positive signal is at least two times background, optionally 10 times background hybridization. Exemplary stringent hybridization conditions can be as following: 50% formamide, 5x SSC, and 1% SDS, incubating at 42°C, or, 5x SSC, 1% SDS, incubating at 65°C, with wash in 0.2x SSC, and 0.1 % SDS at 65°C. Such
20 hybridizations and wash steps can be carried out for, e.g., 1, 2, 5, 10, 15, 30, 60; or more minutes.

Nucleic acids that do not hybridize to each other under stringent conditions are still substantially related if the polypeptides that they encode are substantially related. This occurs, for example, when a copy of a nucleic acid is created using the maximum
25 codon degeneracy permitted by the genetic code. In such cases, the nucleic acids typically hybridize under moderately stringent hybridization conditions. Exemplary "moderately stringent hybridization conditions" include a hybridization in a buffer of 40% formamide, 1 M NaCl, 1% SDS at 37°C, and a wash in 1x SSC at 45°C. Such hybridizations and wash steps can be carried out for, e.g., 1, 2, 5, 10, 15, 30, 60, or
30 more minutes. A positive hybridization is at least twice background. Those of ordinary skill will readily recognize that alternative hybridization and wash conditions can be utilized to provide conditions of similar stringency.

“Antibody” refers to a polypeptide comprising a framework region from an immunoglobulin gene or fragments thereof that specifically binds and recognizes an antigen. The recognized immunoglobulin genes include the kappa, lambda, alpha, gamma, delta, epsilon, and mu constant region genes, as well as the myriad
5 immunoglobulin variable region genes. Light chains are classified as either kappa or lambda. Heavy chains are classified as gamma, mu, alpha, delta, or epsilon, which in turn define the immunoglobulin classes, IgG, IgM, IgA, IgD and IgE, respectively.

An exemplary immunoglobulin (antibody) structural unit comprises a tetramer. Each tetramer is composed of two identical pairs of polypeptide chains, each pair
10 having one “light” (about 25 kDa) and one “heavy” chain (about 50-70 kDa). The N-terminus of each chain defines a variable region of about 100 to 110 or more amino acids primarily responsible for antigen recognition. The terms variable light chain (VL) and variable heavy chain (VH) refer to these light and heavy chains respectively.

A “chimeric antibody” is an antibody molecule in which (a) the constant
15 region, or a portion thereof, is altered, replaced or exchanged so that the antigen binding site (variable region) is linked to a constant region of a different or altered class, effector function and/or species, or an entirely different molecule which confers new properties to the chimeric antibody, *e.g.*, an enzyme, toxin, hormone, growth factor, drug, *etc.*; or (b) the variable region, or a portion thereof, is altered, replaced or
20 exchanged with a variable region having a different or altered antigen specificity.

An “anti-OR” antibody is an antibody or antibody fragment that specifically binds a polypeptide encoded by a OR gene, cDNA, or a subsequence thereof.

The term “immunoassay” is an assay that uses an antibody to specifically bind an antigen. The immunoassay is characterized by the use of specific binding
25 properties of a particular antibody to isolate, target, and/or quantify the antigen.

The phrase “specifically (or selectively) binds” to an antibody or, “specifically (or selectively) immunoreactive with,” when referring to a protein or peptide, refers to a binding reaction that is determinative of the presence of the protein in a heterogeneous population of proteins and other biologics. Thus, under designated
30 immunoassay conditions, the specified antibodies bind to a particular protein at least two times the background and do not substantially bind in a significant amount to other proteins present in the sample. Specific binding to an antibody under such conditions may require an antibody that is selected for its specificity for a particular

protein. For example, polyclonal antibodies raised to an OR family member from specific species such as rat, mouse, or human can be selected to obtain only those polyclonal antibodies that are specifically immunoreactive with the OR polypeptide or an immunogenic portion thereof and not with other proteins, except for orthologs or polymorphic variants and alleles of the OR polypeptide. This selection may be achieved by subtracting out antibodies that cross-react with OR molecules from other species or other OR molecules. Antibodies can also be selected that recognize only OR GPCR family members but not GPCRs from other families. A variety of immunoassay formats may be used to select antibodies specifically immunoreactive with a particular protein. For example, solid-phase ELISA immunoassays are routinely used to select antibodies specifically immunoreactive with a protein (*see, e.g., Harlow & Lane, Antibodies, A Laboratory Manual, (1988), for a description of immunoassay formats and conditions that can be used to determine specific immunoreactivity*). Typically a specific or selective reaction will be at least twice background signal or noise and more typically more than 10 to 100 times background.

The phrase “selectively associates with” refers to the ability of a nucleic acid to “selectively hybridize” with another as defined above, or the ability of an antibody to “selectively (or specifically) bind to a protein, as defined above.

The term “expression vector” refers to any recombinant expression system for the purpose of expressing a nucleic acid sequence of the invention *in vitro* or *in vivo*, constitutively or inducibly, in any cell, including prokaryotic, yeast, fungal, plant, insect or mammalian cell. The term includes linear or circular expression systems. The term includes expression systems that remain episomal or integrate into the host cell genome. The expression systems can have the ability to self-replicate or not, i.e., drive only transient expression in a cell. The term includes recombinant expression “cassettes which contain only the minimum elements needed for transcription of the recombinant nucleic acid.

By “host cell” is meant a cell that contains an expression vector and supports the replication or expression of the expression vector. Host cells may be prokaryotic cells such as *E. coli*, or eukaryotic cells such as yeast, insect, amphibian, or mammalian cells such as CHO, HeLa, HEK-293, and the like, *e.g.,* cultured cells, explants, and cells *in vivo*.

C. Isolation and Expression of Olfactory Receptors

Isolation and expression of the ORs, or fragments or variants thereof, of the invention can be performed as described below. PCR primers can be used for the amplification of nucleic acids encoding olfactory receptor ligand-binding regions and libraries of these nucleic acids can thereby be generated. Libraries of expression vectors can then be used to infect or transfect host cells for the functional expression of these libraries. These genes and vectors can be made and expressed *in vitro* or *in vivo*. One of skill will recognize that desired phenotypes for altering and controlling nucleic acid expression can be obtained by modulating the expression or activity of the genes and nucleic acids (*e.g.*, promoters, enhancers and the like) within the vectors of the invention. Any of the known methods described for increasing or decreasing expression or activity can be used. The invention can be practiced in conjunction with any method or protocol known in the art, which are well described in the scientific and patent literature.

The nucleic acid sequences of the invention and other nucleic acids used to practice this invention, whether RNA, cDNA, genomic DNA, vectors, viruses or hybrids thereof, may be isolated from a variety of sources, genetically engineered, amplified, and/or expressed recombinantly. Any recombinant expression system can be used, including, in addition to mammalian cells, *e.g.*, bacterial, yeast, insect or plant systems.

Alternatively, these nucleic acids can be synthesized *in vitro* by well-known chemical synthesis techniques, as described in, *e.g.*, Carruthers, *Cold Spring Harbor Symp. Quant. Biol.* 47:411-418 (1982); Adams, *Am. Chem. Soc.* 105:661 (1983); Belousov, *Nucleic Acids Res.* 25:3440-3444 (1997); Frenkel, *Free Radic. Biol. Med.* 19:373-380 (1995); Blommers, *Biochemistry* 33:7886-7896 (1994); Narang, *Meth. Enzymol.* 68:90 (1979); Brown, *Meth. Enzymol.* 68:109 (1979); Beaucage, *Tetra. Lett.* 22:1859 (1981); U.S. Patent No. 4,458,066. Double-stranded DNA fragments may then be obtained either by synthesizing the complementary strand and annealing the strands together under appropriate conditions, or by adding the complementary strand using DNA polymerase with an appropriate primer sequence..

Techniques for the manipulation of nucleic acids, such as, for example, for generating mutations in sequences, subcloning, labeling probes, sequencing, hybridization and the like are well described in the scientific and patent literature.

See, e.g., Sambrook, ed., *Molecular Cloning: a Laboratory manual* (2nd ed.), Vols. 1-3, Cold Spring Harbor Laboratory (1989); *Current Protocols in Molecular Biology*, Ausubel, ed. John Wiley & Sons, Inc., New York (1997); *Laboratory Techniques in Biochemistry and Molecular Biology: Hybridization With Nucleic Acid Probes*, Part I, Theory and Nucleic Acid Preparation, Tijssen, ed. Elsevier, N.Y. (1993).

Nucleic acids, vectors, capsids, polypeptides, and the like can be analyzed and quantified by any of a number of general means well known to those of skill in the art. These include, e.g., analytical biochemical methods such as NMR, spectrophotometry, radiography, electrophoresis, capillary electrophoresis, high performance liquid chromatography (HPLC), thin layer chromatography (TLC), and hyperdiffusion chromatography, various immunological methods, e.g., fluid or gel precipitin reactions, immunodiffusion, immunoelectrophoresis, radioimmunoassays (RIAs), enzyme-linked immunosorbent assays (ELISAs), immuno-fluorescent assays, Southern analysis, Northern analysis, dot-blot analysis, gel electrophoresis (e.g., SDS-PAGE), RT-PCR, quantitative PCR, other nucleic acid or target or signal amplification methods, radiolabeling, scintillation counting, and affinity chromatography.

Oligonucleotide primers are used to amplify nucleic acid encoding an olfactory receptor ligand-binding region. The nucleic acids described herein can also be cloned or measured quantitatively using amplification techniques. Using exemplary degenerate primer pair sequences, (see below), the skilled artisan can select and design suitable oligonucleotide amplification primers. Amplification methods are also well known in the art, and include, e.g., polymerase chain reaction, PCR (PCR Protocols, a Guide to Methods and Applications, ed. Innis. Academic Press, N.Y. (1990) and PCR Strategies, ed. Innis, Academic Press, Inc., N.Y. (1995), ligase chain reaction (LCR) (see, e.g., Wu, *Genomics* 4:560 (1989); Landegren, *Science* 241:1077,(1988); Barringer, *Gene* 89:117 (1990)); transcription amplification (see, e.g., Kwoh, *PNAS*, 86:1173 (1989)); and, self-sustained sequence replication (see, e.g., Guatelli, *PNAS*, 87:1874 (1990)); Q Beta replicase amplification (see, e.g., Smith, *J. Clin. Microbiol.* 35:1477-1491 (1997)); automated Q-beta replicase amplification assay (see, e.g., Burg, *Mol. Cell. Probes* 10:257-271 (1996)) and other RNA polymerase mediated techniques (e.g., NASBA, Cangene, Mississauga, Ontario); see also Berger, *Methods Enzymol.* 152:307-316 (1987); Sambrook;

Ausubel; U.S. Patent Nos. 4,683,195 and 4,683,202; Sooknanan, *Biotechnology* 13:563-564 (1995).

Once amplified, the nucleic acids, either individually or as libraries, may be cloned according to methods known in the art, if desired, into any of a variety of
5 vectors using routine molecular biological methods; methods for cloning *in vitro* amplified nucleic acids are described, *e.g.*, U.S. Pat. No. 5,426,039. To facilitate cloning of amplified sequences, restriction enzyme sites can be "built into" the PCR primer pair. For example, Pst I and Bsp E1 sites were designed into the exemplary primer pairs of the invention. These particular restriction sites have a sequence that,
10 when ligated, are "in-frame" with respect to the 7-membrane receptor "donor" coding sequence into which they are spliced (the ligand-binding region coding sequence is internal to the 7-membrane polypeptide, thus, if it is desired that the construct be translated downstream of a restriction enzyme splice site, out of frame results should be avoided; this may not be necessary if the inserted ligand-binding domain comprises
15 substantially most of the transmembrane VII region). The primers can be designed to retain the original sequence of the "donor" 7-membrane receptor (the Pst I and Bsp E1 sequence in the primers of the invention generate an insert that, when ligated into the Pst I/Bsp E1 cut vector, encode residues found in the "donor" mouse olfactory receptor M4 sequence). Alternatively, the primers can encode amino acid residues
20 that are conservative substitutions (*e.g.*, hydrophobic for hydrophobic residue, see above discussion) or functionally benign substitutions (*e.g.*, do not prevent plasma membrane insertion, cause cleavage by peptidase, cause abnormal folding of receptor, and the like).

The primer pairs are designed to selectively amplify ligand-binding regions of
25 olfactory receptor proteins. These domain regions may vary for different ligands, and more particularly odorants; thus, what may be a minimal binding region for one ligand, and more particularly odorants, may be too limiting for a second potential ligand. Thus, domain regions of different sizes comprising different domain structures may be amplified; for example, transmembrane (TM) domains II through
30 VII, III through VII, III through VI or II through VI, or variations thereof (*e.g.*, only a subsequence of a particular domain, mixing the order of the domains, and the like), of a 7-transmembrane OR.

As domain structures and sequence of many 7-membrane proteins, particularly olfactory receptors, are known, the skilled artisan can readily select domain-flanking and internal domain sequences as model sequences to design degenerate amplification primer pairs. For example, a nucleic acid sequence encoding domain regions II
5 through VII can be generated by PCR amplification using a primer pair. To amplify a nucleic acid comprising transmembrane domain I (TM I) sequence, a degenerate primer can be designed from a nucleic acid that encodes the amino acid sequence LFLLYL3' (SEQ ID NO: 519). Such a degenerate primer can be used to generate a binding domain incorporating TM I through TM III, TM I through TM IV, TM I
10 through TM V, TM I through TM VI or TM I through TM VII).

To amplify a nucleic acid comprising a transmembrane domain III (TM III) sequence, a degenerate primer (of at least about 17 residues) can be designed from a nucleic acid that encodes the amino acid sequence M(A/G)(Y/F)DRYVAI 3' (SEQ ID NO: 520) (encoded by a nucleic acid sequence such as
15 5'-ATGG(G/C)CT(A/T)TGACCG(C/A/T)T(AT)(C/T)GT-3' (SEQ ID NO: 521)). Such a degenerate primer can be used to generate a binding domain incorporating TM III through TM IV, TM III through TM V, TM III through TM VI or TM III through TM VII.

To amplify transmembrane domain VI (TM VI) sequence, a degenerate primer
20 (of at least about 17 residues) can be designed from nucleic acid encoding an amino acid sequence TC(G/A)SHL (SEQ ID NO: 522), encoded by a sequence such as 5'-AG(G/A)TGN(G/C)(T/A)N(G/C)C(G/A)CANGT-3' 3' (SEQ ID NO: 522). Such a degenerate primer can be used to generate a binding domain incorporating TM I through TM VI, TM II through TM VI, TM III through TM VI or TM IV through TM
25 VI).

Paradigms to design degenerate primer pairs are well known in the art. For example, a COnsensus-DEgenerate Hybrid Oligonucleotide Primer (CODEHOP) (SEQ ID NO: 523) strategy computer program is accessible as <http://blocks.fhcrc.org/codehop.html>, and is directly linked from the BlockMaker
30 multiple sequence alignment site for hybrid primer prediction beginning with a set of related protein sequences, as known olfactory receptor ligand-binding regions (*see, e.g., Rose, Nucleic Acids Res.* 26:1628-1635 (1998); Singh, *Biotechniques*, 24:318-19 (1998)).

Means to synthesize oligonucleotide primer pairs are well known in the art. "Natural" base pairs or synthetic base pairs can be used. For example, use of artificial nucleobases offers a versatile approach to manipulate primer sequence and generate a more complex mixture of amplification products. Various families of artificial nucleobases are capable of assuming multiple hydrogen bonding orientations through internal bond rotations to provide a means for degenerate molecular recognition. Incorporation of these analogs into a single position of a PCR primer allows for generation of a complex library of amplification products. *See, e.g., Hoops, Nucleic Acids Res.* 25:4866-4871 (1997). Nonpolar molecules can also be used to mimic the shape of natural DNA bases. A non-hydrogen-bonding shape mimic for adenine can replicate efficiently and selectively against a nonpolar shape mimic for thymine (*see, e.g., Morales, Nat. Struct. Biol.* 5:950-954 (1998)). For example, two degenerate bases can be the pyrimidine base 6H, 8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one or the purine base N6-methoxy-2,6-diaminopurine (*see, e.g., Hill, PNAS*, 95:4258-63 (1998)). Exemplary degenerate primers of the invention incorporate the nucleobase analog 5'-Dimethoxytrityl-N-benzoyl-2'-deoxy-Cytidine, 3'-[(2-cyanoethyl)-(N,N-diisopropyl)]-phosphoramidite (the term "P" in the sequences, *see above*). This pyrimidine analog hydrogen bonds with purines, including A and G residues.

Exemplary primer pairs for amplification of olfactory receptor transmembrane domains II through VII include:

- (a) 5'-GGGGTCCGGAG(A/G)(C/G)(A/G)TA(A/G/T)AT(A/G/P)A(A/G/P)(A/G/P)GG-3' (SEQ ID NO: 524) and
5'-GGGGCTGCAGACACC(A/C/G/T)ATGTA(C/T)(C/T)T(A/C/G/T)TT(C/T)(C/T)T-3' (SEQ ID NO: 525).
- (b) 5'-GGGGTCCGGAG(A/G)(C/G)T(A/G)A(A/G/T)AT(A/G/P)A(A/G/P)(A/G/P)GG-3' (SEQ ID NO: 526); and
5'-GGGGCTGCAGACACC(AC/G/T)ATGTA(C/T)(C/T)T(A/C/G/T)TT(C/T)(C/T)T-3' (SEQ ID NO: 527)
- (c) 5'-GGGGTCCGGAG(A/G)(C/G)T(A/G)A(A/G/T)AT(A/G/C/T)A(A/G/C/T)(A/G/C/T)GG-3' (SEQ ID NO: 528) and
5'-GGGGCTGCAGACACC(A/C/G/T)ATGTA(C/T)(C/T)T(A/C/G/T)TT(C/T)(C/T)T-3' (SEQ ID NO: 558)

Nucleic acids that encode ligand-binding regions of olfactory receptors may be generated by amplification (*e.g., PCR*) of appropriate nucleic acid sequences using

degenerate primer pairs. The amplified nucleic acid can be genomic DNA from any cell or tissue or mRNA or cDNA derived from olfactory receptor-expressing cells, e.g., olfactory neurons or olfactory epithelium.

Isolation from olfactory receptor-expressing cells is well known in the art
5 (cells expressing naturally or inducibly expressing olfactory receptors can be used to express the hybrid olfactory receptors of the invention to screen for potential odorants and odorant effect on cell physiology, as described below). For example, cells can be identified by olfactory marker protein (OMP), an abundant cytoplasmic protein expressed almost exclusively in mature olfactory sensory neurons. (see, e.g., Buiakova,
10 *PNAS*, 93:9858-63 (1996)). Shirley, *Eur. J. Biochem.* 32:485-494 (1983), describes a rat olfactory preparation suitable for biochemical studies *in vitro* on olfactory mechanisms. Cultures of adult rat olfactory receptor neurons are described by Vargas, *Chem. Senses* 24:211-216 (1999). Because these cultured neurons exhibit typical voltage-gated currents and are responsive to application of odorants, they can also be
15 used to express the hybrid olfactory receptors of the invention for odorant screening (endogenous olfactory receptor can be initially blocked, if desired, by, e.g., antisense, knockout, and the like). U.S. Patent No. 5,869,266 describes culturing human olfactory neurons for neurotoxicity tests and screening. Murrell, *J. Neurosci.* 19:8260-8270 (1999), describes differentiated olfactory receptor-expressing cells in
20 culture that respond to odorants, as measured by an influx of calcium.

In one embodiment, hybrid protein-coding sequences comprising nucleic acids ORs fused to the translocation sequences described herein may be constructed. Also provided are hybrid ORs comprising the translocation motifs and ligand-binding domains of olfactory receptors. These nucleic acid sequences can be operably linked
25 to transcriptional or translational control elements, e.g., transcription and translation initiation sequences, promoters and enhancers, transcription and translation terminators, polyadenylation sequences, and other sequences useful for transcribing DNA into RNA. In construction of recombinant expression cassettes, vectors, transgenics, and a promoter fragment can be employed to direct expression of the
30 desired nucleic acid in all tissues. Olfactory cell-specific transcriptional elements can also be used to express the fusion polypeptide receptor, including, e.g., a 6.7 kb region upstream of the M4 olfactory receptor coding region. This region was sufficient to direct expression in olfactory epithelium with wild type zonal restriction and

distributed neuronal expression for endogenous olfactory receptors (Qasba, *J. Neurosci.* 18:227-236 (1998)). Receptor genes are normally expressed in a small subset of neurons throughout a zonally restricted region of the sensory epithelium. The transcriptional or translational control elements can be isolated from natural
5 sources, obtained from such sources as ATCC or GenBank libraries, or prepared by synthetic or recombinant methods.

In another embodiment, fusion proteins, either having C-terminal or, more preferably, N-terminal translocation sequences, may also comprise the translocation motif described herein. However, these fusion proteins can also comprise additional
10 elements for, *e.g.*, protein detection, purification, or other applications. Detection and purification facilitating domains include, *e.g.*, metal chelating peptides such as polyhistidine tracts or histidine-tryptophan modules or other domains that allow purification on immobilized metals; maltose binding protein; protein A domains that allow purification on immobilized immunoglobulin; or the domain utilized in the
15 FLAGS extension/affinity purification system (Immunex Corp, Seattle WA).

The inclusion of a cleavable linker sequences such as Factor Xa (*see, e.g.*, Ottavi, *Biochimie* 80:289-293 (1998)), subtilisin protease recognition motif (*see, e.g.*, Polyak, *Protein Eng.* 10:615-619 (1997)); enterokinase (Invitrogen, San Diego, CA), and the like, between the translocation domain (for efficient plasma membrane
20 expression) and the rest of the newly translated polypeptide may be useful to facilitate purification. For example, one construct can include a polypeptide-encoding nucleic acid sequence linked to six histidine residues followed by a thioredoxin, an enterokinase cleavage site (*see, e.g.*, Williams, *Biochemistry* 34:1787-1797 (1995)), and an amino terminal translocation domain. The histidine residues facilitate
25 detection and purification while the enterokinase cleavage site provides a means for purifying the desired protein(s) from the remainder of the fusion protein. Technology pertaining to vectors encoding fusion proteins and application of fusion proteins are well described in the scientific and patent literature (*see, e.g.*, Kroll, *DNA Cell. Biol.* 12:441-53 (1993)).

30 Expression vectors, either as individual expression vectors or as libraries of expression vectors, comprising the olfactory binding domain-encoding sequences may be introduced into a genome or into the cytoplasm or a nucleus of a cell and expressed by a variety of conventional techniques, well described in the scientific and patent

literature (*see, e.g.,* Roberts, *Nature* 328:731 (1987); Berger *supra*; Schneider, *Protein Expr. Purif.* 6435:10 (1995); Sambrook; Tijssen; Ausubel). Product information from manufacturers of biological reagents and experimental equipment also provide information regarding known biological methods. The vectors can be isolated from
5 natural sources, obtained from such sources as ATCC or GenBank libraries, or prepared by synthetic or recombinant methods.

The nucleic acids can be expressed in expression cassettes, vectors or viruses which are stably or transiently expressed in cells (*e.g.,* episomal expression systems). Selection markers can be incorporated into expression cassettes and vectors to confer
10 a selectable phenotype on transformed cells and sequences. For example, selection markers can code for episomal maintenance and replication such that integration into the host genome is not required. For example, the marker may encode antibiotic resistance (*e.g.,* chloramphenicol, kanamycin, G418, bleomycin, hygromycin) or herbicide resistance (*e.g.,* chlorosulfuron or Basta) to permit selection of those cells
15 transformed with the desired DNA sequences (*see, e.g.,* Blondelet-Rouault, *Gene* 190:315-17 (1997); Aubrecht, *J. Pharmacol. Exp. Ther.*, 281:992-97 (1997)). Because selectable marker genes conferring resistance to substrates like neomycin or hygromycin can only be utilized in tissue culture, chemoresistance genes are also used as selectable markers *in vitro* and *in vivo*.

20 A chimeric nucleic acid sequence may encode a ligand-binding domain within any 7-transmembrane polypeptide. 7-transmembrane receptors belong to a superfamily of transmembrane (TM) proteins having seven domains that traverse a plasma membrane seven times. Each of the seven domains spans the plasma membrane (TM I to TM VII). Because 7-transmembrane receptor polypeptides have
25 similar primary sequences and secondary and tertiary structures, structural domains (*e.g.,* TM domains) can be readily identified by sequence analysis. For example, homology modeling, Fourier analysis and helical periodicity detection can identify and characterize the seven domains with a 7-transmembrane receptor sequence. Fast Fourier Transform (FFT) algorithms can be used to assess the dominant periods that
30 characterize profiles of the hydrophobicity and variability of analyzed sequences. To predict TM domains and their boundaries and topology, a "neural network algorithm" by "PHD server" can be used, as done by Pilpel, *Protein Science* 8:969-977 (1999); Rost, *Protein Sci.* 4:521-533 (1995). Periodicity detection enhancement and alpha

helical periodicity index can be done as by, *e.g.*, Donnelly, *Protein Sci.* 2:55-70 (1993). Other alignment and modeling algorithms are well known in the art, *see, e.g.*, Peitsch, *Receptors Channels* 4:161-164 (1996); Cronet, *Protein Eng.* 6:59-64 (1993) (homology and "discover modeling"); <http://bioinfo.weizmann.ac.il/>.

5 The library sequences include receptor sequences that correspond to TM ligand-binding domains, including, *e.g.*, TM II to VII, TM II to VI, TM III to VII, and TM III to VII, that have been amplified (*e.g.*, PCR) from mRNA of or cDNA derived from, *e.g.*, olfactory receptor-expressing neurons or genomic DNA.

Libraries of olfactory receptor ligand-binding TM domain sequences can
10 include a various TM domains or variations thereof, as described above. These sequences can be derived from any 7-transmembrane receptor. Because these polypeptides have similar primary sequences and secondary and tertiary structures, the seven domains can be identified by various analyses well known in the art, including, *e.g.*, homology modeling, Fourier analysis and helical periodicity (*see, e.g.*, Pilpel
15 *supra*), as described above. Using this information sequences flanking the seven domains can be identified and used to design degenerate primers for amplification of various combinations of TM regions and subsequences.

The present invention also includes not only the DNA and proteins having the specified amino acid sequences, but also DNA fragments, particularly fragments of,
20 for example, 40, 60, 80, 100, 150, 200, or 250 nucleotides, or more, as well as protein fragments of, for example, 10, 20, 30, 50, 70, 100, or 150 amino acids, or more.

Also contemplated are chimeric proteins, comprising at least 10, 20, 30, 50, 70, 100, or 150 amino acids, or more, of one of at least one of the olfactory receptors described herein, coupled to additional amino acids representing all or part of another
25 G protein receptor, preferably a member of the 7TM superfamily. These chimeras can be made from the instant receptors and a G protein receptor described herein, or they can be made by combining two or more of the present proteins. In one preferred embodiment, one portion of the chimera corresponds to and is derived from one or more of the domains of the seven transmembrane protein described herein, and the
30 remaining portion or portions come from another G protein-coupled receptor. Chimeric receptors are well known in the art, and the techniques for creating them and the selection and boundaries of domains or fragments of G protein-coupled receptors for incorporation therein are also well known. Thus, this knowledge of those skilled

in the art can readily be used to create such chimeric receptors. The use of such chimeric receptors can provide, for example, an olfactory selectivity characteristic of one of the receptors specifically disclosed herein, coupled with the signal transduction characteristics of another receptor, such as a well known receptor used in prior art assay systems.

For example, a domain such as a ligand-binding domain, an extracellular domain, a transmembrane domain (*e.g.*, one comprising seven transmembrane regions and corresponding extracellular and cytosolic loops), the transmembrane domain and a cytoplasmic domain, an active site, a subunit association region, etc., can be covalently linked to a heterologous protein. For instance, an extracellular domain can be linked to a heterologous GPCR transmembrane domain, or a heterologous GPCR extracellular domain can be linked to a transmembrane domain. Other heterologous proteins of choice can include, *e.g.*, green fluorescent protein, β -gal, glutamate receptor, and the rhodopsin presequence.

Polymorphic variants, alleles, and interspecies homologs that are substantially identical to an olfactory receptor disclosed herein can be isolated using the nucleic acid probes described above. It is hypothesized that allelic differences in receptors may explain why there is a difference in olfactory sensation in different human subjects. Accordingly, the identification of such alleles may be significant, especially with respect to producing receptor libraries that adequately represent the olfactory capability of the human population, *i.e.*, which take into account allelic differences in different individuals. Alternatively, expression libraries can be used to clone olfactory receptors and polymorphic variants, alleles, and interspecies homologs thereof, by detecting expressed homologs immunologically with antisera or purified antibodies made against an olfactory polypeptide, which also recognize and selectively bind to the olfactory receptor homolog.

Also within the scope of the invention are host cells for expressing the ORs, fragments, or variants of the invention. To obtain high levels of expression of a cloned gene or nucleic acid, such as cDNAs encoding the olfactory receptors, fragments, or variants of the invention, one of skill typically subclones the nucleic acid sequence of interest into an expression vector that contains a strong promoter to direct transcription, a transcription/translation terminator, and if for a nucleic acid encoding a protein, a ribosome binding site for translational initiation. Suitable

bacterial promoters are well known in the art and described, *e.g.*, in Sambrook *et al.* However, bacterial or eukaryotic expression systems can be used.

Any of the well-known procedures for introducing foreign nucleotide sequences into host cells may be used. These include the use of calcium phosphate
5 transfection, polybrene, protoplast fusion, electroporation, liposomes, microinjection, plasma vectors, viral vectors and any of the other well known methods for introducing cloned genomic DNA, cDNA, synthetic DNA or other foreign genetic material into a host cell (*see, e.g.*, Sambrook *et al.*) It is only necessary that the particular genetic
10 engineering procedure used be capable of successfully introducing at least one gene into the host cell capable of expressing the olfactory receptor, fragment, or variant of interest.

After the expression vector is introduced into the cells, the transfected cells are cultured under conditions favoring expression of the receptor, fragment, or variant of interest, which is then recovered from the culture using standard techniques.
15 Examples of such techniques are well known in the art. *See, e.g.*, WO 00/06593, which is incorporated by reference in a manner consistent with this disclosure.

D. Immunological Detection of OR Polypeptides

In addition to the detection of OR genes and gene expression using nucleic acid hybridization technology, one can also use immunoassays to detect ORs, *e.g.*, to
20 identify olfactory receptor cells, and variants of OR family members. Immunoassays can be used to qualitatively or quantitatively analyze the ORs. A general overview of the applicable technology can be found in Harlow & Lane, *Antibodies: A Laboratory Manual* (1988).

1. Antibodies to OR family members

25 Methods of producing polyclonal and monoclonal antibodies that react specifically with a OR family member are known to those of skill in the art (*see, e.g.*, Coligan, *Current Protocols in Immunology* (1991); Harlow & Lane, *supra*; Goding, *Monoclonal Antibodies: Principles and Practice* (2d ed. 1986); and Kohler & Milstein, *Nature*, 256:495-97 (1975)). Such techniques include antibody preparation
30 by selection of antibodies from libraries of recombinant antibodies in phage or similar vectors, as well as preparation of polyclonal and monoclonal antibodies by

immunizing rabbits or mice (*see, e.g., Huse et al., Science, 246:1275-81 (1989); Ward et al., Nature, 341:544-46 (1989)*).

A number of OR-comprising immunogens may be used to produce antibodies specifically reactive with a OR family member. For example, a recombinant OR protein, or an antigenic fragment thereof, can be isolated as described herein. Suitable antigenic regions include, *e.g.*, the conserved motifs that are used to identify members of the OR family. Recombinant proteins can be expressed in eukaryotic or prokaryotic cells as described above, and purified as generally described above. Recombinant protein is the preferred immunogen for the production of monoclonal or polyclonal antibodies. Alternatively, a synthetic peptide derived from the sequences disclosed herein and conjugated to a carrier protein can be used as an immunogen. Naturally occurring protein may also be used either in pure or impure form. The product is then injected into an animal capable of producing antibodies. Either monoclonal or polyclonal antibodies may be generated, for subsequent use in immunoassays to measure the protein.

Methods of production of polyclonal antibodies are known to those of skill in the art. For example, an inbred strain of mice (*e.g.*, BALB/C mice) or rabbits may be immunized with the protein using a standard adjuvant, such as Freund's adjuvant, and a standard immunization protocol. The animal's immune response to the immunogen preparation is monitored by taking test bleeds and determining the titer of reactivity to the OR. When appropriately high titers of antibody to the immunogen are obtained, blood is collected from the animal and antisera are prepared. Further fractionation of the antisera to enrich for antibodies reactive to the protein can be done if desired (*see Harlow & Lane, supra*).

Monoclonal antibodies may be obtained by various techniques familiar to those skilled in the art. Briefly, spleen cells from an animal immunized with a desired antigen may be immortalized, commonly by fusion with a myeloma cell (*see Kohler & Milstein, Eur. J. Immunol., 6:511-19 (1976)*). Alternative methods of immortalization include transformation with Epstein Barr Virus, oncogenes, or retroviruses, or other methods well known in the art. Colonies arising from single immortalized cells are screened for production of antibodies of the desired specificity and affinity for the antigen, and yield of the monoclonal antibodies produced by such cells may be enhanced by various techniques, including injection into the peritoneal cavity of a

vertebrate host. Alternatively, one may isolate DNA sequences which encode a monoclonal antibody or a binding fragment thereof by screening a DNA library from human B cells according to the general protocol outlined by Huse *et al.*, *Science*, 246:1275-1281 (1989).

5 Monoclonal antibodies and polyclonal sera are collected and titered against the immunogen protein in an immunoassay, for example, a solid-phase immunoassay with the immunogen immobilized on a solid support. Typically, polyclonal antisera with a titer of 109 or greater are selected and tested for their cross reactivity against non-OR proteins, or even other OR family members or other related proteins from other
10 organisms, using a competitive binding immunoassay. Specific polyclonal antisera and monoclonal antibodies will usually bind with a K_d of at least about 0.1 mM, more usually at least about 1 pM, optionally at least about 0.1 pM or better, and optionally 0.01 pM or better.

Once OR family member specific antibodies are available, individual OR
15 proteins can be detected by a variety of immunoassay methods. For a review of immunological and immunoassay procedures, see *Basic and Clinical Immunology* (Stites & Terr eds., 7th ed. 1991). Moreover, the immunoassays of the present invention can be performed in any of several configurations, which are reviewed extensively in *Enzyme Immunoassay* (Maggio, ed., 1980); and Harlow & Lane, *supra*.

20 2. Immunological binding assays

OR proteins can be detected and/or quantified using any of a number of well recognized immunological binding assays (see, e.g., U.S. Patents 4,366,241; 4,376,110; 4,517,288; and 4,837,168). For a review of the general immunoassays, see also *Methods in Cell Biology: Antibodies in Cell Biology*, volume 37 (Asai, ed. 1993);
25 *Basic and Clinical Immunology* (Stites & Terr, eds., 7th ed. 1991). Immunological binding assays (or immunoassays) typically use an antibody that specifically binds to a protein or antigen of choice (in this case an OR family member or an antigenic subsequence thereof). The antibody (e.g., anti-OR) may be produced by any of a number of means well known to those of skill in the art and as described above.

30 Immunoassays also often use a labeling agent to specifically bind to and label the complex formed by the antibody and antigen. The labeling agent may itself be one of the moieties comprising the antibody/antigen complex. Thus, the labeling agent may be a labeled OR polypeptide or a labeled anti-OR antibody. Alternatively, the

labeling agent may be a third moiety, such a secondary antibody that specifically binds to the antibody/OR complex (a secondary antibody is typically specific to antibodies of the species from which the first antibody is derived). Other proteins capable of specifically binding immunoglobulin constant regions, such as protein A or protein G may also be used as the label agent. These proteins exhibit a strong non-immunogenic reactivity with immunoglobulin constant regions from a variety of species (*see, e.g., Kronval et al., J. Immunol., 111:1401-1406 (1973); Akerstrom et al., J. Immunol., 135:2589-2542 (1985)*). The labeling agent can be modified with a detectable moiety, such as biotin, to which another molecule can specifically bind, such as streptavidin. A variety of detectable moieties are well known to those skilled in the art.

Throughout the assays, incubation and/or washing steps may be required after each combination of reagents. Incubation steps can vary from about 5 seconds to several hours, optionally from about 5 minutes to about 24 hours. However, the incubation time will depend upon the assay format, antigen, volume of solution, concentrations, and the like. Usually, the assays will be carried out at ambient temperature, although they can be conducted over a range of temperatures, such as 10°C to 40°C.

a. Non-competitive assay formats

Immunoassays for detecting an OR protein in a sample may be either competitive or noncompetitive. Noncompetitive immunoassays are assays in which the amount of antigen is directly measured. In one preferred "sandwich" assay, for example, the anti-OR antibodies can be bound directly to a solid substrate on which they are immobilized. These immobilized antibodies then capture the OR protein present in the test sample. The OR protein is thus immobilized is then bound by a labeling agent, such as a second OR antibody bearing a label. Alternatively, the second antibody may lack a label, but it may, in turn, be bound by a labeled third antibody specific to antibodies of the species from which the second antibody is derived. The second or third antibody is typically modified with a detectable moiety, such as biotin, to which another molecule specifically binds, *e.g., streptavidin*, to provide a detectable moiety.

b. Competitive assay formats

In competitive assays, the amount of OR protein present in the sample is measured indirectly by measuring the amount of a known, added (exogenous) OR

protein displaced (competed away) from an anti-OR antibody by the unknown OR protein present in a sample. In one competitive assay, a known amount of OR protein is added to a sample and the sample is then contacted with an antibody that specifically binds to the OR. The amount of exogenous OR protein bound to the antibody is inversely proportional to the concentration of OR protein present in the sample. In a particularly preferred embodiment, the antibody is immobilized on a solid substrate. The amount of OR protein bound to the antibody may be determined either by measuring the amount of OR protein present in a OR/antibody complex, or alternatively by measuring the amount of remaining uncomplexed protein. The amount of OR protein may be detected by providing a labeled OR molecule.

A hapten inhibition assay is another preferred competitive assay. In this assay the known OR protein is immobilized on a solid substrate. A known amount of anti-OR antibody is added to the sample, and the sample is then contacted with the immobilized OR. The amount of anti-OR antibody bound to the known immobilized OR protein is inversely proportional to the amount of OR protein present in the sample. Again, the amount of immobilized antibody may be detected by detecting either the immobilized fraction of antibody or the fraction of the antibody that remains in solution. Detection may be direct where the antibody is labeled or indirect by the subsequent addition of a labeled moiety that specifically binds to the antibody as described above.

c. Cross-reactivity determinations

Immunoassays in the competitive binding format can also be used for cross-reactivity determinations. For example, a protein at least partially encoded by the nucleic acid sequences disclosed herein can be immobilized to a solid support. Proteins (*e.g.*, OR proteins and homologs) are added to the assay that compete for binding of the antisera to the immobilized antigen. The ability of the added proteins to compete for binding of the antisera to the immobilized protein is compared to the ability of the OR polypeptide encoded by the nucleic acid sequences disclosed herein to compete with itself. The percent cross-reactivity for the above proteins is calculated, using standard calculations. Those antisera with less than 10% cross-reactivity with each of the added proteins listed above are selected and pooled. The cross-reacting antibodies are optionally removed from the pooled antisera by immunoabsorption with the added considered proteins, *e.g.*, distantly related

homologs. In addition, peptides comprising amino acid sequences representing conserved motifs that are used to identify members of the OR family can be used in cross-reactivity determinations.

The immunoabsorbed and pooled antisera are then used in a competitive
5 binding immunoassay as described above to compare a second protein, thought to be perhaps an allele or polymorphic variant of a OR family member, to the immunogen protein (*i.e.*, OR protein encoded by the nucleic acid sequences disclosed herein). In order to make this comparison, the two proteins are each assayed at a wide range of concentrations and the amount of each protein required to inhibit 50% of the binding
10 of the antisera to the immobilized protein is determined. If the amount of the second protein required to inhibit 50% of binding is less than 10 times the amount of the protein encoded by nucleic acid sequences disclosed herein required to inhibit 50% of binding, then the second protein is said to specifically bind to the polyclonal antibodies generated to a OR immunogen.

15 Antibodies raised against OR conserved motifs can also be used to prepare antibodies that specifically bind only to GPCRs of the OR family, but not to GPCRs from other families.

Polyclonal antibodies that specifically bind to a particular member of the OR family, *e.g.*, AOLFR1, can be make by subtracting out cross-reactive antibodies using
20 other OR family members. Species-specific polyclonal antibodies can be made in a similar way. For example, antibodies specific to human AOLFR1 can be made by, subtracting out antibodies that are cross-reactive with orthologous sequences, *e.g.*, rat OR1 or mouse OR1.

d. Other assay formats

25 Western blot (immunoblot) analysis is used to detect and quantify the presence of OR protein in the sample. The technique generally comprises separating sample proteins by gel electrophoresis on the basis of molecular weight, transferring the separated proteins to a suitable solid support, (such as a nitrocellulose filter, a nylon filter, or derivatized nylon filter), and incubating the sample with the antibodies that
30 specifically bind the OR protein. The anti-OR polypeptide antibodies specifically bind to the OR polypeptide on the solid support. These antibodies may be directly labeled or alternatively may be subsequently detected using labeled antibodies (*e.g.*, labeled sheep anti-mouse antibodies) that specifically bind to the anti-OR antibodies.

Other, assay formats include liposome immunoassays (LIA), which use liposomes designed to bind specific molecules (e.g., antibodies) and release encapsulated reagents or markers. The released chemicals are then detected according to standard techniques (see Monroe *et al.*, *Amer. Clin. Prod. Rev.*, 5:34-41 (1986)).

5 e. **Reduction of non-specific binding**

One of skill in the art will appreciate that it is often desirable to minimize non-specific binding in immunoassays. Particularly, where the assay involves an antigen or antibody immobilized on a solid substrate it is desirable to minimize the amount of non-specific binding to the substrate. Means of reducing such non-specific
10 binding are well known to those of skill in the art. Typically, this technique involves coating the substrate with a proteinaceous composition. In particular, protein compositions such as bovine serum albumin (BSA), nonfat powdered milk, and gelatin are widely used with powdered milk being most preferred.

 f. **Labels**

15 The particular label or detectable group used in the assay is not a critical aspect of the invention, as long as it does not significantly interfere with the specific binding of the antibody used in the assay. The detectable group can be any material having a detectable physical or chemical property. Such detectable labels have been well-developed in the field of immunoassays and, in general, most any label useful in such
20 methods can be applied to the present invention. Thus, a label is any composition detectable by spectroscopic, photochemical, biochemical, immunochemical, electrical, optical or chemical means. Useful labels in the present invention include magnetic beads (e.g., DYNABEADSTM) (SEQ ID NO: 529), fluorescent dyes (e.g., fluorescein isothiocyanate, Texas red, rhodamine, and the like), radiolabels (e.g., ³H, ¹²⁵I, ³⁵S, ¹⁴C,
25 or ³²P), enzymes (e.g., horseradish peroxidase, alkaline phosphatase and others commonly used in an ELISA), and colorimetric labels such as colloidal gold or colored glass or plastic beads (e.g., polystyrene, polypropylene, latex, *etc.*).

The label may be coupled directly or indirectly to the desired component of the assay according to methods well known in the art. As indicated above, a wide variety
30 of labels may be used, with the choice of label depending on sensitivity required, ease of conjugation with the compound, stability requirements, available instrumentation, and disposal provisions.

Non-radioactive labels are often attached by indirect means. Generally, a ligand molecule (*e.g.*, biotin) is covalently bound to the molecule. The ligand then binds to another molecules (*e.g.*, streptavidin) molecule, which is either inherently detectable or covalently bound to a signal system, such as a detectable enzyme, a fluorescent compound, or a chemiluminescent compound. The ligands and their targets can be used in any suitable combination with antibodies that recognize a OR protein, or secondary antibodies that recognize anti-OR.

The molecules can also be conjugated directly to signal generating compounds, *e.g.*, by conjugation with an enzyme or fluorophore. Enzymes of interest as labels will primarily be hydrolases, particularly phosphatases, esterases and glycosidases, or oxidotases, particularly peroxidases. Fluorescent compounds include fluorescein and its derivatives, rhodamine and its derivatives, dansyl, umbelliferone, *etc.* Chemiluminescent compounds include luciferin, and 2,3-dihydrophthalazinediones, *e.g.*, luminol. For a review of various labeling or signal producing systems that may be used, *see* U.S. Patent No. 4,391,904.

Means of detecting labels are well known to those of skill in the art. Thus, for example, where the label is a radioactive label, means for detection include a scintillation counter or photographic film as in autoradiography. Where the label is a fluorescent label, it may be detected by exciting the fluorochrome with the appropriate wavelength of light and detecting the resulting fluorescence. The fluorescence may be detected visually, by means of photographic film, by the use of electronic detectors such as charge coupled devices (CCDs) or photomultipliers and the like. Similarly, enzymatic labels may be detected by providing the appropriate substrates for the enzyme and detecting the resulting reaction product. Finally simple colorimetric labels may be detected simply by observing the color associated with the label. Thus, in various dipstick assays, conjugated gold often appears pink, while various conjugated beads appear the color of the bead.

Some assay formats do not require the use of labeled components. For instance, agglutination assays can be used to detect the presence of the target antibodies. In this case, antigen-coated particles are agglutinated by samples comprising the target antibodies. In this format, none of the components need be labeled and the presence of the target antibody is detected by simple visual inspection.

E. Detection of Olfactory Modulators

Methods and compositions for determining whether a test compound specifically binds to a mammalian chemosensory, and more particularly, an olfactory receptor of the invention, both *in vitro* and *in vivo* are described below. Many aspects of cell physiology can be monitored to assess the effect of ligand-binding to a naturally-occurring or chimeric olfactory receptor. These assays may be performed on intact cells expressing an olfactory receptor, on permeabilized cells or on membrane fractions produced by standard methods.

Olfactory receptors are normally located on the specialized cilia of olfactory neurons. These receptors bind odorants and initiate the transduction of chemical stimuli into electrical signals. An activated or inhibited G protein will in turn alter the properties of target enzymes, channels, and other effector proteins. Some examples include the activation of cGMP phosphodiesterase by transducin in the visual system, adenylate cyclase by the stimulatory G protein, phospholipase C by Gq and other cognate G proteins, and modulation of diverse channels by Gi and other G proteins. Downstream consequences can also be examined such as generation of diacyl glycerol and IP3 by phospholipase C, and in turn, for calcium mobilization by IP3.

The OR protein of the assay will typically be selected from a polypeptide having a sequence selected from SEQ. ID. NO. 1, SEQ. ID. NO. 3, SEQ. ID. NO. 5, SEQ. ID. NO. 7, SEQ. ID. NO. 9, SEQ. ID. NO. 11, SEQ. ID. NO. 13, SEQ. ID. NO. 15, SEQ. ID. NO. 17, SEQ. ID. NO. 19, SEQ. ID. NO. 21, SEQ. ID. NO. 23, SEQ. ID. NO. 25, SEQ. ID. NO. 27, SEQ. ID. NO. 29, SEQ. ID. NO. 31, SEQ. ID. NO. 33, SEQ. ID. NO. 35, SEQ. ID. NO. 37, SEQ. ID. NO. 39, SEQ. ID. NO. 41, SEQ. ID. NO. 43, SEQ. ID. NO. 45, SEQ. ID. NO. 47, SEQ. ID. NO. 49, SEQ. ID. NO. 51, SEQ. ID. NO. 53, SEQ. ID. NO. 55, SEQ. ID. NO. 57, SEQ. ID. NO. 59, SEQ. ID. NO. 61, SEQ. ID. NO. 63, SEQ. ID. NO. 65, SEQ. ID. NO. 67, SEQ. ID. NO. 69, SEQ. ID. NO. 71, SEQ. ID. NO. 73, SEQ. ID. NO. 75, SEQ. ID. NO. 77, SEQ. ID. NO. 79, SEQ. ID. NO. 81, SEQ. ID. NO. 83, SEQ. ID. NO. 85, SEQ. ID. NO. 87, SEQ. ID. NO. 89, SEQ. ID. NO. 91, SEQ. ID. NO. 93, SEQ. ID. NO. 95, SEQ. ID. NO. 97, SEQ. ID. NO. 99, SEQ. ID. NO. 101, SEQ. ID. NO. 103, SEQ. ID. NO. 105, SEQ. ID. NO. 107, SEQ. ID. NO. 109, SEQ. ID. NO. 111, SEQ. ID. NO. 113, SEQ. ID. NO. 115, SEQ. ID. NO. 117, SEQ. ID. NO. 119, SEQ. ID. NO. 121, SEQ. ID. NO. 123, SEQ. ID. NO. 125, SEQ. ID. NO. 127, SEQ. ID.

NO. 129, SEQ. ID. NO. 131, SEQ. ID. NO. 133, SEQ. ID. NO. 135, SEQ. ID.
 NO. 137, SEQ. ID. NO. 139, SEQ. ID. NO. 141, SEQ. ID. NO. 143, SEQ. ID.
 NO. 145, SEQ. ID. NO. 147, SEQ. ID. NO. 149, SEQ. ID. NO. 151, SEQ. ID.
 NO. 153, SEQ. ID. NO. 155, SEQ. ID. NO. 157, SEQ. ID. NO. 159, SEQ. ID.
 5 NO. 161, SEQ. ID. NO. 163, SEQ. ID. NO. 165, SEQ. ID. NO. 167, SEQ. ID.
 NO. 169, SEQ. ID. NO. 171, SEQ. ID. NO. 173, SEQ. ID. NO. 175, SEQ. ID.
 NO. 177, SEQ. ID. NO. 179, SEQ. ID. NO. 181, SEQ. ID. NO. 183, SEQ. ID.
 NO. 185, SEQ. ID. NO. 187, SEQ. ID. NO. 189, SEQ. ID. NO. 191, SEQ. ID.
 NO. 193, SEQ. ID. NO. 195, SEQ. ID. NO. 197, SEQ. ID. NO. 199, SEQ. ID.
 10 NO. 201, SEQ. ID. NO. 203, SEQ. ID. NO. 205, SEQ. ID. NO. 207, SEQ. ID.
 NO. 209, SEQ. ID. NO. 211, SEQ. ID. NO. 213, SEQ. ID. NO. 215, SEQ. ID.
 NO. 217, SEQ. ID. NO. 219, SEQ. ID. NO. 221, SEQ. ID. NO. 223, SEQ. ID.
 NO. 225, SEQ. ID. NO. 227, SEQ. ID. NO. 229, SEQ. ID. NO. 231, SEQ. ID.
 NO. 233, SEQ. ID. NO. 235, SEQ. ID. NO. 237, SEQ. ID. NO. 239, SEQ. ID. NO.
 15 241, SEQ. ID. NO. 243, SEQ. ID. NO. 245, SEQ. ID. NO. 247, SEQ. ID. NO. 249,
 SEQ. ID. NO. 251, SEQ. ID. NO. 253, SEQ. ID. NO. 255, SEQ. ID. NO. 257, SEQ.
 ID. NO. 259, SEQ. ID. NO. 261, SEQ. ID. NO., 263, SEQ. ID. NO., 265, SEQ. ID.
 NO. 267, SEQ. ID. NO. 269, SEQ. ID. NO. 271, SEQ. ID. NO. 273, SEQ. ID. NO.
 275, SEQ. ID. NO. 277, SEQ. ID. NO. 279, SEQ. ID. NO. 281, SEQ. ID. NO. 283,
 20 SEQ. ID. NO. 285, SEQ. ID. NO. 287, SEQ. ID. NO. 289, SEQ. ID. NO. 291, SEQ.
 ID. NO. 293, SEQ. ID. NO. 295, SEQ. ID. NO. 297, SEQ. ID. NO. 299, SEQ. ID.
 NO. 301, SEQ. ID. NO. 303, SEQ. ID. NO. 305, SEQ. ID. NO. 307, SEQ. ID. NO.
 309, SEQ. ID. NO. 311, SEQ. ID. NO. 313, SEQ. ID. NO. 315, SEQ. ID. NO. 317,
 SEQ. ID. NO. 319, SEQ. ID. NO. 321, SEQ. ID. NO. 323, SEQ. ID. NO. 325, SEQ.
 25 ID. NO. 327, SEQ. ID. NO. 329, SEQ. ID. NO. 331, SEQ. ID. NO. 333, SEQ. ID.
 NO. 335, SEQ. ID. NO. 337, SEQ. ID. NO. 339, SEQ. ID. NO. 341, SEQ. ID. NO.
 343, SEQ. ID. NO. 345, SEQ. ID. NO. 347, SEQ. ID. NO. 349, SEQ. ID. NO. 351,
 SEQ. ID. NO. 353, SEQ. ID. NO. 355, SEQ. ID. NO. 357, SEQ. ID. NO. 359, SEQ.
 ID. NO. 361, SEQ. ID. NO. 363, SEQ. ID. NO. 365, SEQ. ID. NO. 367, SEQ. ID.
 30 NO. 369, SEQ ID NO: 371, SEQ. ID. NO. 373, SEQ. ID. NO. 375, SEQ. ID. NO.
 377, SEQ. ID. NO. 379, SEQ. ID. NO. 381, SEQ. ID. NO. 383, SEQ. ID. NO. 385,
 SEQ. ID. NO. 387, SEQ. ID. NO. 389, SEQ. ID. NO. 391, SEQ. ID. NO. 393, SEQ.
 ID. NO. 395, SEQ. ID. NO. 397, SEQ. ID. NO. 399, SEQ. ID. NO. 401, SEQ. ID.

NO. 403, SEQ. ID. NO. 405, SEQ. ID. NO. 407, SEQ. ID. NO. 409, SEQ. ID. NO. 411, SEQ. ID. NO. 413, SEQ. ID. NO. 415, SEQ. ID. NO. 417, SEQ. ID. NO. 419, SEQ. ID. NO. 421, SEQ. ID. NO. 423, SEQ. ID. NO. 425, SEQ. ID. NO. 427, SEQ. ID. NO. 429, SEQ. ID. NO. 431, SEQ. ID. NO. 433, SEQ. ID. NO. 435, SEQ. ID. NO. 437, SEQ. ID. NO. 439, SEQ. ID. NO. 441, SEQ. ID. NO. 443, SEQ. ID. NO. 445, SEQ. ID. NO. 447, SEQ. ID. NO. 449, SEQ. ID. NO. 451, SEQ. ID. NO. 453, SEQ. ID. NO. 455, SEQ. ID. NO. 457, SEQ. ID. NO. 459, SEQ. ID. NO. 461, SEQ. ID. NO. 463, SEQ. ID. NO. 465, SEQ. ID. NO. 467, SEQ. ID. NO. 469, SEQ. ID. NO. 471, SEQ. ID. NO. 473, SEQ. ID. NO. 475, SEQ. ID. NO. 477, SEQ. ID. NO. 479, SEQ. ID. NO. 481, SEQ. ID. NO. 483, SEQ. ID. NO. 485, SEQ. ID. NO. 487, SEQ. ID. NO. 489, SEQ. ID. NO. 491, SEQ. ID. NO. 493, SEQ. ID. NO. 495, SEQ. ID. NO. 497, SEQ. ID. NO. 499, SEQ. ID. NO. 501, SEQ. ID. NO. 503, SEQ. ID. NO. 505, SEQ. ID. NO. 507, SEQ. ID. NO. 509 and SEQ. ID. NO. 511, or conservatively modified variant thereof.

Alternatively, the OR protein of the assay can be derived from a eukaryote host cell and can include an amino acid subsequence having at least about 30-40% amino acid sequence identity to SEQ. ID. NO. 1, SEQ. ID. NO. 3, SEQ. ID. NO. 5, SEQ. ID. NO. 7, SEQ. ID. NO. 9, SEQ. ID. NO. 11, SEQ. ID. NO. 13, SEQ. ID. NO. 15, SEQ. ID. NO. 17, SEQ. ID. NO. 19, SEQ. ID. NO. 21, SEQ. ID. NO. 23, SEQ. ID. NO. 25, SEQ. ID. NO. 27, SEQ. ID. NO. 29, SEQ. ID. NO. 31, SEQ. ID. NO. 33, SEQ. ID. NO. 35, SEQ. ID. NO. 37, SEQ. ID. NO. 39, SEQ. ID. NO. 41, SEQ. ID. NO. 43, SEQ. ID. NO. 45, SEQ. ID. NO. 47, SEQ. ID. NO. 49, SEQ. ID. NO. 51, SEQ. ID. NO. 53, SEQ. ID. NO. 55, SEQ. ID. NO. 57, SEQ. ID. NO. 59, SEQ. ID. NO. 61, SEQ. ID. NO. 63, SEQ. ID. NO. 65, SEQ. ID. NO. 67, SEQ. ID. NO. 69, SEQ. ID. NO. 71, SEQ. ID. NO. 73, SEQ. ID. NO. 75, SEQ. ID. NO. 77, SEQ. ID. NO. 79, SEQ. ID. NO. 81, SEQ. ID. NO. 83, SEQ. ID. NO. 85, SEQ. ID. NO. 87, SEQ. ID. NO. 89, SEQ. ID. NO. 91, SEQ. ID. NO. 93, SEQ. ID. NO. 95, SEQ. ID. NO. 97, SEQ. ID. NO. 99, SEQ. ID. NO. 101, SEQ. ID. NO. 103, SEQ. ID. NO. 105, SEQ. ID. NO. 107, SEQ. ID. NO. 109, SEQ. ID. NO. 111, SEQ. ID. NO. 113, SEQ. ID. NO. 115, SEQ. ID. NO. 117, SEQ. ID. NO. 119, SEQ. ID. NO. 121, SEQ. ID. NO. 123, SEQ. ID. NO. 125, SEQ. ID. NO. 127, SEQ. ID. NO. 129, SEQ. ID. NO. 131, SEQ. ID. NO. 133, SEQ. ID. NO. 135, SEQ. ID. NO. 137, SEQ. ID. NO. 139, SEQ. ID. NO. 141, SEQ. ID. NO. 143, SEQ. ID. NO. 145, SEQ. ID.

NO. 147, SEQ. ID. NO. 149, SEQ. ID. NO. 151, SEQ. ID. NO. 153, SEQ. ID.
NO. 155, SEQ. ID. NO. 157, SEQ. ID. NO. 159, SEQ. ID. NO. 161, SEQ. ID.
NO. 163, SEQ. ID. NO. 165, SEQ. ID. NO. 167, SEQ. ID. NO. 169, SEQ. ID.
NO. 171, SEQ. ID. NO. 173, SEQ. ID. NO. 175, SEQ. ID. NO. 177, SEQ. ID.
5 NO. 179, SEQ. ID. NO. 181, SEQ. ID. NO. 183, SEQ. ID. NO. 185, SEQ. ID.
NO. 187, SEQ. ID. NO. 189, SEQ. ID. NO. 191, SEQ. ID. NO. 193, SEQ. ID.
NO. 195, SEQ. ID. NO. 197, SEQ. ID. NO. 199, SEQ. ID. NO. 201, SEQ. ID.
NO. 203, SEQ. ID. NO. 205, SEQ. ID. NO. 207, SEQ. ID. NO. 209, SEQ. ID.
NO. 211, SEQ. ID. NO. 213, SEQ. ID. NO. 215, SEQ. ID. NO. 217, SEQ. ID.
10 NO. 219, SEQ. ID. NO. 221, SEQ. ID. NO. 223, SEQ. ID. NO. 225, SEQ. ID.
NO. 227, SEQ. ID. NO. 229, SEQ. ID. NO. 231, SEQ. ID. NO. 233, SEQ. ID.
NO. 235, SEQ. ID. NO. 237, SEQ. ID. NO. 239, SEQ. ID. NO. 241, SEQ. ID. NO.
243, SEQ. ID. NO. 245, SEQ. ID. NO. 247, SEQ. ID. NO. 249, SEQ. ID. NO. 251,
SEQ. ID. NO. 253, SEQ. ID. NO. 255, SEQ. ID. NO. 257, SEQ. ID. NO. 259, SEQ.
15 ID. NO. 261, SEQ. ID. NO., 263, SEQ. ID. NO., 265, SEQ. ID. NO. 267, SEQ. ID.
NO. 269, SEQ. ID. NO. 271, SEQ. ID. NO. 273, SEQ. ID. NO. 275, SEQ. ID. NO.
277, SEQ. ID. NO. 279, SEQ. ID. NO. 281, SEQ. ID. NO. 283, SEQ. ID. NO. 285,
SEQ. ID. NO. 287, SEQ. ID. NO. 289, SEQ. ID. NO. 291, SEQ. ID. NO. 293, SEQ.
ID. NO. 295, SEQ. ID. NO. 297, SEQ. ID. NO. 299, SEQ. ID. NO. 301, SEQ. ID.
20 NO. 303, SEQ. ID. NO. 305, SEQ. ID. NO. 307, SEQ. ID. NO. 309, SEQ. ID. NO.
311, SEQ. ID. NO. 313, SEQ. ID. NO. 315, SEQ. ID. NO. 317, SEQ. ID. NO. 319,
SEQ. ID. NO. 321, SEQ. ID. NO. 323, SEQ. ID. NO. 325, SEQ. ID. NO. 327, SEQ.
ID. NO. 329, SEQ. ID. NO. 331, SEQ. ID. NO. 333, SEQ. ID. NO. 335, SEQ. ID.
NO. 337, SEQ. ID. NO. 339, SEQ. ID. NO. 341, SEQ. ID. NO. 343, SEQ. ID. NO.
25 345, SEQ. ID. NO. 347, SEQ. ID. NO. 349, SEQ. ID. NO. 351, SEQ. ID. NO. 353,
SEQ. ID. NO. 355, SEQ. ID. NO. 357, SEQ. ID. NO. 359, SEQ. ID. NO. 361, SEQ.
ID. NO. 363, SEQ. ID. NO. 365, SEQ. ID. NO. 367, SEQ. ID. NO. 369, SEQ ID NO:
371, SEQ. ID. NO. 373, SEQ. ID. NO. 375, SEQ. ID. NO. 377, SEQ. ID. NO. 379,
SEQ. ID. NO. 381, SEQ. ID. NO. 383, SEQ. ID. NO. 385, SEQ. ID. NO. 387, SEQ.
30 ID. NO. 389, SEQ. ID. NO. 391, SEQ. ID. NO. 393, SEQ. ID. NO. 395, SEQ. ID.
NO. 397, SEQ. ID. NO. 399, SEQ. ID. NO. 401, SEQ. ID. NO. 403, SEQ. ID. NO.
405, SEQ. ID. NO. 407, SEQ. ID. NO. 409, SEQ. ID. NO. 411, SEQ. ID. NO. 413,
SEQ. ID. NO. 415, SEQ. ID. NO. 417, SEQ. ID. NO. 419, SEQ. ID. NO. 421, SEQ.

ID. NO. 423, SEQ. ID. NO. 425, SEQ. ID. NO. 427, SEQ. ID. NO. 429, SEQ. ID. NO. 431, SEQ. ID. NO. 433, SEQ. ID. NO. 435, SEQ. ID. NO. 437, SEQ. ID. NO. 439, SEQ. ID. NO. 441, SEQ. ID. NO. 443, SEQ. ID. NO. 445, SEQ. ID. NO. 447, SEQ. ID. NO. 449, SEQ. ID. NO. 451, SEQ. ID. NO. 453, SEQ. ID. NO. 455, SEQ. ID. NO. 457, SEQ. ID. NO. 459, SEQ. ID. NO. 461, SEQ. ID. NO. 463, SEQ. ID. NO. 465, SEQ. ID. NO. 467, SEQ. ID. NO. 469, SEQ. ID. NO. 471, SEQ. ID. NO. 473, SEQ. ID. NO. 475, SEQ. ID. NO. 477, SEQ. ID. NO. 479, SEQ. ID. NO. 481, SEQ. ID. NO. 483, SEQ. ID. NO. 485, SEQ. ID. NO. 487, SEQ. ID. NO. 489, SEQ. ID. NO. 491, SEQ. ID. NO. 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511.

Preferably, the amino acid sequence identity will be at least 50-75% preferably 85%, 90%, 95%, 96%, 97%, 98%, or 99%. Optionally, the polypeptide of the assays can comprise a domain of an OR protein, such as an extracellular domain, transmembrane region, transmembrane domain, cytoplasmic domain, ligand-binding domain, subunit association domain, active site, and the like. Either the OR protein or a domain thereof can be covalently linked to a heterologous protein to create a chimeric protein used in the assays described herein. As discussed *infra*, the family of ORs provided herein exhibits substantial sequence similarity at both the DNA and protein level, but also significant dissimilarity. In particular, the members possess an average percentage sequence identity to other members of the family when determined over the full length of the gene by about 30%. Moreover, different members of the genes at the protein level exhibit an average on the order of about 40% sequence identity to other members of the family when the full length protein sequences are compared. However, while there exist differences, there are characteristic similarities, e.g. the consensus sequence already mentioned, which further define members of this novel genus of receptors.

Modulators of OR activity can be tested using OR polypeptides as described above, either recombinant or naturally occurring. The protein can be isolated, expressed in a cell, expressed in a membrane derived from a cell, expressed in tissue or in an animal, either recombinant or naturally occurring. Modulation can be tested using one of the *in vitro* or *in vivo* assays described herein.

1. In vitro binding assays

Olfactory transduction can also be examined *in vitro* with soluble or solid state reactions, using a full-length OR or a chimeric molecule such as an extracellular domain or transmembrane region, or combination thereof, of a OR covalently linked
5 to a heterologous signal transduction domain, or a heterologous extracellular domain and/or transmembrane region covalently linked to the transmembrane and/or cytoplasmic domain of an OR. Furthermore, ligand-binding domains of the protein of interest can be used *in vitro* in soluble or solid state reactions to assay for ligand binding. In numerous embodiments, a chimeric receptor will be made that comprises
10 all or part of a OR polypeptide, as well an additional sequence that facilitates the localization of the OR to the membrane, such as a rhodopsin, *e.g.*, an N-terminal fragment of a rhodopsin protein, *e.g.* bovine or another mammalian rhodopsin.

Ligand binding to a OR protein, a domain, or chimeric protein can be tested in solution, in a bilayer membrane, attached to a solid phase, in a lipid monolayer, or in
15 vesicles. Binding of a modulator can be tested using, *e.g.*, changes in spectroscopic characteristics (*e.g.*, fluorescence, absorbance, refractive index) hydrodynamic (*e.g.*, shape), chromatographic, or solubility properties.

Receptor-G protein interactions can also be examined. For example, binding of the G protein to the receptor or its release from the receptor can be examined. For
20 example, in the absence of GTP, an activator will lead to the formation of a tight complex of a G protein (all three subunits) with the receptor. This complex can be detected in a variety of ways, as noted above. Such an assay can be modified to search for inhibitors, *e.g.*, by adding an activator to the receptor and G protein in the absence of GTP, which form a tight complex, and then screen for inhibitors by
25 looking at dissociation of the receptor-G protein complex. In the presence of GTP, release of the alpha subunit of the G protein from the other two G protein subunits serves as a criterion of activation.

An activated or inhibited G protein will in turn alter the properties of target enzymes, channels, and other effector proteins. The classic examples are the
30 activation of cGMP phosphodiesterase by transducin in the visual system, adenylate cyclase by the stimulatory G protein, phospholipase C by Gq and other cognate G proteins, and modulation of diverse channels by Gi and other G proteins.

Downstream consequences can also be examined such as generation of diacyl glycerol and IP3 by phospholipase C, and in turn, for calcium mobilization by IP3.

In another embodiment of the invention, a GTP γ S assay may be used. As described above, upon activation of a GPCR, the G α subunit of the G protein complex is stimulated to exchange bound GDP for GTP. Ligand-mediated stimulation of G protein exchange activity can be measured in a biochemical assay measuring the binding of added radioactively-labeled GTP γ ³⁵S to the G protein in the presence of a putative ligand. Typically, membranes containing the chemosensory receptor of interest are mixed with a complex of G proteins. Potential inhibitors and/or activators and GTP γ S are added to the assay, and binding of GTP γ S to the G protein is measured. Binding can be measured by liquid scintillation counting or by any other means known in the art, including scintillation proximity assays (SPA). In other assays formats, fluorescently-labeled GTP γ S can be utilized.

2. Fluorescence Polarization Assays

In another embodiment, Fluorescence Polarization ("FP") based assays may be used to detect and monitor odorant binding. Fluorescence polarization is a versatile laboratory technique for measuring equilibrium binding, nucleic acid hybridization, and enzymatic activity. Fluorescence polarization assays are homogeneous in that they do not require a separation step such as centrifugation, filtration, chromatography, precipitation or electrophoresis. These assays are done in real time, directly in solution and do not require an immobilized phase. Polarization values can be measured repeatedly and after the addition of reagents since measuring the polarization is rapid and does not destroy the sample. Generally, this technique can be used to measure polarization values of fluorophores from low picomolar to micromolar levels. This section describes how fluorescence polarization can be used in a simple and quantitative way to measure the binding of odorants to the olfactory receptors of the invention.

When a fluorescently labeled molecule is excited with plane polarized light, it emits light that has a degree of polarization that is inversely proportional to its molecular rotation. Large fluorescently labeled molecules remain relatively stationary during the excited state (4 nanoseconds in the case of fluorescein) and the polarization of the light remains relatively constant between excitation and emission. Small fluorescently labeled molecules rotate rapidly during the excited state and the

polarization changes significantly between excitation and emission. Therefore, small molecules have low polarization values and large molecules have high polarization values. For example, a single-stranded fluorescein-labeled oligonucleotide has a relatively low polarization value but when it is hybridized to a complementary strand,
 5 it has a higher polarization value. When using FP to detect and monitor odorant-binding which may activate or inhibit the olfactory receptors of the invention, fluorescence-labeled odorants or auto-fluorescent odorants may be used.

Fluorescence polarization (P) is defined as:

$$P = \frac{Int_{\parallel} - Int_{\perp}}{Int_{\parallel} + Int_{\perp}}$$

10 Where \parallel is the intensity of the emission light parallel to the excitation light plane and Int_{\perp} is the intensity of the emission light perpendicular to the excitation light plane. P, being a ratio of light intensities, is a dimensionless number. For example, the Beacon [®] and Beacon 2000 [™] System may be used in connection with these assays. Such systems typically express polarization in millipolarization units (1
 15 Polarization Unit = 1000 mP Units).

The relationship between molecular rotation and size is described by the Perrin equation and the reader is referred to Jolley, M. E. (1991) in Journal of Analytical Toxicology, pp. 236-240, which gives a thorough explanation of this equation. Summarily, the Perrin equation states that polarization is directly proportional to the
 20 rotational relaxation time, the time that it takes a molecule to rotate through an angle of approximately 68.5°. Rotational relaxation time is related to viscosity (η), absolute temperature (T), molecular volume (V), and the gas constant (R) by the following equation:

$$Rotational\ Relaxation\ Time = \frac{3\eta V}{RT}$$

25 The rotational relaxation time is small (\approx 1 nanosecond) for small molecules (e.g. fluorescein) and large (\approx 100 nanoseconds) for large molecules (e.g. immunoglobulins). If viscosity and temperature are held constant, rotational relaxation time, and therefore polarization, is directly related to the molecular volume. Changes in molecular volume may be due to interactions with other molecules,
 30 dissociation, polymerization, degradation, hybridization, or conformational changes of the fluorescently labeled molecule. For example, fluorescence polarization has been

used to measure enzymatic cleavage of large fluorescein labeled polymers by proteases, DNases, and RNases. It also has been used to measure equilibrium binding for protein/protein interactions, antibody/antigen binding, and protein/DNA binding.

3. Solid state and soluble high throughput assays

5 In yet another embodiment, the invention provides soluble assays using molecules such as a domain such as ligand-binding domain, an extracellular domain, a transmembrane domain (*e.g.*, one comprising seven transmembrane regions and cytosolic loops), the transmembrane domain and a cytoplasmic domain, an active site, a subunit association region, etc.; a domain that is covalently linked to a heterologous
10 protein to create a chimeric molecule; an OR protein; or a cell or tissue expressing an OR protein, either naturally occurring or recombinant. In another embodiment, the invention provides solid phase based in vitro assays in a high throughput format, where the domain, chimeric molecule, OR protein, or cell or tissue expressing the OR is attached to a solid phase substrate.

15 In the high throughput assays of the invention, it is possible to screen up to several thousand different modulators or ligands in a single day. In particular, each well of a microtiter plate can be used to run a separate assay against a selected potential modulator, or, if concentration or incubation time effects are to be observed, every 5-10 wells can test a single modulator. Thus, a single standard microtiter plate
20 can assay about 100 (*e.g.*, 96) modulators. If 1536 well plates are used, then a single plate can easily assay from about 1000 to about 1500 different compounds. It is also possible to assay multiple compounds in each plate well. Further, it is possible to assay several different plates per day; assay screens for up to about 6,000-20,000 different compounds is possible using the integrated systems of the invention. More
25 recently, microfluidic approaches to reagent manipulation have been developed.

The molecule of interest can be bound to the solid state component, directly or indirectly, via covalent or non covalent linkage, *e.g.*, via a tag. The tag can be any of a variety of components. In general, a molecule which binds the tag (a tag binder) is fixed to a solid support, and the tagged molecule of interest (*e.g.*, the olfactory
30 transduction molecule of interest) is attached to the solid support by interaction of the tag and the tag binder.

A number of tags and tag binders can be used, based upon known molecular interactions well described in the literature. For example, where a tag has a natural

binder, for example, biotin, protein A, or protein G, it can be used in conjunction with appropriate tag binders (avidin, streptavidin, neutravidin, the Fc region of an immunoglobulin, *etc.*). Antibodies to molecules with natural binders such as biotin are also widely available and appropriate tag binders (*see*, SIGMA Immunochemicals
5 1998 catalogue SIGMA, St. Louis MO).

Similarly, any haptenic or antigenic compound can be used in combination with an appropriate antibody to form a tag/tag binder pair. Thousands of specific antibodies are commercially available and many additional antibodies are described in the literature. For example, in one common configuration, the tag is a first antibody
10 and the tag binder is a second antibody which recognizes the first antibody. In addition to antibody-antigen interactions, receptor-ligand interactions are also appropriate as tag and tag-binder pairs. For example, agonists and antagonists of cell membrane receptors (*e.g.*, cell receptor-ligand interactions such as transferrin, c-kit, viral receptor ligands, cytokine receptors, chemokine receptors, interleukin receptors,
15 immunoglobulin receptors and antibodies, the cadherein family, the integrin family, the selectin family, and the like; *see, e.g.*, Pigott & Power, The Adhesion Molecule Facts Book I (1993)). Similarly, toxins and venoms, viral epitopes, hormones (*e.g.*, opiates, steroids, *etc.*), intracellular receptors (*e.g.*, which mediate the effects of various small ligands, including steroids, thyroid hormone, retinoids and vitamin D;
20 peptides), drugs, lectins, sugars, nucleic acids (both linear and cyclic polymer configurations), oligosaccharides, proteins, phospholipids and antibodies can all interact with various cell receptors.

Synthetic polymers, such as polyurethanes, polyesters, polycarbonates, polyureas, polyamides, polyethyleneimines, polyarylene sulfides, polysiloxanes,
25 polyimides, and polyacetates can also form an appropriate tag or tag binder. Many other tag/tag binder pairs are also useful in assay systems described herein, as would be apparent to one of skill upon review of this disclosure.

Common linkers such as peptides, polyethers, and the like can also serve as tags, and include polypeptide sequences, such as poly gly sequences of between about
30 5 and 200 amino acids. Such flexible linkers are known to persons of skill in the art. For example, poly(ethylene glycol) linkers are available from Shearwater Polymers, Inc. Huntsville, Alabama. These linkers optionally have amide linkages, sulfhydryl linkages, or heterofunctional linkages.

Tag binders are fixed to solid substrates using any of a variety of methods currently available. Solid substrates are commonly derivatized or functionalized by exposing all or a portion of the substrate to a chemical reagent that fixes a chemical group to the surface which is reactive with a portion of the tag binder. For example, groups that are suitable for attachment to a longer chain portion would include amines, hydroxyl, thiol, and carboxyl groups. Aminoalkylsilanes and hydroxyalkylsilanes can be used to functionalize a variety of surfaces, such as glass surfaces. The construction of such solid phase biopolymer arrays is well described in the literature. See, e.g., Merrifield, *J. Am. Chem. Soc.*, 85:2149-54 (1963) (describing solid phase synthesis of, e.g., peptides); Geysen *et al.*, *J. Immun. Meth.*, 102:259-74 (1987) (describing synthesis of solid phase components on pins); Frank & Doring, *Tetrahedron*, 44:60316040 (1988) (describing synthesis of various peptide sequences on cellulose disks); Fodor *et al.*, *Science*, 251:767-77 (1991); Sheldon *et al.*, *Clinical Chemistry*, 39(4):718-19 (1993); and Kozal *et al.*, *Nature Medicine*, 2(7):753759 (1996) (all describing arrays of biopolymers fixed to solid substrates). Non-chemical approaches for fixing tag binders to substrates include other common methods, such as heat, cross-linking by UV radiation, and the like.

4. Computer-based assays

Yet another assay for compounds that modulate OR protein activity involves computer assisted compound design, in which a computer system is used to generate a three-dimensional structure of an OR protein based on the structural information encoded by its amino acid sequence. The input amino acid sequence interacts directly and actively with a preestablished algorithm in a computer program to yield secondary, tertiary, and quaternary structural models of the protein. The models of the protein structure are then examined to identify regions of the structure that have the ability to bind, e.g., ligands. These regions are then used to identify ligands that bind to the protein.

The three-dimensional structural model of the protein is generated by entering protein amino acid sequences of at least 10 amino acid residues or corresponding nucleic acid sequences encoding a OR polypeptide into the computer system. The nucleotide sequence encoding the polypeptide, or the amino acid sequence thereof, can be any of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID

NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID
NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID
NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID
NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID
5 NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID
NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID
NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID
NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID
NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107,
10 SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID
NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125,
SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID
NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143,
SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID
15 NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161,
SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID
NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179,
SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID
NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197,
20 SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID
NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215,
SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID
NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233,
SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID
25 NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251,
SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID
NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269,
SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID
NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287,
30 SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID
NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305,
SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID
NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323,

SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511, and conservatively modified versions thereof.

The amino acid sequence represents the primary sequence or subsequence of the protein, which encodes the structural information of the protein. At least 10 residues of the amino acid sequence (or a nucleotide sequence encoding 10 amino acids) are entered into the computer system from computer keyboards, computer readable substrates that include, but are not limited to, electronic storage media (*e.g.*, magnetic diskettes, tapes, cartridges, and chips), optical media (*e.g.*, CD ROM), information distributed by internet sites, and by RAM. The three-dimensional structural model of the protein is then generated by the interaction of the amino acid sequence and the computer system, using software known to those of skill in the art.

The amino acid sequence represents a primary structure that encodes the information necessary to form the secondary, tertiary and quaternary structure of the

protein of interest. The software looks at certain parameters encoded by the primary sequence to generate the structural model. These parameters are referred to as "energy terms," and primarily include electrostatic potentials, hydrophobic potentials, solvent accessible surfaces, and hydrogen bonding. Secondary energy terms include van der
5 Waals potentials. Biological molecules form the structures that minimize the energy terms in a cumulative fashion. The computer program is therefore using these terms encoded by the primary structure or amino acid sequence to create the secondary structural model.

The tertiary structure of the protein encoded by the secondary structure is then
10 formed on the basis of the energy terms of the secondary structure. The user at this point can enter additional variables such as whether the protein is membrane bound or soluble, its location in the body, and its cellular location, *e.g.*, cytoplasmic, surface, or nuclear. These variables along with the energy terms of the secondary structure are used to form the model of the tertiary structure. In modeling the tertiary structure, the
15 computer program matches hydrophobic faces of secondary structure with like, and hydrophilic faces of secondary structure with like.

Once the structure has been generated, potential ligand-binding regions are identified by the computer system. Three-dimensional structures for potential ligands are generated by entering amino acid or nucleotide sequences or chemical formulas of
20 compounds, as described above. The three-dimensional structure of the potential ligand is then compared to that of the OR protein to identify ligands that bind to the protein. Binding affinity between the protein and ligands is determined using energy terms to determine which ligands have an enhanced probability of binding to the protein.

25 Computer systems are also used to screen for mutations, polymorphic variants, alleles and interspecies homologs of OR genes. Such mutations can be associated with disease states or genetic traits. As described above, GeneChip™ and related technology can also be used to screen for mutations, polymorphic variants, alleles and interspecies homologs. Once the variants are identified, diagnostic assays can be used
30 to identify patients having such mutated genes. Identification of the mutated OR genes involves receiving input of a first nucleic acid or amino acid sequence of a OR gene, or conservatively modified versions thereof. The sequence is entered into the computer system as described above. The first nucleic acid or amino acid sequence is

then compared to a second nucleic acid or amino acid sequence that has substantial identity to the first sequence. The second sequence is entered into the computer system in the manner described above. Once the first and second sequences are compared, nucleotide or amino acid differences between the sequences are identified.

- 5 Such sequences can represent allelic differences in various OR genes, and mutations associated with disease states and genetic traits.

5. Cell-based binding assays

In a preferred embodiment, an OR polypeptide is expressed in a eukaryotic cell as a chimeric receptor with a heterologous, chaperone sequence that facilitates its maturation and targeting through the secretory pathway. In a preferred embodiment, the heterologous sequence is a rhodopsin sequence, such as an N-terminal fragment of a rhodopsin. Such chimeric OR receptors can be expressed in any eukaryotic cell, such as HEK-293 cells. Preferably, the cells comprise a functional G protein, e.g., G α 15, that is capable of coupling the chimeric receptor to an intracellular signaling pathway or to a signaling protein such as phospholipase C. Activation of such chimeric receptors in such cells can be detected using any standard method, such as by detecting changes in intracellular calcium by detecting FURA-2 dependent fluorescence in the cell.

Activated GPCR receptors become substrates for kinases that phosphorylate the C-terminal tail of the receptor (and possibly other sites as well). Thus, activators will promote the transfer of ^{32}P from gamma-labeled GTP to the receptor, which can be assayed with a scintillation counter. The phosphorylation of the C-terminal tail will promote the binding of arrestin-like proteins and will interfere with the binding of G proteins. The kinase/arrestin pathway plays a key role in the desensitization of many GPCR receptors. For example, compounds that modulate the duration an olfactory receptor stays active would be useful as a means of prolonging a desired odor or cutting off an unpleasant one. For a general review of GPCR signal transduction and methods of assaying signal transduction, see, e.g., *Methods in Enzymology*, vols. 237 and 238 (1994) and volume 96 (1983); Bourne *et al.*, *Nature*, 10:349:117-27 (1991); Bourne *et al.*, *Nature*, 348:125-32 (1990); Pitcher *et al.*, *Annu. Rev. Biochem.*, 67:653-92 (1998).

OR modulation may be assayed by comparing the response of an OR polypeptide treated with a putative OR modulator to the response of an untreated

control sample. Such putative OR modulators can include odorants that either inhibit or activate OR polypeptide activity. In one embodiment, control samples (untreated with activators or inhibitors) are assigned a relative OR activity value of 100. Inhibition of an OR polypeptide is achieved when the OR activity value relative to the control is about 90%, optionally 50%, optionally 25-0%. Activation of an OR polypeptide is achieved when the OR activity value relative to the control is 110%, optionally 150%, 200-500%, or 1000-2000%.

Changes in ion flux may be assessed by determining changes in polarization (*i.e.*, electrical potential) of the cell or membrane expressing a OR protein. One means to determine changes in cellular polarization is by measuring changes in current (thereby measuring changes in polarization) with voltage-clamp and patch-clamp techniques, *e.g.*, the "cell-attached" mode, the "inside-out" mode, and the "whole cell" mode (*see, e.g.*, Ackerman *et al.*, *New Engl. J Med.*, 336:1575-1595 (1997)). Whole cell currents are conveniently determined using the standard. Other known assays include: radiolabeled ion flux assays and fluorescence assays using voltage-sensitive dyes (*see, e.g.*, Vestergaard-Bogind *et al.*, *J. Membrane Biol.*, 88:67-75 (1988); Gonzales & Tsien, *Chem. Biol.*, 4:269277 (1997); Daniel *et al.*, *J. Pharmacol. Meth.*, 25:185-193 (1991); Holevinsky *et al.*, *J. Membrane Biology*, 137:59-70 (1994)). Generally, the compounds to be tested are present in the range from 1 pM to 100 mM.

The effects of the test compounds upon the function of the polypeptides can be measured by examining any of the parameters described above. Any suitable physiological change that affects GPCR activity can be used to assess the influence of a test compound on the polypeptides of this invention. When the functional consequences are determined using intact cells or animals, one can also measure a variety of effects such as transmitter release, hormone release, transcriptional changes to both known and uncharacterized genetic markers (*e.g.*, northern blots), changes in cell metabolism such as cell growth or pH changes, and changes in intracellular second messengers such as Ca^{2+} , IP3, cGMP, or cAMP.

Preferred assays for GPCRs include cells that are loaded with ion or voltage sensitive dyes to report receptor activity. Assays for determining activity of such receptors can also use known agonists and antagonists for other G protein coupled receptors as negative or positive controls to assess activity of tested compounds. In

assays for identifying modulatory compounds (*e.g.*, agonists, antagonists), changes in the level of ions in the cytoplasm or membrane voltage will be monitored using an ion sensitive or membrane voltage fluorescent indicator, respectively. Among the ion-sensitive indicators and voltage probes that may be employed are those disclosed
5 in the Molecular Probes 1997 Catalog. For G protein coupled receptors, promiscuous G proteins such as G α 15 and G α 16 can be used in the assay of choice (Wilkie *et al.*, *PNAS*, 88:10049-53 (1991)). Such promiscuous G proteins allow coupling of a wide range of receptors.

Receptor activation typically initiates subsequent intracellular events, *e.g.*,
10 increases in second messengers such as IP₃, which releases intracellular stores of calcium ions. Activation of some G protein coupled receptors stimulates the formation of inositol triphosphate (IP₃) through phospholipase C-mediated hydrolysis of phosphatidylinositol (Berridge & Irvine, *Nature*, 312:315-21 (1984)). IP₃ in turn stimulates the release of intracellular calcium ion stores. Thus, a change in
15 cytoplasmic calcium ion levels, or a change in second messenger levels such as IP₃ can be used to assess G protein coupled receptor function. Cells expressing such G protein coupled receptors may exhibit increased cytoplasmic calcium levels as a result of contribution from both intracellular stores and via activation of ion channels, in which case it may be desirable although not necessary to conduct such assays in
20 calcium-free buffer, optionally supplemented with a chelating agent such as EGTA, to distinguish fluorescence response resulting from calcium release from internal stores.

Other assays can involve determining the activity of receptors which, when activated, result in a change in the level of intracellular cyclic nucleotides, *e.g.*, cAMP or cGMP, by activating or inhibiting enzymes such as adenylate cyclase. There are
25 cyclic nucleotide-gated ion channels, *e.g.*, rod photoreceptor cell channels and olfactory neuron channels that are permeable to cations upon activation by binding of cAMP or cGMP (*see, e.g.*, Altenhofen *et al.*, *PNAS*, 88:9868-72 (1991) and Dhallan *et al.*, *Nature*, 347:184-187 (1990)). In cases where activation of the receptor results in a decrease in cyclic nucleotide levels, it may be preferable to expose the cells to agents
30 that increase intracellular cyclic nucleotide levels, *e.g.*, forskolin, prior to adding a receptor-activating compound to the cells in the assay. Cells for this type of assay can be made by co-transfection of a host cell with DNA encoding a cyclic nucleotide-gated ion channel, GPCR phosphatase and DNA encoding a receptor (*e.g.*,

certain glutamate receptors, muscarinic acetylcholine receptors, dopamine receptors, serotonin receptors, and the like), which, when activated, causes a change in cyclic nucleotide levels in the cytoplasm.

In a preferred embodiment, OR protein activity is measured by expressing a
5 OR gene in a heterologous cell with a promiscuous G protein that links the receptor to a phospholipase C signal transduction pathway (*see Offermanns & Simon, J. Biol. Chem.*, 270:15175-15180 (1995)). Optionally the cell line is HEK-293 (which does not naturally express OR genes) and the promiscuous G protein is G α 15/G α 16 (Offermanns & Simon, *supra*). Modulation of olfactory transduction is assayed by
10 measuring changes in intracellular Ca²⁺ levels, which change in response to modulation of the OR signal transduction pathway via administration of a molecule that associates with a OR protein. Changes in Ca²⁺ levels are optionally measured using fluorescent Ca²⁺ indicator dyes and fluorometric imaging.

In one embodiment, the changes in intracellular cAMP or cGMP can be
15 measured using immunoassays. The method described in Offermanns & Simon, *J. Bio. Chem.*, 270:15175-15180 (1995), may be used to determine the level of cAMP. Also, the method described in Felley-Bosco *et al.*, *Am. J. Resp. Cell and Mol. Biol.*, 11:159-164 (1994), may be used to determine the level of cGMP. Further, an assay kit for measuring cAMP and/or cGMP is described in U.S. Patent 4,115,538, herein
20 incorporated by reference.

In another embodiment, phosphatidyl inositol (PI) hydrolysis can be analyzed according to U.S. Patent 5,436,128, herein incorporated by reference. Briefly, the assay involves labeling of cells with 3H-myoinositol for 48 or more hrs. The labeled cells are treated with a test compound for one hour. The treated cells are lysed and
25 extracted in chloroform-methanol-water after which the inositol phosphates were separated by ion exchange chromatography and quantified by scintillation counting. Fold stimulation is determined by calculating the ratio of cpm in the presence of agonist, to cpm in the presence of buffer control. Likewise, fold inhibition is determined by calculating the ratio of cpm in the presence of antagonist, to cpm in the
30 presence of buffer control (which may or may not contain an agonist).

In another embodiment, transcription levels can be measured to assess the effects of a test compound on signal transduction. A host cell containing an OR protein of interest is contacted with a test compound for a sufficient time to effect any

interactions, and then the level of gene expression is measured. The amount of time to effect such interactions may be empirically determined, such as by running a time course and measuring the level of transcription as a function of time. The amount of transcription may be measured by using any method known to those of skill in the art to be suitable. For example, mRNA expression of the protein of interest may be detected using northern blots or their polypeptide products may be identified using immunoassays. Alternatively, transcription based assays using reporter gene may be used as described in U.S. Patent 5,436,128, herein incorporated by reference. The reporter genes can be, *e.g.*, chloramphenicol acetyltransferase, luciferase, '3-galactosidase and alkaline phosphatase. Furthermore, the protein of interest can be used as an indirect reporter via attachment to a second reporter such as green fluorescent protein (*see, e.g.*, Mistili & Spector, *Nature Biotechnology*, 15:961-64 (1997)).

The amount of transcription is then compared to the amount of transcription in either the same cell in the absence of the test compound, or it may be compared with the amount of transcription in a substantially identical cell that lacks the OR protein of interest. A substantially identical cell may be derived from the same cells from which the recombinant cell was prepared but which had not been modified by introduction of heterologous DNA. Any difference in the amount of transcription indicates that the test compound has in some manner altered the activity of the OR protein of interest.

6. Transgenic non-human animals expressing olfactory receptors

Non-human animals expressing one or more olfactory receptor sequences of the invention, particularly human olfactory receptor sequences, can also be used for receptor assays. Such expression can be used to determine whether a test compound specifically binds to a mammalian olfactory transmembrane receptor polypeptide *in vivo* by contacting a non-human animal stably or transiently transfected with a nucleic acid encoding an olfactory receptor or ligand-binding region thereof with a test compound and determining whether the animal reacts to the test compound by specifically binding to the receptor polypeptide.

Use of the translocation domains of the invention in the fusion polypeptides generates a cell expressing high levels of olfactory receptor. Animals transfected or infected with the vectors of the invention are particularly useful for assays to identify and characterize odorants/ligands that can bind to a specific or sets of receptors. Such

vector-infected animals expressing libraries of human olfactory sequences can be used for *in vivo* screening of odorants and their effect on, *e.g.*, cell physiology (*e.g.*, on olfactory neurons), on the CNS (*e.g.*, olfactory bulb activity), or behavior.

Means to infect/express the nucleic acids and vectors, either individually or as
5 libraries, are well known in the art. A variety of individual cell, organ or whole animal parameters can be measured by a variety of means. For example, recording of stimulant-induced waves (bulbar responses) from the main olfactory bulb or accessory olfactory bulb is a useful tool for measuring quantitative stable olfactory responses. When electrodes are located on the olfactory bulb surface it is possible to record stable
10 responses over a period of several days (*see, e.g.*, Kashiwayanagi, *Brain Res. Protoc.* 1:287-291 (1997)). In this study, electroolfactogram recordings were made with a four-electrode assembly from the olfactory epithelium overlying the endoturbinates facing the nasal septum. Four electrodes were fixed along the dorsal-to-ventral axis of one turbinate bone or were placed in corresponding positions on four turbinate
15 bones and moved together up toward the top of the bone. *See also*, Scott, *J. Neurophysiol.* 77:1950-1962 (1997); Scott, *J. Neurophysiol.* 75:2036-2049 (1996); Ezeh, *J. Neurophysiol.* 73:2207-2220 (1995). In other systems, fluorescence changes in nasal epithelium can be measured using the dye di-4-ANEPPS, which is applied on the rat's nasal septum and medial surface of the turbinates (*see, e.g.*, Youngentob, *J. Neurophysiol.* 73:387-398 (1995)). Extracellular potassium activity (aK)
20 measurements can also be carried out in *in vivo*. An increase in aK can be measured in the mucus and the proximal part of the nasal epithelium (*see, e.g.*, Khayari, *Brain Res.* 539:1-5 (1991)).

The OR sequences of the invention can be for example expressed in animal
25 nasal epithelium by delivery with an infecting agent, *e.g.*, adenovirus expression vector. Recombinant adenovirus-mediated expression of a recombinant gene in olfactory epithelium using green fluorescent protein as a marker is described by, *e.g.*, Touhara, *PNAS*, 96:4040-45 (1999).

The endogenous olfactory receptor genes can remain functional and wild-type
30 (native) activity can still be present. In other situations, where it is desirable that all olfactory receptor activity is by the introduced exogenous hybrid receptor, use of a knockout line is preferred. Methods for the construction of non-human transgenic

animals, particularly transgenic mice, and the selection and preparation of recombinant constructs for generating transformed cells are well known in the art.

Construction of a "knockout" cell and animal is based on the premise that the level of expression of a particular gene in a mammalian cell can be decreased or completely abrogated by introducing into the genome a new DNA sequence that serves to interrupt some portion of the DNA sequence of the gene to be suppressed. Also, "gene trap insertion" can be used to disrupt a host gene, and mouse embryonic stem (ES) cells can be used to produce knockout transgenic animals (*see, e.g.,* Holzschu, *Transgenic Res* 6:97-106 (1997)). The insertion of the exogenous is typically by homologous recombination between complementary nucleic acid sequences. The exogenous sequence is some portion of the target gene to be modified, such as exonic, intronic or transcriptional regulatory sequences, or any genomic sequence which is able to affect the level of the target gene's expression; or a combination thereof. Gene targeting via homologous recombination in pluripotential embryonic stem cells allows one to modify precisely the genomic sequence of interest. Any technique can be used to create, screen for, propagate, a knockout animal, *e.g., see* Bijvoet, *Hum. Mol. Genet.* 7:53-62 (1998); Moreadith, *J. Mol. Med.* 75:208-216 (1997); Tojo, *Cytotechnology* 19:161-165 (1995); Mudgett, *Methods Mol. Biol.* 48:167-184 (1995); Longo, *Transgenic Res.* 6:321-328 (1997); U.S. Patents Nos. 5,616,491; 5,464,764; 5,631,153; 5,487,992; 5,627,059; 5,272,071; WO 91/09955; WO 93/09222; WO 96/29411; WO 95/31560; WO 91/12650.

The nucleic acid libraries of the invention can also be used as reagents to produce "knockout" human cells and their progeny. Likewise, the nucleic acids of the invention can also be used as reagents to produce "knock-ins" in mice. The human or rat OR gene sequences can replace the orthologous ORs in the mouse genome. In this way, a mouse expressing a human or rat OR can be produced. This mouse can then be used to analyze the function of human or rat ORs, and to identify ligands for such ORs.

F. Modulators

The compounds tested as modulators of an OR family member can be any small chemical compound, or a biological entity, such as a protein, sugar, nucleic acid or lipid. Alternatively, modulators can be genetically altered versions of an OR gene.

Typically, test compounds will be small chemical molecules and peptides. Essentially any chemical compound can be used as a potential modulator or ligand in the assays of the invention, although most often compounds can be dissolved in aqueous or organic (especially DMSO-based) solutions are used. The assays are designed to screen large chemical libraries by automating the assay steps and providing compounds from any convenient source to assays, which are typically run in parallel (e.g., in microtiter formats on microtiter plates in robotic assays). It will be appreciated that there are many suppliers of chemical compounds, including Sigma (St. Louis, MO), Aldrich (St. Louis, MO), Sigma-Aldrich (St. Louis, MO), Fluka Chemika-Biochemica Analytika (Buchs, Switzerland) and the like.

The OR modulating compounds can be used in any number of consumer products, including, but not limited to, perfumes, fragrance compositions, deodorants, air fresheners, foods, drugs, *etc.*, or ingredients thereof, to thereby modulate the odor of the product, composition, or ingredient in a desired manner. As one of skill in the art will recognize, OR modulating compounds can be used to enhance desirable odors, to block malodors, or a combination thereof.

In one preferred embodiment, high throughput screening methods involve providing a combinatorial chemical or peptide library containing a large number of potential therapeutic compounds (potential modulator or ligand compounds). Such "combinatorial chemical libraries" or "ligand libraries" are then screened in one or more assays, as described herein, to identify those library members (particular chemical species or subclasses) that display a desired characteristic activity. The compounds thus identified can serve as conventional "lead compounds" or can themselves be used as potential or actual odorant compositions.

A combinatorial chemical library is a collection of diverse chemical compounds generated by either chemical synthesis or biological synthesis, by combining a number of chemical "building blocks" such as reagents. For example, a linear combinatorial chemical library such as a polypeptide library is formed by combining a set of chemical building blocks (amino acids) in every possible way for a given compound length (*i.e.*, the number of amino acids in a polypeptide compound). Millions of chemical compounds can be synthesized through such combinatorial mixing of chemical building blocks.

Preparation and screening of combinatorial chemical libraries is well known to those of skill in the art. Such combinatorial chemical libraries include, but are not limited to, peptide libraries (*see, e.g.*, U.S. Patent 5,010,175, Furka, *Int. J. Pept. Prot. Res.*, 37:487-93 (1991) and Houghton *et al.*, *Nature*, 354:84-88 (1991)). Other chemistries for generating chemical diversity libraries can also be used. Such chemistries include, but are not limited to: peptoids (*e.g.*, PCT Publication No. WO 91/19735), encoded peptides (*e.g.*, PCT Publication WO 93/20242), random bio-oligomers (*e.g.*, PCT Publication No. WO 92/00091), benzodiazepines (*e.g.*, U.S. Pat. No. 5,288,514), diversomers such as hydantoins, benzodiazepines and dipeptides (Hobbs *et al.*, *PNAS*, 90:6909-13 (1993)), vinylogous polypeptides (Hagihara *et al.*, *J. Amer. Chem. Soc.*, 114:6568 (1992)), nonpeptidal peptidomimetics with glucose scaffolding (Hirschmann *et al.*, *J. Amer. Chem. Soc.*, 114:9217-18 (1992)), analogous organic syntheses of small compound libraries (Chen *et al.*, *J. Amer. Chem. Soc.*, 116:2661 (1994)), oligocarbamates (Cho *et al.*, *Science*, 261:1303 (1993)), peptidyl phosphonates (Campbell *et al.*, *J. Org. Chem.*, 59:658 (1994)), nucleic acid libraries (Ausubel, Berger and Sambrook, all *supra*), peptide nucleic acid libraries (U.S. Patent 5,539,083), antibody libraries (Vaughn *et al.*, *Nature Biotechnology*, 14(3):309-14 (1996) and PCT/US96/10287), carbohydrate libraries (Liang *et al.*, *Science*, 274:1520-22 (1996) and U.S. Patent 5,593,853), small organic molecule libraries (benzodiazepines, Baum, *C&EN*, Jan 18, page 33 (1993); thiazolidinones and metathiazanones, U.S. Patent 5,549,974; pynrolidines, U.S. Patents 5,525,735 and 5,519,134; morpholino compounds, U.S. Patent 5,506,337; benzodiazepines, 5,288,514, and the like).

Devices for the preparation of combinatorial libraries are commercially available (*see, e.g.*, 357 MPS, 390 MPS (Advanced Chem Tech, Louisville KY), Symphony (Rainin, Woburn, MA), 433A (Applied Biosystems, Foster City, CA), 9050 Plus (Millipore, Bedford, MA)). In addition, numerous combinatorial libraries are themselves commercially available (*see, e.g.*, ComGenex, Princeton, NJ; Tripos, Inc., St. Louis, MO; 3D Pharmaceuticals, Exton, PA; Martek Biosciences; Columbia, MD; *etc.*).

G. Methods for Representing and Predicting the Perception of Odor

The invention also preferably provides methods for representing the perception of odor (or taste) and/or for predicting the perception of odor (or taste) in a mammal, including in a human. Preferably, such methods may be performed by using the
5. receptors and genes encoding said olfactory receptors disclosed herein.

Also contemplated as within the invention, is a method of screening one or more compounds for the presence of an odor detectable by a mammal, comprising: contacting said one or more compounds with the disclosed receptors, preferably wherein the mammal is a human. Also contemplated as within the invention is a
10. method for representing olfactory perception of a particular smell in a mammal, comprising: providing values X_1 to X_n representative of the quantitative stimulation of each of n olfactory receptors of said vertebrate, where n is greater than or equal to 4; and generating from said values a quantitative representation of olfactory perception. The olfactory receptors may be an olfactory receptor disclosed herein, the
15. representation may constitutes a point or a volume in n -dimensional space, may constitutes a graph or a spectrum, and may constitutes a matrix of quantitative representations. Also, the providing step may comprise contacting a plurality of recombinantly-produced olfactory receptors with a test composition and quantitatively measuring the interaction of said composition with said receptors.

20. Also contemplated as within the invention, is a method for predicting the olfactory perception in a mammal generated by one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal, comprising: providing values X_1 to X_n representative of the quantitative stimulation of each of n olfactory receptors of said vertebrate, where n is greater than or equal to 4,
25. for one or more molecules or combinations of molecules yielding known olfactory perception in a mammal; and generating from said values a quantitative representation of olfactory perception in a mammal for the one or more molecules or combinations of molecules yielding known olfactory perception in a mammal, providing values X_1 to X_n representative of the quantitative stimulation of each of n olfactory receptors of
30. said vertebrate, where n is greater than or equal to 4, for one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal; and generating from said values a quantitative representation of olfactory perception in a mammal for the one or more molecules or combinations of molecules yielding

unknown olfactory perception in a mammal, and predicting the olfactory perception in a mammal generated by one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal by comparing the quantitative representation of olfactory perception in a mammal for the one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal to the quantitative representation of olfactory perception in a mammal for the one or more molecules or combinations of molecules yielding known olfactory perception in a mammal. The olfactory receptors used in this method may include an olfactory receptor disclosed herein.

10 In another embodiment, novel molecules or combinations of molecules are generated which elicit a predetermined olfactory perception in a mammal by determining a value of olfactory perception in a mammal for a known molecule or combinations of molecules as described above; determining a value of olfactory perception in a mammal for one or more unknown molecules or combinations of molecules as described above; comparing the value of olfactory perception in a mammal for one or more unknown compositions to the value of olfactory perception in a mammal for one or more known compositions; selecting a molecule or combination of molecules that elicits a predetermined olfactory perception in a mammal; and combining two or more unknown molecules or combinations of molecules to form a molecule or combination of molecules that elicits a predetermined olfactory perception in a mammal. The combining step yields a single molecule or a combination of molecules that elicits a predetermined olfactory perception in a mammal.

25 In another embodiment of the invention, there is provided a method for simulating a fragrance, comprising: for each of a plurality of cloned olfactory receptors, preferably human receptors, ascertaining the extent to which the receptor interacts with the fragrance; and combining a plurality of compounds, each having a previously-ascertained interaction with one or more of the receptors, in amounts that together provide a receptor-stimulation profile that mimics the profile for the fragrance. Interaction of a fragrance with an olfactory receptor can be determined using any of the binding or reporter assays described herein. The plurality of compounds may then be combined to form a mixture. If desired, one or more of the plurality of the compounds can be combined covalently. The combined compounds

substantially stimulate at least 75%, 80% or 90% of the receptors that are substantially stimulated by the fragrance.

In another preferred embodiment of the invention, a plurality of standard compounds are tested against a plurality of olfactory receptors to ascertain the extent to which the receptors each interact with each standard compound, thereby generating a receptor stimulation profile for each standard compound. These receptor stimulation profiles may then be stored in a relational database on a data storage medium. The method may further comprise providing a desired receptor-stimulation profile for a scent; comparing the desired receptor stimulation profile to the relational database; and ascertaining one or more combinations of standard compounds that most closely match the desired receptor-stimulation profile. The method may further comprise combining standard compounds in one or more of the ascertained combinations to simulate the scent.

H. Kits

OR genes and their homologs are useful tools for identifying olfactory receptor cells, for forensics and paternity determinations, and for examining olfactory transduction. OR family member-specific reagents that specifically hybridize to OR nucleic acids, such as AOLFR1 probes and primers, and OR family member-specific reagents that specifically bind to an OR protein, *e.g.*, OR antibodies are used to examine olfactory cell expression and olfactory transduction regulation.

Nucleic acid assays for the presence of DNA and RNA for an OR family member in a sample include numerous techniques are known to those skilled in the art, such as southern analysis, northern analysis, dot blots, RNase protection, S1 analysis, amplification techniques such as PCR, and *in situ* hybridization. In *in situ* hybridization, for example, the target nucleic acid is liberated from its cellular surroundings in such a form so as to be available for hybridization within the cell, while preserving the cellular morphology for subsequent interpretation and analysis. The following articles provide an overview of the art of *in situ* hybridization: Singer *et al.*, *Biotechniques*, 4:230-50 (1986); Haase *et al.*, *Methods in Virology*, vol. VII, pp. 189-226 (1984); and *Nucleic Acid Hybridization: A Practical Approach* (Names *et al.*, eds. 1987). In addition, an OR protein can be detected with the various immunoassay

techniques described above. The test sample is typically compared to both a positive control (e.g., a sample expressing a recombinant OR protein) and a negative control.

The present invention also provides for kits for screening for modulators of OR family members. Such kits can be prepared from readily available materials and reagents. For example, such kits can comprise any one or more of the following materials: OR nucleic acids or proteins, reaction tubes, and instructions for testing OR activity. Optionally, the kit contains a biologically active OR receptor. A wide variety of kits and components can be prepared according to the present invention, depending upon the intended user of the kit and the particular needs of the user.

EXAMPLES

Genomic, predicted amino acid sequence, and predicted coding sequences (cds), of novel G protein-coupled human odorant receptors, and classes of such receptors, are described. Each example describes a discrete protein and nucleic acid pair. Accordingly, Example 1 describes SEQ. ID. NOS. 1 and 2, for the human olfactory receptor protein designated AOLFR1, and the human DNA encoding AOLFR1, respectively; Example 2 describes SEQ. ID. NOS. 3 and 4, for the human olfactory receptor protein designated AOLFR2, and the human DNA encoding AOLFR2, respectively; and so on in the manner described, through the final Example sequence.

In the protein sequences presented herein, the one-letter code X or Xaa refers to any of the twenty common amino acid residues. In the DNA sequences presented herein, the one letter codes N or n refers to any of the of the four common nucleotide bases, A, T, C, or G.

EXAMPLES

AOLFR1 sequences:

MKTFSSFLQIGRNMHQGNQTTITEFILLGFFKQDEHQNLLFVFLGMYLVTVIGNGLIIVAISLD
TYLHTPMYLFANLSFADISSISNSVPKMLVNIQTKSQSISYESCITQMYFSIVFVIDNLLLGTM
AYDHFVAICHPLNYTILMRPRFGILLTVISWFLSNIALTHLLLIQLLFCNHNTLPHFFCDLAPLL
KLSCSDTLINELVLFIVGLSVIIFPFTLSFFSYVCIIRAVLRVSSSTQGKWKAFTSCGSHLTVVLLFY
GTIVGVYFFPSSTHPEDTDKIGAVLFTVTPMINPFIYSLRNKDMKGALRKLINRKISSL (SEQ ID
NO: 1)

ATGAAGACTTTTAGTTCCTTTCTTCAGATCGGCAGAAATATGCATCAAGGAAACCAAACCA
CCATCACTGAATTCATTCTCCTGGGATTITTCAGCAGGATGAGCATCAAAACCTCCTCTTT
GTGCTTTTCTTGGGTATGTACCTGGTCACTGTGATTGGGAACGGGCTCATCATTGTGGCTA
TCAGCTTGATACGTACCTTCATACCCCATGTATCTCTTCCTTGCCAATCTATCCTTTGCT
GATATTTCTCCATTTCCAACCTCAGTCCCCAAAATGCTGGTGAATATTCAAACCAAGAGTC

AATCCATCTCTTATGAGAGCTGCATCACACAGATGTACTTTTCTATTGTGTTTGTGCGTCATT
 GACAATTTGCTCTTGGGGACCATGGCCTATGACCACTTTGTGGCGATCTGCCACCCTCTGA
 ATTATACAATTCTCATGCGGCCAGGTTTCGGCATTGCTCACAGTCATCTCATGGTTCCTC
 AGTAATATTATTGCTCTGACACACACCCCTTCTGCTCATTCAATTGCTCTTCTGTAAACCACAA
 5 CACTCTCCACACTTCTTCTGTGACTTGGCCCTCTGCTCAAAGTGTCTGTTCAGATACAT
 TGATCAATGAGCTTGTGTTGTTTATTGTGGGTTTATCAGTTATCATCTTCCCCTTTACACTC
 AGCTTCTTTTCTATGTCTGCATCATCAGAGCTGTCCTGAGAGTATCTTCCACACAGGGAA
 AGTGGAAAGCCTTCTCCACTTGTGGCTCTCACCTGACAGTTGTATTACTGTTCTACGGAAC
 CATTGTAGGCGTGTACTTTTTCCCCTCCTCCACTCACCTGAGGACACTGATAAGATTGGT
 10 GCTGTCTATTCACTGTGGTGACACCCATGATAAACCCTTCATCTACAGCTTGAGGAATA
 AGGATATGAAAGGTGCCCTGAGAAAGCTCATCAATAGAAAAATTTCTTCCCTTTGA (SEQ
 ID NO: 2)

AOLFR2 sequences:

15 MMMVLRNLSMEPTFALLGFTDYPKLQIPLFLVLLMYVITVVGNLGMIIKINPKFHTPMYFFL
 SHLSFVDFCYSSIVTPKLENLVMADKSIFYSCMMQYFLSCTAVVTESFLLAVMAYDRFVAIC
 NPLLYTVAMSQRLLCALLVAGSYLWGMFGPLVLLCYALRLNFGPNVINHFFCEYALISVSGS
 DILIPHLLFSFATFNEMCTLLIILTSYVFIVTVLKIRSVSGRHKAFSTWASHLTAITIFHGTLFL
 YCVPNSKNSRQTVKVASVFYTVVNPMLNPPIYSLRNKDVKDAFWKLIHTQVPFH (SEQ ID NO:
 20 3)

ATGATGATGGTTTTAAGGAATCTGAGCATGGAGCCCACCTTTGCCCTTTTAGGTTTCACAG
 ATTACCCAAAGCTTCAGATTCCTCTCTTCCTTGTGTTTCTGCTCATGTATGTTATCACAGTG
 GTAGGAAACCTTGGGATGATCATAATAATCAAGATTAACCCCAAATTCACACTCCTATGT
 25 ACTTTTTCCTTAGTCACCTCTCTTTTGTGATTTTGTGTTACTCTTCCATTGTCACTCCCAAGC
 TGCTTGAGAACTTGGTAATGGCAGATAAAAGCATCTTCTACTTTAGCTGCATGATGCAGTA
 CTTCTGTCTGCACTGTGTGGTGACAGAGTCTTCTTGTGCTGGCAGTGATGGCCTATGAC
 CGCTTTGTGGCCATCTGCAATCCTCTGCTTTATACAGTGGCCATGTACAGAGGCTCTGTG
 CCTGTGCTGGTGGCTGGGTCATATCTCTGGGGCATGTTTGGCCCTTGGTACTCCTTTGTTAT
 30 GCTCTCCGGTTAAACTTCTCTGGACCTAATGTAATCAACCACTTCTTTGTGAGTATACCTGC
 TCTCATCTCTGTGTCTGGCTCTGATATACTCATCCCCACCTGCTGCTTTTCAGCTTCGCCA
 CCTTCAATGAGATGTGTACACTACTGATCATCCTCACTTCCTATGTTTTCAATTTTGTGACT
 GTACTAAAAATCCGTTCTGTTAGTGGGCGCCACAAAGCCTTCTCCACCTGGGCCTCCCACC
 TGA CTGCTATCACCATCTTCCATGGGACCATCCTTTTCTTTACTGTGTACCCAACTCCAAA
 35 AACTCTCGGCAACAGTCAAAGTGGCCTCTGTATTTTACACAGTTGTCAACCCCATGCTGA
 ACCCTCCGATCTACAGCCTAAGGAATAAAGACGTGAAGGATGCTTTCTGGAAGTTAATACA
 TACACAAGTTCCATTTCACTGA (SEQ ID NO: 4)

AOLFR3 sequences:

40 MLLTDRNTSGTTFTLLGFSDYPELQVPLFLVFLAIYNVTVLGNIGLIVIIKINPKLHTPMYFFLSQ
 LSFVDFCYSSIIAPKMLVNLVVKDRITISFLGCVVQFFFFCTFVVTESFLLAVMAYDRFVAICNPL
 LYTVDMQSQKLCVLLVVGSYAWGVSCSLELTCSALKLCFHGFNTINHFFCEFSLLSLSCSDTYI
 NQWLLFLATFNEISTLLIVLTSYAFIVVTILKMRSVSGRRKAFSTCASHLTAITIFHGTLFLYCV
 PNSKNSRHTVKVASVFYTVVIPMLNPLIYSLRNKDVKDTVTEILDTKVFSY (SEQ ID NO: 5)

45 ATGCTGCTGACAGATAGAAATACAAGTGGGACCACGTTACCCCTCTTGGGCTTCTCAGATT
 ACCCAGAACTGCAAGTCCCACTCTTCTGCTTTTCTGGCCATCTACAATGTCACTGTGCTA
 GGAATATTGGGTTGATTGTGATCAAAAATCAACCCCAAAGTGCATACCCCATGTACT
 TTTTCTCAGCCAACTCTCCTTTGTGGATTCTGCTATTCTCCATCATTGCTCCCAAGATG
 50 TTGGTGAACCTTGTGTCAAAGACAGAAACCATTTTCATTTTATAGGATGCGTATACAATTCT
 TTTTCTTCTGTACCTTTGTGGTCACTGAATCCTTTTATTAGCTGTGATGGCCTATGACCGC
 TTCGTGGCCATTTGCAACCCTCTGCTCTACACAGTTGACATGTCCCAGAACTCTGCGTGC
 TGCTGGTTGTGGGATCCTATGCCTGGGGAGTCTCATGTTCTTGGAACTGACGTGCTCTGC
 TTTAAAGTTATGTTTTCATGGTTTCAACACAATCAATCACTTCTTCTGTGAGTTCTCCTCAC
 55 TACTCTCCCTTTCTGCTCTGATACTTACATCAACCAGTGGCTGCTATTCTTTCTTGGCCACC
 TTTAATGAAATCAGCACACTACTCATCGTTCTCACATCTTATGCGTTCATTGTTGTAACCAT

CCTCAAGATGCGTTCAGTCAGTGGGCGCCGCAAAGCCTTCTCCACCTGTGCCTCCCACCTG
ACTGCCATCACCATCTTCCATGGCACCATCCTCTTCTTACTGTGTGCCAACTCCAAAAA
CTCCAGGCACACAGTCAAAGTGGCCTCTGTGTTTTACACCGTGGTGATCCCCATGTTGAAT
CCCCTGATCTACAGTCTGAGAAATAAAGATGTCAAGGATACAGTCACCGAGATACTGGAC
5 ACCAAAGTCTTCTTACTGA (SEQ ID NO: 6)

AOLFR4 sequences:

MENQNNVTEFILLGLTENLELWKIFSAVFLVMYVATVLENLLIVVTITSQSLRSPMYFFLTFLS
LLDVMFSSVVPKVIVDTLSKSTTISLKGLTQLFVEHFFGGVGIILLTVMAYDRYVAICKPLHY
10 TIIMSPRVCCMLMVGGAWVGGFMHAMIQLLFMYQIPFCGPNIDHFICDLFQLLTLACTDTHILGL
LVTLNSGMMCVAIFLILIASYTVILCSLKSYSKGRHKALSTCSSHLTUVVLFVPCIFLYMRPV
VTHPIDKAMAVSDSIITPMLNPLIYTLRNAEVKSAMKKLWMKWEALAGK (SEQ ID NO: 7)

ATGGAAAATCAAAACAATGTGACTGAATTCATTCTTCTGGGTCTCACAGAGAACCTGGAGC
15 TGTGGAAAATATTTCTGCTGTGTTTCTTGTCATGTATGTAGCCACAGTGTGGAAAATCT
ACTTATTGTGGTAACTATTATCACAAGTCAGAGTCTGAGGTCACCTATGTATTTTTTCTTA
CCTTCTTGTCCTTTTGGATGTCATGTTCTCATCTGTGCTGCCCCCAAGGTGATTGTAGAC
ACCCTCTCCAAGAGCACTACCATCTCTCTCAAAGGCTGCCTCACCCAGCTGTTTGTGGAGC
ATTTCTTTGGTGGTGTGGGGATCATCCTCCTCACTGTGATGGCCTATGACCGCTACGTGGC
20 CATCTGTAAGCCCCGCACTACACGATCATCATGAGTCCACGGGTGTGCTGCCTAATGGTA
GGAGGGGCTTGGGTGGGGGATTTATGCACGCAATGATACAACTTCTCTTCATGTATCAAA
TACCCTTCTGTGGTCTAATATCATAGATCACTTTATATGTGATTTGTTTCAGTTGTTGACA
CTTGCCTGCACGGACACCCACATCCTGGGCCTCTTAGTTACCCTCAACAGTGGGATGATGT
GTGTGGCCATCTTTCTTATCTTAATTGCGTCCTACACGGTCATCCTATGCTCCCTGAAGTCT
25 TACAGCTCTAAAGGGCGGCACAAAGCCCTCTTACCTGCAGCTCCCACCTCACGGTGGTTG
TATTGTTCTTTGTCCCCTGTATTTCTTGTACATGAGGCCTGTGGTCACTCACCCCATAGAC
AAGGCAATGGCTGTGTGCACTCAATCATCACCCCATGTTAAATCCCTTGATCTATACAC
TGAGGAATGCAGAGGTGAAAAGTGCCATGAAGAACTCTGGATGAAATGGGAGGCTTTGG
CTGGGAAATAA (SEQ ID NO: 8)

30

AOLFR5 sequences:

MGKENCTTVAEFILLGLSDVPEL RVCLFLLFLLIYGVTL LANLGMIALIQVSSRLHTPMYFFLSH
LSSVDFCYSSIIVPKMLANIFNKDKAISFLGCMVQFYLFCTCVVTEVFLLAVMAYDRFVAICNPL
LYTVTMSWKVRVELASCCYFCGTVCSLIHLCLALRIPFYRSNVINHHFFCDLPPVLSLACSDITVN
35 ETLLFLVATL NESVTIMILTSYLLILTILKMGS AEGRHKAFTSCASHLTAITVFHGT VLSIYCRP
SSGNSGDADKVATVFYTVVIPMLNSVTIYSLRNKDVKEALRKVMGSKIHS (SEQ ID NO: 9)

ATGGGCAAGGAAAACCTGCACCACTGTGGCTGAGTTCATTCTCCTTGGACTATCAGATGTCC
CTGAGTTGAGAGTCTGCCTCTTCTGCTGTTCTTCTCATCTATGGAGTCACGTTGTTAGCC
40 AACCTGGGCATGATTGCACTGATTCAAGGTCAAGTCTCGGCTCCACACCCCATGTACTTTT
TCCTCAGCCACTTGTCTCTGTAGATTTCTGCTACTCCTCAATAATTGTGCCAAAAATGTTG
GCTAATATCTTTAACAAGGACAAAGCCATCTCCTTCTAGGGTGCATGGTGCAATTCTACT
TGTTTTGCACTGTGTGGTCACTGAGGTCTTCTGCTGGCCGTGATGGCCTATGACCGCTTT
GTGGCCATCTGTAACCTTTGCTATACACAGTCACCATGTCTTGGAAGGTGCGTGTGGAGC
45 TGGCTTCTTGCTGCTACTTCTGTGGGACGGTGTGTTCTCTGATTCAATTTGTGCTTAGCTCTT
AGGATCCCCCTTCTATAGATCTAATGTGATTAAACCACTTTTTCTGTGATCTACCTCCTGTCTT
AAGTCTTGCTTGCTCTGATATCACTGTGAATGAGACACTGCTGTTCTTGGTGGCCACTTTG
AATGAGAGTGTTACCATCATGATCATCTCCTACCTCCTACCTGCTAATTCTCACCACCATCCT
GAAGATGGGCTCTGCAGAGGGCAGGCACAAAGCCTTCTCCACCTGTGCTTCCACCTCACA
50 GCTATCACTGTCTTCCATGGAACAGTCCTTTCCATTTATTGCAGGCCCAAGTTCAGGCAATA
GTGGAGATGCTGACAAAGTGGCCACCGTGTCTACACAGTCGTGATTCTATGCTGAACTC
TGTGATCTACAGCCTGAGAAATAAAGATGTGAAAGAAGCTCTCAGAAAAGTGATGGGCTC
CAAAATTCACCTCTAG (SEQ ID NO: 10)

AOLFR6 sequences:

MMASERNQSSTPTFILLGFSEYPEIQVPLFLVFLFVYTVTVVGNLGMIIIRLNSKLHTIMYFFLS
 HSLTDFCFSTVTPKLEENLVVEYRTISFSGCIMQFCFACIFGVTETFMLAAMAYDRFVAVCK
 PLLYTTIMSQKLCALLVAGSYTWGIVCSLILTYFLDLDFCESTFINNFICDHSVIVSASYSDPYIS
 5 QRLCFHIAIFNEVSSLIILTSYMLIFTTIMKMRSASGRQKTFSTCASHLTAITIFHGTLFLYCVPNP
 KTSSLIVTVASVFYTVAIPLMLNPLIYSLRNKDINNMFEKLVVTKLIYH (SEQ ID NO: 11)

ATGATGGCATCTGAAAGAAATCAAAGCAGCACACCCACTTTTATTCTCTTGGGTTTTTTCAG
 AATACCCAGAAATCCAGGTTCCACTCTTTCTGGTTTTCTTGTTTCGTCTACACAGTCACTGTA
 10 GTGGGGAACCTTGGGCATGATAATAATCATCAGACTCAATTCAAACTCCATACAATCATGT
 ACTTTTTCTTAGTCACTTGTCTTGACAGACTTCTGTTTTTCCACTGTAGTTACACCTAAA
 CTGTTGGAGAACTTGGTTGTGGAATACAGAACCATCTCTTTCTCTGGTTGCATCATGCAAT
 TTTGTTTTGCTTGCATTTTTTGGAGTGACAGAACTTTTCATGTTAGCAGCGATGGCTTATGAC
 CGTTTTGTGGCAGTTTGTAAACCCCTTGCTGTATACCACTATTATGTCTCAGAAGCTCTGTGC
 15 TCTTCTGGTGGCTGGGTCCTATACATGGGGGATAGTGTGCTCCCTGATACTCACATATTTT
 CTTCTTGACTTATCGTTTTGTGAATCTACCTTCATAAAATAATTTATCTGTGACCACTCTGT
 AATTGTTTCTGCCTCCTACTCAGACCCCTATATCAGCCAGAGGCTATGCTTTATTATTGCCA
 TATTCAATGAGGTGAGCAGCCTAATTATCATTCTGACATCATATATGCTTATTTTCACTACC
 ATTATGAAGATGCGATCTGCAAGTGGGCGCCAGAAAACCTTCTCCACCTGTGCCTCCACC
 20 TGACAGCCATCACTATCTCCATGGAACCTATCCTTTTCTTTACTGTGTTCTTAATCCTAAA
 ACTTCTAGCCTCATAGTTACAGTGGCTTCTGTGTTTTACACAGTGGCGATTCCAATGCTGA
 ACCCATGATCTACAGCCTTAGGAACAAAGATATCAATAACATGTTTGAAAAATTAGTTGT
 CACCAAATTGATTTACCACTGA (SEQ ID NO: 12)

AOLFR7 sequences:

MSYFYRLKLMKEAVLVKLPFTSLPLLQTLNRKSRDMEIKNYSSSTSGFILLGLSSNPQLQKPLF
 AIFLIMYLLAAVGNVLIPAIYSDPRLHTPMYFFLSNLSFMDICFTTVIVPKMLVNFLSETKVISY
 VGCLAQMYFFMAFGNTDSYLLASMAIDRLVAICNPLHYDVVMKPRHCLLMLLGSCSISHLHSL
 FRVLLMSRLSFCASHIHKHFFCDTQPVKLKSCSDTSSSQMVVMTETLAVIVTPFLCIIFSYLIMV
 30 TVLRIPSAAGKWKAFTSCGSHLTAVALFYGSIHYVYFRPLSMYSVVRDRVATVMYTVVTPMLN
 PFIYSLRNKDMKRGLKKLQDRIYR (SEQ ID NO: 13)

ATGAGCTATTTTTACAGGCTTAAGCTTATGAAAGAAGCTGTCTTGGTCAAACCTGCCCTTTA
 CATCTCTCCCACTGCTTCTCCAAACCCTATCCAGGAAGTCCAGAGACATGGAGATAAAGAA
 35 CTACAGCAGCAGCACCTCAGGCTTCATCCTCCTGGGCTCTCTTCCAACCCTCAGCTGCAG
 AAACCTCTCTTTGCCATCTTCTCATCATGTACCTGCTCGCTGCGGTGGGGAATGTGCTCAT
 CATCCCGGCCATCTACTCTGACCCCAAGCTCCACACCCCTATGTACTTTTTTCTCAGAACT
 TGTCTTTCATGGATATCTGCTTCAACAACAGTCATAGTGCCCTAAGATGCTGGTGAATTTCTA
 TCAGAGACAAAGGTTATCTCCTATGTGGGCTGCCTGGCCAGATGTACTTCTTTATGGCAT
 40 TTGGGAACACTGACAGCTACCTGCTGGCCTCTATGGCCATCGACCGGCTGGTGGCCATCTG
 CAACCCCTTACACTATGATGTGGTTATGAAACCACGGCATTGCCTGCTCATGCTATTGGGT
 TCTTGCAGCATCTCCACCTACATTCCTGTTCCGCGTGCTACTTATGTCTCGCTTGTCTTT
 CTGTGCCTCTCACATCATTAAGCACTTTTTCTGTGACACCCAGCCTGTGCTAAAGCTCTCCT
 GCTCTGACACATCCTCCAGCCAGATGGTGGTGATGACTGAGACCTTAGCTGTCAATTGTGAC
 45 CCCCTTCTGTGTATCATCTTCTCCTACCTGCGAATCATGGTCACTGTGCTCAGAATCCCT
 CTGCAGCCGGGAAGTGGAAGGCCTTCTCTACCTGTGGCTCCACCTCACTGCAGTAGCCCT
 TTTCTATGGGAGTATTATTTATGTCTATTTTAGGCCCTGTCCATGTACTCAGTGGTTAGGG
 ACCGGGTAGCCACAGTTATGTACACAGTAGTGACACCCATGCTGAACCCCTTTCATCTACAG
 CCTGAGGAACAAAGATATGAAGAGGGGTTTGAAGAAATTACAGGACAGAATTTACCGGTA
 50 A (SEQ ID NO: 14)

AOLFR8 sequences:

MATSNHSSGAEFILAGLTQRPELQLPLFLFLGIYVTVVGNLGMIFLIALSSQLYPPVYYFLSH
 LSFIDLCSYSSVTPKMLVNFVPEENIISFLECITQLYFFLIFVIAEGYLLTAMEYDRYVAJCRPLLY
 55 NIVMSHRVCSIMMAVVYSLGFLWATVHTTRMSVLSFCRSHTVSHYFCDILPLLTLCSSSTHINEI

LLFIHGGVNTLATTLAVLISYAFIFSSILGIHSTEGQSKAFGTCSSHLLAVGIFFGSITFMYPKPPSS
TTMEKEKVSSVFYITIPMLNPLIYSLRNKDVKNALKKMTRGRQSS (SEQ ID NO: 15)

5 ATGGCTACTTCAAACCATTCCTTCAGGGGCTGAGTTTATCCTGGCAGGCTTGACACAACGCC
CAGAACTTCAACTGCCACTCTTCCTCCTGTTCTTGAATATATGTGGTCACAGTGGTGGG
GAACCTGGGCATGATCTTCTTAATTGCTCTCAGITCTCAACTTTACCCCTCCAGTGTATTATT
TTCTCAGTCATTTGTCTTCATTGATCTCTGCTACTCCTCTGTCATTACCCCTAAGATGCTG
GTGAACTTTGTTCCAGAGGAGAACATATCTCCTTTCTGGAATGCATTACTCAACTTTATTT
10 CTTCTTATTTTTGTAATTGCAGAAGGCTACCTTCTGACAGCCATGGAATATGACCGTTAT
GTTGCTATCTGTGCCCCACTGCTTTACAATATTGTCATGTCCACAGGGTCTGTTCCATAAT
GATGGCTGTGGTATACTCACTGGGTTTTCTGTGGGCCACAGTCCATACTACCCGCATGTCA
GTGTTGTCATTCTGTAGGTCTCATACGGTCAGTCATTATTTTGTGATATTCTCCCCTTATT
GACTCTGTCTTGCTCCAGCACCCACATCAATGAGATTCTGCTGTTTATTATTTGGAGGAGTT
AATACCTTAGCAACTACACTGGCGGTCTTATCTCTTATGCTTTCATTCTCTAGTATCCT
15 TGGTATTCAATCCACTGAGGGGCAATCCAAAGCCTTTGGCACTTGCTAGCTCCCATCTCTTG
GCTGTGGGCATCTTTTTTGGGTCTATAACATTGATGATTTCAAGCCCCCTTCCAGCACTAC
TATGGAAAAAGAGAAGGTGTCTTCTGTGTTCTACATCACAATAATCCCCATGCTGAATCCT
CTAATCTATAGCCTGAGGAACAAGGATGTGAAAAATGCACTGAAGAAGATGACTAGGGGA
AGGCAGTCATCCTGA (SEQ ID NO: 16)

20

AOLFR9 sequences:

MLARNNSLVTEFILAGLTDRPEFWQPFFFLFLVIYIVTMVGNLGLITLFGNLNSHLHTPMYYFLFN
LSFIDL CYSSVFTPKMLMNFVSKKNISNVGCMTRLFFFLFFVISECYMLTSMAYDRYVAICNPL
LYKVTMSHQVCSMLTFAAYIMGLAGATAHTGCMFRLTFCSANIINHLYCDILPLLQLSCTSTYV
25 NEVVVLIVVGTNITVPSCITILISYVFIVTSILHIKSTQGRSKAFSTCSSHVIALSLFFGSAAFMYIKY
SSGSMEQGVFSVFYTNVVPMLNPLIYSLRNKDVKVALRKALIKIQRRNIF (SEQ ID NO: 17)

ATGCTGGCTAGAAACAACCTCCTTAGTGACTGAATTTATTCTTGCTGGATTAACAGATCGTC
CAGAGTTCTGGCAACCCTTCTTTTTCTGTTCTAGTGATCTACATTGTCACCATGGTAGGC
30 AACCTTGGCTTGATCACTCTTTTCGGTCTAAATTCTCACCTCCACACACCAATGTACTATTT
CCTCTTCAATCTCTCCTTCATTGATCTCTGTTACTCCTCTGTTTTCACTCCCAAAATGCTAAT
GAACCTTGTGTCAAAAAAGAATATTATCTCCAATGTTGGGTGCATGACTCGGCTGTTTTTC
TTTCTTTTTTCGTCTCTCTGAATGTTACATGTTGACCTCAATGGCATATGATCGCTATGT
GGCCATCTGTAATCCATTGCTGTATAAGGTCAACATGTCCCATCAGGTCTGTTCTATGCTCA
35 CTTTTGCTGCTTACATAATGGGATTGGCTGGAGCCACGGCCACACCGGGTGCATGTTTAG
ACTCACCTTCTGCAGTGCTAATATCATTAAACCATTACTTGTGTGACATACTCCCCCTCCTCC
AGCTTTCCTGCACCAGCACCTATGTCAACGAGGTGGTTGTTCTCATTGTTGTGGGTACTAA
TATCACGGTACCCAGTTGTACCATCCTCATTCTTATGTTTTTATTGTCAGTACATTCTTC
ATATCAAATCCACTCAAGGAAGATCAAAGCCTTCAGTACTTGTAGCTCTCATGTCAATTGC
40 TCTGTCTCTGTTTTTTGGGTGAGCGGCATTGATGATATTAAATATTCTTCTGGATCTATGG
AGCAGGGAAAAGTTTTTCTGTTTTCTACATAATGTGGTGCCCATGCTCAATCCCCCTCATC
TACAGTTTGAGGAACAAGGATGTCAAAGTGTCACTGAGGAAAGCTCTGATTAAATTCAG
AGGAGAAATATATTCTAA (SEQ ID NO: 18)

45

AOLFR10 sequences:

MLARNNSLVTEFILAGLTDRPEFRQPLFFFLFLVIYIVTMVGNLGLIILFGLNSHLHTPMYYFLFN
SFIDL CYSSVFTPKMLMNFVSKKNISYVGCMTQLFFFLFFVISECYILTSMAYDRYVAICNPLLY
KVTMSHQVCSMLTFAAYIMGLAGATAHTGCMRLTFCSANIINHLYCDILPLLQLSCTSTYVN
EVVVLIVVGINIMVPSCITILISYVFIVTSILHIKSTQGRSKAFSTCSSHVIALSLFFGSAAFMYIKYS
50 SGSMEQGVFSVFYTNVVPMLNPLIYSLRNKDVKVALRKALIKIQRRNIF (SEQ ID NO: 19)

ATGCTGGCTAGAAACAACCTCCTTAGTGACTGAATTTATTCTTGCTGGATTAACAGATCGTC
CAGAGTTCCGGCAACCCCTCTTTTTCTGTTTCTAGTGATCTACATTGTCACCATGGTAGGC
AACCTTGGCTTGATCATTCTTTTCGGTCTAAATTCTCACCTCCACACACCAATGTACTATTT
55 CCTCTTCAATCTCTCCTTCATTGATCTCTGTTACTCCTCTGTTTTCACTCCCAAAATGCTAAT
GAACCTTGTATCAAAAAAGAATATTATCTCCTATGTTGGGTGCATGACTCAGCTGTTTTTCT

TTCTCTTTTTTGTCTCTCTGAATGCTACATATTGACCTCAATGGCATATGATCGCTATGTG
GCCATCTGTAATCCATTGCTGTATAAGGTCACCATGTCCCATCAGGTCTGTTCTATGCTCAC
TTTTGCTGCTTACATAATGGGATTGGCTGGAGCCACGGCCCACACCGGGTGCATGCTTAGA
CTCACCTTCTGCAGTGCTAATATCATCAACCATTACTTGTGTGACATACTCCCCCTCCTCCA
5 GCTTTCCTGCACCAGCACCTATGTCAACGAGGTGGTTGTTCTCATTGTTGTGGGTATTAAT
ATCATGGTACCCAGTTGTACCATCCTCATTCTTATGTTTTTCATTGTCACTAGCATTCTTCA
TATCAAAATCCACTCAAGGAAGATCAAAAGCCTTCAGTACTTGTAGCTCTCATGTCAATTGCT
CTGTCTCTGTTTTTTGGGTGAGCGGCATTCTATGTATATTAAATATTCTTCTGGATCTATGGA
GCAGGGAAAAAGTTTCTTCTGTTTTCTACACTAATGTGGTGCCCATGCTCAATCCTCTCATCT
10 ACAGTTTGAGGAACAAGGATGTCAAAGTTGCACTGAGGAAAGCTCTGATTAAAATTCAGA
GAAGAAATATATTCTAA (SEQ ID NO: 20)

AOLFR11 sequences:

MTLRNSSSVTEFILVGLSEQPELQLPLFLLFLGIYVFTVVGNLGLITLIGINPSLHTPMYFFLFNL
15 FIDLCYSCVFTPMLNDFVSESIISYVGCMTQLFFFCFFVNSECYVLVSMAYDRYVAICNPPLY
MVTMSPRVCFLLMFGSYVVGAFAGAMAHTGSMRLRTFCDSNVIDHYLCDVLPQLSCTSTHV
SELVFFIVVGITMLSSISIVISYALILSNILCIPSAEGRSKAFSTWGSIIAVALFFGSGTFTYLTTS
FPGSMNHGRFASVFYTNVVPMLNPSIYSLRNKDDKLALGKTLKRVLF (SEQ ID NO: 21)

20 ATGACTCTGAGAAACAGCTCCTCAGTGACTGAGTTTATCCTTGTGGGATTATCAGAACAGC
CAGAGCTCCAGCTCCCTCTTTTCTTCTATTCTTAGGGATCTATGTGTTCACTGTGGTGGGC
AACTTGGGCTTGATCACCTTAATTGGGATAAATCCTAGCCTTCACACCCCATGTACTTTTT
CCTCTTCAACTTGTCTTTATAGATCTCTGTTATTCTGTGTGTTTACCCCCAAAATGCTGA
ATGACTTTGTTTCAGAAAGTATCATCTCTTATGTGGGATGTATGACTCAGCTATTTTTCTTC
25 TGTTTCTTTGTCAATTCTGAGTGCTATGTGTTGGTATCAATGGCCTATGATCGCTATGTGGC
CATCTGCAACCCCTGCTCTACATGGTCACCATGTCCCAAGGGTCTGCTTCTGCTGATGT
TTGGTTCCTATGTGGTAGGGTTTGGCTGGGGCCATGGCCACACTGGAAGCATGCTGCGACT
GACCTTCTGTGATTCCAACGTCATTGACCATATCTGTGTGACGTTCTCCCCCTCTTGACG
TCTCCTGCACCAGCACCCATGTCAAGTGGTGGTATTTTTTCATTGTTGAGTAATCACC
30 ATGCTATCCAGCATAAGCATCGTCATCTCTTACGCTTTGATACTCTCCAACCTCCTGTAT
TCCTTCTGCAGAGGGCAGATCCAAAGCCTTTAGCACATGGGGCTCCACATAATTGCTGTT
GCTCTGTTTTTTGGGTGAGGGACATTACCTACTTAACAACATCTTTTCTGGCTCTATGAA
CCATGGCAGATTTGCCTCAGTCTTTTACACCAATGTGGTTCCCATGCTTAACCCTTCGATCT
ACAGTTTGAGGAATAAGGATGATAAACTTGCCTGGGCAAAACCCTGAAGAGAGTGCTCT
35 TCTAA (SEQ ID NO: 22)

AOLFR12 sequences:

MERNHNPDNCNVLNFFADKKNKRRNFGQIVSDVGRICYSVLSLGEPTTMGRNNLTRPSEFIL
LGLSSRPEDQKPLFAVFLPIYLITVIGNLLIILAIRSDTRLQTPMYFFLSILSFVDICYVTVIIPKMLV
40 NFLSETKTISYGECLTQMYFFLAFGNTDSYLLAAMADRYVAICNPFHYITIMSHRCCVLLLVLS
FCIPHFHSLHILLTNQLIFCASNVIHFFCDDQPVLKLSCSSHFVKEITVMTGLAVIMTPFSCIII
SYLRILITVLKIPSAAGKRKAFSTCGSHLTVVTLFYGSISYVYFQPLSNYTVKDQIATIIYTVLTP
MLNPFYISLRNKDMKQGLAKLMHRMKCQ (SEQ ID NO: 23)

45 ATGGAAAGAAACCACAATCCAGATAATTGTAATGTTTTAAATTTTTTCTTTGCTGATAAGA
AGAATAAAAGGAGAAAATTTGGACAGATTGTATCAGATGTTGGAAGAATCTGTTACAGTG
TAGTTTATCTTTAGGTGAACCCACAACCTATGGGAAGAAATAACCTAACAAGACCCTCTGA
ATTCATCCTCCTTGGACTCTCCTCTCGACCTGAGGATCAGAAGCCGCTCTTTGCTGTGTTCC
TCCCCATCTACCTTATCACAGTGATAGGAAACCTGCTTATCATCCTGGCCATCCGCTCAGA
50 CACTCGTCTCCAGACGCCCATGTACTTCTTTCTAAGCATCCTGTCTTTGTTGACATTTGCT
ATGTGACAGTCATTATCCCTAAGATGCTGGTGAACCTTCTTATCAGAGACAAAGACCATCTC
TTACGGTGAGTGTCTGACCCAGATGTACTTTTTCTTAGCCTTTGGAAACACAGACAGATTAC
CTGCTAGCAGCCATGGCCATTGACCGCTATGTGGCCATATGTAATCCCTTCCACTACATCA
CCATTATGAGTCACAGATGCTGTGCTCTGCTTCTGGTCTCTCTCTCTGCAATCCACATTTT
55 CACTCCCTCCTGCACATTCTTCTGACTAATCAGCTCATCTTCTGTGCTCCAATGTCATCCA
TCACTTTTTCTGCGATGATCAACCAGTGCTAAAATTGTCCTGTTCTCCCATTTTGTCAAAG

AAATCACAGTAATGACAGAAGGCTTGGCTGTCATAATGACCCCGTTTTTCATGCATCATCAT
CTCTTATTTAAGAATCCTCATCACTGTTCTGAAGATTCCCTCAGCTGCTGGAAAGCGTAAA
GCATTTTCTACCTGTGGCTCTCATCTCAGTGGTGACCCTGTTTTATGGAAGCATTAGCTA
TGTCTATTTTCAGCCCCCTGTCCAACATACTGTCAAGGATCAAATAGCAACAATTATCTAC
5 ACCGTAAGTACTGCTATGCTAAATCCATTTATCTATAGTCTGAGGAACAAAGACATGAAGC
AGGGTTTGGCAAAGTTGATGCACAGGATGAAATGTCAGTAA (SEQ ID NO: 24)

AOLFR13 sequences:

MDQKNGSSFTGFILLGFSDRPQLELVLFVLLIFYIFTLLGNKTIIVLSHLDPHLHNP MYFFFSNL
10 SFLDLCYTTGIVPQLLVNLRGADKSISYGGCVVQLYISLGLGSTECVLLGVMAFDRYAAVCRPL
HYTVVMHPCLYVLMASSTWVIGFANSLQLTVLILLTL CGRNKLEHFLCEVPPLLKLACVDTT
MNESEFFVSVIILLVPVALIIFSYSQIVRAVVRKISATGQRKVFGTCGSHLTVVSLFYGTAIYAY
LQPGNNYSQDQGXISLFYTIITPMINPLIYTLRNKDVKGALKKVLWKNYDSR (SEQ ID NO:
25)

15 ATGGATCAGAAAAATGGAAGTTCTTTCACTGGATTTATCCTACTGGGTTTCTCTGACAGGC
CTCAGCTGGAGCTAGTCCTCTTTGTGGTTCTTTGATCTTCTATATCTTCACTTTGCTGGGG
AACAAAACCATCATTGTATTATCTCACTTGGACCCACATCTCACAATCCTATGTATTTTTT
CTTCTCCAACCTAAGCTTTTGGATCTGTGTTACACAACCGGCATTGTTCCACAGCTCCTGG
20 TTAATCTCAGGGGAGCAGACAAATCAATCTCCTATGGTGGTTGTGTAGTTACAGTGTACAT
CTCTCTAGGCTTGGGATCTACAGAATGCGTTCTCTTAGGAGTGATGGCATTGACCGCTAT
GCAGCTGTTTGCAGGCCCTCCACTACACAGTAGTCATGCACCCTTGTCTGTATGTGCTGA
TGGCTTCTACTTCATGGGTCATTGGTTTTGCCAACTCCCTATTGCAGACGGTGCTCATCTTG
CTTTTAACACTTTGTGGAAGAAATAAATTAGAACACTTTCTTTGTGAGGTTCCCTCCATTGCT
25 CAAGCTTGCTGTGTTGACACTACTATGAATGAATCTGAACTCTTCTTTGTGAGTGTCTCATT
TTCTTCTGTACCTGTGTCATTAATCATATTCTCCTATAGTCAGATTGTCAGGGCAGTCGTG
AGGATAAAGTCAGCAACAGGGCAGAGAAAAGTGTGGGACATGTGGCTCCACCTCACA
GTGGTTTCCCTGTTCTACGGCACAGCTATCTATGCTACCTCCAGCCCGGCAACAACCTACTC
TCAGGATCAGGGCAAGKTCATCTCTCTTCTACACCATCATTACCCATGATCAACCCC
30 CTCATATATACACTGAGGAACAAGGATGTGAAAGGAGCACTTAAGAAGGTGCTCTGGAAG
AACTACGACTCCAGATGA (SEQ ID NO: 26)

AOLFR14 sequences:

MALPLLLSPSCFASSQSLSSRMNSENLTAAVAPAEFVLLGITNRWDLRVALFLTCLPVYLVSL
35 LGNMGMALLIRMDARLHTPMYFFLANLSLLDACYSSAIGPKMLVDLLPRATIPYTACALQMF
VFAGLADTECCLLAAMAYDRYVAIRNPLLYTTAMSQRCLALLGASGLGGA VSAFVHTTLTF
RLSFCRSRKINSFFCDIPPLLAISCSDTSLNELLFAICGFIQTATVLAITVSYGFIAGAVIHMRSVE
GSRRAASTGGSHLTAVAMMYGTLIFMYLRPSSSYALDTDKMASVFYTLVIPSLNPLIYSLRNKE
VKEALRQTWSRFHCPGQGSQ (SEQ ID NO: 27)

40 ATGGCCTTGCCATTGCTCTTATCTCCCTCCTGCTTTGCCCTCTTCTCAGTCTCTGTCCAGTAG
GATGAACTCAGAGAACCTCACCCGGGCGCGGTTGCCCTGCTGAATTCGTCCTCCTGGGC
ATCACAATCGCTGGGACCTGCGTGTGGCCCTCTTCTGACCTGCCTGCCTGTCTACCTGG.
TGAGCCTGCTGGGAAACATGGGCATGGCGCTGCTGATCCGCATGGATGCCCGGCTCCACA
45 CACCTATGTACTTCTTCTGGCCAACCTCTCCCTGCTGGATGCCTGCTATTCTCCGCCATC
GGCCCCAAGATGCTAGTGGACCTGCTGCTGCCCCGAGCCACCATCCCTTACACAGCCTGTG
CCCTCCAGATGTTTGTCTTTGACAGTGTGCTGATACTGAGTGTGCTTGTGCTGGCAGCCAT
GGCCTATGACCGCTACGTGGCCATCAGAAACCCACTTCTCTATACAACAGCTATGTGCGCAG
CGTCTATGCCTGGCCTTGTGTTGGGAGCATCAGGCCTGGGTGGGGCAGTGAGTGCCTTTGTTT
50 ACACAACCTCACCTTCCGCCTGAGCTTCTGCCGCTCCCGGAAGATCAATAGCTTCTTCTG
CGATATCCCTCCACTGCTGGCCATCTCGTGCAGTGACACCAGTCTCAATGAACTCCTTCTCT
TCGCCATCTGTGGCTTCATCCAGACAGCCACGGTGTTAGCTATCACGGTGTCTTATGGCTT
CATCGCTGGGGCTGTGATCCACATGCGCTCGGTGAGGGCAGTCGGCGAGCAGCCTCCAC
CGGTGGTTCCACCTCACAGCCGTGGCCATGATGTACGGGACACTCATTTTCATGTACCTG
55 CGCCCCAGCTCCAGCTATGCCCTGGACACTGACAAGATGGCCTCTGTGTTCTATACCCTGG

TCATCCCGTCTCTCAACCCACTCATCTACAGCCTCCGCAATAAGGAGGTCAAGGAGGCCCT
CAGGCAGACCTGGAGCCGATTCCACTGTCCAGGGCAGGGGTCCCAGTGA (SEQ ID NO: 28)

AOLFR15 sequences:

5 MRENNQSSSTLEFILLGVTGQQEQEDFFYILFLFIYPITLIGNLLIVLAICSDVRLHNP MYFLLANLS
LVDIFFSSVTIPKMLANHLLGSKSISFGGCLTQMYFMIALGNTDSYILAAMAYDRAVAISHPLH
YTTIMSPRSCIWLIAGSWVIGNANALPHTLLTASLSFCGNQEVANFYCDITPLLKLSGSDIHFHV
KMMYLGVGIFSVPLLCIIVSYIRVFSTVFQVPSTKGVLKAFSTCGSHLTVVSLYYGTVMGTYFR
PLTNYSLKDAVITVMTAVTPMLNPFYISLRNRDMKAALRKLFNKRISS (SEQ ID NO: 29)

10 ATGAGGGAAAATAACCAGTCTCTACACTGGAATTCATCCTCCTGGGAGTTACTGGTCAGC
AGGAACAGGAAGATTTCTTCTACATCCTCTTCTGTTTACATTTACCCCATCACATTGATTGGA
AACCTGCTCATTGTCTAGCCATTTGCTCTGATGTTGCGCTTCACAACCCCATGTATTTTCT
CCTTGCCAACCTCTCCTTGGTTGACATCTTCTTCTCATCGGTAACCATCCCTAAGATGCTGG
15 CCAACCATCTCTTGGGCAGCAAATCCATCTCTTTTGGGGGATGCCTAACGCAGATGTATTT
CATGATAGCCTTGGGTAACACAGACAGCTATATTTTGGCTGCAATGGCATATGATCGAGCT
GTGGCCATCAGCCACCCACTTCACTACACAACAATTATGAGTCCACGGTCTTGTATCTGGC
TTATTGCTGGGTCTTGGGTGATTGGAAATGCCAATGCCCTCCCCCACTCTGCTCACAGC
TAGTCTGTCTTCTGTGGCAACCAGGAAGTGGCAACTTCTACTGTGACATTACCCCTTG
20 CTGAAGTTATCCTGTTCTGACATCCACTTTCATGTGAAGATGATGTACCTAGGGGTGGCA
TTTTCTCTGTGCCATTACTATGCATCATTGTCTCCTATATTCGAGTCTTCTCCACAGTCTTCC
AGGTTCTTCCACCAAGGGCGTGCTCAAGGCCTTCTCCACCTGTGGTTCCACCTCACGGT
TGTCTCTTTGTATTATGGTACAGTCATGGGCACGTATTTCCGCCCTTTGACCAATTATAGCC
TAAAAGACGCAGTGATCACTGTAATGTACACGGCAGTGACCCCAATGTAAATCCTTTCAT
25 CTACAGTCTGAGAAATCGGGACATGAAGGCTGCCCTGCGGAACTCTTCAACAAGAGAAT
CTCCTCGTAA (SEQ ID NO: 30)

AOLFR16 sequences:

30 MRRNCTLVTEFILLGLTSRRELQILLFTLFLAIYMTVTVAGNLGMIVLIQANAWLHMPMYFFLSH
LSFVDLCFSSNVTPKMLEIFLSEKKSISYPACLVCYLFIALVHVEIYLAVMAFDHYMAICNPLL
YGSRMKSVCFLITVPYVYGALTGLMETMWTYNLAFCGPNEINH FYCADPPLIKLACSDTYN
KELSMFIVAGWNLSFSLFIICISYLYIFPAILKIRSTEGRQKAFSTCGSHLTA VTIFYATLFFMYLR
PPSKESVEQGMVA VFYTTVIPMLNLIYSLRNKNVKEALIKELSMKIYFS (SEQ ID NO: 31)

35 ATGAGAAGAAACTGCACGTTGGTGACTGAGTTCATTCTCCTGGGACTGACCAGTCGCCGG
GAATTACAAATTCCTCTTTCACGCTGTTTCTGGCCATTTACATGGTCACGGTGGCAGGGA
ACCTTGGCATGATTGTCTCATCCAGGCCAACGCCTGGCTCCACATGCCCATGTACTTTTTC
CTGAGCCACTTATCCTTCGTGGATCTGTGCTTCTCTTCCAATGTGACTCCAAAGATGCTGG
AGATTTTCTTTTTCAGAGAAGAAAAGCATTTCTTATCCTGCCTGTCTTGTGCAGTGTTACCTT
40 TTTATCGCCTTGGTCCATGTTGAGATCTACATCCTGGCTGTGATGGCCTTTGACCGGTACAT
GGCCATCTGCAACCCCTCTGCTTTATGGCAGCAGAATGTCCAAGAGTGTGTGCTCCTTCCTC
ATCACGGTGCCTTATGTGTATGGAGCGCTCACTGGCCTGATGGAGACCATGTGGACCTACA
ACCTAGCCTTCTGTGGCCCCAATGAAATTAATCACTTCTACTGTGCGGACCCACCACTGAT
TAAGCTGGCTTGTCTGACACCTACAACAAGGAGTTGTCAATGTTTATTGTGGCTGGCTGG
45 AACCTTCTTTTTCTCTCTTCATCATATGTATTTCTTACCTTACATTTTCCCTGCTATTTTA
AAGATTGCTCTACAGAGGGCAGGCAAAAAGCTTTTCTACCTGTGGCTCCCATCTGACAG
CTGTCACTATATTCTATGCAACCCCTTTCTTCATGTATCTCAGACCCCCCTCAAAGGAATCT
GTTGAACAGGGTAAAATGGTAGCTGTATTTTATACCACAGTAATCCCTATGCTGAACCTTA
TAATTTATAGCCTTAGAAATAAAAATGTAAAAGAAGCATTAAATCAAAGAGCTGTCAATGA
50 AGATATACTTTTCTTAA (SEQ ID NO: 32)

AOLFR17 sequences:

MLNFTDVTEFILLGLTSRREWQVLFFIIFLVVYIITMVG NIGMMVLIK VSPQLNNP MYFFLSHLS
FVDVWFSSNVTPKMLENLFSDKKTITYAGCLVQCFFFIALVHVEIFILAAMAFDRYMAIGNPLL
55 YGSKMSRVVCIRLITFPYTYGFLTSLAATLW TYGLYFCGKIEINH FYCADPPLIKMACAGTFVKE

YTMILAGINFTYSLTVIISYLFILIAILRMRSAEGRQKAFSTCGSHLTAVIIFYGTLIFMYLRRPTE
ESVEQGKMOVAVFYTTVIPMLNPMIYSLRNKDVKKAMMKVISRSC (SEQ ID NO: 33)

5 ATGCTCAATTTACCGATGTGACAGAGTTCATTCTTTTGGGGCTAACGAGCCGTCGAGAAT
GGCAAGTTCTCTTCTCATCATCTTTCTTGTGGTCTACATCATCACCATGGTGGGCAATATC
GGCATGATGGTGTTAATCAAGGTCAGTCCTCAGCTTAACAACCCCATGTACTTTTTCTCA
GTCACCTGTGTCATTTGTGATGTGTGGTTTTCTTCCAATGTCACCCCTAAAATGTTGGAAAAC
CTGTTTTAGATAAAAAACAATTACTTATGCTGGTGTGTTAGTACAGTGTCTTCTTTCAT
10 TGCTCTTGTCCATGTGGAAATTTTATTCTTGTGCTGCGATGGCCTTTGATAGATACATGGCAA
TTGGGAATCCTCTGCTTTATGGCAGTAAAATGTCAAGGGTGTCTGTATTGACTGATTAC
TTCCCTTACATTTATGGTTTTCTGACGAGTCTGGCAGCAACATTATGGACTTACGGCTTGT
ACTTCTGTGGAAAAATTGAGATCAACCATTTCTACTGTGCAGATCCACCTCTCATCAAAAT
GGCCTGTGCCGGGACCTTTGTAAAGAATATACAATGATCATACTTGCCGGCATTAACCTC
15 ACATATCCCTGACTGTAATTATCATCTCTTACTTATTCATCCTCATTGCCATTCTGCGAAT
GCGCTCAGCAGAAGGAAGGCAGAAGGCCTTTCCACATGTGGGTCCCATCTGACAGCTGT
CATTATATTCTATGGTACTCTGATCTTCATGTATCTCAGACGTCCACAGAGGAGTCTGTG
GAGCAGGGGAAGATGGTGGCTGTGTTCTATACCACAGTGATCCCCATGTTGAATCCCATGA
TCTACAGTCTGAGGAACAAGGATGTGAAAAAGGCCATGATGAAAGTGATCAGCAGATCAT
GTAA (SEQ ID NO: 34)

20

AOLFR18 sequences:

MSNTNGSAITEFILLGLTDCPELQSLFLVFLVVLVTLGNLGMIMLMRLDSRLHTPMYFFLT
NLAFLVLCYTSNATPQMSTNIVSEKTISFAGCFTQCYIFIALLLTEFYMLAAMAYDRYVAIYDP
LRYSVKTSRRVCICLATFPYVYGSDGLFQAILTFRLTFCRSNVINHFYCADPPLIKLSCSDTYVK
25 EHAMFISAGFNLSSSLTIVLVSYAFILAAILRIKSAEGRHKAFTSTCGSHMMAVTLFYGTLFCMYI
RPPTDKTVEESKIIAVFYTFVSPVLNPLIYSLRNKDVKQALKNVLR (SEQ ID NO: 35)

ATGTCCAACACAAATGGCAGTGCAATCACAGAATTCATTTTACTTGGGCTCACAGATTGCC
CGGAACTCCAGTCTCTGCTTTTTGTGCTGTTTCTGGTGTGTTACCTCGTCACCCCTGCTAGGC
30 AACCTGGGCATGATAATGTTAATGAGACTGGACTCTCGCCTTCACACGCCCATGTACTTCT
TCCTCACTAACTTAGCCTTTGTGGATTTGTGCTATACATCAAATGCAACCCCGCAGATGTC
GACTAATATCGTATCTGAGAAGACCATTTCCTTTGCTGGTGTGCTTACACAGTGCTACATTT
TCATTGCCCTTCTACTCACTGAGTTTTACATGCTGGCAGCAATGGCCTATGACCGCTATGT
GGCCATATATGACCCTCTGCGCTACAGTGTGAAAACGTCCAGGAGAGTTTGATCTGCTTG
35 GCCACATTTCCCTATGTCTATGGCTTCTCAGATGGACTCTTCCAGGCCATCCTGACCTCCG
CCTGACCTTCTGTAGATCCAATGTCATCAACCACTTCTACTGTGCTGACCCGCCGCTCATT
AGCTTTCTTGTGTTCTGATACTTATGTCAAAGAGCATGCCATGTTTATATCTGCTGGCTTCAAC
CTCTCCAGCTCCCTCACCATCGTCTTGGTGTCTATGCCTTCATTCTTGCTGCCATCCTCCG
GATCAAATCAGCAGAGGGAAGGCACAAGGCATTCTCCACCTGTGGTTCCTCATATGATGGC
40 TGTCACCCCTGTTTTATGGGACTCTCTTTTGCATGTATATAAGACCACCAACAGATAAGACT
GTTGAGGAATCTAAATAATAGCTGTCTTTACACCTTTGTGAGTCCGGTACTTAATCCAT
TGATCTACAGTCTGAGGAATAAAGATGTGAAGCAGGCCTTGAAGAATGTCTGAGATGA
(SEQ ID NO: 36)

45

AOLFR19 sequences:

METKNYSSSTSGFILLGLSSNPKLQKPLFAIFLIMYLLTAVGNVLILAIYSDPRLHTPMYFFLSNL
SFMDICFTTVIVPKMLVNFLSETKIISYVGCLIQMYFFMAFGNTDSYLLASMAIDRLVAICNPLH
YDVVMKPWHCLLMMLGSCSISHLHSLFRVLLMSRLSFCASHIHKHFFCDTQPVLKLSGSDTSSSQ
MVVMTETLAVIVTPFLCTIFSYLQIVTVLRIPSAAGKWKAFTSTCGSHLTVVVLFYGSVIYVYFR
50 PLSMYSVMKGRVATVMYTVVTPMLNPFYIYSLRNKDMKRGLKLRHRIYS (SEQ ID NO: 37)

ATGGAGACAAAGAATTATAGCAGCAGCACCTCAGGCTTCATCCTCCTGGGCCTCTCTTCCA
ACCCTAAGCTGCAGAAACCTCTCTTTGCCATCTTCTCATCATGTACCTACTCACTGCGGTG
GGGAATGTGCTCATCATCTGGCCATCTACTGTACCCAGGCTCCACACCCCTATGTACT
55 TTTTCTCAGCAACTTGTCTTTCATGGATATCTGCTTCAACAACAGTCATAGTGCCTAAGATG
CTGGTGAATTTTCTATCAGAGACAAAGATTATCTCTTATGTGGGCTGCCTGATCCAGATGT

ACTTCTTCATGGCATTGGGAACACTGACAGCTACCTGCTGGCCTCTATGGCCATCGACCG
 GCTGGTGGCCATCTGCAACCCCTTACACTATGATGTGGTTATGAAACCATGGCATTGCCTA
 CTCATGCTATTGGGTTCTTGCAGCATCTCCACCTACATTCCCTGTTCCGCGTGCTACTTAT
 GTCTCGCTTGTCTTCTGTGCCTCTCACATCATTAAAGCACTTTTTCTGTGACACCCAGCCTG
 5 TGCTAAAGCTCTCCTGCTCTGACACATCCTCCAGCCAGATGGTGGTGATGACTGAGACCTT
 AGCTGTCAATTGTGACCCCTTCTGTGTACCATCTTCTCCTACCTGCAAATCATCGTCACTG
 TGCTCAGAATCCCTCTGCAGCCGGGAAGTGGAAGGCCTTCTCTACCTGTGGCTCCACCT
 CACTGTAGTGGTCTGTTCTATGGGAGTGTCTATGTCTATTTAGGCCTCTGTCCATGT
 ACTCAGTGATGAAGGGCCGGGTAGCCACAGTTATGTACACAGTAGTGACACCCATGCTGA
 10 ACCCTTTCATCTACAGCCTGAGGAACAAAGATATGAAAAGGGGTTTGAAGAAATTAAGAC
 ACAGAATTTACTCATAG (SEQ ID NO: 38)

AOLFR20 sequences:

MVEENHTMKNEFILTGFTDHPCLKTLLFVVFAYILITVVGNI SLVALIFTHCRLHTPMYIFLGN
 15 LALVDSCCACAITPKMLENFFSEGKRISLYECAVQFYFLCTVETADCFLAAVAYDRYVAICNP
 LQYHIMMSKKLCIQMTTGAFIAGNLHSMIHVGLVFR LVFCGLNHINHFYCDTLPLYRLSCVDPF
 INELVLFIFSGSVQVFTIGSVLISYLYILLTIFRMKSKEGRAKAFSTCASHFSSVSLFYGSIFFLYIRP
 NLEEGGNDIPAAILFTIVVPLLNPFYISLRNKEVISVLRKILLKIKSQGSVNK (SEQ ID NO: 39)

20 ATGGTTGAAGAAAATCATACCATGAAAAATGAGTTTATCCTCACAGGATTTACAGATCACC
 CTGAGCTGAAGACTCTGCTGTTTGTGGTGTTCTTTGCCATCTATCTGATCACCCTGGTGGG
 GAATATTAGTTTGGTGGCACTGATATTTACACACTGTCGGCTTCACACACCAATGTACATC
 TTTCTGGGAAATCTGGCTCTTGTGGATTCTTGTCTGTGCCTGTGCTATTACCCCCAAAATGTT
 AGAGAACTTCTTTTCTGAGGGGCAAAGGATTTCCCTCTATGAATGTGCAGTACAGTTTAT
 25 TTTCTTTGCACTGTGGAACTGCAGACTGCTTTCTTCTGGCAGCAGTGGCCTATGACCGCT
 ATGTGGCCATCTGCAACCCACTGCAGTACCACATCATGATGTCCAAGAACTCTGCATTCA
 GATGACCACAGGCGCCTTCATAGCTGGAATCTGCATTCCATGATTCATGTAGGGCTTGTA
 TTTAGGTTAGTTTTCTGTGGATTGAATCACATCAACCACTTTACTGTGATACTCTTCCCTT
 GTATAGACTCTCCTGTGTTGACCCCTTTCATCAATGAAGTGGTTCTATTTCATCTTCTACTATT
 30 CAGTTCAAGTCTTTACCATAGGTAGTGTCTTAATATCTTATCTCTATATTCTTCTTACTATT
 TTCAGAATGAAATCCAAGGAGGGAAGGGCCAAAGCCTTTTCTACTTGTGCATCCCACTTTT
 CATCAGTTTCATTATTCTATGGATCTATTTTTTCTTATACATTAGACCAAATTTGCTTGAA
 GAAGGAGGTAATGATATACCAGCTGCTATTTTATTTACAATAGTAGTTCCTTACTAAATC
 CTTTCATTTATAGTCTGAGAAACAAGGAAGTAATAAGTGTCTTAAGAAAAATTCGTCTGAA
 35 AATAAAATCTCAAGGAAGTGTGAACAAATGA (SEQ ID NO: 40)

AOLFR21 sequences:

MEPRKNVTDVFLGFTQNPKEQKVLVFMFLFYILTMVGNLLIVVTVTVSETLGSPMSFFLAGL
 40 TFIDIYSSSISPRILISDLFFGNNSISFQSFMAQLFIEHLFGGSEVFLLLVMAYDRYVAICKPLHYLV
 IMRQWVCVLLLVSWSVGGFLQSVFQLSIYGLPFCGPNVIDHFFCDMYPLLKLACTDTHVIGLL
 VVANGGLSCTIAFLLLLISYGVILHSLKLSQKGRQKAHSTCSSHITVVVFFVPCIFMCARPAR
 TFSIDKSVSVFYTVITPMLNPLIYTLRNSEMTSAMKKL (SEQ ID NO: 41)

45 ATGGAGCCAAGGAAAAATGTGACTGACTTTGTCTCTTGGGCTTCACACAGAATCCAAAG
 GAGCAGAAAGTACTTTTTGTTATGTTCTTGCTCTTCTACATTTTGACCATGGTGGGCAACCT
 GCTCATTGTAGTGACCGTAACTGTCAGTGAGACCCTGGGCTCACCAATGTCCTTCTTTCTT
 GCTGGCTTAACATTTATAGATATCATTTATCTTTCATCCATTTCCCCCAGATTGATTTTCTG
 CTTGTTCTTTGGGAATAATTCCATATCCTTCCAATCTTTCATGGCCAGCTCTTTATCGAGC
 50 ACCTTTTTGGTGGGTCAGAGGTCTTTCTCTGTTGGTGATGGCCTATGACCGCTATGTGGC
 CATCTGTAAGCCCTTGCATTATTTGGTTATCATGAGACAATGGGTGTGTGTTTGTCTGTG
 GTAGTGTCTGTTGGGTTGGAGGATTTCTGCAATCAGTATTTCAACTTAGCATTATTTATGGGC
 TCCCATTTCTGTGGCCCAATGTCATTGATCATTTTTTCTGTGACATGTATCCCTTATTGAAA
 CTGGCCTGCACTGACACCCATGTTATTGGCCTCTTAGTGGTGGCCAATGGAGGACTGTCTT
 GCACTATTGCGTTTCTGCTCTTACTCATCTCTTATGGTGTCTATCCTGCACTCTCTAAAGAAA
 55 CTTAGTCAGAAAGGGAGGCAAAAAGCCCACTCAACCTGCAGTTCCACATCACTGTGGTTG
 TCTTCTTCTTTGTTCTTGTATTTTATGTGTGCTAGACCTGCTAGGACCTTCTCCATTGAC

AAATCAGTGAGTGTGTTTTATACAGTCATAACCCCAATGCTGAACCCCTTAATCTACACTC
TGAGAAATTCTGAGATGACAAAGTGCTATGAAGAAAGCTTTAG (SEQ ID NO: 42)

AOLFR22 sequences:

5 MRXXNNXTEFVLLGFSQDPGVXKALFVMFLITYXXTVVGNLLIVVDIILASPXLGSPMYFFLAC
LSFIDAAYSTTISPKLIVGLFCDKKTISFQCGMGQLFIDHFFGGAEVFLLVVMACDRYVAICKPL
HYLTIMNRQVCFLLLVXXMIGGFVHSAFQIVVYSLPFCGPXVIVHFSCDMHPLLELACTDTYFI
GLTVVNSGAICMVIFNLLISYGVILSSLKTYSEQEKGKALSTCSSGSTVVVLFVPCIFYVRP
10 VSNFPTDKFMTVFYTIITHMLSPLIYTLRNSEMRNAIEKLLGKKLTIFIIGGVSVLM (SEQ ID NO:
43)

ATGAGACANNNNNAACAATATNACAGAATTTGTCCTCCTGGGCTTTTCTCAGGATCCTGGTG
TGNNAAGCATTATTTGTCATGTTTTACTCACATACNNNNNNACAGTGGTGGGGAACCT
15 GCTCATTGTNGTGGATATTATTGCCAGCCCTTNNNTGGGTTCCCAATGTATTTCTTCCTTG
CCTGCCTGTCATTTATAGATGCTGCATATCCACTACCATTTCTCCCAAGTTAATTGTAGGC
TTATTCTGTGATAAAAAGACTATTTCTTCCAAGGTTGCATGGGCCAGCTATTTATAGACC
ATTTCTTTGGTGGGGCTGAGGTCTTCTTCTGGTGGTGATGGCCTGTGATCGCTATGTGGC
CATCTGTAAGCCACTGCATATTTGACCATCATGAATCGACAGGTTTGCTTCCTTCTGTTGG
20 TNNNNCCATGATTGGAGGTTTGTACATTCTGCGTTTCAAATTGTTGTGTACAGTCTCCCT
TTCTGTGGTCCCNATGTCATTGTTTCATTTAGTTGTGACATGCACCCATTACTGGAAGTGGC
ATGCACTGACACCTACTTTATAGGCCTCACTGTTGTTGTCAATAGTGGAGCAATCTGTATG
GTCATTTTCAACCTTCTGTTAATCTCCTATGGAGTCATCCTAAGCTCCCTTAAACCTTACAG
TCAGGAAAAGAGGGGTAAAGCCTTGTCTACCTGCAGCTCCGGCAGTACCGTTGTTGTCTC
25 TTTTTGTACCCTGTATTTTCATATATGTTAGACCTGTTTCAAACCTTCTACTGATAAGTT
CATGACTGTGTTTTATACCATTATCACACACATGCTGAGTCCTTTAATATATACGTTGAGA
AATTCAGAGATGAGAAATGCTATAGAAAACTCTTGGGTAAAAAGTTAACTATATTTATTA
TAGGAGGAGTGTCCGTCCTCATGTAG (SEQ ID NO: 44)

AOLFR23 sequences:

30 MAKNNLTRVTEFILMGFMDHPKLEIPLFLVFLSFYLVTLLGNVGMIMLIQVDVKLYTPMYFFLS
HLSLLDACYSVITPQILATLATGKTVISYGHCAAQFFLTICAGTECFLLAVMAYDRYAIRNP
LLYTVAMNPRLCWSLVVGAYVCGVSGAILRTTCTFTLSFKDNQINFFCDLPPLKLACSDTA
NIEIVIFFGNFVILANASVILISYLLIKTILKVKSSGGRAKTFSTCASHITAVAFFGALIFMYLQS
35 GSGKSLEEDKVVSFYTIVVIPMLNPLIYSLRNKDVKDAFRKVARRLQVSLSM (SEQ ID NO: 45)

ATGGCCAAGAATAATCTCACCAGAGTAACCGAATTCATTCTCATGGGCTTTATGGACCACC
CCAAATTGGAGATTCCCCTCTTTCTGGTGTTTCTGAGTTTCTACCTAGTCACCCCTTCTTGGG
AATGTGGGGATGATTATGTTAATCCAAGTAGATGTCAAACCTCTACACCCCAATGTACTTCT
40 TCCTGAGCCACCTCTCCCTGCTGGATGCCTGTACACCTCAGTCATCACCCCTCAGATCCTA
GCCACATTGGCCACAGGCAAAACGGTCACTCTCTACGGCCACTGTGCTGCCAGTTCTTTT
TATTCACCATCTGTGCAGGCACAGAGTGCTTTCTGCTGGCAGTGATGGCCTATGATCGCTA
TGCTGCCATTGCAACCCACTGCTCTATACCGTGGCCATGAATCCCAGGCTCTGCTGGAGC
CTGGTGGTAGGAGCCTATGTCTGTGGGGTGTCAGGAGCCATCCTGCGTACCACTTGCACCT
TCACCCCTCTCCTTCTGTAAGGACAATCAAATAAACTTCTTCTTCTGTGACCTCCACCCCTG
45 CTGAAGCTTGCTGCACTGACACAGCAAACATCGAGATTGTATCATCTTCTTTGGCAATT
TTGTGATTTTGGCCAATGCCTCCGTCATCCTGATTTCTATCTGCTCATCATCAAGACCATT
TTGAAAGTGAAAGTCTTCAGGTGGCAGGGCCAAGACTTTCTCCACATGTGCCTCTCACATCA
CTGCTGTGGCCCTTTTCTTTGGAGCCCTTATCTTCATGTATCTGCAAAGTGGCTCAGGCAAA
TCTCTGGAGGAAGACAAAGTCGTCTGTCTTCTATACAGTGGTCATCCCCATGCTGAACC
50 CTCTGATCTACAGCTTAAGAAACAAAGATGTAAAGACGCCTTCAGAAAGGTCGCTAGGA
GACTCCAGGTGTCCCTGAGCATGTAG (SEQ ID NO: 46)

AOLFR25 sequences:

55 METGNLTWVSDFVFLGLSQTRELQRFLFLMFLFVYITTVMGNILIIITVTSDSLHTPMYFLLRN
LAVLDLCFSSVTAPKMLVDLLSEKKTISYQCGMGQIFFFHFLGGAMVFFLSVMAFDRLIAISRPL
RYVTVMNTQLWVGLVVATWVGGFVHSIVQLALMLPLPFCGPNILDNFYCDVPQVRLACTDT

SLLEFLKISNSGLLDVVWFFLLMSYLFILVMLRSHPGEARRAASTCTTHIIVVSMIFVPSIYLY
ARPFPTPFMDKLV SIGHTVMTPLNPMIYTLRNQDMQAAVRRRLGRHRLV (SEQ ID NO: 47)

5 ATGGAAACAGGGAACCTCACGTGGGTATCAGACTTTGTCTTCCTGGGGCTCTCGCAGACTC
GGGAGCTCCAGCGTTTCCTGTTTCTAATGTTCTGTITGTCTACATCACCAGTGTATGGGA
AACATCCTTATCATCATCACAGTGACCTCTGATTCCCAGCTCCACACACCCATGTACTTTCT
GCTCCGAAACCTGGCTGTCCTAGACCTCTGTTTCTCTTCAGTCACTGCTCCCAAAATGCTAG
TGGACCTCCTCTCTGAGAAGAAAACCATCTCTTACCAGGGCTGCATGGGTGAGATCTTCTT
10 CTTCCACTTTTGGGAGGTGCCATGGTCTTCTTCTCTCAGTGATGGCCTTTGACCGCCTCA
TTGCCATCTCCCGGCCCTCCGCTATGTCACCGTCATGAACACTCAGCTCTGGGTGGGGCT
GGTGGTAGCCACCTGGGTGGGAGGCTTTGTCCACTCTATTGTCCAGCTGGCTCTGATGCTC
CCACTGCCCTTCTGTGGCCCCAACATTTTGGATAACTTCTACTGTGATGTTCCCAAGTACT
GAGACTTGCTGCACTGACACCTCACTGCTGGAGTTCTCAAGATCTCCAACAGTGGGCTG
CTGGATGTCGTCTGGTCTTCTCTCTCTGATGTCCTACTTATTCATCTGGTGATGCTGAG
15 GTCACATCCAGGGGAGGCAAGAAGGAAGGCAGCTTCCACCTGCACCAACCACATCATCGT
GGTTTCCATGATCTTCGTTCCAAGCATTTACCTCTATGCCCGGCCCTTCACTCCATTCCCTA
TGGACAAGCTTGTGTCCATCGGCCACACAGTCATGACCCCATGCTCAACCCCATGATCTA
TACCCTGAGGAACCAGGACATGCAGGCAGCAGTGAGAAGATTAGGGAGACACCGGCTGGT
TTGA (SEQ ID NO: 48)

20

AOLFR26 sequences:

MAAKNSSVTEFILEGLTHQPGLRIPFLFLGFYTVTVVGNLGLITLIGLNSHLHTPMYFFLFNLS
LIDFCFSTTTTPKMLMSFVSRKNISFTGCMTQLFFFCFFVVSSEFILLSAMAYDRYVAICNPLLYT
VTMSCQVCLLLLGA YGMGFAGAMAHTGSIMNLTFCADNLVNHFMCDILPILLESCNSSYMN
25 ELVVFIVVAVDVGMPIVTVFISYALILSSILHNSSTEGRSKAFSTCSSHIIVVS LFFGSGAFMYLKP
LSILPLEQKGK VSSLFYTHIVPVLNPLIYSLRNKDV KVALRRTLGRKIFS (SEQ ID NO: 49)

ATGGCAGCCAAAACTCTTCTGTGACAGAGTTTATCCTCGAAGGCTTAACCCACCAGCCGG
GACTGCGGATCCCCCTCTTCTCTCTGTTTCTGGGTTTCTACACGGTCACCGTGGTGGGGAA
30 CCTGGGCTTGATAACCCTGATTGGGCTGAACTCTCACCTGCACACTCCCATGTACTTCTTCC
TTTTTAACCTCTCTTTAATAGATTTCTGTTTCTCCACTACCATCACTCCCAAAATGCTGATG
AGTTTTGTCTCAAGGAAGAACATATTCCTTCACAGGGTGTATGACTCAGCTCTTCTTCTT
CTGCTTCTTTGTGCTCTCTGAGTCCCTTCATCCTGTGACGATGGCGTATGACCGCTACGTGG
CCATCTGTAACCCACTGTTGTACACAGTCACCATGTCTTGCCAGGTGTGTTTGTCTCTTTG
35 TTGGGTGCCTATGGGATGGGGTTTGCTGGGGCCATGGCCACACAGGAAGCATAATGAAC
CTGACCTTCTGTGCTGACAACCTTGTCAATCATTTTCATGTGTGACATCCTTCTCTCTTGA
GCTCTCTGCAACAGCTCTTACATGAATGAGCTGGTGGTCTTTATTGTGGTGGCTGTTGAC
GTTGGAATGCCCATTTGCTCACTGTCTTTATTTCTTATGCCCTCATCCTCTCCAGCATTCTACA
CAACAGTTCTACAGAAGGCAGGTCCAAAGCCTTTAGTACTTGCAGTTCCACATAATTGTA
40 GTTTCTCTTTTCTTTGGTCTGGTGTCTTTCATGTATCTCAAACCCCTTTCCATCCTGCCCTC
GAGCAAGGGAAAGTGTCTCCCTGTTCTATACCATAATAGTCCCGTGTTAAACCCATTAA
TCTATAGCTTGAGGAACAAGGATGTCAAAGTTGCCCTGAGGAGAACTTTGGGCAGAAAAA
TCTTTTCTTAA (SEQ ID NO: 50)

45 **AOLFR27 sequences:**

MPSQNYSHSEFNLFGFSAFPQHLLPILFLLYLLMFLFTLLGNLLIMATIWIEHRLHTPMYFLCTL
SVSEILFTVAITPRMLADLLSTHHSITFVACANQMFFSFMFGFTHSFLLVMGYDRYVAICHPLR
YVLMSPRDCAHLVACTWAGGSVMGMMVTTIVFHLTFCGSNVIIHFFCHVLSLLKLACENKT
SSVIMGVMLVCVTALIGCLFLIILSYVFIVAAILRIPSAEGRHKTFSTCVSHLTVVVTHYSFASFIY
50 LKPKGLHSMYSDALMATTYTVFTPFLSPIIFSLRNKELKNAINKNFYRKFCPPSS (SEQ ID NO:
51)

ATGCCTAGTCAGAACTATAGCATCATATCTGAATTTAACCTCTTTGGCTTCTCAGCCTTCCC
CCAGCACCTCCTGCCCATCTTGTCTCTGCTGTACCTCCTGATGTTCTGTTCACATTGCTGG
55 GCAACCTTCTCATCATGGCCACAATCTGGATTGAACACAGACTCCACACACCCATGTACCT
CTTCTTGTGCACCTCTCCGTCTCTGAGATTCTGTTCACTGTTGCCATCACCCCTCGCATGC

AOLFR28 sequences:

20

AOLFR29 sequences:

45

-95-

AATTGGGGCCGCTATTCTACGTTTGCCTTCAGCTGCTGGTCGCCGCCGAGCAGTCTCCACC
TGTGGATCCCACCTCACCATGGTTGGTTTCTCTACGGCACCATCATTTGTGTCTACTTCCA
GCCTCCCTTCCAGAACTCTCAGTATCAGGACATGGTGGCTTCAGTAATGTATACTGCCATT
ACACCTTTGGCCAACCCATTTGTGTATAGCCTCCACAATAAGGATGTCAAGGGTGCACCTCT
5 GCAGGCTGCTTGAATGGGTGAAGGTAGACCCCTGA (SEQ ID NO: 56)

AOLFR30 sequences:

MGFLSPMHPCRPPTQRRMAAGNHSTVTEFILKGLTKRADLQLPLFLLFLGIYLVTVGNLGMIT
LICLNSQLHTPMYYFLSNLSLMDLCYSSVITPKMLVNFVSEKNII SYAGCMSQLYFFLVFVIAEC
10 YMLTVMAYDRYVXXCHPLLYNIIMSHHTCLLLVAVVYAIGLIGSTIETGLMLKLPYCEHLISHY
FCDILPLMKLSCSSTYDVEMTVFFSAGFNII VTS LTVLSYTFILSSILGISTTEGRSKAFSTCSSHL
AAVGMFYGSTAFMYLKPSTISSLTQENVASVFYTTVIPMLNPLIYSLRNKEVKA AVQKTLRGK
LF (SEQ ID NO: 57)

15 ATGGGGTTCTTGTCTCCCATGCATCCCTGCAGGCCTCCCACCCAGAGGAGAATGGCTGCAG
GAAATCACTCTACAGTGACAGAGTTTCTTCAAGGGTTTAACGAAGAGAGCAGACCTCC
AGCTCCCCCTCTTTCTCTCTCTCGGGATCTACTTGGTCACCATCGTGGGGAACCTGGGC
ATGATCACTCTAATTTGTCTGAACCTCAGCTGCACACCCCATGTACTACTTTCTCAGCAA
TCTGTCACTCATGGATCTCTGCTACTCCTCGCTCATTACCCCTAAGATGCTGGTGAACCTTGT
20 TGTGAGAGAAAAACATCATCTCTACGCAGGGTGCATGTCACAGCTCTACTTCTCTCTTGT
TTTTGTCAATGCTGAGTGTTACATGCTGACAGTGATGGCCTACGACCGCTATGTTGNCNTC
TGCCACCCCTTTGCTTTACAACATCATTATGTCTCATCACACCTGCCTGCTGCTGGTGGCTGT
GGTCTACGCCATCGGACTCATTGGCTCCACAATAGAACTGGCCTCATGTTAAACTGCC
TATTGTGAGCACCTCATCAGTCACTACTTCTGTGACATCCTCCCTCTCATGAAGCTGTCCTG
25 CTCTAGCACCTATGATGTTGAGATGACAGTCTTCTTTTCGGCTGGATTCAACATCATAGTC
ACGAGCTTAACAGTTCTTGTCTTACACCTTCATTCTCTCCAGCATCCTCGGCATCAGCAC
CACAGAGGGGAGATCCAAAGCCTTCAGCACCTGCAGCTCCCACCTTGCAGCCGTGGGAAT
GTTCTATGGATCAACTGCATTCTACTTAAACCCCTCCACAATCAGTTCCCTTGACCCAG
GAGAATGTGGCCTCTGTGTTCTACACCACGGTAATCCCATGTTGAATCCCCTAATCTACA
30 GCCTGAGGAACAAGGAAGTAAAGGCTGCCGTGCAGAAAACGCTGAGGGGTAAACTGTTTT
GA (SEQ ID NO: 58)

AOLFR31 sequences:

MGTGNDTTVVEFTLLGLSEDTTVCAILFLVFLGIYVVTLMGNISII VLI RRS HHLTPMYIFLCHL
35 AFVDIGYSSSVTPVMLMSFLRKETSLPVAGCVAQLCSVVTFGTAECFLAAMAYDRYVAICSP
LLYSTCMSPGVCII LVGMSYLGCVNAWTFIGCLLRLSFCGPNKVNHFCDYSPLLKLACSHDF
TFEIPAISGSHIVATVCVIAISYIYLITILKMHS TKGRHKAFSTCTSHLTAVTLFYGTITFIYVMP
KSSYSTDQNKVVS VFYTVVIPMLNPLIYSLRNKEIKGALKRELRIKIFS (SEQ ID NO: 59)

40 ATGGGGACTGGAAATGACACCACTGTGGTAGAGTTTACTCTTTTGGGGTTATCTGAGGATA
CTACAGTTTGTGCTATTTTATTTCTTGTGTTTCTAGGAATTTATGTTGTCACCTTAATGGGT
AATATCAGCATAATTGTATTGATCAGAAGAAGTCATCATCTTCATACACCCATGTACATTT
TCCTCTGCCATTTGGCCTTTGTAGACATTGGGTACTCCTCATCAGTCACACCTGTCATGCTC
ATGAGCTTCCTAAGGAAAGAAACCTCTCTCCCTGTTGCTGGTTGTGTGGCCAGCTCTGTT
45 CTGTAGTGACGTTTGGTACGGCCGAGTGCTTCTGCTGGCTGCCATGGCCTATGATCGCTA
TGTGGCCATCTGCTCACCCCTGCTCTACTCTACCTGCATGTCCCCTGGAGTCTGCATCATCT
TAGTGGGCATGTCCTACCTGGGTGGATGTGTGAATGCTTGGACATTCATTGGCTGCTTATT
AAGACTGTCTTCTGTGGGCCAAATAAAGTCAATCACTTTTCTGTGACTATTCACCACTTT
TGAAGCTTGCTTGTGCCATGATTTTACTTTTGAATAAATCCAGCTATCTCTTCTGGATCT
50 ATCATTGTGGCCACTGTGTGTGTCATAGCCATATCCTACATCTATATCCTCATCACCATCT
GAAGATGCACTCCACCAAGGGCCGCCACAAGGCCTTCTCCACCTGCACCTCCCACCTCACT
GCAGTCACTCTGTTCTATGGGACCATTAACCTTCATTTATGTGATGCCCAAGTCCAGCTACTC
AACTGACCAGAACAAGGTGGTGTCTGTGTTCTACACCGTGGTGATTCCCATGTTGAACCCC
CTGATCTACAGCCTCAGGAACAAGGAGATTAAGGGGGCTCTGAAGAGAGAGCTTAGAATA
55 AAAATATTTTCTTGA (SEQ ID NO: 60)

AOLFR32 sequences:

MNSLKDGNHTALTGFILLGLTDDPILRVILFMIILSGNLSIIILIRISSQLHHPMYFFLSHLAFADM
 AYSSSVTPNMLVNFLVERNTVSYLGCAIQLGSAFFATVECVLLAAMAYDRFVAICSPLLYSTK
 MSTQVSVQLLLVVYIAGFLIAVSYYTSFYFLLFCGPNQVNHFFCDFAPLLELSCSDISVSTVVLST
 5 SSGSIIVTVCVIAVCYIYLITILKMRSTEGHHKAFSTCTSHLTVVTLFYGTITFIYVMPNFSYST
 DQNKVVSVLVTVVIPMLNPLIYSLRNKEIKGALKRELVRKILSHDACYFSRTSNNDIT (SEQ ID
 NO: 61)

ATGAATTCCCTGAAGGACGGGAATCACACCGCTCTGACGGGGTTCATCCTATTGGGGCTTAA
 10 CAGATGATCCAATCCTTCGAGTCATCCTCTTCATGATCATCCTATCTGGTAATCTCAGCATA
 ATTATTCTTATCAGAAATTTCTTCTCAGCTCCATCATCCTATGTATTTCTTTCTGAGCCACTT
 GGCTTTTGCTGACATGGCCTATTCATCTTCTGTACACCCAAACATGCTTGTAACCTTCTCTG
 TGGAGAGAAAATACAGTCTCCTACCTTGGATGTGCCATCCAGCTTGGTTGAGCGGCTTTCTT
 TGCAACAGTCGAATGCGTCCTTCTGGCTGCCATGGCCTATGACCGCTTTGTGGCAATTTGC
 15 AGTCCACTGCTTTATTCAACCAAAAATGTCCACACAAGTCAGTGTCCAGCTACTCTTAGTAG
 TTTACATAGCTGGTTTTCTCATTGCTGTCTCCTATACTACTTCTTCTATTTTTTACTCTTCT
 GTGGACCAAAATCAAGTCAATCATTTTTTCTGTGATTTCTGCTCCCTTACTTGAACCTCTCTGT
 TCTGATATCAGTGTCTCCACAGTTGTTCTCTCATTTTCTTCTGGATCCATCATTGTGGTCAC
 TGTGTGTGTACATAGCCGTCTGCTACATCTATATCCTCATCACCATCCTGAAGATGCGCTCCA
 20 CTGAGGGGACCCACAAGGCCTTCTCCACCTGCACTTCCACCTCACTGTGGTTACCTGT
 CTATGGGACCAATTACCTTCATTTATGTGATGCCCCAATTTAGCTACTCAACTGACCAGAAC
 AAGGTGGTGTCTGTGTTGTACACAGTGGTGATTCCCATGTTGAACCCCTGATCTACAGCC
 TCAGGAACAAGGAGATTAAGGGGGCTCTGAAGAGAGAGCTTGTTAGAAAAATACTTTCTC
 ATGATGCTTGTTATTTTAGTAGAACTTCAAATAATGATATTACATAG (SEQ ID NO: 62)

25

AOLFR34 sequences:

MLEGVEHLLLLLLLDVNSKELQSGNQTSVSHFILVGLHHPQLGAPLFLAFLVYLLTVSGNG
 LIILTVLVDIRLHRPMCLFLCHLSFLDMTISCAIVPKMLAGFLLGSRISFGGCVIQLFSFHLGCT
 ECFLYTLMAAYDRFLAICKPLHYATIMTHRVCNLSALGTWLGGTIHSLSFQTSFVRLPFCGPNRV
 30 DYIFCDIPAMRLRLACADTAJNELVTFADIGFLALTCFMLILTSYGYIVAAILRIPSADGRRNAFST
 CAAHLTVVIVYVVPCTFIYLRPCSQEPLDGVVAVFYTVITPLLNSIYTLCNKEMKAALQRLGG
 HKEVQPH (SEQ ID NO: 63)

ATGTTAGAGGGTGTGTGAGCATCTCCTTCTGCTACTTCTTTTGACAGATGTGAACAGCAAGG
 35 AACTGCAAAGTGGAACACAGACTTCTGTGTCTCACTTCATTTTGGTGGGCCTGCACCACCC
 ACCACAGCTGGGAGCGCCACTCTTCTTAGCTTTCCTTGTCTATCTCCTCACTGTTTCTG
 GAAATGGGCTCATCATCCTCACTGTCTTAGTGGACATCCGGCTCCATCGTCCCATGTGCTT
 GTTCTGTGTCACTCTCCTTCTTGGACATGACCATTCTTGTGCTATTGTCCCCAAGATGC
 TGGCTGGCTTTCTTGGGTAGTAGGATTATCTCCTTTGGGGGCTGTGTAATCCAACATTTT
 40 TCTTTCCATTTCTGGGCTGTACTGAGTGCTTCTTTACACACTCATGGCTTATGACCGTTT
 CCTTGCCATTTGTAAGCCCTTACACTATGCTACCATCATGACCCACAGAGTCTGTAACCTCC
 TGGCTTTAGGCACCTGGCTGGGAGGGACTATCCATTCACTTTTCCAAACAAGTTTTGTATT
 CCGGCTGCCCTTCTGTGGCCCCAATCGGGTCTGACTACATCTTCTGTGACATTCTGCCATGC
 TCGCTTAGCCTGCGCCGATACGGCCATCAACGAGCTGGTCACCTTTGCAGACATTGGCTT
 45 CCTGGCCCTCACCTGCTTCATGCTCATCCTCACTTCTATGGCTATATTGTAGCTGCCATCC
 TGCGAATTCCGTCAGCAGATGGGCGCCGCAATGCCTTCTCCACTTGTGCTGCCACCTCAC
 TGTTGTCAATTGTTTACTATGTGCCCTGCACCTTCATTTACCTGCGGCCTTGTTACAGGAGC
 CCCTGGATGGGGTGGTAGCTGTCTTTTACACTGTCATCACTCCCTTGCTTAACTCCATCATC
 TACACACTGTGCAACAAAGAAATGAAGGCAGCATTACAGAGGCTAGGGGGCCACAAGGAA
 50 GTGCAGCCTCACTGA (SEQ ID NO: 64)

AOLFR35 sequences:

MEPLNRTEVSEFFLKGFSGYPALHLLFPLCSAMYLVTLLGNTAIMAVSVLDIHLHTPVYFFLG
 NLSTLDICYTPTFVPLMLVHLLSSRKTTISFAVCAIQMCLSLSTGSTECLLAITAYDRYLAICQPL
 55 RYHVLMSHRLCVLLMGAAWVLCLLKSVTMVISMRPFCGHHVVSHTCKILAVLKLACGNT
 SVSEDFLLAGSILLPVPLAFICLSYLLILATILRVPSAARCKAFSTCLAHLAVVLLFYGTIIFMY

LKPKSKEAHISDEVFTVLYAMVTTMLNPTIYSLRNKEVKEAARKVWGRSRASR (SEQ ID NO: 65)

5 ATGGAGCCGCTCAACAGAACAGAGGTGTCCGAGTTCTTTCTGAAAGGATTTTCTGGCTACC
CAGCCCTGGAGCATCTGCTCTTCCCTCTGTGCTCAGCCATGTACCTGGTGACCCCTCTGGG
GAACACAGCCATCATGGCGGTGAGCGTGCTAGATATCCACCTGCACACGCCCCTGTACTTC
TTCCTGGGCAACCTCTCTACCCTGGACATCTGCTACACGCCACCTTTGTGCCTCTGATGCT
GGTCCACCTCCTGTCATCCCGGAAGACCATCTCCTTTGCTGTCTGTGCCATCCAGATGTGTC
10 TGAGCCTGTCCACGGGCTCCACGGAGTGCTGCTACTGGCCATCACGGCCTATGACCGCTA
CCTGGCCATCTGCCAGCCACTCAGGTACCACGTGCTCATGAGCCACCGGCTCTGCGTGCTG
CTGATGGGAGCTGCCTGGGTCTCTGCCTCCTCAAGTCGGTGACTGAGATGGTCATCTCCA
TGAGGCTGCCCTTCTGTGGCCACCACGTGGTCAGTCACTTACCTGCAAGATCCTGGCAGT
GCTGAAGCTGGCATGCGGCAACACGTGCGTCAGCGAAGACTTCTGCTGGCGGGCTCCAT
CCTGCTGCTGCCTGTACCCCTGGCATTCTGCTGCTGCTACTTGTCTATCCTGGCCACCA
15 TCCTGAGGGTGCCCTCGGCCGCCAGGTGCTGCAAAGCCTTCTCCACCTGCTTGGCACACCT
GGCTGTAGTGCTGCTTTTCTACGGCACCATCATCTTTCATGTACTTGAAGCCCAAGAGTAAG
GAAGCCACATCTCTGATGAGGTCTTACAGTCCTCTATGCCATGGTCACGACCATGCTGA
ACCCACCATCTACAGCTGAGGAACAAGGAGGTGAAGGAGGCCGCCAGGAAGGTGTGGG
GCAGGAGTCGGGCCTCCAGGTGA (SEQ ID NO: 66)

20

AOLFR36 sequences:

MYLVTVLRLNLLSILAVSSDSHPHTPMYFFLSNLCWADIGFTLATVPKMIVDMGSHSKVISYGG
CLTQMSFLVLFACIVDMFLTVMAYDCFVAICRPLHYPVIVNPHLCVFFVLVSFFLSLLDSQLHS
WIVLQFTFFKNVEISNFVCEPSQLKLASYDSVINSIFIYFDNTMFGFLPISGILLSYKIVPSILRIS
25 SSDGKYKAFSACGCHLAVVCLFYGTGIGVYLTSAVAPPLRNGMVASVMYAVVTPMLNPFYIS
LRNRDIQSALWRVCNKTVESHDLFHPFSCVVEKGQPHSIPTSANPAP (SEQ ID NO: 67)

ATGTATCTGGTCACGGTGCTGAGGAACCTGCTCAGCATCCTGGCTGTCAGCTCTGACTCCC
ACCCCCACACACCCATGTACTTCTTCTCTCCAACCTGTGCTGGGCTGACATCGGTTTCACC
30 TTGGCCACGGTTCCTCAAAATGATTGTGGACATGGGGTCGCATAGCAAAGTCATCTCTTATG
GGGGCTGCCTGACACAGATGTCTTTCTTGGTACTTTTTGCATGTATAGTAGACATGTTCTT
GACTGTGATGGCTTATGACTGCTTTGTAGCCATCTGTGCGCCCTCTGCACTACCCAGTCATC
GTGAATCCTCACCTCTGTGTCTTCTTCGTTTTGGTGCTCTTTTCTTAGCCTGTTGGATTCC
CAGCTGCACAGTTGGATTGTGTTACAATTCACCTTCTTCAAGAATGTGGAAATCTCTAATT
35 TTGTCTGTGAGCCATCTCAACTTCTCAAGCTTGCCTCTTATGACAGCGTCATCAATAGCATA
TTCATATATTTTGATAATACTATGTTTGGTTTTCTTCCCATTTCAGGGATCCTTTTGTCTTAC
TATAAAATTGTCCCCTCCATTCTAAGGATTTTCATCATCAGATGGGAAGTACAAAGCCTTCT
CAGCCTGTGGCTGTACCTGGCAGTTGTTTGTCTTATTTTATGGAACAGGCATTGGCGTGTA
CCTGACTTCAGCTGTGGCACCACCCCTCAGGAATGGTATGGTGGCGTCAGTGATGTACGCT
40 GTGGTCACCCCCATGCTGAACCCTTTCATCTACAGCCTGAGAAACAGGGACATTCAAAGTG
CCCTGTGGAGGGTGTGCAACAAAACAGTCGAATCTCATGATCTGTTCCATCCTTTTTCTTG
TGTGGTTGAGAAAGGGCAACCACATTCAATCCCTACATCTGCAAATCCTGCCCCCTAG
(SEQ ID NO: 68)

45 **AOLFR37 sequences:**

MEKANETSPVMGFVLLRLSAHPELEKTFFVLILLMYLVILLGNGVLILVTILDSRLHTPMYFFLG
NLSFLDICFTTSSVPLVLDSFLTPQETISFSACAVQMALSFAMAGTECLLSMMAFDTRYVAICNP
LRYSVIMSKAAYMPMAASSWAIGGAASVVHTSLAIQLPFCGDNVINHFTCEILAVLKLACADIS
INVISMEVTNVIFLGPVFLFISFSYVFIIITILRIPSAEGRKKVFSTCSAHLTVVIVFYGTLFFMYG
50 KPKSKDSMGADKEDLSDKLIPLFYGVVTPMLNPIIYSLRNKDVKA AVRLLRPKGFTQ (SEQ ID
NO: 69)

ATGGAAAAAGCCAATGAGACCTCCCCTGTGATGGGGTTCGTTCTCCTGAGGCTCTCTGCCC
ACCCAGAGCTGGAAAAGACATTCTCGTGCTCATCCTGCTGATGTACCTCGTGATCCTGCT
55 GGGCAATGGGGTCTCATCCTGGTGACCATCCTTGACTCCCGCCTGCACACGCCCATGTAC
TTCTTCTAGGGAACCTCTCCTTCTGACATCTGCTTCACTACCTCCTCAGTCCCACTGGT

CCTGGACAGCTTTTTGACTCCCCAGGAAACCATCTCCTTCTCAGCCTGTGCTGTGCAGATG
 GCACTCTCCTTTGCCATGGCAGGAACAGAGTGCTTGCTCCTGAGCATGATGGCATTGATC
 GCTATGTGGCCATCTGCAACCCCTTAGGTACTCCGTGATCATGAGCAAGGCTGCCTACAT
 5 GCCATGGCTGCCAGCTCCTGGGCTATTGGTGGTGCTGCTTCCGTGGTACACACATCCTTG
 GCAATTCAGCTGCCCTTCTGTGGAGACAATGTCATCAACCACTCACCTGTGAGATTCTGG
 CTGTTCTAAAGTTGGCCTGTGCTGACATTTCCATCAATGTGATCAGCATGGAGGTGACGAA
 TGTGATCTTCCTAGGAGTCCCGGTTCTGTTTCATCTCTTCTCCTATGTCTTCATCATCACCA
 CCATCCTGAGGATCCCCTCAGCTGAGGGGAGGAAAAAGGTCTTCTCCACCTGCTCTGCCCA
 10 CCTACCGTGGTGATCGTCTTCTACGGGACCTTATTCTTCATGTATGGGAAGCCTAAGTCT
 AAGGACTCCATGGGAGCAGACAAAGAGGATCTTTCAGACAACTCATCCCCCTTTTCTATG
 GGGTGGTGACCCCGATGCTCAACCCCATCATCTATAGCCTGAGGAACAAGGATGTGAAGG
 CTGCTGTGAGGAGACTGCTGAGACCAAAAGGCTTCACTCAGTGA (SEQ ID NO: 70)

AOLFR38 sequences:

15 MYLVTVLRNLLILAVSSDSLHTPMCFFLSNLCWADIGFTSAMVPMIVDMQSHSRVISYAGC
 LTQMSFFVLFACIEDMLLTVMAYDRFVAICHPLHYPVIMNPHLGVLVLVSFFLSLLDSQLHSW
 IVLQFTFFKNVEISNFVCDPSQLNLACSDSVINSIFYLDSIMFGFLPISGILLSYANNVPSILRISS
 SDRKSKAFSTCGSHLAVVCLFYGTGIGVYLTSAVSPPRNGVVASVMYAVVTPMLNPFYSLR
 NRDIQSALWRLRSRTVESHDLLSQDLLHPFSCVGEKGQPH (SEQ ID NO: 71)

20 ATGTACCTGGTCACGGTGCTGAGGAACCTGCTCATCATCCTGGCTGTGAGCTCTGACTCCC
 ACCTCCACACCCCCATGTGCTTCTTCCTCTCCAACCTGTGCTGGGCTGACATCGGTTTCACC
 TCGGCCATGGTTCCCAAGATGATTGTGGACATGCAGTCGCATAGCAGAGTCATCTCTTATG
 CGGGCTGCCTGACACAGATGTCTTTCTTTGTCCTTTTTGTCATGTATAGAAGACATGCTCCTG
 25 ACAGTGATGGCCTATGACCGATTTGTGGCCATCTGTCACCCCTGCACTACCCAGTCATCA
 TGAATCCTCACCTTGGTGCTTCTTAGATTTTGGTGCTCTTTTCTCAGCCTGTTGGATTCC
 CAGCTGCACAGTTGGATTGTGTTACAATTCACCTTCTTCAAGAATGTGGAAATCTCCAATT
 TTGCTGTGACCCATCTCAACTTCTCAACCTTGCTGTTCTGACAGTGTCAATAGCATA
 TTCATATATTTAGATAGTATTATGTTTGGTTTTCTTCCCATTTTCAGGGATCCTTTTGTCTTAC
 30 GCTAACAATGTCCCCTCCATTCTAAGAATTTTCATCATCAGATAGGAAGTCTAAAGCCTTCT
 CCACCTGTGGCTCTCACCTGGCAGTTGTTTGTCTATTTTATGGAACAGGCATTGGCGTGTA
 CCTGACTTCAGCTGTGTCAACCCCCCAGGAATGGTGTGGTGGCATCAGTGATGTACGCT
 GTGGTCACCCCCATGCTGAACCCCTTTCATCTACAGCCTGAGAAATAGGGACATTCAAAGTG
 CCCTGTGGAGGCTGCGCAGCAGAACAGTCGAATCTCATGATCTGTTATCTCAAGATCTGCT
 35 CCATCCTTTTTCTTGTGTGGGTGAGAAAGGTCAACCACATTAA (SEQ ID NO: 72)

AOLFR39 sequences:

MGVKNHSTVTEFLLSGLTEQAELQLPLFCLFLGIYTVTVVGNLSMISIIRLNRLHTPMYYFLSS
 LSFLDFCYSSVITPKMLSGFLCRDRSISYSGCMIQLFFCVCVISECYMLAAMACDRYVAICSPL
 40 LYRVIMSPRVCSLLVA AVFSVGFTDAVIHGGCILRLSFCGSNIKHIFCDIVPLIKLSCSSTYIDEL
 LIFVIGGFNMVATSLTHIISYAFILTSILRIHKKGRCKAFSTCSSHLTAVLMFYGSLMSMYLKPAS
 SSSLTQEKVSSVFYTTVILMLNPLIYSLRNNEVRNALMKLLRRKISLSPG (SEQ ID NO: 73)

ATGGGTGTAAAAAACCATTCCACAGTGACTGAGTTTCTTCTTTCAGGATTAAGTGAACAAG
 45 CAGAGCTTCAGCTGCCCTCTTCTGCCTCTTCTTAGGAATTTACACAGTTACTGTGGTGGG
 AAACCTCAGCATGATCTCAATTATTAGGCTGAATCGTCAACTTCATACCCCATGTACTAT
 TTCCTGAGTAGTTTGTCTTTTTTAGATTTCTGCTATTCTTCTGTCTATTACCCCTAAAATGCT
 ATCAGGGTTTTTATGCAGAGATAGATCCATCTCCTATTCTGGATGCATGATTCAGCTGTTTT
 TTTTCTGTGTTTGTGTTATTTCTGAATGCTACATGCTGGCAGCCATGGCCTGCGATCGCTAC
 50 GTGGCCATCTGCAGCCCACTGCTCTACAGGGTCATCATGTCCCCTAGGGTCTGTTCTCTGC
 TGGTGGCTGCTGTCTTCTCAGTAGGTTTCACTGATGCTGTGATCCATGGAGGTTGTATACT
 CAGGTGTCTTTCTGTGGATCAAACATCATTAAACATTATTTCTGTGACATTGTCCCTCTTA
 TAAACTCTCCTGCTCCAGCACTTATATTGATGAGCTTTTGATTTTTGTGATTGGTGGATTT
 AACATGGTGGCCACAAGCCTAACAATCATTATTTTCATATGCTTTTATCCTCACCAGCATCCT
 55 GCGCATCCACTCTAAAAAGGGCAGGTGCAAAGCGTTTAGCACCTGTAGCTCCACCTGACA
 GCTGTTCTTATGTTTTATGGGTCTCTGATGTCCATGTATCTCAAACCTGCTTCTAGCAGTTC

ACTCACCCAGGAGAAAGTATCCTCAGTATTTTATACCACTGTGATTCTCATGTTGAATCCC
TTGATATATAGTCTGAGGAACAATGAAGTAAGAAATGCTCTGATGAAACTTTTAAGAAGA
AAAATATCTTTATCTCCAGGATAA (SEQ ID NO: 74)

5 **AOLFR40 sequences:**

MSNATLLTAFILTGLPHAPGLDAPLFGIFLVVYVLTVLGNLLILLVIRVDSHLHTPMYYFLTNL
FIDMWFSVTVPKMLMTLVSPSGRTISFHCVAQLYFFHFLGSTECFLYTVMSYDRYLAISYPL
RYTNMMTGRSCALLATGTWLSGSLHSAVQTILTFHLPYCGPNQIQHYFCDAPPILKLACADTS
ANEMVIFVNIGLVASGCFVLIVLSYVSIVCSILRIRTSEGRHRAFQTCASHCIVVLCFFGPGLFIYL
10 RPSRDALHGVVAVFYTTLTPLFNPVVYTLRNKEVKKALLKLKNGSVFAQGE (SEQ ID NO:
75)

ATGTCCAACGCCACCCTACTGACAGCGTTCATCCTCACGGGCCTTCCCCATGCCCCAGGGC
TGGACGCCCCCTCTTTGGAATCTTCCTGGTGGTTTACGTGCTCACTGTGCTGGGGAACCT
15 CCTCATCCTGCTGGTGATCAGGGTGGATTCTCACCTCCACACCCCCATGTACTACTTCCTCA
CCAACCTGTCCTTCATTGACATGTGGTTCTCCACTGTCACGGTGCCCAAAATGCTGATGAC
CTTGGTGTCCCCAAGCGGCAGGACTATCTCCTTCCACAGCTGCGTGGCTCAGCTCTATTTTT
TCCACTTCTGGGGAGCACCGAGTGTTTCTCTACACAGTCATGTCCTATGATCGCTACCT
GGCCATCAGTTACCCGCTCAGGTACACCAACATGATGACTGGGCGCTCGTGTGCCCTCCTG
20 GCCACCGGCACTTGGCTCAGTGGCTCTCTGCACTCTGCTGTCCAGACCATATTGACTTTCC
ATTTGCCCTACTGTGGACCCAACAGATCCAGCACTACTTCTGTGACGCACCGCCCATCCT
GAAACTGGCCTGTGCAGACACCTCAGCCAACGAGATGGTCATCTTTGTGAATATTGGGCTA
GTGGCCTCGGGCTGCTTTGTCTGATAGTGCTGTCCTATGTGTCCATCGTCTGTTCCATCCT
GCGGATCCGCACCTCAGAGGGGAGGCACAGAGCCTTTCAGACCTGTGCCTCCCACTGTATC
25 GTGGTCTTTGCTTCTTTGGCCCTGGTCTTTTCATTTACCTGAGGCCAGGCTCCAGGGACGC
CTTGCATGGGGTGTGGCCGTTTCTACACCACGCTGACTCCTCTTTTCAACCCTGTTGTGT
ACACCCTGAGAAACAAGGAGGTAAAGAAAGCTCTGTTGAAGCTGAAAAATGGGTCAAGTAT
TTGCTCAGGGTGAATAG (SEQ ID NO: 76)

30 **AOLFR41 sequences:**

MNPENWTQVTSFVLLGFPSHLLIQFLVFLGLMVTYIVTATGKLLIIVLSWIDQRLHIQMYFFLRN
FSFLELLLVTVVVPKMLVVILTGDHTISFVSCIQSYLYFFLGTTDFLLAVMSLDRLAICRPLR
YETLMNGHVCSQLVLASWLAGFLWVLCPTVLMASLPFCGPNIDHFFRDSWPLRLRLSCGDTH
LLKLVAFMLSTLVLLGSLALTSVSYACILATVLRAPTAAERRKAFSTCASHLTVVVITYGSSIFLY
35 IRMSEAQSKLLNKASVLSCIITPLNPFIFTLRNDKVQQALREALGWPRLTAVMKLRVTSQRK
(SEQ ID NO: 77)

ATGAACCCTGAAAACCTGGACTCAGGTAACAAGCTTTGTCCTTCTGGGTTTCCCCAGTAGCC
ACCTCATACAGTTCCTGGTGTTCTGGGGTTAATGGTGACCTACATTGTAACAGCCACAGG
40 CAAGCTGCTAATTATTGTGCTCAGCTGGATAGACCAACGCCTGCACATACAGATGTACTTC
TTCCTGCGGAATTTCTCCTTCTGGAGCTGTTGCTGGTAACCTGTTGTGGTTCCCAAGATGCT
TGTCGTCATCCTCACGGGGGATCACACCATCTCATTTGTGCTGCTGCTCATCCAGTCCCTACC
TCTACTTCTTTCTAGGCACCACTGACTTCTTCTCTTGGCCGTCATGTCTCTGGATCGTTAC
CTGGCAATCTGCCGACCACTCCGCTATGAGACCCTGATGAATGGCCATGTCTGTTCCCAAC
45 TAGTGCTGGCCTCCTGGCTAGCTGGATTCTCTGGGTCCTTTGCCCCACTGTCTCATGGCC
AGCCTGCCTTTCTGTGGCCCCAATGGTATTGACCACTTCTTTCGTGACAGTTGGCCCTTGCT
CAGGCTTTCTGTGGGGACACCCACCTGCTGAAACTGGTGGCTTTTCATGCTCTCTACGTTG
GTGTTACTGGGCTCACTGGCTCTGACCTCAGTTTCTCTATGCCTGCATTCTTGCCACTGTTCT
CAGGGCCCCCTACAGCTGCTGAGCGAAGGAAAGCGTTTCCACTTGCGCCTCGCATCTTACA
50 GTGGTGGTCATCATCTATGGCAGTTCCATTTCTCTACATTCGATGTCAGAGGCTCAGTC
CAAACCTGCTCAACAAAGGTGCCTCCGTCCTGAGCTGCATCATCACACCCCTCTTGAACCCA
TTCATCTTCACTCTCCGCAATGACAAGGTGCAGCAAGCACTGAGAGAAGCCTTGGGGTGGC
CCAGGCTCACTGCTGTGATGAAACTGAGGGTCACAAGTCAAAGGAAATGA (SEQ ID NO:
78)

55

AOLFR42 sequences:

MNPNANHSQVAGFVLLGLSQVWELRFVFFTVFSAVYFMTVVGNLLIVVIVTSDPHLHTTMYFLL
GNLSFLDFCYSSITAPRMLVDLLSGNPTISFGGCLTQLFFHFIGGKIFLLTVMAYDRYIAISQPL
HYTLIMNQTVCALLMAASWVGFIHSIVQIALTIQLPFCGPKLDNFYCDVPQLIKLACTDTFV
5 LELLMVSNNGLVTLMCFLVLLGSYALLVMLRSHSREGRSKALSTCASHIAVVTLIFVPCIYVY
TRPFRTPMDKA VSVLYTIVTPMLNPAIYTLRNKEVIMAMKKLWRRKKDPIGPLEHRPLH
(SEQ ID NO: 79)

ATGAATCCAGCAAATCATTCCCAGGTGGCAGGATTTGTTCTACTGGGGCTCTCTCAGGTTT
10 GGGAGCTTCGGTTTGTCTTCTCACTGTTTCTCTGCTGTGTATTTTATGACTGTAGTGGGA
AACCTTCTTATTGTGGTCATAGTGACCTCCGACCCACACCTGCACACAACCATGTATTTTCT
CTTGGGCAATCTTTCTTCTGGAAGTTTGTACTCTTCCATCACAGCACCTAGGATGTCTGG
TTGACTTGCTCTCAGGCAACCCTACCATTTCTTTGGTGGATGCCTGACTCAACTCTTCTTC
TTCCACTTCATTGGAGGCATCAAGATCTTCTGCTGACTGTCTGATGGCGTATGACCGCTACA
15 TTGCCATTTCCCAGCCCCGCACTACACGCTCATTATGAATCAGACTGTCTGTGCACTCCTT
ATGGCAGCCTCCTGGGTGGGGGGCTTCATCCACTCCATAGTACAGATTGCATTGACTATCC
AGCTGCCATTCTGTGGGCCTGACAAGCTGGACAACCTTTTATTGTGATGTGCCTCAGCTGAT
CAAATTGGCCTGCACAGATAACCTTTGTCTTAGAGCTTTTAAATGGTGTCTAACAATGGCCTG
GTGACCCTGATGTGTTTTCTGGTGCTTCTGGGATCGTACACAGCACTGCTAGTCATGCTCC
20 GAAGCCACTCACGGGAGGGCCGAGCAAGGCCCTGTCTACCTGTGCCTCTCACATTGCTGT
GGTGACCTTAATCTTTGTGCCTTGCTCTACGTCTATACAAGGCCCTTTTCGGACATTCCCCA
TGGACAAGGCCGTCTCTGTGCTATACACAATGTCAACCCCATGCTGAATCCTGCCATCTA
TACCCTGAGAAACAAGGAAGTGATCATGGCCATGAAGAAGCTGTGGAGGAGGAAAAAGG
ACCCTATTGGTCCCCTGGAGCACAGACCCTTACATTAG (SEQ ID NO: 80)

25

AOLFR43 sequences:

MQKPQLLVPIIATSNGNLVHAA YFLLVGIPGLGPTIHFWLAFPLCFMYALATLGNLTIVLIIRVE
RRLHEPMYFLAMLSTIDLVLSSITMPKMASLFLMGIQEIEFNICLAQMFLIHSAVESAVLLA
MAFDRFVAICHPLRHASVLTGCTVAKIGLSALTRGFVFFPLPFILKWL SYCQHTVTHSFCLHQ
30 DIMKLSCTDTRVNVVYGLFILLSVMGVDSLFIGFSYILILWAVLELSSRRAALKAFNTCISHLCV
LVFYVPLIGLSVVHRLGGPTSLHVMANTYLLPPVVNPLVYGAKTKEICSRVLCMFSQGGK
(SEQ ID NO: 81)

ATGCAGAAGCCCCAGCTCTTGGTCCCTATCATAGCCACTTCAAATGGAAATCTGGTCCACG
35 CAGCATACTTCCTTTTGGTGGGTATCCCTGGCCTGGGGCCTACCATACTTTTGGCTGGCT
TTCCCACTGTGTTTTATGTATGCCCTGGCCACCCTGGGTAACTGACCATTGTCCTCATCAT
TCGTGTGGAGAGGGCGACTGCATGAGCCCATGTACCTCTTCTGGCCATGCTTTCCACTATT
GACCTAGTCCCTCTCCTCTATCACCATGCCCAAGATGGCCAGTCTTTTCTGATGGGCATCCA
GGAGATCGAGTTCAACATTTGCCTGGCCAGATGTTCTTATCCATGCTCTGTGAGCCGTG
40 GAGTCAGCTGTCTGCTGGCCATGGCTTTTGACCGCTTTGTGGCCATTTGCCACCCATTGC
GCCATGCTTCTGTGCTGACAGGGTGTACTGTGGCCAAGATTGGACTATCTGCCCTGACCAG
GGGTTTGTATTCTTCTTCCCACTGCCCTTCATCCTCAAGTGGTTGTCTACTGCCAAACAC
ATACTGTACACACTCCTTCTGTCTGCACCAAGATATTATGAAGCTGTCTGTACTGACAC
CAGGGTCAATGTGGTTTATGGACTCTTCTCATCCTCTCAGTCATGGGTGTGGACTCTCTCT
45 TCATTGGCTTCTCATATATCCTCATCCTGTGGGCTGTTTTGGAGCTGTCTCTCGGAGGGCA
GCACTCAAGGCTTTCAACACCTGCATCTCCACCTCTGTGCTGTTCTGGTCTTCTATGTACC
CCTCATTTGGGCTCTCGGTGGTGCATAGGCTGGGTGGTCCACCTCCCTCCTCCATGTGGTT
ATGGCTAATACCTACTTGCTGCTACCACCTGTAGTCAACCCCTTGTCTATGGAGCCAAGA
CCAAAGAGATCTGTTCAAGGGTCTCTGTATGTTCTCACAAGGTGGCAAGTGA (SEQ ID
50 NO: 82)

AOLFR44 sequences:

MSSCNFTHATFVLIGIPGLEKAHFWVGFPLLSMYVVMFNGNCIVVFIVRTERSLHAPMYLFLC
MLAAILDALSTSTMPKILALFWFDSREISFEACLTQMFFIHLSAIESTILLAMAFDRYVAICHPL
55 RHAAVLNNTVTAQIGIVAVVRGSLFFFLPLLIKRLAFCHSNVLSHSYCVHQDVMKLAYADTLF
NVVYGLTAILLVMGVDMFISLSYFLIIRTVLQLPSKSERAKAFGTCVSHIGVVLA FYVPLIGLS

VVHRFGNSLHPVVRVVMGDIYLLPPVINPIHYGAKTKQIRTRVLAMFKISCDKDLQAVGGK
(SEQ ID NO: 83)

5 ATGAGTTCCTGCAACTTCACACATGCCACCTTTGTGCTTATTGGTATCCCAGGATTAGAGA
AAGCCCATTTCTGGGTTGGCTTCCCCCTCCTTTCCATGTATGTAGTGGCAATGTTTGGAAAC
TGCATCGTGGTCTTCATCGTAAGGACGGAACGCAGCCTGCACGCTCCGATGTACCTCTTTC
TCTGCATGCTTGACGCCATTGACCTGGCCTTATCCACATCCACCATGCCTAAGATCCTTGCC
CTTTTCTGGTTTGATTCCCGAGAGATTAGCTTTGAGGCCTGTCTTACCCAGATGTTCTTTAT
10 TCATGCCCTCTCAGCCATTGAATCCACCATCCTGCTGGCCATGGCCTTTGACCGTTATGTGG
CCATCTGCCACCCACTGCGCATGCTGCAGTGCTCAACAATACAGTAAACAGCCAGATTGG
CATCGTGGCTGTGGTCCGCGGATCCCTCTTTTTTTTCCCACTGCCTCTGCTGATCAAGCGGC
TGGCCTTCTGCCACTCCAATGTCTCTCGCACTCCTATTGTGTCCACCAGGATGTAATGAA
GTTGGCCTATGCAGACACTTTGCCCAATGTGGTATATGGTCTTACTGCCATTCTGCTGGTC
15 ATGGGCGTGGACGTAATGTTTCATCTCCTTGTCTATTTTCTGATAATACGAACGGTTCTGC
AACTGCCTTCCAAGTCAGAGCGGGCCAAGGCCTTTGGAACCTGTGTGTCACACATTGGTGT
GGTACTCGCCTTCTATGTGCCACTTATTGGCCTCTCAGTGGTACACCGCTTTGGAAACAGC
CTTCATCCCATTTGTGCGTGTGTGTCATGGGTGACATCTACCTGCTGCTGCCTCCTGTCATCAA
TCCCATCATCTATGGTGCCAAAACCAAACAGATCAGAACACGGGTGCTGGCTATGTTCAAG
20 ATCAGCTGTGACAAGGACTTGCAAGGCTGTGGGAGGCAAGTGA (SEQ ID NO: 84)

AOLFR45 sequences:

MLPSNITSTHPAVFLLVGIPGLEHLHAWISIPFCFAYTLALLGNCTLLFHQADAALHEPMYLFLA
MLATIDLVLSSITLTKMLAIFWFRDQENFFACLVMFFLHFSFIMESAVLLAMAFDRYVAICKP
LHYTTVLTLGSLITKIGMAAVARA VTLMTPLPFLRRFHYCRGPVIAHCYCEHMAVVRACGDT
25 SFNNIYGIAVAMFSVVDLLFVLSYVFILQAVLQLASQEARYKAFGTCVSHIGAILSTYTPVVIS
SVMHRVARHAAPRVHILLAIFYLLFPPMVNPIYGVKTKQIREYVLSLFQRKNM (SEQ ID NO:
85)

30 TGGAAACAAGAGGTAATCTTTGCAGGTGGGATAGCACAGGTTGAACTCTAATCATATATA
CTGTAGAAGGTATATATAGAAGGTGAAGAAGCCCTGTAAAAATTGACAAGGAGATTTCCA
GGAGCCATGCTTCCCTCTAATATCACCTCAACACATCCAGCTGTCTTTTGTGGTAGGAAT
TCCTGGTTTGGAACACCTGCATGCCTGGATCTCCATCCCTTCTGCTTTGCTTATACTCTGG
CCCTGCTAGGCAACTGTACCCTTCTCTTCATTATCCAGGCTGATGCAGCCCTCCATGAACCC
35 ATGTACCTCTTTCTGGCCATGTTGGCAACCATTGACTTGGTTCTTTCTTACAACGCTGCC
CAAAATGCTTGCCATATTCTGGTTCAGGGATCAGGAGATCAACTTCTTTGCCTGTCTGGTC
CAGATGTTCTTCTTCACTCCTTCTCCATCATGGAGTCAGCAGTGCTGCTGGCCATGGCCTT
TGACCGCTATGTGGCCATCTGCAAGCCATTGCACTACACGACGGTCCTGACTGGGTCCCTC
ATCACCAAGATTGGCATGGCTGCTGTGGCCCGGGCTGTGACACTAATGACTCCACTCCCTC
40 TCCTGCTCAGACGCTTCCACTACTGCCGAGGCCCAGTGATTGCCCATGCTACTGTGAACA
CATGGCTGTGGTAAGGCTGGCGTGTGGGGACACTAGCTTCAACAATATCTATGGCATTGCT
GTGGCCATGTTAGTGTGGTGTGGACCTGCTCTTTGTTATCCTGTCTTATGTCTTCATCCT
TCAGGCAGTTCTCCAGCTTGCCCTCTCAGGAGGCCCCGCTACAAAGCATTTGGGACATGTGTG
45 TCTCACATAGGTGCCATCCTGTCCACCTACATGCCAGTAGTCATCTCTTCAGTCATGCACCG
TGTAGCCCGCCATGCTGCCCCCTCGTGTCCACATACTCCTTGCTATTTTCTATCTCCTTTTCC
CACCCATGGTCAATCCTATCATATATGGAGTCAAGACCAAGCAGATTCTGTAGTATGTGCT
CAGTCTATTCCAGAGAAAGAACATGTAGATGGATAGTTCTCTTTTTTATCCCACTTGCCA
AGTAATGAGAATGCTGGATTGGGGTTGAGGGGAAAAATCTAAATAGGAAAATTGCAGAGT
ATCTTTGACAATTCTCTAGTATGATAAGGAAAATGAGGTTTCATTCTCACAGATCTACGA
50 GTCAGGTCAAACCAGGAGTGCACCTATAGTCTGGTCTGATAGTAGAGGTTTGACCTTCCCA
TTGTCAATAGACTCATCACATGGCTAAGGAAGACAAACCTCTCAAAGTGGTATTGTAATCTG
GGTGAAAGACAGTAGGACCTTTATTGGCTGAGATTGGCCCAAACAGCTGAGTC (SEQ ID
NO: 86)

AOLFR46 sequences:

55 MNIKHCGWHMIHTWLNIREDDSDFKNFQIQGLSGNPHSTTSRMYFLCFCTSLLGFKVHWV
SRLIXKLYMASPNNDSTAPVSEFLICFPNFQSWQHWLSLPLSLLFLLAMGANTLLITQLEAS

LHQPLYLLSLLSLLDIVLCLTVIPKVLAIWFDFLRISFPACFLQMFIMNSFLTMESCTFMVMA
YDRYVAICHPLRYPSTTDQFVARAVVFIARNAFVSLPVPMLSARLRYCAGNIKNICISNLSVS
KLSCDDITFNQLYQFVAGWTLLGSDLLIVISYSFILKVVLRIKAEGAVAKALSTCGSHFILILFFS
TVLLVLVITNLARKRIPDPVILLNLHHLIPPALNPVYGVRTKEIKQGIQNLKRL (SEQ ID NO:
5 87)

ATGAATATAAAACATTGTGGCTGGCATATGATACATACTTGGTTAAATATAAGGGAGGAT
GATGACAGTGATTTTAAAACTTTATTGGACAGATACAGGGCCTCAGTGGAACCCACACT
CTACTACGTCTAGAAATGTACTTTTTATGTTTCTGTACTTCTCTACTAGGTTTTAAGGTACAC
10 TGGGTCTCCAGATTGATCANGAACTTTACATGGCATCTCCCAACAATGACTCCACTGCCC
CAGTCTCTGAATTCCTCCTCATCTGCTTCCCCAACTTCCAGAGCTGGCAGCACTGGTGTCT
CTGCCCCCTCAGCCTTCTCTTCTCCTGGCCATGGGAGCTAACACCACCCTCCTGATCACCAT
CCAGCTGGAGGCCTCTCTGCACCAGCCCCTGTACTACCTGCTCAGCCTCCTCTCCCTGCTGG
15 ACATCGTGCTCTGCCTCACCGTCATCCCCAAGGTCTGGCCATCTTCTGGTTTGACCTCAGG
TCGATCAGCTTCCCAGCCTGCTTCCCTCCAGATGTTTCATCATGAACAGTTTTTTGACCATGGA
GTCCTGCACGTTTCATGGTCATGGCCTATGACCGTTATGTGGCCATCTGCCATCCATTGAGA
TACCCGTCTATCATCACTGACCAAGTTTGTGGCTAGGGCCGTGGTCTTTGTTATAGCCCGGA
ATGCCTTTGTCTCTCTCCTGTTCCCATGCTTTCTGCCAGGCTCAGATACTGTGCAGGAAAC
ATAATCAAGAACTGCATCTGCAGTAACCTGTCTGTGTCCAACTCTCTTGTGATGACATCA
20 CTTTCAATCAGCTTACCAGTTTGTGGCAGGCTGGACTCTGTTGGGCTCTGATCTTATCCTT
ATTGTTATCTCCTATCTTTTATATTGAAAGTTGTGCTTAGGATCAAGGCCGAGGGTGCTGT
GGCCAAGGCCTTGAGCACGTGTGGTTCCCACTTCATCCTCATCCTCTTCTTCAGCACAGTCC
TGCTGGTTCTGGTCATCACTAACCTGGCCAGGAAGAGAATTCTCCAGATGTCCCCATCCT
GCTCAACATCCTGCACCACCTCATTCCCCCAGCTCTGAACCCCATTTGTTTATGGTGTGAGA
25 ACCAAGGAGATCAAGCAGGGAATCCAAAACCTGCTGAAGAGGTTGTAA (SEQ ID NO: 88)

AOLFR47 sequences:

MSASNITLTHPTAFLLVGIPGLEHLHIWISIPFCLAYTLALLGNCTLLLLIIQADAALHEPMYFLA
MLAAIDLVLSSSALPKMLAIFWFRDREINFFACLAQMFFLHSFSIMESAVLLAMAFDRYVAICK
30 PLHYTKVLTGSLITKIGMAAVARAVTLMTPPLPFLLRFCFHYCRGPVIAHCYCEHMAVVRACGD
TSFNNTYGLIIVAMFIVLDLLLVILSYFILQAVLLLASQEARYKAFGTCVSHIGAILAFYTTVVIS
SVMHRVARHAAPHVHILLANFYLLFPPMVNPIYGVKTKQIRESILGVFPRKDM (SEQ ID NO:
89)

ATGTCAGCCTCCAATATCACCTTAACACATCCAAGTGCCTTCTTGTGGTGGGGATTCCAG
GCCTGGAACACCTGCACATCTGGATCTCCATCCCTTTCTGCTTAGCATATACACTGGCCCTG
CTTGGAAGTGCCTCTCCTTCTCATCATCCAGGCTGATGCAGCCCTCCATGAACCCATGT
ACCTCTTTCTGGCCATGTTGGCAGCCATCGACCTGGTCCTTTCTCCTCAGCACTGCCAAA
ATGCTTGCCATATTCTGGTTACAGGGATCGGGAGATAAACTTCTTTGCCTGTCTGGCCAGA
40 TGTTCTTCTTCACTCCTTCTCCATCATGGAGTCAGCAGTGCTGCTGGCCATGGCCTTGAC
CGCTATGTGGCTATCTGCAAGCCACTGCCTACCAAGGTCCTGACTGGGTCCCTCATCA
CCAAGATTGGCATGGCTGCTGTGGCCCGGCTGTGACACTAATGACTCCACTCCCCTTCT
GCTGAGATGTTTCCACTACTGCCGAGGCCAGTGATCGCTCACTGCTACTGTGAACACATG
GCTGTGGTGAGGCTGGCGTGTGGGGACACTAGCTTCAACAATATCTATGGCATCGCTGTGG
45 CCATGTTTATTGTGGTGTGGACCTGCTCCTTGTATCCTGTCTTATATCTTTATTCTTCAG
GCAGTTCTACTGCTTGCCTCTCAGGAGGCCCGCTACAAGGCATTTGGGACATGTGTCTCTC
ATATAGGTGCCATCTTAGCCTTCTACACAAGTGTGGTCATCTCTTCAGTCATGCACCGTGTA
GCCCGCCATGCTGCCCTCATGTCCACATCCTCCTTGCCAATTTCTATCTGCTCTTCCACC
CATGGTCAATCCCATATCTATGGTGTCAAGACCAAGCAATCCGTGAGAGCATCTTGGGA
50 GTATTCCCAAGAAAGGATATGTAG (SEQ ID NO: 90)

AOLFR48 sequences:

MMVDPNGNESSATYFILIGLPGLEEAQFWLAFPLCSLYLIAVLGNLTIIYIVRTEHSLHEPMYIFL
CMLSGIDILISTSSMPKMLAIFWFNSTTIQFADCLLQMFHLSLGMESTVLLAMAFDRYVAICH
55 PLRHATVLTLPVTKIGVAAVVRGAALMAPLPVFIKQLPFCRSNLSHSYCLHQDVMKLACDDI
RVNVVYGLIVIIAIGLDSLLISFSYLLILKTVLGLTREAQAKAFGTCVSHVCAVFIFYVPFIGLSM

VHRFSKRSDSPLPVILANIYLLVPPVLNPVYGVKTKEIRQRLRLFHVATHASEP (SEQ ID NO: 91)

5 ATGATGGTGGATCCCAATGGCAATGAATCCAGTGCTACATACTTCATCCTAATAGGCCTCC
CTGGTTTAGAAGAGGCTCAGTTCTGGTTGGCCTTCCCATTTGTGCTCCCTCTACCTTATTGCT
GTGCTAGGTAACCTTGACAATCATCTACATTGTGCGGACTGAGCACAGCCTGCATGAGCCCA
TGTATATATTTCTTTGCATGCTTTTCAGGCATTGACATCCTCATCTCCACCTCATCCATGCCC
AAAATGCTGGCCATCTTCTGGTTCAATTCCTACTACCATCCAGTTTGTATGCTTGTCTGCTACA
10 GATGTTTGCCATCCACTCCTTATCTGGCATGGAATCCACAGTGCTGCTGGCCATGGCTTTT
GACCGCTATGTGGCCATCTGTCAACCACTGCGCCATGCCACAGTACTTACGTTGCCTCGTG
TCACCAAAATTGGTGTGGCTGCTGTGGTGCAGGGGGGCTGCACTGATGGCACCCCTTCCTGT
CTTCATCAAGCAGCTGCCCTTCTGCCGCTCCAATATCCTTTCCCATTCCTACTGCCTACACC
AAGATGTCATGAAGCTGGCCTGTGATGATATCCGGGTCAATGTCGTCTATGGCCTTATCGT
15 CATCATCTCCGCCATTGGCCTGGACTCACTTCTCATCTCCTTCTCATATCTGCTTATTCTTA
AGACTGTGTTGGGCTTGACACGTGAAGCCCAGGCCAAGGCATTTGGCACTTGCCTCTCTCA
TGTGTGTGCTGTGTTTCATATTCTATGTACCTTTTATTGGATTGTCCATGGTGCATCGCTTTA
GCAAGCGGCGTGACTCTCCGCTGCCCGTCATCTTGGCCAATATCTATCTGCTGGTTCCTCCT
GTGCTCAACCAATTGTCTATGGAGTGAAGACAAAGGAGATTCGACAGCGCATCCTTCGA
20 CTTTTCCATGTGGCCACACACGCTTCAGAGCCCTAG (SEQ ID NO: 92)

AOLFR49 sequences:

MLTFHNVCSPSSFWLTGIPGLES�HVLSIPFGSMYLVAVVGNVTILAVVKIERSLHQPMYFF
LCMLAAIDLVLSTSTIPKLLGIFWFGACDIGLDAQLGQMFLIHCFATVESGIFLAMAFDRYVAIC
25 NPLRHSMLVLTYYTVVGRLLGLVSLRGVLYIGPLPLMIRLRLPLYKTHVISHSYCEHMAVVALT
GDSRVNNVYGLSIGFLVLILDSVAIAASYVMIFRAVMGLATPEARLKTGTCASHLCAILFYVP
IAVSSLIHRFGQCVPPPVHTLLANFYLLIPPILNPVYAVRTKQIRESLLQIPRIEMKIR (SEQ ID
NO: 93)

30 ATGCTCACTTTTCATAATGTCTGCTCAGTACCCAGCTCCTTCTGGCTCACTGGCATCCCAGG
GCTGGAGTCCCTACACGTCTGGCTCTCCATCCCCCTTGGCTCCATGTACCTGGTGGCTGTG
GTGGGGAATGTGACCATCCTGGCTGTGGTAAAGATAGAACGCAGCCTGCACCAGCCCATG
TACTTTTTCTGTGCATGTTGGCTGCCATTGACCTGGTTCTGTCTACTTCCACTATACCCAA
ACTTCTGGGAATCCTTCTGGTTTCGTTGCTTGTGACATTGGCCTGGACGCTGCTTTGGCCAA
35 ATGTTCCCTTATCCACTGCTTTGCCACTGTTGAGTCAGGCATCTTCCCTGGCATGGCTTTTGA
TCGCTACGTGGCCATCTGCAACCCACTACGTCATAGCATGGTGTCTCACTTATACAGTGGTG
GGTCGTTTGGGGCTTGTCTCTCCTCCGGGGTGTCTCTACATTGGACCTCTGCCTCTGAT
GATCCGCCTGCGGCTGCCCTTTATAAAACCCATGTTATCTCCCACTCCTACTGTGAGCAC
ATGGCTGTAGTTGCCTTGACATGTGGCGACAGCAGGGTCAATAATGTCTATGGGCTGAGC
40 ATCGGCTTTCTGGTGTGATCCTGGACTCAGTGGCTATTGCTGCATCCTATGTGATGATTTT
CAGGGCCGTGATGGGGTAGCCACTCCTGAGGCTAGGCTTAAACCCCTGGGGACATGCGC
TTCTCACTCTGTGCCATCCTGATCTTTATGTTCCCATTTGCTGTTTCTTCCCTGATTCACCG
ATTTGGTCAGTGTGTGCCTCCTCCAGTCCACACTGTGCTGGCCAACTTCTATCTCCTCATTC
CTCCAATCCTCAATCCCATTTGTCTATGCTGTGCTGACCAAGCAGATCCGAGAGAGCCTTCT
45 CCAAATACCAAGGATAGAAATGAAGATTAGATGA (SEQ ID NO: 94)

AOLFR50 sequences:

MNLDFFSFLKSLIMALSNSSWRLPQPSFVLGIPGLEESQHWIALPLGILYLLALVGNVTILFII
WMDPSLHQSMYFLSMLAAIDLVASSTAPKALAVLLVRAQEIGYTVCLIQMFTHAFSSMES
50 GVLVAMALDRYVAICHPLHHSTILHPGVIGHIGMVVLVRGLLLIPFLILLRKLIFCQATIIGHAY
CEHMAVVKLACSETTVNRAYGLTVALLVVGDLVLAIGVSYAHILQAVLKVPNEARLKAFST
CGSHVCVILVFYIPGMFSLTHRFGHHVPHHVHLLAILYRLVPPALNPLVYRVKTQKIHQ
(SEQ ID NO: 95)

55 ATGAATTTGGATTCTTTTTTCTCTTTCCTCCTCAAGTCATTGATAATGGCACTTAGCAATTC
CAGCTGGAGGCTACCCAGCCTTCTTTTTTCTGGTAGGAATCCGGGTTTAGAGGAAAGC
CAGCACTGGATCGCACTGCCCTGGGCATCCTTTACCTCCTTGCTCTAGTGGGCAATGTTA

CCATTCTCTTCATCATCTGGATGGACCCATCCTTGCACCAATCTATGTACCTCTTCTGTGCC
ATGCTAGCTGCCATCGACCTGGTTGTGGCCTCCTCCACTGCACCCAAAGCCCTTGCAGTGC
TCCTGGTTTCGTGCCCAAGAGATTGGTTACACTGTCTGCCTGATCCAGATGTTCTTCACCCAT
GCATTCTCCTCCATGGAGTCAGGGGTACTTGTGGCCATGGCTCTGGATCGCTATGTAGCCA
5 TTTGTACCCCTTGCACCATTCACAATCCTGCATCCAGGGGTACATAGGGCACATCGGAAT
GGTGGTGTCTGGTGCAGGGGATTACTACTCCTCATCCCCTTCTCATTTCTGTTGCGAAAACCT
ATCTTCTGCCAAGCCACCATCATAGGCCATGCCTATTGTGAACATATGGCTGTTGTGAAAC
TTGCCTGCTCAGAAACCACAGTCAATCGAGCTTATGGGCTGACTGTGGCCTTGTCTGTGGT
10 TGGGCTGGATGTCTGGCCATTGGTGTTCCTATGCCACATTCTCCAGGCAGTGTGAAG
GTACCAGGAAATGAGGCCCGACTTAAGGCCTTTAGCACATGTGGCTCTCATGTTTGTGTCA
TCCTGGTCTTCTATATCCCGGGAATGTTCTCCTTCTCACTCACCGCTTTGGTCATCATGTA
CCCCATCACGTCCATGTTCTTCTGGCCATACTGTATCGCCTTGTGCCACCTGCACTCAATCC
TCTTGTCTATAGGGTGAAGACCCAGAAGATCCACCAGTGA (SEQ ID NO: 96)

15 **AOLFR51 sequences:**

MCQQILRDCILLIHLCLNRKKVSLVMLGPAYNHTMETPASFLLVGIPGLQSSHLWLAISLSAM
YIALLGNTIIVTAIWMDSTRHEPMYCFLCVLAAVDIVMASSVVPKMVSIFCSGDSSISFSACFTQ
MFFVHLATAVETGLLLTMAFDYVAICKPLHYKRILTPQVMLGMSMAITIRAILAITPLSWMVS
HLPFCGSNVVHVSYCEHIALARLACADPVPSSLYSLIGSSLMVGSVDVAFIAASYILILKAVFGLSS
20 KTAQLKALSTCGSHVGMALYYLPGMASIYAAWLGQDVVPLHTQVLLADLYVIIPATLNPIIY
GMRTKQLRERIWSYLMHVLFDHNSNLGS (SEQ ID NO: 97)

ATGTGTCAACAAATCTTACGGGATTGCATTCTTCTCATACATCATTTGTGCATTAACAGGA
AAAAAGTCTCACTTGTGATGCTGGGTCCAGCTTATAACCACACAATGGAAACCCCTGCCTC
25 CTTCCTCCTTGTGGGTATCCCAGGACTGCAATCTTACATCTTTGGCTGGCTATCTCACTGA
GTGCCATGTACATCATAGCCCTGTTAGGAAACACCATCATCGTGACTGCAATCTGGATTGGA
TTCCACTCGGCATGAGCCCATGTATTGCTTTCTGTGTGTTCTGGCTGCTGTGGACATTGTTA
TGGCCTCCTCGGTGGTACCCAAGATGGTGAGCATCTTCTGCTCAGGAGACAGCTCAATCAG
30 CTTTAGTGCTTGTTCCTCACTCAGATGTTTTTGTCCACTTAGCCACAGCTGTGGAGACGGGG
CTGCTGCTGACCATGGCTTTTGACCGCTATGTAGCCATCTGCAAGCCTCTACACTACAAGA
GAATTCTCACGCCTCAAGTGATGCTGGGAATGAGTATGGCCATCACCATCAGAGCTATCAT
AGCCATAACTCCACTGAGTTGGATGGTGAGTCATCTACCTTTCTGTGGCTCCAATGTGGTT
GTCCACTCCTACTGTGAGCACATAGCTTTGGCCAGGTTAGCATGTGCTGACCCCGTGCCCA
GCAGTCTCTACAGTCTGATTGGTTCTCTCTTATGGTGGGCTCTGATGTGGCCTTCATTGCT
35 GCCTCCTATATCTTAATTCTCAAGGCAGTATTGGTCTCTCCTCAAAGACTGCTCAGTTGAA
AGCATTAAGCACATGTGGCTCCCATGTGGGGTTATGGCTTTGTACTATCTACCTGGGATG
GCATCCATCTATGCGGCCTGGTTGGGGCAGGATGTAGTGCCCTTGACACCCAAAGTCCCTGC
TAGCTGACCTGTACGTGATCATCCCAGCCACCTTAAATCCCATCATCTATGGCATGAGGAC
40 CAAACAAGTGCAGGAGAGAATATGGAGTTATCTGATGCATGTCCTCTTTGACCATTCCAAC
CTGGGTTCATGA (SEQ ID NO: 98)

AOLFR52 sequences:

MLGPAYNHTMETPASFLLVGIPGLQSSHLWLAISLSAMYITALLGNTLIVTAIWMDSTRHEPMY
CFLCVLAAVDIVMASSVVPKMVSIFCSGDSSISFSACFTQMFFVHLATAVETGLLLTMAFDYV
45 AICKPLHYKRILTPQVMLGMSMAVTIRAVTFMTPLSWMMNHLFPFCGSNVVHVSYCKHIALAR
LACADPVPSSLYSLIGSSLMVGSVDVAFIAASYILILRAVFDLSSKTAQLKALSTCGSHVGMALY
YLPGMASIAAWLGQDIVPLHTQVLLADLYVIIPATLNPIIYGMRTKQLLEGIWSYLMHFLFDH
SNLGS (SEQ ID NO: 99)

ATGCTGGGTCCAGCTTACAACCACACAATGGAAACCCCTGCCTCCTTCCTCCTTGTGGGTA
TCCCAGGACTGCAATCTTACATCTTTGGCTGGCTATCTCACTGAGTGCCATGTACATCAC
AGCCCTGTTAGGAAACACCCCTCATCGTGACTGCAATCTGGATGGATTCCACTCGGCATGAG
CCCATGTATTGCTTTCTGTGTGTTCTGGCTGCTGTGGACATTGTTATGGCCTCCTCCGTGGT
ACCCAAGATGGTGAGCATCTTCTGCTCGGGAGACAGCTCCATCAGCTTTAGTGCTTGTTC
55 ACTCAGATGTTTTTGTCCACTTAGCCACAGCTGTGGAGACGGGGCTGCTGCTGACCATGG
CTTTGACCGCTATGTAGCCATCTGCAAGCCTCTACACTACAAGAGAATTCTCACGCCTCA

AGTGATGCTGGGAATGAGTATGGCCGTCACCATCAGAGCTGTCACATTCATGACTCCACTG
AGTTGGATGATGAATCATCTACCTTTCTGTGGCTCCAATGTGGTTGTCCACTCCTACTGTAA
GCACATAGCTTTGGCCAGGTTAGCATGTGCTGACCCCGTGCCAGCAGTCTCTACAGTCTG
ATTGGTTCTCTCTTATGGTGGGCTCTGATGTGGCCTTCATTGCTGCCTCCTATATCTTAAT
5 TCTCAGGGCAGTATTTGATCTCTCCTCAAAGACTGCTCAGTTGAAAGCATTAAAGCACATGT
GGCTCCCATGTGGGGGTTATGGCTTTGTACTATCTACCTGGGATGGCATCCATCTATGCGG
CCTGGTTGGGGCAGGATATAGTGCCCTTGACACACCAAGTGCTGCTAGCTGACCTGTACGT
GATCATCCCAGCCACTTTAAATCCCATCATCTATGGCATGAGGACCAAACAATTGCTGGAG
GGAATATGGAGTTATCTGATGCACTTCTCTTTGACCACTCCAACCTGGGTTTCATGA (SEQ
10 ID NO: 100)

AOLFR54 sequences:

MSDSNLSDNHLPDTFFLTGIPGLEAAHFWIAIPFCAMYLVALVGNAALILVIAMDNALHAPMY
LFLCLSLTDLALSSTTVPKMLAILWLHAGEISFGGCLAQMFCVHSIYALESSILLAMAFDRYVA
15 ICNPLRYTTILNHAVIGRIGFVGLFRSVAIVSPFIFLLRRLPYCGHRVMTHTYCEHMGILARLACA
NITVNIVYGLTVALLAMGLDSILIAISYGFILHAVFHLPSHDAQHKALSTCGSHIGILVFYIPAFF
SFLTHRFGHHEVPKHVHIFLANLYVLVPPVLNPILYGARTKEIRSRLKLLHLGKTSI (SEQ ID
NO: 101)

20 ATGTCAGATTCCAACCTCAGTGATAACCATCTTCCAGACACCTTCTTCTTAACAGGGATCC
CAGGGCTGGAGGCTGCCCACTTCTGGATTGCCATCCCTTTCTGTGCCATGTATCTTGTAGC
ACTGGTTGGAAATGCTGCCCTCATCCTGGTCATTGCCATGGACAATGCTCTTCATGCACCT
ATGTACCTCTTCCTCTGCCTTCTCTCACTCACAGACCTGGCTCTCAGTTCTACCACTGTGCC
CAAGATGCTGGCCATTTTGTGGCTCCATGCTGGTGAGATTTCTTTGGTGGATGCCTGGCC
25 CAGATGTTTTGTGTCCATTCTATCTATGCTCTGGAGTCCGATTCTACTTGCCATGGCCTT
TGATAGGTATGTGGCTATCTGTAACCCATTAAGGTATACAACCATTTCTCAACCATGCTGTC
ATAGGCAGAATTGGCTTTGTTGGGCTATTCCGTAGTGTGGCTATTGTCTCCCCCTTCATCTT
CTTGCTGAGGCGACTCCCTACTGTGGTCACCGTGTCACTGACACACATACTGTGAGCAT
ATGGGCATCGCCGACTGGCCTGTGCCAACATCACTGTCAATATTGTCTATGGGCTAATG
30 TGGCTCTGCTGGCCATGGGACTGGATTCCATTCTCATTGCCATTTCTATGGCTTTATCCTC
CATGCAGTCTTTCACCTTCCATCTCATGATGCCAGCACAAAGCTCTGAGTACCTGTGGCT
CCCACATTGGCATCATCCTGGTTTTCTACATCCCTGCCTTCTTCTCCTTCCCTACCCACCGC
TTTGGTCACCACGAAGTCCCCAAGCATGTGCACATCTTCTGGCTAATCTCTATGTGCTGG
TGCTCCTGTACTCAATCCTATTCTCTATGGAGCTAGAACCAAGGAGATTGCGAGTCGACT
35 TCTAAAACCTGCTTACCTGGGGAAGACTTCAATATGA (SEQ ID NO: 102)

AOLFR57 sequences:

MSFQVTYMFYLHWTMEKSNNSTLFILLGFSQNKIEVLCFVFLFCYIAIWMGNLLIMISITCTQ
LIHQPMYFFLNYLSLSDLCYTSTVTPKLMVDLLAERKTISYNNCMIQLFTTHFFGGIEFILTM
40 AYDRYVAICKPLHYTIIMSRQKCNTHIVCCTGGFIHSASQFLLTIFVPFCGPNEIDHYFCDVYPLL
KLACSNHIMIGLLVIANSGLIALVTFVVLVLLSYVFILYTIIRAYSERRSKALATCSSHVIVVVLFF
APALFIYIRPVTTTFSEDKVFALFYTHAPMFNPLIYTLRNTEMKNAMRKVWCCQILLKRNQLF
(SEQ ID NO: 103)

45 ATGTCATTTTCAAGTGACTTATATGTTCTATCTACACTGGACCATGGAAAAAAGCAATAATA
GCACTTTGTATTCTCTTGGGGTTTTCCCAAAATAAGAACATTGAAGTCCTCTGCTTTGTA
TTATTTTGTTTTGCTACATTGCTATTTGGATGGGAAACTTACTCATAATGATTTCTATCAC
GTGACCCAGCTCATTACCAACCCATGTATTTCTTCTCAATTACCTCTCACTCTCCGACC
TTTGCTACACATCCACAGTGACCCCAAAATTAATGGTTGACTTACTGGCAGAAAGAAAGAC
50 CATTTCTTATAATAACTGTATGATACAACTCTTTACCACCATTTTTTTGGAGGCATAGAGA
TCTTCATTCTCACAGGGATGGCCTATGACCGCTATGTGGCCATTTGCAAGCCCTGCATA
CACCATTATTATGAGCAGGCAAAAGTGTAACACAATCATCATAGTTTGTGTACTGGGGGA
TTTATACATTCTGCCAGTCAGTTTCTTCTCACCATCTTTGTACCATTTTGTGGCCCAAAATGA
GATAGATCACTACTTCTGTGATGTGTATCCCTTGCTGAAATTGGCCTGTTCTAATATACACA
55 TGATAGGTCTCTTAGTCATTGCTAATTCAGGCTTAATTGCTTTGGTGACATTTGTTGTCTTG
TTGTTGCTTATGTTTTTATATTGTATACCATCAGAGCATACTCTGCAGAGAGACGCAGCA

AAGCTCTTGCCACTTGTAGTTCTCATGTAATTGTTGTGGTCCTGTTTTTGTCTCCTGCATTG
TTCATTTACATTAGACCGGTCACAACATTCTCAGAAGATAAAGTGTTTGCCCTTTTTTATAC
CATCATTGCTCCCATGTTCAACCCTCTCATATACACGCTGAGAAACACAGAGATGAAGAAC
GCCATGAGGAAAGTGTGGTGTGTCAAATACTCCTGAAAAGAAATCAACTTTTCTGA (SEQ
5 ID NO: 104)

AOLFR58 sequences:

MFSMTTEALNNFALGCTNLLMTMIPQIDLKQIFLCPNCRLYMPVGAFIFSLGNMQNQSFVTEF
VLLGLSQNPVQEIVFVFLFVYIATVGGNMLIVVTILSSPALLVSPMYFFLGFLSFLDACFSSVI
10 TPKMIVDSLYVTKTISFEGCMMQLFAEHFFAGVEVIVLTAMAYDRYVAICKPLHYSSIMNRRL
CGILMGVAWTGGLLHSMIQLFTFQLPFCGPNVINHFMCPLYLLELACTDTHIFGLMVVINS
FICIINFSLLLVSYAVILLSLRTHSSEGRWKALSTCGSHIAVVILFFVPCIFVYTRPPSAFSLDKMA
AIFYIILNPLLNPLIYTFRNKEVKQAMRRIWNRLMVVSDEKENIKL (SEQ ID NO: 105)

15 ATGTTCTCAATGACAACAGAAGCACTCAATAATTTTGCACCTGGATGTACCAACTTGTTAA
TGACTATGATACCACAAATTGATCTGAAGCAAATTTTCTTTGTCCTAATTGCAGACTATA
CATGATCCCTGTTGGAGCTTTCATCTTTTCTTGGGAAACATGCAAAACCAAAGCTTTGTA
ACTGAGTTTGTCTCCTGGGACTTTACAGAATCCAAATGTTTCAGGAAATAGTATTTGTTG
TATTTTGTGTTGCTACATTGCAACTGTTGGGGGCAACATGCTAATTGTAGTAACCATCTC
20 AGCAGCCCTGCTCTTCTGGTGTCTCCTATGTACTTCTTCTGGGCTTCTGTCTTCTGGA
TGCGTGCTTCTCATCTGTCATCACCCCAAAGATGATTGTAGACTCCCTCTATGTGACAAAA
ACCATCTCTTTGAAGGCTGCATGATGCAGCTCTTTGCTGAACACTTCTTTGCTGGGGTGG
AGGTGATTGTCCTCACAGCCATGGCCTATGATCGTTATGTGGCCATTTGCAAGCCCTTGCA
TTACTCTTCTATCATGAACAGGAGGCTCTGTGGCATTCTGATGGGGGTAGCCTGGACAGGG
25 GGCCTCTTGCAATCCATGATACAAATTCTTTTACTTTCCAGCTTCCCTTTTGTGGCCCCAA
TGTCATCAATCACTTTATGTGTGACTTGTACCCGTTACTGGAGCTTGCCTGCACTGATACTC
ACATCTTTGGCCTCATGGTGGTCATCAACAGTGGGTTTATCTGCATCATAAACTTCTCCTTG
TTGCTTGTCTCCTATGCTGTCTCTCTCTGAGAACACACAGTTCTGAAGGGCGCTG
GAAAGCTCTCTCCACCTGTGGATCTCACATTGCTGTTGTGATTTTGTCTTTGTCCCATGCA
30 TATTTGTATATACACGACCTCCATCTGCTTTTTTCCCTTGACAAAATGGCGGCAATATTTTAT
ATCATCTTAAATCCCTTGCTCAATCCTTTGATTTACACTTTCAGGAATAAGGAAGTAAAC
AGGCCATGAGGAGAATATGGAACAGACTGATGGTGGTTTCTGATGAGAAAGAAAATATTA
AACTTTAA (SEQ ID NO: 106)

AOLFR59 sequences:

MGDWNNSDAVEPIFILRGFPGLLEYVHSWLSILFCLAYLVAFMGNVTILSVIWISSLHQPMMYYFI
SILAVNDLGMSTLPTMLAVLWDAPEIQASACYAQLFFIHTFTFLESSVLLAMAFDRFVAICH
PLHYPTILTNSVIGKIGLACLLRSLGVVLPPLLLRHYHYCHGNALSHAFCLHQDVLRLSCTDA
RTNSIYGLCVVIATLGVDSIFILLSYVLILNTVLDIASREEQLKALNTCVSHICVVLIFVVPVIGVS
40 MVHRFGKHLSPIVHILMADIYLLPVLNPIVYSVRTKQIRLGILHKFVLRRRF (SEQ ID NO:
107)

ATGGGAGACTGGAATAACAGTGATGCTGTGGAGCCCATATTTATCCTGAGGGGTTTTCTCTG
GACTGGAGTATGTTCAATTCTTGGCTCTCCATCCTCTTCTGCTTGCATATTTGGTAGCATTT
45 ATGGGTAATGTTACCATCCTGTCTGTCATTTGGATAGAATCCTCTCTCCATCAGCCCATGTA
TTACTTTATTTCCATCTTAGCAGTGAATGACCTGGGGATGTCCCTGTCTACACTTCCCACCA
TGCTTGCTGTGTTATGGTGGATGCTCCAGAGATCCAGGCAAGTGCTTGCTATGCTCAGCT
GTTCTTCATCCACACATTCACATTCCTGGAGTCTCAGTGTTGCTGGCCATGGCCTTTGACC
GTTTTGTTGCTATCTGCCATCCACTGCACTACCCCAACCATCCTCACCAACAGTGAATTGGC
50 AAAATTGGTTTGGCCTGTTTGCTACGAAGCTTGGGAGTTGTACTTCCCACACCTTTGCTACT
GAGACACTATCACTACTGCCATGGCAATGCCCTCTCTCACGCCTTCTGTTTGCAACCAGGAT
GTTCTAAGATTATCCTGTACAGATGCCAGGACCAACAGTATTTATGGGCTTTGTGTAGTCA
TTGCCACACTAGGTGTGGATTCAATCTTCATACTTCTTTCTTATGTTCTGATTCTTAATACT
GTGCTGGATATTGCATCTCGTGAAGAGCAGCTAAAGGCACTCAACACATGTGTATCCCAT
55 TCTGTGTGGTGCTTATCTTCTTTGTGCCAGTTATTGGGGTGTCAATGGTCCATCGCTTTGGG
AAGCATCTGTCTCCCATAGTCCACATCCTCATGGCAGACATCTACCTTCTTCTCCCCCAGT

CCTTAACCCTATTGTCTATAGTGTGTCAGAACAAAGCAGATTTCGTCTAGGAATTCTCCACAAG
TTTGTCTAAGGAGGAGGTTTTAA (SEQ ID NO: 108)

AOLFR60 sequences:

5 MFLPNDTQFHPSSFLLLGIPGLETLHIWIGFPFCAVYMIALIGNFTILLVIKTDSSLHQPMFYFLA
MLATTDVGLSTATIPKMLGIFWINLRGIIFEACLTQMFFIHNFTLMESAVLVAMAYDSYVAICN
PLQYSAILTNKVSVIGLGVFVRALIFVIPSILLILRPFNGHVPHTYCEHMGHLASCSASIKINI
IYGLCAICNLVFDITVIALSYVHILCAVFRPLTHEPRLKSLSTCGSHVCVILAFYTPALFSFMTHC
FGRNVPRYIHILLANLYVVPMLNPVIYGVRTKQIYKCVKKILLQEQGMEKEEYLIHTRF
10 (SEQ ID NO: 109)

ATGTTCTTCCCAATGACACCCAGTTTCACCCCTCCTCCTTCTGTTGCTGGGGATCCCAGG
ACTAGAAACACTTCACATCTGGATCGGCTTTCCCTTCTGTGCTGTGTACATGATCGCACTC
ATAGGGAACCTTCACTATTCTACTTGTGATCAAGACTGACAGCAGCCTACACCAGCCCATGT
15 TCTACTTCTTGCCATGTTGGCCACCACTGATGTGGGTCTCTCAACAGCTACCATCCCTAA
GATGCTTGGAATCTTCTGGATCAACCTCAGAGGGATCATCTTTGAAGCCTGCCTCACCCAG
ATGTTTTTTATCCACAACCTTACACTTATGGAGTCAGCAGTCCTTGTGGCAATGGCTTATG
ACAGCTATGTGGCCATCTGCAATCCACTCCAATATAGCGCCATCCTCACCAACAAGGTTGT
TTCTGTGATTGGTCTTGGTGTGTTTGTGAGGGCTTTAATTTTCGTCAATCCCTCTATACTTC
20 TTATATTGCGGTTGCCCTTCTGTGGGAATCATGTAATCCCCACACCTACTGTGAGCACAT
GGGTCTTGCTCATCTATCTTGTGCCAGCATCAAAATCAATATTATTTATGGTTTATGTGCCA
TTTGAATCTGGTGTGTTGACATCACAGTCATTGCCCTCTCTTATGTGCATATTCTTTGTGCT
GTTTCCGCTCTTCTACTCATGAGCCCCGACTCAAGTCCCTCAGCACATGTGGTTCACATGT
GTGTGTAATCCTTGCCTTCTATACACCAGCCCTCTTTCCCTTATGACTCATTGCTTTGGCC
25 GAAATGTGCCCCGCTATATCCATATACTCCTAGCCAATCTCTATGTTGTGGTGCCACCAAT
GCTCAATCCTGTCTATATGGAGTCAGAACCAAGCAGATCTATAAATGTGTAAAGAAAAAT
ATTATTGCAGGAACAAGGAATGGAAAAGGAAGAGTACCTAATACATACGAGGTTCTGA
(SEQ ID NO: 110)

AOLFR61 sequences:

MSIINTSYVEITTFVLVGMPLGLEIAHIWISIPICSMYLIAILGNGTILFIKTEPSLHGPMYYFLSML
AMSDLGLSLSLPTVLSIFLNPETSSSACFAQEFFIHGFSVLESSVLLIMSFDRFLAIHNPLRYT
SILTTVRVAQIGIVFSFKSMILLVLPFPFTLRSLRYCKKNQLSHSYCLHQDVMKLACSDNRIDVIY
GFFGALCLMVDFILIAVSYTLILKTVPGIASKKEELKALNTCVSHICAVIIFYLPIINLAVVHRFAG
35 HVSPLINVLMANVLLLVPPLMKPIVYCVKTKQIRVRVAKLCQWKI (SEQ ID NO: 111)

ATGTCCATTATCAACACATCATATGTTGAAATCACCACCTTCTTCTTGGTTGGGATGCCAG
GGCTAGAATATGCACACATCTGGATCTCTATCCCCATCTGCAGCATGTATCTTATTGCTATT
CTAGGAAATGGCACCATTCTTTTTATCATCAAGACAGAGCCCTCCTTGCATGGGCCCCATGT
40 ACTATTTTCTTTCCATGTTGGCTATGTCAGACTTGGGTTTGTCTTTATCATCTCTGCCCACT
GTGTTAAGCATCTTCCCTGTTCAATGCCCCTGAAACTTCTTCTAGTGCCTGCTTTGCCCAGGA
ATTCTTCATTGATGATTCTCAGTACTGGAGTCTCAGTCCCTCCTGATCATGTCAATTGATA
GATTCTAGCCATCCACAATCCTCTGAGATACACCTCAATCCTGACAACTGTCAGAGTTGC
CCAAATAGGGATAGTATTCTCCTTTAAGAGCATGCTCCTGGTTCTTCCCTTCCCTTTCACTT
45 TAAGAAGCTTGAGATATTGCAAGAAAAACCAATTATCCCATTCCTACTGTCTCCACCAGGA
TGTCATGAAGTTGGCCTGTTCTGACAACAGAATTGATGTTATCTATGGCTTTTTTGGAGCA
CTCTGCCTTATGGTAGACTTTATTCTCATTGCTGTGTCTTACACCCTGATCCTCAAGACTGT
ACCGGGAATTGCATCCAAAAAGGAGGAGCTTAAGGCTCTCAATACTTGTGTTTCACACATC
TGTGCAAGTATCATCTTCTACCTGCCCATCATCAACCTGGCCGTTGTCCACCGCTTGCCCGG
50 GCATGTCTCTCCCTCATTAATGTTCTCATGGCAAATGTTCTCCTACTTGTACCTCCGCTGA
TGAAACCAATTGTTTATTGTGTAAAACTAAACAGATTAGAGTGAGAGTTGTAGCAAAATT
GTGTCAATGGAAGATTTAA (SEQ ID NO: 112)

AOLFR62 sequences:

55 MFYHNKSIHPVTFFLIGIPGLEDFHWMWISGPFCSVYLVALLGNATILLVIKVEQTLREPMFYFL
AILSTIDLALSATSVPRMLGIFWFDAHEINYGACVAQMFLIHAFTGMEAEVLLAMAFDRYVAIC

APLHYATILTSVLVVGISMCIIVIRPVLLTLPVVLYLRLPFCQAHIAHSYCEHMGIAKLSCGNIRI
NGIYGLFVVSFFVLNLVLIGISYVYLRAVFRLP SHDAQLKALSTCGAHVGVICVFYIPSVFSFLT
HRFGHQIPGYIHLVANLYLIIPPSLNPIIYGVRTKQIRERVLYVFTKK (SEQ ID NO: 113)

5 ATGTTTTATCACAACAAGAGCATATTTACCCAGTCACATTTTTCTCATTGGAATCCCAGG
TCTGGAAGACTTCCACATGTGGATCTCCGGGCCTTTCTGCTCTGTTTACCTTGTGGCTTTGC
TGGGCAATGCCACCATTCTGCTAGTCATCAAGGTAGAACAGACTCTCCGGGAGCCCATGTT
CTACTTCTGGCCATTCTTTCCACTATTGATTTGGCCCTTTCTGCAACCTCTGTGCCTCGCA
TGCTGGGTATCTTCTGGTTTGATGCTCACGAGATTAACATATGGAGCTTGTGTGGCCCAGAT
10 GTTCTGATCCATGCCTTCACTGGCATGGAGGCTGAGGTCTTACTGGCTATGGCTTTTGAC
CGTTATGTGGCCATCTGTGCTCCACTACATTACGCAACCATCTTGACATCCCTAGTGTGGT
GGGCATTAGCATGTGCATTGTAATTCGTCCCGTTTTACTTACACTTCCCATGGTCTATCTTA
TCTACCGCCTACCCCTTTGTGAGGCTCACATAATAGCCCATTCTACTGTGAGCACATGGG
CATTGCAAAATGTGCTGTGAAACATTGATCAATGGTATCTATGGGCTTTTTGTAGTTT
15 CTTTCTTTGTTCTGAACCTGGTGTCTATTGGCATCTCGTATGTTTACATTCTCCGTGCTGTC
TTCCGCCTCCCATCACATGATGCTCAGCTAAAAGCCCTAAGCACGTGTGGCGCTCATGTTG
GAGTCATCTGTGTTTTCTATATCCCTTCAGTCTTCTCTTCTTCTTACTCATCGATTGGACAC
CAAATACCAGGTTACATTACATTCTTGTGCAATCTCTATTTGATTATCCACCCTCTCT
CAACCCCATCATTTATGGGGTGAGGACCAACAGATTCGAGAGCGAGTGCTCTATGTTTTT
20 ACTAAAAAATAA (SEQ ID NO: 114)

AOLFR63 sequences:

MSIINTSYVEITTFVLVGMPLGLEIAHIWISIPICSMYLIAILGNGTILFIKTEPSLHEPMYYFLSML
AMSDLGLSLSSLPTVLSIFLNAPEISSNACFAQEFFIHGFSVLESSVLLIMSFDRLAIHNPLRYTS
25 ILTTRVAQIGIVFSFKSMLLVLPFPFTLRNLRYCKKNQLSHSYCLHQDVMKLACSDNRIDVIY
GFFGALCLMVDFILIAVSYTLILKTVLGIASKKEQLKALNTCVSHICAVIIFYLPINLAVVHRFAR
HVSPLINVLMANVLLLVPPLTNPIVYCVKTKQIRVRVVAKLCQRKI (SEQ ID NO: 115)

ATGTCCATTATCAACACATCATATGTTGAAATCACCACCTTCTTCTTGTTGGGATGCCAG
30 GGCTAGAATATGCACACATCTGGATCTCTATCCCCATCTGCAGCATGTATCTTATTGCTATT
CTAGGAAATGGCACCATTCTTTTATCATCAAGACAGAGCCCTCCTGCATGAGCCCATGT
ACTATTTTCTTTCCATGTTGGCTATGTCAGACTTGGGTTTGTCTTTATCATCTCTGCCCAT
GTGTTAAGCATCTTCTGTCAATGCTCCTGAAATTTTCATCCAATGCCTGCTTTGCCAGGA
ATTCTTCATTATGATTCTCAGTACTGGAGTCTCAGTCTCCTGATCATGTCAATTTGATA
35 GATTCTAGCCATCCACAACCCTCTGAGATACACCTCAATCCTGACAACGTGTCAGAGTTGC
CCAAATAGGGATAGTATTCTCCTTAAGAGCATGCTCCTGGTTCTTCCCTTCCCTTTCACTT
TAAGAACTTGAGATATTGCAAGAAAAACCAATTATCCCATTCCTACTGTCTCCACCAGGA
TGTCATGAAGTTGGCCTGTTCTGACAACAGAAATTGATGTTATCTATGGCTTTTTTGGAGCA
CTCTGCTTATGGTAGACTTTATTCTCATTGCTGTGTCTTACACCCTGATCCTCAAGACTGT
40 ACTGGGAATTGCATCCAAAAAGGAGCAGCTTAAGGCTCTCAATACTTGTGTTTACACATC
TGTGCAGTGATCATCTTCTACCTGCCCATCATCAACCTGGCCGTTGTCCACCGCTTTGCCCG
GCATGTCTCTCCCTCATTAATGTTCTCATGGCAAATGTTCTCCTACTTGTACCTCCACTGA
CGAACCCAATTGTTTATTGTGTAAAAACTAAACAGATTAGAGTGAGAGTTGTAGCAAAATT
GTGTCAACGGAAGATTTAA (SEQ ID NO: 116)

45

AOLFR64 sequences:

MTILLNSSLQRATFFLTGFQGLEGLHGWISIPFCFIYLTVLGNLTILHVICTDATLHGPMYYFLG
MLAVTDLGLCLSTLPTVLGIFWFDTREIGIPACFTQLFFIHTLSSMESSVLLSMSIDRSVAVCNPL
HDSTVLTPACIVKMGLSSVLSALLILPLPFLKRFQYCHSHVLAHAYCLHLEIMKLACSSIVN
50 HIYGLFVVACTVGVDLLIFLSYALILRTVLSIASHQERLRALNTCVSHICAVLLFYIPMIGLSLV
HRFGEHLPRVVHLFMSYVYLLVPPLMNPIIYSIKTKQIRQRIKKFQFIKSLRCFWKD (SEQ ID
NO: 117)

ATGACAATTCTTCTTAATAGCAGCCTCCAAAGAGCCACTTTCTTCTGACGGGCTTCCAAG
55 GTCTAGAAGGTCTCCATGGCTGGATCTCTATTCCCTTCTGCTTCATCTACCTGACAGTTATC
TTGGGGAACCTACCATCTCCACGTCATTGTACTGATGCCACTCTCCATGGACCCATGT

ACTATTTCTTGGGCATGCTAGCTGTACAGACTTAGGCCTTTGCCTTTCCACACTGCCCACT
GTGCTGGGCATTTTCTGGTTTGATACCAGAGAGATTGGCATCCCTGCCTGTTTCACTCAGC
TCTTCTTCATCCACACCTTGTCTTCAATGGAGTCATCAGTTCTGTTATCCATGTCCATTGAC
CGCTCCGTGGCCGTCTGCAACCCACTGCATGACTCCACCGTCTGACACCTGCATGTATTG
5 TCAAGATGGGGCTAAGCTCAGTGCTTAGAAGTGCTCTCCTCATCCTCCCCTTGCCATTCTC
CTGAAGCGCTTCCAATACTGCCACTCCCATGTGCTGGCTCATGCTTATTGTCTTCACCTGGA
GATCATGAAGCTGGCCTGCTCTAGCATCATTGTCAATCACATCTATGGGCTCTTTGTTGTG
GCCTGCACCGTGGGTGTGGACTCCCTGCTCATCTTTCTCTCATACGCCCTCATCCTTCGCAC
CGTGCTCAGCATTGCCTCCCACCAGGAGCGACTCCGAGCCCTCAACACCTGTGTCTCTCAT
10 ATCTGTGCTGTACTGCTCTTCTACATCCCCATGATTGGCTTGTCTCTTGTGCATCGCTTTGG
TGAACATCTGCCCCGCGTTGTACACCTCTTCATGTCCTATGTGTATCTGCTGGTACCACCCC
TTATGAACCCCATCATCTACAGCATCAAGACCAAGCAAATTCGCCAGCGCATCATTAAGAA
GTTTCAGTTTATAAAGTCACTTAGGTGTTTTTGAAGGATTAA (SEQ ID NO: 118)

15 **AOLFR65 sequences:**

MAGRMSTSNHTQFHPSSFLLLGIPGLEDVHIWIGVPFFFVYLVALLGNTALLFVIQTEQSLHEPM
YYFLAMLDSIDLGLSTATIPKMLGIFWFNTKEISFGGCLSHMFFIHFHTAMESIVLVAMAFDRIYI
AICKPLRYTMTLSKISLIAGIAVLRSLYMVVPLVFLLLRLPFCGHRIPHTYCEHMGARLACAS
IKVNIRFGLGNISLLLLDVILILSYVRILYAVFCLPSWEARLKALNTCGSHIGVILAFFTPAFFSFL
20 THRFGHNIPQYIHILANLYVVVPPALNPVIYGVRTKQIRERVLRIFLKTNH (SEQ ID NO: 119)

ATGGCAGGAAGAATGTCTACGTCTAATCACACCCAGTTCCATCCTTCTTCATTCTACTGCT
GGGTATCCCAGGGCTAGAAGATGTGCACATTTGGATTGGAGTCCCTTTTTTCTTTGTGTAT
CTTGTTGCACTCCTGGGAAACACTGCTCTCTTGTGTTGTGATCCAGACTGAGCAGAGTCTCC
25 ATGAGCCTATGTACTACTTCCTGGCCATGTTGGATTCCATTGACCTGGGCTTGTCTACAGC
CACCATCCCCAAAATGTTGGGCATCTTCTGGTTCAATACCAAAGAAATATCTTTTGGAGGC
TGCTTTTCTCACATGTTCTTCATCCATTCTTCACTGCTATGGAGAGCATTGTGTTGGTGGC
CATGGCCTTTGACCGCTACATTGCCATTGCAAACCTCTTCGGTACACCATGATCCTCACCA
GCAAAATCATCAGCCTCATTGCAGGCATTGCTGTCTGAGGAGCCTGTACATGGTTGTTCC
30 ACTGGTGTCTCTCTCTGAGGCTGCCCTTCTGTGGGCATCGTATCATCCCTCATACTTATT
GTGAGCACATGGGCATTGCCCGTCTGGCCTGTGCCAGCATCAAAGTCAACATTAGGTTTGG
CCTTGGCAACATATCTCTCTTGTACTGGATGTTATCCTTATTATTCTCTCCTATGTCAGGA
TCCTGTATGCTGTCTTCTGCCTGCCCTCCTGGGAAGCTCGACTCAAAGCTCTCAACACCTGT
GGTCTCATATTGGTGTATCTTAGCCTTTTTTACACCAGCATTTTTTTCATTCTTGACACA
35 TCGTTTTGGCCATAATATCCACAGTATATACATATTATATTAGCCAACCTGTATGTGGTTG
TCCCACCAGCCCTCAATCCTGTAATCTATGGAGTCAGGACAAAGCAGATTGAGAGAGAG
TGCTGAGGATTTTTCTCAAGACCAATCACTAA (SEQ ID NO: 120)

AOLFR66 sequences:

40 MSFLNGTSLTPASFILNGIPGLEDVHLWISFPLCTMYSIAITGNFGLMYLIYCDEALHRPMYVFL
ALLSFTDVLMTSTLNPNTLFILWFNLKEIDFKACLAQMFFVHTFTGMESGVLMLMALDHCVAI
CFPLRYATILTNSVIAKAGFLTFLRGVMLVIPSTFLTCKRLPYCKGNVIPHTYCDHMSVAKISCGN
VRVNAIYGLIVALLIGGFIDLCITISYTMILQAVVSLSSADARQKAFSTCTAHFCAIVLTYVPAFF
TFFTHHFGGHTIPLHIHIIIMANLYLLMPPTMNPVYGVKTRQVRESVIRFFLKKGKDNShNF (SEQ
45 ID NO: 121)

ATGTCATTTCTAAATGGCACCCAGCCTAACTCCAGCTTCATTCATCCTAAATGGCATCCCTG
GTTTGGAAGATGTGCATTTGTGGATCTCCTTCCCCTGTGTACCATGTACAGCATTGCTATT
ACAGGGAACCTTCGGCCTTATGTACCTCATCTACTGTGATGAGGCCTTACACAGACCTATGT
50 ATGTCTTCTTGCCTTCTTTCTTTCACAGATGTGCTCATGTGCACACCGCTTCCCAAC
ACTCTCTTCATATTGTGGTTTAATCTCAAGGAGATTGATTTTAAAGCCTGCCTCGCCCAGAT
GTTCTTTGTGCACACCTTCACAGGGATGGAGTCTGGGGTGTCTCATGCTCATGGCCCTGGAC
CACTGTGTGGCCATCTGCTTCCCTCTGCGTTATGCCACCATCCTCACTAATTCAAGTCATTGC
TAAAGCTGGGTTCCTCACTTTTCTTAGGGGTGTGATGCTTGTATCCCTTCCACTTCTCTCA
55 CCAAGCGCCTTCCATACTGCAAGGGCAACGTCATACCCACACCTACTGTGACCACATGTC
TGTGGCCAAGATATCTTGTGGTAATGTCAGGGTTAACGCCATCTATGGTTTGATAGTTGCC

CTGCTGATTGGGGGCTTTGATATCCTGTGCATTACAATCTCCTACACTATGATTCTTCAAGC
AGTTGTGAGTCTATCATCAGCAGATGCTCGACAGAAGGCCTTCAGCACCTGCACTGCCCCAC
TTCTGTGCCATAGTCCTCACCTATGTTCCAGCCTTCTTTACCTTCTTTACACACCATTTTGG
GGGACACACCATTCTCTACACATACATATTATTATGGCTAATCTCTACTACTAATGCCTC
5 CCACAATGAACCCTATTGTGTATGGGGTGAAAACCAGGCAGGTACGAGAAAGTGTCTTA
GGTTCTTTCTTAAGGGAAAGGACAATTCTCATAACTTTTAA (SEQ ID NO: 122)

AOLFR67 sequences:

10 MSGDNSSSLTPGFFILNGVPGLEATHIWISLPFCFMYIIAVVGNCGLICLISHEEALHRPMYYFLA
LLSFTDVTLCITMVPNMLCIFWFLKEIDFNACLAQMFFVHMLTGMEŠVLMMLALDRYVAI
CYPLRYATILTNPVIKAGLATFLRNVMILIPFTLLTKRLPYCRGNFIPHTYCDHMSVAKVSCGN
FKVNAIYGLMVALIGVFDICCSVSYTMILQAVMSLSSADARHKAFSTCTSHMCSIVITYVAAF
FTFFTHRFVGHNPNIHIIIVANLYLLPPTMNPVYGVKTKQIQEGVIKFLGDKVSFTYDK
(SEQ ID NO: 123)

15 ATGTCTGGGGACAACAGCTCCAGCCTGACCCAGGATTCTTTATCTTGAATGGCGTTCCTG
GGCTGGAAGCCACACACATCTGGATCTCCCTGCCATTCTGCTTTATGTACATCATTGCTGTC
GTGGGGAAGTGTGGGCTCATCTGCCTCATCAGCCATGAGGAGGCCCTGCACCGGCCCATGT
ACTACTTCTGCGCCCTGCTCTCCTTCACTGATGTACCTTGTGCACCACCATGGTACCTAAT
20 ATGCTGTGCATATTCTGGTTCAACCTCAAGGAGATTGACTTTAACGCCTGCCTGGCCGAGA
TGTTTTTTGTCCATATGCTGACAGGGATGGAGTCTGGGGTGTCTATGCTCATGGCCCTGGA
CCGCTATGTGGCCATCTGCTACCCCTTACGCTATGCCACCATCCTTACCAACCTGTCTATCG
CCAAGGCTGGTCTTGCCACCTTCTTGAGGAATGTGATGCTCATCATCCCATTCCTCTCCTC
ACCAAGCGCCTGCCCTATTGCCGGGGGAACCTTCATCCCCACACCTACTGTGACCATATGT
25 CTGTGGCCAAGGTATCCTGTGGCAATTTCAAGGTCAATGCTATTTATGGTCTGATGGTTGC
TCTCCTGATTGGTGTGTTTGATATCTGCTGTATCTCTGTATCTTACACTATGATTTTGCAGG
CTGTTATGAGCCTGTCTATCAGCAGATGCTCGTCAACAAAGCCTTCAGCACCTGCACATCTCA
CATGTGTTCCATTGTGATCACCTATGTTGCTGCTTTTTTCACTTTTTTCACTCATCGTTTTGT
AGGACACAATATCCCAAACACATACACATCATCGTGGCCAACCTTTATCTGCTACTGCCT
30 CCTACCATGAACCCAATTGTTTATGGAGTCAAGACCAAGCAGATTCAGGAAGGTGTAATTA
AATTTTTACTTGGAGACAAGGTTAGTTTTACCTATGACAAATGA (SEQ ID NO: 124)

AOLFR68 sequences:

35 MTTHRNDTLSTEASDFLLNCFVRSPSWQHWLSLPLSLLFLLAVGANNTLLMTIWLEASLHQL
YYLLSLLSLLDIVLCLTVIPKVLTFWFDLRPISFPACFLQMYIMNCFAMESCTFMVMAYDRY
VAICHPLRYPSTHDFVVKAAAMFILTRNVLMTLPIPLSAQLRYCGRNVIENCICANMSVSRLSC
DDVTINHLVYQFAGGWTLGSDLILFLSYTFILRAVRLKAEGAVAKALSTCGSHFMLILFFSTIL
LVFVLTHVAKKKVSPDVPVLLNVLHHVIPALNPIHYGVRTQEIKQGMQRLLKKGC (SEQ ID
NO: 125)

40 ATGACAACACACCGAAATGACACCCTCTCCACTGAAGCTTCAGACTTCCTCTTGAATTGTT
TTGTCAGATCCCCCAGCTGGCAGCACTGGCTGTCCCTGCCCTCAGCCTCCTTTTCTCTTG
GCCGTAGGGGGCCAACACCACCCTCCTGATGACCATCTGGCTGGAGGCCTCTCTGCACCAGC
CCCTGTACTACCTGCTCAGCCTCCTCTCCCTGCTGGACATCGTGCTCTGCCTCACTGTCATC
45 CCCAAGGTCTGACCATCTTCTGGTTTGACCTCAGGCCCATCAGCTTCCCTGCCTGCTTCTT
CCAGATGTACATCATGAATTGTTTCCTAGCCATGGAGTCTTGACATTCATGGTTCATGGCC
TATGATCGTTATGTAGCCATCTGCCACCCATGAGATATCCATCAATCATCACTGATCACTT
TGTAAGTCAAGGCTGCCATGTTTATTTTGACCAAGAAATGTGCTTATGACTCTGCCCATCCCC
ATCCTTTACGACACAACCTCCGTTATTGTGGAAGAAATGTCATTGAGAAGTGCATCTGTGCCA
50 ATATGTCTGTTTCCAGACTCTCCTGCGATGATGTCACCATCAATCACCTTTACCAATTTGCT
GGAGGCTGGACTCTGCTAGGATCTGACCTCATCCTTATCTTCTCTCTACACCTTCATTCT
GCGAGCTGTGCTGAGACTCAAGGCAGAGGGTGGCGTGGCAAAGGCCCTAAGCACATGTGG
CTCCCACTTCATGCTCATCCTCTTCTTCAGCACCATCCTTCTGGTTTTTGTCTCACACATGT
GGCTAAGAAGAAAGTCTCCCCTGATGTGCCAGTCTTGCTCAATGTTCTCCACCATGTCATT
55 CCTGCAGCCCTTAACCCCATCATTTACGGGGTGAGAACCAAGAAATTAAGCAGGGAATG
CAGAGGTTGTTGAAGAAAGGGTGCTAA (SEQ ID NO: 126)

AOLFR69 sequences:

MSYSIYKSTVNPLSHGVVHSFCHNMNCNFMHIFKFVLDNFMKNVTEVTLFVLKGFTDNLELQ
 TIFFFLFLAIYLFITLMGNLGLILVVIRDSQLHKPMYYFLSMLSSVDACYSSVITPNMLVDFTTKN
 5 KVISFLGCVAQVFLACSFGTTECFLLAAMAYDRYVAIYNPLLYSVSMSPRVYMPNLINASYVAGI
 LHATIHTVATFSLSFSGANEIRRVFCDIPLLAISYSDHTNQLLLFYFVGSIELVTILIVLISYGLIL
 LAILKMYSAEGRRKVFSTCGAHLTGVSIIYGTILFMYVRPSSSYASDHDMIVSIFYTIVIPLLNPV
 IYSLRNKDVKDSMKKMFgKNQVINKVYFHTKK (SEQ ID NO: 127)

10 ATGTCGTACAGTATATACAAGAGCACAGTTAACATCCCCCTTGAGTCATGGTGTTGTTTCATT
 CTTTTTGTGCATAATATGAAGTGAAGTTTATGCATATCTTCAAGTTTGTTCTAGATTTCAAC
 ATGAAGAATGTCACTGAAGTTACCTTATTTGTAAGTGAAGGGCTTCACAGACAATCTTGAAC
 TGCAGACTATCTTCTTCTTCTGTTTCTAGCAATCTACCTCTTCACTCTCATGGGAAATTTA
 GGACTGATTTTAGTGGTCATTAGGGATTCCCAAGCTCCACAAACCCATGTACTATTTTCTGA
 15 GTATGTTGTTCTTCTGTGGATGCCTGCTATTCCTCAGTTATTACCCCAAATATGTTAGTAGAT
 TTTACGACAAAGAATAAAGTCATTTTCATTCCTTGGATGTGTAGCACAGGTGTTTCTTGCTT
 GTAGTTTTGGAACACAGAATGCTTTCTTCTTGGCTGCAATGGCTTATGATCGCTATGTAGC
 CATCTACAACCTCTCCTGTATTCAGTGAGCATGTACCCAGAGTCTACATGCCACTCATC
 AATGCTTCCTATGTTGCTGGCATTTTACATGCTACTATACATACAGTGGCTACATTTAGCCT
 20 ATCCTTCTGTGGAGCCAATGAAATTAGGCGTGTCTTTTGTGATATCCCTCCTCTCCTTGCTA
 TTTCTTATTCTGACACTCACACAAACCAGCTTCTACTCTTCTACTTTGTGGGCTCTATCGAG
 CTGGTCACTATCCTGATTGTTCTGATCTCCTATGGTTTGATTCTGTTGGCCATTCTGAAGAT
 GTATTCTGCTGAAGGGAGGAGAAAAGTCTTCTCCACATGTGGAGCTCACCTAACTGGAGT
 GTCAATTTATTATGGGACAATCCTCTTCATGTATGTGAGACCAAGTTCAGCTATGCTTCG
 25 GACCATGACATGATAGTGTCAATATTTACACCATGTGATTCCCTTGCTGAATCCCGTCAT
 CTACAGTTTGAGGAACAAAGATGTAAAAGACTCAATGAAAAAATGTTTGGGAAAAATCA
 GGTTATCAATAAAGTATATTTTCATACTAAAAAATAA (SEQ ID NO: 128)

AOLFR70 sequences:

MDSTFTGYNLNQLVKTEMDKLSSGLDIYRNPLKNKTEVTMFILTGFTDDFELQVFLFLFFAI
 YLFTLIGNLGLVVLVIEDSWLHNPMMYYFLSVLSFLDACYSTVVTPKMLVNFLAKNKSISFIGCA
 TQMLLFVTFGTTECFLLAAMAYDHYVAIYNPLLYSVSMSPRVYVPLITASYVAGILHATIHIVA
 TFSLSFCGSNEIRHVFCMPPLLAISCDHTNQLLLFYFVGSIEIVTILIVLISCDFILLSILKMHS
 KGRQKAFSTCGSHLTGVTIYHGTLVSYMRPSSSYASDHDIIVSIFYTIVIPKLNPIYSLRNKEVK
 35 KAVKKMLKLVYK (SEQ ID NO: 129)

ATGGACTCCACTTTACAGGCTATAACCTTTATAACCTGCAAGTAAAAACTGAAATGGACA
 AGTTGTGCATCAGGTTTGGATATATACAGGAATCCACTGAAGAACAAGACTGAAGTCACCA
 TGTTTATATTGACAGGCTTACAGATGATTTTGAGCTGCAAGTCTTCTATTTTACTATTT
 40 TTTGCAATCTATCTTTACCTTGATAGGCAATTTAGGGCTGGTTGTGTTGGTCATTGAGG
 ATTCCTGGCTCCACAACCCCATGTATTATTTCTTAGTGTGTTTATCATTCTTGGATGCTTGC
 TATTCTACAGTTGTCACTCCAAAAATGTTGGTCAATTTCTGGCAAAAAATAAATCCATTT
 CATTTATCGGATGTGCAACACAGATGCTTCTTTTGTGTTACTTTTGGAACACAGAATGTTTT
 CTCTTGGCTGCAATGGCTTATGATCACTATGTAGCCATCTACAACCTCTCCTGTATTCAGT
 45 GAGCATGTACCCAGAGTCTATGTGCCACTCATCACTGCTTCTACGTTGCTGGCATTTTAC
 ATGCTACTATACATATAGTGGCTACATTTAGCCTGTCTTCTGTGGATCCAATGAAATTAG
 GCATGTCTTTTGTGATATGCCTCCTCTCCTTGTCTATTTCTGTTCTGACTCACACAACC
 AGCTTCTACTCTTCTACTTTGTGGGTTCTATTGAGATAGTCACTATCCTGATTGTCCTCATT
 TCCTGTGATTTTATTCTGTTGTCCATTCTGAAGATGCATTCTGCTAAGGGAAGGCAAAAGG
 50 CCTTCTCTACATGTGGCTCTCACCTAACTGGAGTGACAATTTATCATGGAACAATTCTCGTC
 AGTTATATGAGACCAAGTTCAGCTATGCTTCAGACCATGACATCATAGTGTCAATATTTT
 ACACAATTGTGATTCCCAAGTTGAATCCCATCATCTATAGTTTGAGGAACAAAGAAGTAAA
 AAAGGCAGTGAAGAAAATGTTGAAATTGGTTTACAAATGA (SEQ ID NO: 130)

AOLFR71 sequences:

MGRNNTNVPDFILTGLSDSEEVQMALFILFLIYELITMLGNVGMILIRLDLQLHTPMYFFLTH
 LSFIDLSYSTVITPKTLANLLTSNYISFMGCFAQMFFFVFLGAAECFLLSSMAYDRYVAICSPRLY
 PVIMSKRLCCALVTGPYVISFNSFVNVVWMSRLHFCDSNVVRHFFCDTSPILALSCMDTYDIEI
 5 MIHILAGSTLMVSLITISASYVSILSTILKINSTSGKQKALSTCASHLLGVTFYGTMIFTYLKPRK
 SYSLGRDQVASVFYTVIPMLNPLIYSLRNKEVKNALIRVMQRRQDSR (SEQ ID NO: 131)

ATGGGTAGAAGAAATAACACAAATGTGCCTGACTTCATCCTTACGGGACTGTCAGATTCTG
 AAGAGGTCCAGATGGCCCTCTTTATACTATTTCTCCTGATATACCTAATTACTATGCTGGGC
 10 AATGTGGGGATGATATTGATAATCCGCCTGGACCTCCAGCTTCACACTCCCATTGATTTTT
 TCCTTACTCACTTGTCAATTTATTGACCTCAGTTACTCAACTGTCATCACACCTAAAACCTTA
 GCGAACTTACTGACTTCCAATAATTTCTTCTCATCAATGGCCTATGATCGCTACGTAG
 TGTCTTCTTGGGAGCTGCTGAATGTTTTCTTCTCATCAATGGCCTATGATCGCTACGTAG
 CTATCTGCAGTCCTCTACGTTACCCAGTTATTATGTCCAAAAGGCTGTGTGCGCTCTTGTG
 15 ACTGGGCCCTATGTGATTAGCTTTATCAACTCCTTTGTCAATGTGGTTTGGATGAGCAGAC
 TGCATTTCTGCGACTCAAATGTAGTTCGTCACTTTTTCTGCGACACGTCTCCAATTTTAGCT
 CTGTCTGTCATGGACACATACGACATTGAAATCATGATACACATTTTAGCTGGTTCACCC
 TGATGGTGTCCCTTATCACAATATCTGCATCCTATGTGTCCATTCTCTCTACCATCCTGAAA
 ATTAATTCCACTTCAGGAAAGCAGAAAGCTTTGTCTACTTGTGCCTCTCATCTCTTGGGAG
 20 TCACCATCTTTTATGGAAGTATGATTTTTTACTTATTTAAAACCAAGAAAGTCTTATTCTTTG
 GGAAGGGATCAAGTGGCTTCTGTTTTTATACTATTGTGATTCCCATGCTGAATCCACTCAT
 TTATAGTCTTAGAAACAAAGAAGTTAAAAATGCTCTCATTAGAGTCATGCAGAGAAGACA
 GGACTCCAGGTAA (SEQ ID NO: 132)

AOLFR72 sequences:

MAPENFTRVTEFILTVGVSSCPQLPLFLVFLVLYGLTMAGNLGIITLTSVDSRLQTPMYFFLQHL
 ALINLGNSTVIAPKMLNINFLVKKKTTSFYECATQLGGFLFFIVSEVIMLALMACDRYVAICNPLL
 YMVVVSRRLLCLLVSLTYLYGFSTAIVVSSYVFSVSYCSSNIINHFYCDNVPLLALSCSDTYLPE
 TVVFISAATNVVGSLLIIVLSYFNIVLSILKICSSEGRKKAFTSCASHMMAVTFYGTLLFMYVQP
 30 RSNHSLDITDDKMASVFYTLVIPMLNPLIYSLRNKDVKTALQRFMTNLCYSFKTM (SEQ ID NO:
 133)

ATGGCTCCTGAAAATTTACCAGGGTCACTGAGTTTATTCTTACAGGTGTCTCTAGCTGTC
 CAGAGCTCCAGATTCCCCTCTTCTGCTCTTTCTGGTGCTCTATGGGCTGACCATGGCAGG
 35 GAACCTGGGCATCATCACCTCACAGTGTGACTCTCGACTTCAAACCCCATGTACTTTT
 TCCTGCAACATCTGGCTCTCATTAATCTTGTTAACTCTACTGTCATTGCCCTAAAATGCTG
 ATTAACCTTTTATAGTAAAGAAGAAAACCTCATTCTATGAATGTGCCACCCAACTGGGAG
 GGTTCTTGTCTTTTATTGTATCGGAGGTAATCATGCTGGCTTTGATGGCCTGTGACCGCTAT
 GTGGCTATTTGTAACCTCTGCTGTACATGGTGGTGGTGTCTCGGCGGCTCTGCCTCCTGCT
 40 GGTCTCCCTCACATACCTCTATGGCTTTTCTACAGCTATTGTGGTTTCATCTTATGTATTCT
 CTGTGTCTTATTGCTCTTCTAATAATAATCAATCATTTTTACTGTGATAATGTTCTCTGTGA
 GCATTATCTTGCTCTGATACTTACTTACCAGAAACAGTTGTCTTTATATCTGCAGCAACAA
 ATGTGGTTGGTTCCCTTGATTATAGTTCTAGTATCTTATTTCAATATTGTTTTGTCTATTTTA
 AAAATATGTTTCATCAGAAGGAAGGAAAAAAGCCTTTTCTACCTGTGCTTTCACATATGATGG
 45 CAGTCACAATTTTTATGGGACATTGCTATTTCATGTATGTGCAGCCCCGAAGTAACCATTC
 ATTGGATACTGATGATAAGATGGCTTCTGTGTTTTACACGTTGGTAATTCCTATGCTGAAT
 CCCTTGATCTACAGCCTGAGGAATAAGGATGTGAAGACTGCTCTACAGAGATTTCATGACA
 AATCTGTGCTATTCCTTTAAAACAATGTAA (SEQ ID NO: 134)

AOLFR73 sequences:

MNHVVKHNHTAVTKVTEFILMGITDNPGLQAPLFGFLIYLVTVIGNLGMVILTYLDSKLHTP
 MYFFLRHLSITDLGYSTVIAPKMLNVNFIHKNISYNWYATQLAFFEIFIISSELFILSAMAYDRYV
 AICKPLLYVIMAEKVLWVLVIVPYLYSTFVSLFTIKLFKLSFCGSNIISYFYCDCIPLMSILCSDT
 NELELILIFSGCNLLFSLIVLISYMFILVAILRMNSRKGRYKAFSTCSSHLTVVIMFYGTLLFIYL
 55 QPKSSHTLAIDKMASVFYTLIPMLNPLIYSLRNKEVKDALKRTLNRFKIPI (SEQ ID NO: 135)

ATGAATCATGTGGTAAAAACACAATCACACGGCAGTGACCAAGGTGACTGAATTTATTCTCA
TGGGGATTACAGACAACCCTGGGCTGCAGGCTCCACTGTTTGGACTCTTCCTCATCATATA
TCTGGTCACAGTGATAGGCAATCTGGGCATGGTTATCTTGACCTACTTGGACTCCAAGCTA
CACACCCCCATGTACTTTTTCCTTAGACATTTGTCAATCACTGATCTTGGTTACTCCACTGT
5 CATTGCCCCGAAGATGTTAGTAAACTTCATAGTGCACAAAAACACAATTTCTTACAATTGG
TATGCCACTCAGCTAGCATTCTTTGAGATTTTCATCATCTCTGAGCTCTTTATTCTATCAGC
AATGGCCTATGATCGCTACGTAGCCATCTGTAAACCTCTTCTGTACGTGATCATCATGGCA
GAGAAAGTACTTTGGGTGCTGGTAATTGTTCCCTATCTCTATAGCACGTTTGTGTCACTATT
TCTACAATTAAGTTATTTAAACTGTCCTTCTGTGGCTCAAACATAATCAGCTATTTTTACT
10 GTGACTGTATCCCTCTGATGTCCATACTCTGTTCTGACACAAATGAATTAGAATTAATAAT
TTTGATCTTCTCAGGCTGTAATTTGCTCTTCTCCCTCTCAATTGTTCTCATATCCTACATGTT
TATTCTAGTGGCCATTCTCAGAATGAAGTCAAGGAAAGGGAGGTACAAAGCCTTCTCCACC
TGTAGCTCTCATCTGACAGTGGTGATCATGTTCTATGGGACATTGTTATTTTACTTGGCA
ACCCAAGTCCAGTCATACTTTGGCTATTGATAAAATGGCCTCAGTGTTTTATACCCTGTTG
15 ATTCCTATGCTGAATCCGTTGATCTACAGCCTAAGGAACAAAGAAGTAAAAGATGCTCTAA
AGAGAACTTTAACCAATCGATTCAAAATTCCCATTAA (SEQ ID NO: 136)

AOLFR74 sequences:

MEQHNLTTVNEFILTGITDIAELQAPLFAFLMIYVISVMGNLGMIVLTKLDSRLQTPMYFFLRH
20 LAFMDLGYSTTVGPKMLVNFVVDKNIISYYFCATQLAFFLVFIGSELFILSAMSVDLYVAICNPL
LYTVMSRRVCQVLVAIPYLYCTFISLLVTIKIFTLSFCGYNVISHFYCDLPLPLLCNSNTHIELI
ILIFAIDLISSLLIVLLSYLLILVAILRMNSAGRQKAFSTCGAHLTVVIVFYGTLLFMYVQPKSSH
SFDTDKVASIFYTLVIPMLNPLIYSLRNKDVKYALRRTWNNLCNIFV (SEQ ID NO: 137)

ATGGAACAACACAATCTAACAACGGTGAATGAATTCATTCTTACGGGAATCACAGATATC
GCTGAGCTGCAGGCACCATTATTTGCATTGTTCTCATGATCTATGTGATCTCAGTGATGG
GCAATTTGGGCATGATTGTCCTACCAAGTTGGACTCCAGGTTGCAAACCCCTATGTACTT
TTTTCTCAGACATCTGGCTTTTCATGGATCTTGGTTATTCAACAACGTGGGACCCAAAAATG
T TAGTAAATTTTGTGTGGATAAGAATATAATTTCTTATTATTTTGTGCAACACAGCTAGC
30 TTTCTTTCTGTGTTTATTGGTAGTGAACCTTTTATTCTCTCAGCCATGTCCTACGACCTCT
ATGTGGCCATCTGTAACCTCTGCTATACACAGTAATCATGTACGAAGGGTATGTCAGGT
GCTGGTAGCAATCCCTTACCTCTATTGCACATTCATTTCTCTTAGTCACCATAAAGATTT
TTACTTTATCCTTCTGTGGCTACAACGTCATTAGTCATTTCTACTGTGACAGTCTCCCTTTG
TTACCTTTGCTTTGTTCAAATACACATGAAATTGAATTGATAATTCTGATCTTTGCAGCTAT
35 TGATTTGATTTTCATCTCTTCTGATAGTTCTTTTATCTTACCTGCTCATCTTGTAGCCATTCT
CAGGATGAATTTCTGCTGGCAGACAAAAGGCTTTTCTACCTGTGGAGCCCACCTGACAGTG
GTCATAGTGTCTATGGGACTTTGCTTTTTCATGTACGTGCAGCCCAAGTCCAGTCATTCCTT
TGACACTGATAAAGTGGCTTCCATATTTTACACCCTGGTTATCCCCATGTTGAATCCCTTGA
TCTATAGTTTACGAAACAAAGATGTAAATATGCCCTACGAAGGACATGGAATAACTTATG
40 TAATATTTTTGTTTAA (SEQ ID NO: 138)

AOLFR75 sequences:

MEGKNQTNISEFLLLGFSWQQQVLLFALFLCLYLTGLFGNLLILLAIGSDHCLHTPMYFFLA
NLSLVDLCLPSATVPKMLLNITQTQTISYPGCLAQMYFCMMFANMDNFLTVMA YDRYVAI
45 CHPLHYSTIMALRLCASLVAAPWVIAILNPLLHTLMMAHLHFCSDNVIIHFFCDINSLPLSCSD
TSLNQLSVLATVGLIFVPSVCILVSYILVSAVMKVPSAQGKLFSTCGSHLALVILFYGANT
GVYMSPLSNHSTEKDSAASVIFMVVAPVLNPFYSLRNELKGTLLKTLSPRGAVAHACNPSTL
GGRGGWIMRSGDRDHPG (SEQ ID NO: 139)

ATGGAAGGGAAAAATCAAACCAATATCTCTGAATTTCTCCTCCTGGGCTTCTCAAGTTGGC
AACAACAGCAGGTGCTACTCTTTGCACITTTCTCTGTGTCTCTATTTAACAGGGCTGTTTGA
AACTTACTCATCTTGCTGGCCATTGGCTCGGATCACTGCCTTCACACACCCATGTATTTCTT
CCTTGCCAATCTGTCCTTGGTAGACCTCTGCCTTCCCTCAGCCACAGTCCCCAAGATGCTAC
TGAACATCCAAACCCAAACCCAAACCATCTCCTATCCCGGCTGCCTGGCTCAGATGTATTT
55 CTGTATGATGTTTGCCAATATGGACAATTTTCTTCTCACAGTGATGGCATATGACCGTTAC
GTGGCCATCTGTCACCTTTACATTACTCCACCATTATGGCCCTGCGCCTCTGTGCCCTCTCT

GGTAGCTGCACCTTGGGTCATTGCCATTTTGAACCCCTCTCTGCACACTCTTATGATGGCCC
ATCTGCACCTTCTGCTCTGATAATGTTATCCACCATTTCTTCTGTGATATCAACTCTCTCCTC
CCTCTGTCCTGTTCCGACACCAGTCTTAATCAGTTGAGTGTTCTGGCTACGGTGGGGGTGA
TCTTTGTGGTACCTTCAGTGTGTATCCTGGTATCCTATATCCTCATTGTTTCTGCTGTGATG
5 AAAGTCCCTTCTGCCCAAGGAAAACTCAAGGCTTTCTCTACCTGTGGATCTCACCTTGCCTT
GGTCATTCTTTTCTATGGAGCAAACACAGGGGTCTATATGAGCCCCCTTATCCAATCACTCT
ACTGAAAAAGACTCAGCCGCATCAGTCATTTTATGGTTGTAGCACCTGTGTTGAATCCAT
TCATTTACAGTTTAAGAAACAATGAACTGAAGGGGACTTTAAAAAAGACCCTAAGCCGGC
CGGGCGCGGTGGCTCACGCCTGTAATCCCAGCACTTTGGGAGGCCGAGGCGGGTGGATCA
10 TGAGGTCAGGAGATCGAGACCATCCTGGCTAA (SEQ ID NO: 140)

AOLFR76 sequences:

MENNTEVSEFILLGLTNAPELQVPLFIMFTLIYLITLTGNLGMILILLDSHLHTPMYFFLSNLSLA
GIGYSSAVTPKVLTLGLIEDKAISYSACAAQMFFCAVFATVENYLLSSMAÿDRYAAVCNPLHY
15 TTTMTTRVCACLAIGCYVIGFLNASIQIGDTRLSFCMSNVIIHFFCDKPAVITLTCSEKHISELIL
VLISFNVFFALLVTLISYLFILITILKRHTGKGYQKPLSTCGSHLIAIFLYITVIIIMYIRPSSSHSM
DTDKIASVFYTMIPMLSPIVYTLRNKDVKNAFMKVVEKAKYSLDSVF (SEQ ID NO: 141)

ATGGAGAATAATACAGAGGTGAGTGAATTCATCCTGCTTGGTCTAACCAATGCCCCAGAA
20 CTACAGGTTCCCCTCTTTATCATGTTTACCCTCATCTACCTCATCACTCTGACTGGGAACCT
GGGGATGATCATATTAATCCTGCTGGACTCTCATCTCCACACTCCCATGTACTTTTTTCTCA
GTAACCTGTCTCTTGCAAGCATTGGTTACTCCTCAGCTGTCACTCCAAAGGTTTAACTGG
GTTGCTTATAGAAGACAAAGCCATCTCCTACAGTGCCTGTGCTGCTCAGATGTTCTTTGT
GCAGTCTTTGCCACTGTGGAAAATTACCTCTTGTCTCAATGGCCTATGACCGCTACGCAG
25 CAGTGTGTAACCCCTACATTATACCACCACCATGACAACACGTGTGTGTGCTTGTCTGGC
TATAGGCTGTTATGTCATTGGTTTTCTGAATGCCTTCTATCCAAATTGGAGATACATTTCCGC
TCTCTTTCTGCATGTCCAATGTGATTTCATCACTTTTTCTGTGACAAACCAGCAGTCATTACT
CTGACCTGCTCTGAGAAACACATTAGTGAGTTGATTCTTGTCTTATATCAAGTTTAAATGT
CTTTTTTGCACCTTCTTGTACCTTGATTTCCTATCTGTTTCATATTGATCACCATTCTTAAGAG
30 GCACACAGGTAAGGGATACCAGAAGCCTTTATCTACCTGTGGTTCTCACCTCATTGCCATT
TTCTTATTTTATATAACTGTCATCATCATGTACATACGACCAAGTCCAGTCATTCCATGGA
CACAGACAAAATTGCATCTGTGTTCTACACTATGATCATCCCCATGCTCAGTCCTATAGTCT
ATACCCTGAGGAACAAAGACGTGAAGAATGCATTCATGAAGGTTGTTGAGAAGGCAAAAT
ATTCTCTAGATTCAGTCTTTTAA (SEQ ID NO: 142)

35

AOLFR77 sequences:

MGDVNQSVASDFILVGLFSHSGSRQLLFSLVAVMFVIGLLGNTVLLFLIRVDSRLHTPMYFLLS
QLSLFDIGCPMVTIPKMASDFLRGEGATSYGGGAAQIFFLTMGVAEGVLLVLMSYDRYVAVC
QPLQYPVLMRRQVCLLMGSSWVGVNLASIQTSITLHFPYCASRIVDHFFCEVPALLKLSCA
40 DTCA YEMALSTSGVLILMLPLSLIATSYGHVLQAVLSMRSEEARHKAVTTCSSHITVVGLFYGA
AVFMYMVPCAYHSPQQDNVVSFLFYSLVPTLNLPLIYSLRNPEVWMALVKVLSRAGLRQMC
(SEQ ID NO: 143)

ATGGGGGATGTGAATCAGTCGGTGGCCTCAGACTTCATTCTGGTGGGCCTCTTCAGTCACT
45 CAGGATCACGCCAGCTCCTCTTCTCCCTGGTGGCTGTCATGTTTGTATAGGCCTTCTGGGC
AACACCGTTCTTCTCTTCTTGATCCGTGTGGACTCCCGGCTCCACACACCCATGTACTTCT
GCTCAGCCAGCTCTCCCTGTTTGACATTGGCTGTCCCATGGTCACCATCCCCAAGATGGCA
TCAGACTTTCTGCGGGGAGAAGGTGCCACTCCTATGGAGGTGGTGCAGCTCAAATATTCT
TCCTCACACTGATGGGTGTGGCTGAGGGCGTCTGTTGGTCTCATGTCTTATGACCGTTA
50 TGTGCTGTGTGCCAGCCCCTGCAGTATCCTGTACTTATGAGACGCCAGGTATGTCTGCTG
ATGATGGGCTCCTCCTGGGTGGTAGGTGTGCTCAACGCCTCCATCCAGACCTCCATCACCC
TGCATTTTCCCTACTGTGCCTCCCGTATTGTGGATCACTTCTTCTGTGAGGTGCCAGCCCTA
CTGAAGCTCTCCTGTGCAGATACCTGTGCCTACGAGATGGCGCTGTCCACCTCAGGGGTGC
TGATCCTAATGCTCCCTCTTTCCCTCATCGCCACCTCCTACGGCCACGTGTTGCAGGCTGTT
55 CTAAGCATGCGCTCAGAGGAGGCCAGACACAAGGCTGTCACCACCTGCTCCTCGCACATCA
CGGTAGTGGGGCTCTTTTATGGTGCCGCCGTGTTTCATGTACATGGTGCCTTGCGCCTACCA

CAGTCCACAGCAGGATAACGTGGTTTTCCCTCTTCTATAGCCTTGTCACCCCTACACTCAAC .
CCCCTTATCTACAGTCTGAGGAATCCGGAGGTGTGGATGGCTTGGTCAAAGTGCTTAGCA
GAGCTGGACTCAGGCAAATGTGCTGA (SEQ ID NO: 144)

5 **AOLFR78 sequences:**

MSPDGNHSSDPTEFVLAGLPNLNSARVELFSVFLVYLLNLTGNVLIVGVVRADTRLQTPMYF
FLGNLSCLEILLTSVIIPKMLSNFLSRQHTISFAACITQFYFYFFLGASEFLLAVMSADRYLAICH
PLRYPLLLMSGAVCFRVALACWVGGLVPVLGPTVAVALLPFCKQGAVVQHFFCDSGPLLRAC
TNTKKLEETDFVLASLVIVSSLLITAVSYGLIVLAVLSIPSASGRQKAFSTCTSHLIVVTLFYGSAI
10 FLYVRPSQSGSVDTNWAVTVITTFVTPLLNPFYIALRNEQVKEALKDMFRKVAVAGVLGNLLLD
KCLSEKAVK (SEQ ID NO: 145)

ATGAGTCCTGATGGGAACCACAGTAGTGATCCAACAGAGTTCGTCTCTGGCAGGGCTCCCA
AATCTCAACAGCGCAAGAGTGGAATTATTTTCTGTGTTTCTTCTTGCTATCTCCTGAATCT
15 GACAGGCAATGTGTTGATTGTGGGGGTGGTAAGGGCTGATACTCGACTACAGACCCCTAT
GTACTTCTTTCTGGGTAACCTGTCCTGCCTAGAGATACTGCTCACTTCTGTGCATCATTCCAA
AGATGCTGAGCAATTTCTCTCAAGGCAACACACTATTTCTTTGCTGCATGTATCACCCA
ATTCTATTCTACTTCTTTCTCGGGGCTCCGAGTTCTTACTGTTGGCTGTGCATGTCTGCGG
ATCGCTACCTGGCCATCTGTCTCCTCTGCGTACCCCTTGCTCATGAGTGGGGCTGTGTG
20 CTTTCGTGTGGCCTTGGCCTGCTGGGTGGGGGGACTCGTCCCTGTGCTTGGTCCACAGTG
GCTGTGGCCTTGCTTCTTTCTGTAAGCAGGGTGCTGTGGTACAGCACTTCTTCTGCGACA
GTGGCCCACTGCTCCGCTGGCTTGACCAACACCAAGAAGCTGGAGGAGACTGACTTTGT
CCTGGCCTCCCTCGTCATTGTATCTTCTTCTGCTGATCACTGCTGTGCTCCTACGGCCTCATTG
TGCTGGCAGTCCTGAGCATCCCTCTGCTTCAGGCCGTCAGAAGGCCTTCTCTACCTGTAC
25 CTCCCACTTGATAGTGGTGACCCTCTTCTATGGAAGTGCCATTTTTCTCTATGTGCGGCCAT
CGCAGAGTGGTCTGTGGACACTAACTGGGCAGTGACAGTAATAACGACATTTGTGACAC
CACTGTTGAATCCATTCATCTATGCCTTACGTAATGAGCAAGTCAAGGAAGCTTTGAAGGA
CATGTTTAGGAAGGTAGTGGCAGGCGTTTTAGGGAATCTTTTACTTGATAAATGTCTCAGT
GAGAAAGCAGTAAAGTAA (SEQ ID NO: 146)

30

AOLFR79 sequences:

MTPGELALASGNHTPVTKFILQGFSNYPDLQELLFGAILLIYAITVVGNLGMMLIFTDSHLQSP
MYFFLNVLFLDICYSSVVTPLKLVNVLVSDKSISFEGCVVQLAFFVHVHTAESFLLASMA YDR
FLAJCQPLHYGSIMTRGTCLQLVAVSYAFGGANSIAIQTNVNFALPFCGPNQLTHYYCDIPLLH
35 LACANTATARVVLYVFSALVTLPAAVILTSYCLVLVAIGRMRSVAGREKDLSTCASHFLAIAI
FYGTVVFTYVQPHGSTNNTNGQVVSIFYTIIPMLNPFYSLRNKEVKGALQRKLQVNIFPG
(SEQ ID NO: 147)

ATGACACCTGGAGAACTAGCCCTTGCCAGTGGCAACCACACCCCAAGTTCATCT
40 TGCAGGGATTCTCCAATTATCCAGACCTCCAGGAGCTTCTCTTCGGAGCCATCCTGCTCAT
CTATGCCATAACAGTGGTGGGCAACTTGGAATGATGGCACTCATCTTCACAGACTCCCAT
CTCCAAAGCCCAATGTATTTCTTCTCAATGTCCTCTCGTTTCTTGATATTTGTTACTCTTCT
GTGGTCACACCTAAGCTCTTGGTCAACTTCTGGTCTCTGACAAGTCCATCTCTTTTGAGG
GCTGTGTGGTCCAGCTCGCCTTCTTTGTAGTGCATGTGACAGCTGAGAGCTTCTGCTGGC
45 CTCCATGGCCTATGACCGCTTCTAGCCATCTGTCAACCCCTCCATTATGGTTCTATCATGA
CCAGGGGGACCTGTCTCCAGCTGGTAGCTGTGTCTATGCATTTGGTGGAGCCAACCTCCGC
TATCCAGACTGGAAATGTCTTTGCCCTGCCTTTCTGTGGGGCCCAACCAGCTAACACACTAC
TACTGTGACATAACACCCCTTCTCCACCTGGCTTGTGCCAACACAGCCACAGCAAGAGTGG
TCCTCTATGCTTTTCTGCTGTGGTCAACCTTCTGCCTGCTGCAGTCATTCTCACCTCCTACT
50 GCTTGGTCTTGGTGGCCATTGGGAGGATGCGCTCAGTAGCAGGGAGGGAGAAGGACCTCT
CCACTTGTGCCTCCCACTTTCTGGCCATTGCCATTTTCTATGGCACTGTGGTTTTCACCTAT
GTTTACGCCCCATGGATCTACTAACAATAACCAATGGCCAAGTAGTGCCGTCTTCTACACCA
TCATAATTCCCATGCTCAATCCCTTCATCTATAGCCTCCGCAACAAGGAGGTGAAGGGCGC
TCTGCAGAGGAAGCTTCAGGTCAACATCTTCCCGGCTGA (SEQ ID NO: 148)

55

AOLFR80 sequences:

MEGINKTAKMQFFRPFSPDPEVQMLIFVFLMMYLTSLGGNATIAVTVQINHSLHTPMYFFLA
 NLAVLEIFYTSSITPLALANLLSMGKTPVSITGCGTQMFFVFLGGADCVLLVVMAYDRFIAICH
 PLRYRLIMSWSLCVELLVGSLVLGFLSLPLTILIFHLPFCHNDEIYHFYCDMPAVMRLACADTR
 5 VHKTALYHISFIVLSIPLSLISISYVFIVVAILRIRSAEGRQQAYSTCSSHLVLLQYGCTSFYILSPS
 SSYSPEMGRVVSVAYTFTIPILNPLIYSLRNKELKDALKALRKF (SEQ ID NO: 149)

ATGGAAGGAATAAATAAACTGCAAAGATGCAGTTTTCTTTTCGTCCATTCTCACCTGACC
 CTGAGGTCAGATGCTGATTTTTGTGGTCTTCCTGATGATGTATCTGACCAGCCTCGGTGG
 10 AAATGCTACAATTGCAGTCATTGTTGAGATCAATCATTCCCTCCACACCCCATGTACTTTT
 TCCTGGCTAATCTGGCAGTTCTAGAAATCTTCTATACATCTTCCATCACCCCATTTGGCCTTG
 GCAAACCTCCTTTCAATGGGCAAACTCCTGTTTCCATCACGGGATGTGGCACCCAGATGT
 TTTCTTTGTCTTCTTGGGTGGGGCTGATTGTGTCTGCTGGTAGTCATGGCTTATGACCGG
 TTTATAGCGATCTGTACCCCTCTGCGATACAGGCTCATCATGAGCTGGTCTTGTGTGTGG
 15 AGCTGCTGGTAGGCTCCTTGGTGTGGGGTCTGTTGTCACTGCCACTACCATTTTAATC
 TTCCATCTCCATTCTGCCACAATGATGAGATCTACCACTTCTACTGTGACATGCCCTGCAGT
 CATGCGCTGGCTTGTGCAGACACACGCGTTCACAAGACTGCTCTGTATATCATCAGCTTC
 ATCGTCCTTAGCATCCCCCTCTCATTGATCTCCATCTCCTATGTCTTCATCGTGGTAGCCAT
 TTTACGGATCCGGTCAGCAGAAGGGCGCCAGCAAGCCTACTCTACCTGCTCTTCTCACATC
 20 TTAGTGGTCTCCTGCAGTATGGCTGCACCAGCTTTATATACTTGTCCCCAGTTCCAGCTA
 CTCTCCTGAGATGGGCGGGTGGTATCTGTGGCCTACACATTTATCACTCCCATTTTAAAC
 CCCTTGATCTATAGTTTGAGGAACAAGGAACTGAAAGATGCCCTAAGGAAAGCATTGAGA
 AAATTCTAG (SEQ ID NO: 150)

AOLFR81 sequences:

MGVKNHSTVTEFLLSGLTEQAEQLPLFCLFLGIYTVTVVGNLSMISIIRLNRLHTPMYYFLSS
 LSFLDFCYSSVITPKMMKLWMESHLIVPETRPSRMMSNQTLVTEFILQGFSEHPEYRVFLPSCF
 LFLYSGALTGNVLITLITFNPGLHAPMYFFLLNLATMDIITSSIMPKALASLVSESSISYGGC
 MAQLYFLTWAASSELLLLTVMAYDRYAAICHPLHYSSMMSKVFCGLATAVWLLCAVNTAIIH
 30 TGLMLRLDFCGPNVHHFFCEVPPLLLSCSSTYVNGVMIVLADAFYGINFLMTIASYGFIVSSI
 LKVKTAWGRQKAFSTCSSHLTVCMYYTAVFYAYISPVSGYSAGKSKLAGLLYTVLSPTLNPL
 IYTLRNKEVKAALRKLFPFFRN (SEQ ID NO: 151)

ATGAAGCTGTGGATGGAGAGTCACCTGATAGTCCCAGAAACCCGTCCCAGCCCAAGGATG
 35 ATGAGTAACCAGACGTTGGTAACCGAGTTCATCCTGCAGGGCTTTTCGGAGACCCAGAAT
 ACCGGGTGTTCTTATTAGCTGTTTCCTCTTCTCTACTCTGGGGCCCTCACAGGTAATGTC
 CTCATCACCTTGCCATCAGTTCAACCCCTGGGCTCCACGCTCCTATGTACTTTTCTTACT
 CAACTTGGCTACTATGGACATTATCTGCACCTCTTCCATCATGCCCAAGGCGCTGGCCAGT
 CTGGTGTGCGAAGAGAGCTCCATCTCCTACGGGGGCTGCATGGCCCAGCTCTATTTCTCA
 40 CGTGGGCTGCATCCTCAGAGCTGCTGCTCCTCACGGTCATGGCCTATGACCGGTACGCAGC
 CATCTGCCACCCGCTGCATTACAGCAGCATGATGAGCAAGGTGTTCTGCAGCGGGCTGGCC
 ACAGCCGTGTGGCTGCTCTGCGCCGTCAACACGGCCATCCACACGGGGCTGATGCTGCGCT
 TGGATTTCTGTGGCCCCAATGTCATTATCCATTTCTTCTGCGAGGTCCCTCCCCTGCTGCTT
 CTCTCCTGCAGCTCCACCTACGTCAACGGTGTGATGATTGTCTGCGGATGCTTTCTACG
 45 GCATAGTGAACCTCCTGATGACCATCGCGTCTATGGCTTCATCGTCTCCAGCATCCTGAA
 GGTGAAGACTGCCTGGGGGAGGCAGAAAGCCTTCTCCACCTGCTCTTCCCACCTCACCGTG
 GTGTGCATGTATTACACCGCTGTCTTCTACGCCTACATAAGCCCGGTCTCTGGCTACAGCG
 CAGGGAAGAGCAAGTTGGCTGGCCTGCTGTACACTGTGCTGAGTCTACCCTCAACCCCT
 CATCTATACTTTGAGAAACAAGGAGGTCAAAGCAGCCCTCAGGAAGCTTTTCCCTTTCTTC
 50 AGAAATTAA (SEQ ID NO: 152)

AOLFR82 sequences:

MQLNNNVTEFILLGLTQDPFWKKIVFVIFLRLYLGTLLGNLLIISVKASQALKNPMFFFLFYLSL
 SDTCLSTSIAPRMIVDALLKKTISFSECMIQVFSSHVFGCLEIFILITAVDRYVDICKPLHYMTII
 55 SQWVCGVLMMAVAVWGSCVHSLVQIFLALSLPFCGPNVINHCFCDLQPLLKQACSETYVVNLLL

VSNSGAICAVSYVMLIFSIVIFLHSLRNHSAEVIKKALSTCVSHIIVVILFFGPCIFMYTCPATVFP
MDKMIAVFYTVGTSFLNPVITYTLKNTEVKSAMRKLWSKKLITDDKR (SEQ ID NO: 153)

5 ATGCAACTGAATAATAATGTGACTGAGTTCATTCTGCTTGGATTGACACAGGATCCTTTTT
GGAAGAAAATAGTGTGTTTATTTTTTTCGCTCTCTACTTGGGAACACTGTTGGGTAATTT
GCTAATCATTATTAGTGTCAAGGCCAGCCAGGCACTTAAGAACCCAATGTTCTTCTTCCTT
TTCTACTTATCTTTATCTGATACTTGCCTCTCTACTTCCATAGCCCCCTAGAATGATTGTGGA
TGCCCTTTTGAAGAAGACAACCTATCTCCTTCAGCGAGTGCATGATCCAAGTCTTTTCATCC
10 CATGTCTTTGGCTGCCTGGAGATCTTCATCCTCATCCTCACGGCTGTTGACCGCTATGTGGA
CATCTGTAAGCCCCCTGCACTACATGACCATCATAAGCCAGTGGGTCTGTGGTGTGTTTGATG
GCTGTGGCCTGGGTGGGATCCTGTGTGCATTCTTTAGTTCAGATTTTTCTTGCCCTGAGTTT
GCCATTCTGTGGCCCCAATGTGATCAATCACTGTTTCTGTGACTTGCAGCCCTGTGTGAAA
CAAGCCTGTTTCAGAAACCTATGTGGTTAACCTACTCCTGGTTTCCAATAGTGGGGCCATT
GTGCAGTGAGTTATGTCATGCTAATATTCTCCTATGTCATCTTCTTGCAATTCTCTGAGAAAC
15 CACAGTGCTGAAGTGATAAAGAAAGCACTTCCACATGTGTCTCCACATCATTGTGGTCA
TCTTGTTCTTTGGACCTTGCAATTTATGTACACATGCCCTGCAACCGTATCCCCATGGAT
AAGATGATAGCTGTATTTTATACAGTTGGAACATCTTTTCTCAACCTGTGATTTACACGCT
GAAGAATACAGAAAGTGAAAAGTGCCATGAGGAAGCTTTGGAGCAAGAAATTGATCACAGA
TGACAAAAGATAA (SEQ ID NO: 154)

20

AOLFR83 sequences:

MGNWTAADVTEFVLLGFSLSREVELLLLVLPTFLLTLLGNLLIISTVLSCSRLHTPMYFFLCNL
SILDILFTSVISPKVLANLGSRDKTISFAGCITQCYFYFFLGTVEFLLTVMYSYDRYATICPLRYT
TIMRPSVCIGTVVFSWVGFLSVLFPTILISQLPFCGSNINHFCDSGPLLALACADTTAIELMDF
25 MLSSMVILCCIVLVAYSITYIILTIVRIPSASGRKKAFNTCASHLTIVIPSGITVFIYVTPSQKEYL
EINKIPLVLSSVVPFLNPFITYTLRNDTVQGVLRD VWVRVRGVFEKRMRAVLRSLSSNKDHQ
GRACSSPPCVYSVKLQC (SEQ ID NO: 155)

30 ATGGGTAACTGGACTGCAGCGGTGACTGAGTTTGTCTGCTGGGGTTTTCCCTGAGCAGGG
AGGTGGAGCTGCTGCTCCTGGTGCTCCTGCTGCCACGTTCTGCTGACTCTTCTGGGGAA
CCTGCTCATCATCTCCACTGTGCTGTCTGCTCCCGCCTCCACACCCCCATGTACTTCTTCT
TGTGCAACCTCTCTATCCTGGACATCCTCTTCACTCAGTCATCTCTCCAAAAGTGTGGCC
AACTTAGGATCTAGGGATAAAACCATCTCCTTTGCGGATGTATCACCCAGTGCTATTCTTCT
ACTTTTTCTTGGGCACAGTTGAGTTCTCTCCTGCTGACGGTCATGTCCTATGACCGTTATGCC
35 ACCATCTGCTGCCCCCTGCGGTACACCACCATCATGAGACCTTCTGTCTGCATTGGGACCG
TTGTATTCTCTTGGGTGGGAGGCTTCTGTCTGTGCTCTTTCCAACCATCCTCATCTCCCAG
CTGCCCTTCTGTGGCTCCAATATCATTAAACCACTTCTTCTGTGACAGTGGACCCTTGCTGGC
CCTGGCCTGTGACAGACACCACTGCCATCGAGCTGATGGATTTTATGCTTTCTTCCATGGTC
ATCCTCTGCTGCATAGTCCTCGTGGCCTATTCTATACGTACATCATCTTGACCATAGTGCG
40 CATTCCTTCTGCAAGTGGAAGGAAGAAGGCCTTAATACCTGTGCTTCCCACCTGACCATA
GTCATCATTCCTAGTGGCATCACTGTGTTTATCTATGTGACTCCCTCCCAGAAAGAATATCT
GGAGATCAACAAGATCCCTTTGGTTCTGAGCAGTGTGGTGACTCCATTCCCTCAACCCCTTT
ATATATACTCTGAGGAATGACACAGTGCAAGGATCCTCAGGGATGTGTGGGTGAGGGTT
CGAGGAGTTTTTGAAGAAGAGGATGAGGGCAGTGTGAGAAAGCAGATTATCCTCCAACAAA
45 GACCACCAAGGAAGGGCTTGCTCTTCTCCACCATGTGTCTATTCTGTAAAGCTCCAGTGTT
AG (SEQ ID NO: 156)

AOLFR85 sequences:

50 MGAKNNVTEFVFLFESREMQHTCFVFFLHVLTVLGNLLVIITINARKTLKSPMYFFLSQL
SFADICYPSTTIKMLADTFVEHKIISFNGCMTQLFSAHFFGGTEIFLLTAMAYDRYVAICRPLHY
TAIMDCRKCGLLAGASWLAGFLHSILQTLTQVLPFCGPNEIDNFFCDVHPLLKLACADTYMV
GLIVVANSGMISLASFFILIISYVILLNLRSSQSSDRRKA VSTCGSHVITVLLVLMPPMFMYIRPS
TTLAADKLIILFNIVMPPLNPLIYTLRNNVDVKAMRKLFRVKRSLGEK (SEQ ID NO: 157)

55 ATGGGTGCCAAGAACAATGTGACTGAGTTTGTGTTTATTTGGCCTTTTTGAGAGCAGAGAGA
TGCAGCATACATGCTTTGTGGTATTCTTCTCCTCTTTCATGTGCTCACTGTCTGCTGGGGAACCTT

CTGGTCATCATCACCATCAATGCTAGAAAGACCCTGAAGTCTCCCATGTATTTCTTCCTGA
 GCCAGTTGTCTTTTGTGACATATGTTATCCATCCACTACCATAACCAAGATGATTGCTGAC
 ACTTTTGTGGAGCATAAGATCATCTCCTTCAATGGCTGCATGACCCAGCTCTTTTCTGCCCA
 CTTCTTTGGTGGCACTGAGATCTTCCTCCTTACAGCCATGGCCTATGACCGCTATGTGGCC
 5 ATCTGTAGGCCCTGCACTACACAGCCATCATGGATTGCCGGAAGTGTGGCCTGCTAGCGG
 GGGCCTCCTGGTTAGCTGGCTTCCTGCATTCCATCCTGCAGACCCTCCTCACGGTTCAGCTG
 CCTTTTGTGGGCCCAATGAGATAGACAACTTCTTCTGTGATGTTTCATCCCCTGCTCAAGTT
 GGCCTGTGCAGACACCTACATGGTAGGTCTCATCGTGGTGGCCAACAGCGGTATGATTCT
 TTAGCATCCTTTTTTATCCTTATCATTTTCTATGTTATCATCTTACTGAACCTAAGAAGCCA
 10 GTCATCTGAGGACCGGCGTAAGGCTGTCTCCACATGTGGCTCACACGTAATCACTGTCTT
 TTGGTTCTCATGCCCCCATGTTTCATGTACATTTCGTCCCTCCACCACCCTGGCTGCTGACAA
 ACTTATCATCCTCTTTAACATTGTGATGCCACCTTTGCTGAACCTTTGATCTATACACTAA
 GGAACAACGATGTGAAAAATGCCATGAGGAAGCTGTTAGGGTCAAGAGGAGCTTAGGGG
 AGAAGTGA (SEQ ID NO: 158)

15

AOLFR86 sequences:

MQLVLLLMFLLVFIGNTAPAFSVTLESMDIPQNITEFFMLGLSQNSEVQRVLFVVFLIYVVTVC
 GNMLIVVTITSSPTLASPVYFFLANLSFIDTFYSSSMAPKLIADSLYEGRTISYECCMAQLFGAHF
 LGGVEIILLVMAYDRYVAICKPLHNTTIMTRHLCAMLVGVAWLGGFLHSLVQLLLVLWLPFC
 20 GPNVINHFACDLYPLLEVACTNTYVIGLLVANSGLICLLNFMMLAASYIVILYSLRSHSADGRC
 KALSTCGAHFIVVAFVPCIFTYVHPFSTLPIDKNMALFYGILTPMLNPLIYTLRNEEVKNAMR
 KLFTW (SEQ ID NO: 159)

ATGCAATTAGTTCTATTACTTATGTTTCTCCTTGTCTTTATAGGCAATACTGCACCTGCATT
 25 CTCAGTGACCTTGGAACTCTATGGACATACCACAAAATATCACAGAATTTTTCATGCTGGGG
 CTCTCACAGAACTCAGAGGTACAGAGAGTTCTCTTTGTGGTCTTTTGTGCTATGTGG
 TCACGGTTTGTGGCAACATGCTCATTGTGGTCACTATCACCTCCAGCCCCACGCTGGCTTC
 CCCTGTGTATTTTTTCTGGCCAACCTATCCTTTATTGACACCTTTTATTCTTCTTCTATGGC
 TCCTAAACTCATTGCTGACTCATTGTATGAGGGGAGAACCATCTCTTATGAGTGCTGCATG
 30 GCTCAGCTCTTTGGAGCTCATTTTTTGGGAGGTGTTGAGATCATTCTGCTCACAGTGATGG
 CTTATGACCGCTATGTGGCCATCTGTAAGCCCCTGCACAATACTACCATCATGACCAGGCA
 TCTCTGTGCCATGCTTGTAGGGGTGGCTTGGCTTGGGGGCTTCTGCAATTCATTGGTTTCAG
 CTCCTCCTGGTCCTTTGGTTGCCCTTCTGTGGGGCCCAATGTGATCAATCACTTTGCCTGTGA
 CTTGTACCTTTGCTGGAAGTTGCCTGCACCAATACGTATGTCAATGGTCTGCTGGTGGTT
 35 GCCAACAGTGGTTTAATCTGCCTGTTGAACCTTCTCATGCTGGCTGCCTCCTACATTGTCAT
 CCTGTACTCCTTGAGGTCCCACAGTGCAGATGGGAGATGCAAAGCCCTCTCCACCTGTGGA
 GCCCACTTCATTGTTGTTGCCTTGTCTTTGTGCCCTGTATATTTACTTATGCTATCCATT
 TCTACTTTACCTATAGACAAAAATATGGCATTATTTTATGGTATTCTGACACCTATGTTGAA
 40 TCCACTCATTATACCCTGAGAAATGAAGAGGTAAAAAATGCCATGAGAAAGCTCTTTACA
 TGGTAA (SEQ ID NO: 160)

AOLFR87 sequences:

MNNIAQLSLGFIDLIPSVLQKILTKIILLFKMYVSNCPNCAIHRKINYPNTKLDFEQVNNITEFI
 LLGLTQNAEAQKLLFAVFTLIYFLTMVDNLIIVTITSPALDSPVYFFLSFFSFIDGCSSTMAP
 45 KMIFDLLTEKKTISFSGCMTQLFVEHFFGGVEIILLVMAYDCYVAICKPLYLITMNRQVCGL
 LVAMAWVGGFLHALIQMLLIVWLPFCGPNVIDHFICDLFPLLKLSCTDTHVFGFLVAANGLM
 CMLIFSILITSYVLILCSQRKALSTCAFHITVVVLFVPCILVYLRPMITFPIDKAVSVFYTVVTPM
 LNPLIYTLRNTVEVKAMKQLWSQIHWGNNLCD (SEQ ID NO: 161)

ATGAATAACATAGCTCAACTTAGTCTTGGGTTTATAGATTTAGGGATTCCATCAGTGTTAC
 AGAAAATAATCCTGACCAAAATTATTTTATTGTTCAAAATGTATGTGTCAAATTGCAATCC
 TTGTGCTATTACAGAAAAATCAATTATCCAAATACCAAACTGGATTTGAGCAAGTGAAC
 AACATAACGGAATTCATCTTGCTTGGCCTGACACAGAACGCAGAGGCACAGAACTCTTGT
 TTGCTGTGTTTACACTCATCTACTTCTCACCATGGTAGACAACCTAATCATTGTGGTGACA
 55 ATCACCACCAGCCCAGCCCTGGACTCCCCCGTGTATTTTTTCTGTCTTCTTTCTTCTCAT
 AGATGGCTGCTCCTCTTCTACCATGGCCCCCAAAATGATATTTGACTTACTCACTGAAAAAG

AAAACTATTTCCCTTCAGTGGGTGCATGACCCAGCTCTTTGTAGAACATTTCTTTGGGGGAG
TTGAGATCATTCTGCTCGTGATGGCCTATGACTGCTATGTGGCCATCTGCAAGCCCCCT
GTACTACCTGATCACAATGAACAGGCAGGTATGTGGCCTCCTGGTGGCCATGGCATGGGTC
GGGGGATTTCTTCACGCTCTGATTCAAATGCTTTTAATAGTCTGGCTGCCCTTCTGTGGCCC
5 CAATGTCATTGACCATTTTCATCTGTGACCTTTTCCCTCTGCTAAAACTCTCCTGCACTGACA
CTCACGTCTTTGGACTCTTTGTTGCCGCCAACAGTGGGCTGATGTGTATGCTCATTTTTTCT
ATTCTTATTACCTCTTACGTCCTAATCCTCTGCTCACAGCGGAAGGCTCTCTACCTGCGC
CTTCCATATCACTGTAGTCGTCCTATTCTTTGTTCCCTGTATATTGGTGTACCTTCGACCCA
TGATCACCTTCCCTATTGATAAAGCTGTGTCTGTGTTTTATACTGTGGTAACACCCATGTTA
10 AACCTTTAATCTACACCCTCAGAAACACAGAGGTGAAAAATGCCATGAAGCAGCTCTGG
AGCCAAATAATCTGGGGTAACAATTTGTGTGATTAG (SEQ ID NO: 162)

AOLFR88 sequences:

15 MWQKNQTSLADFILEGLFDDSLTHLFLFSLTMVVFLIAVSGNTLTILLICIDPQLHTPMYFLLSQ
LSLMDLMHVSTILKMATNYLSGKKSISFVGCATQHFLYLCLGGAECFLAVMSYDRYVAICH
PLRYAVLMNKKVGLMMAVMSWLGA SVNSLIHMAILMHFPFCGPRKVYHFYCEFPVVKLV
GDITVYETTVYISSILLLLPIFLISTSYVFILQSVIQMRSSGSKRNAFATCGSHLTVVSLWFGACIFS
YMRPRSQCTLLQNKVGSVFYSIITPTLNSLIYTLRNKDVAKALRRVLRRDVITQCIQRLQLWLP
RV (SEQ ID NO: 163)

20 ATGTGGCAGAAGAATCAGACCTCTCTGGCAGACTTCATCCTTGAGGGGCTCTTCGATGACT
CCCTTACCCACCTTTTCTCTCTGACCATGGTGGTCTTCCTTATTGCGGTGAGTGGC
AACACCCTCACCATTCTCCTCATCTGCATTGATCCCCAGCTTCATACACCAATGTATTTCT
GCTCAGCCAGCTCTCCCTCATGGATCTGATGCATGTCTCCACAATCATCCTGAAGATGGCT
25 ACCAACCCTATCTGGCAAGAAATCTATCTCCTTTGTGGGCTGTGCAACCCAGCACTTCC
TCTATTTGTGTCTAGGTGGTGGTGAATGTTTTCTCTTAGCTGTCATGTCATGACCGCTAT
GTTGCCATCTGTCATCCACTGCGCTATGCTGTGCTCATGAACAAGAAGGTGGGACTGATGA
TGGCTGTCATGTCATGGTTGGGGGCATCCGTGAACTCCCTAATTCACATGGCGATCTTGAT
GCACTTCCCTTTCTGTGGGCCTCGGAAAGTCTACCACTTCTACTGTGAGTTCCCAGCTGTTG
30 TGAAGTTGGTATGTGGCGACATCACTGTGTATGAGACCACAGTGTACATCAGCAGCATTCT
CCTCCTCCTCCCATCTTCTGATTTCTACATCCTATGTCTTCATCCTTCAAAGTGTCAATTCA
GATGCGCTCATCTGGGAGCAAGAGAAATGCCTTTGCCACTTGTGGCTCCCACCTCACGGTG
GTTTCTCTTTGGTTTGGTGCCTGCATCTTCTCTACATGAGACCCAGGTCCCAGTGCATCT
ATTGCAGAACAAAGTTGGTTCTGTGTTCTACAGCATCATTACGCCCACATTGAATTCTCTG
35 ATTTATACTCTCCGGAATAAAGATGTAGCTAAGGCTCTGAGAAGAGTGTCTGAGGAGAGAT
GTTATCACCCAGTGCATTCAACGACTGCAATTGTGGTTGCCCCGAGTGTAG (SEQ ID NO:
164)

AOLFR89 sequences:

40 MLDPSISSHTLYLHSLFPQGLRKGTMWQKNQTSLADFILEGLFDDSLTHLFLFSLTMVVFLIAVS
GNTLTILLICIDPQLHTPMYFLLSQLSLMDLMHVSTILKMATNYLSGKKSISFVGCATQHFLYL
CLGGAECFLAVMSYDRYVAICHPLRYAVLMNKKVGLMMAVMSWLGA SVNSLIHMAILMHF
PFCGPRKVYHFYCEFPVVKLVCGDITVYETTVYISSILLLLPIFLISTSYVFILQSVIQMRSSGSK
RNAFATCGSHLTVVSLWFGACIFS YMRPRSQCTLLQNKVGSVFYSIITPTLNSLIYTLRNKDVA
45 KALRRVLRRDVITQCIQRLQLWLPRV (SEQ ID NO: 165)

ATGCTGGACCCAGTATTTCCAGTCACACTCTTTATCTCCACTCTCTGTTTCCTCAGGGATT
GAGAAAGGGGACAATGTGGCAGAAGAATCAGACCTCTCTGGCAGACTTCATCCTTGAGGG
GCTCTTCGATGACTCCCTTACCCACCTTTTCTCTTTCTCCTTGACCATGGTGGTCTTCCTTAT
50 TGGCGGTGAGTGGCAACACCCTCACCATTCTCCTCATCTGCATTGATCCCCAGCTTCATACA
CCAATGTATTTCTGCTCAGCCAGCTCTCCCTCATGGATCTGATGCATGTCTCCACAACCAT
CCTGAAGATGGCTACCAACTACCTATCTGGCAAGAAATCTATCTCCTTTGTGGGCTGTGCA
ACCCAGCACTTCTCTATTTGTGTCTAGGTGGTGGTGAATGTTTTCTCTTAGCTGTCATGTC
CTATGACCGCTATGTTGCCATCTGTCATCCACTGCGCTATGCTGTGCTCATGAACAAGAAG
55 GTGGGACTGATGATGGCTGTCATGTCATGGTTGGGGGCATCCGTGAACTCCCTAATTCACA
TGGCGATCTTGATGCACTTCCCTTTCTGTGGGCCTCGGAAAGTCTACCACTTCTACTGTGA

5 GTTCCCAGCTGTTGTGAAGTTGGTATGTGGCGACATCACTGTGTATGAGACCACAGTGTAC
ATCAGCAGCATTTCTCCTCCTCCTCCCATCTTCTGATTTCTACATCCTATGTCTTCATCCTT
CAAAGTGTCAATTCAGATGCGCTCATCTGGGAGCAAGAGAAAATGCCTTTGCCACTTGTGGCT
CCCACCTCACGGTGGTTTTCTCTTTGGTTTGGTGCCTGCATCTTCTCCTACATGAGACCCAGG
TCCCAGTGCACCTCTATTGCAGAACAAAGTTGGTTCTGTGTTCTACAGCATCATTACGCCCA
CATTGAATTCTCTGATTTATACTCTCCGGAATAAAGATGTAGCTAAGGCTCTGAGAAGAGT
GCTGAGGAGAGATGTTATCACCCAGTGCATTCAACGACTGCAATTGTGGTTGCCCCGAGTG
TAG (SEQ ID NO: 166)

10 **AOLFR90 sequences:**

MFSMTTEALNNFALGCTNLLMTMIPQIDLKQIFLCPNCRLYMIPVGAFIFSLGNMQNQSFVTEF
VLLGLSQPNPVQEIFVVFVFLVYIATVGGNMLIVVTILSSPALLVSPMYFFLGLSFLDADFSSVI
TPKMIVDSLYVTKTISFEGCMMQLFAEHFFAGVEVIVLTAMAYDRYVAICKPLHYSSIMNRRL
CGILMGVAWTGGLLHSMIQLFTFQLPFCGPNVINHFMCPLYLLELACTDTHIFGLMVVINS
15 FICINFSLLVSYAVILLSLRTHSSEGRWKALSTCGSHIAVVILFFVPCIFVYTRPPSAFSLDKMA
AIFYIILNPLLNPLIYTFRNKEVKQAMRRIWNRLMVVSDEKENIKL (SEQ ID NO: 167)

20 ATGTTCTCAATGACAACAGAAGCACTCAATAATTTTGCCTTGGATGTACCAACTTGTAA
TGACTATGATACCACAAATTGATCTGAAGCAAATTTTCCTTTGTCCTAATTGCAGACTATA
CATGATCCCTGTTGGAGCTTTCATCTTTTCCTTGGGAAACATGCAAAACCAAAGCTTTGTA
ACTGAGTTTGTCTCCTGGGACTTTCACAGAATCCAAATGTTTCAGGAAATAGTATTTGTTG
TATTTTGTGTTGTCTACATTGCAACTGTTGGGGGCAACATGCTAATTGTAGTAACCATTCTC
AGCAGCCCTGCTCTTCTGGTGTCTCCTATGTACTTCTTCTTGGGCTTCTGTCTTCTGGA
TGCGTGTCTTCTCATCTGTATCACCCCAAAGATGATTGTAGACTCCCTCTATGTGACAAAA
25 ACCATCTCTTTTGAAGGCTGCATGATGCAGCTCTTTGCTGAACACTTCTTTGCTGGGGTGG
AGGTGATTGTCTCACAGCCATGGCCTATGATCGTTATGTGGCCATTGCAAGCCCTTGCA
TTACTCTTCTATCATGAACAGGAGGCTCTGTGGCATTCTGATGGGGTAGCCTGGACAGGG
GGCCTCTTGCATTCCATGATACAAATTCTTTTACTTTCCAGCTTCCCTTTTGTGGCCCCAA
TGTCATCAATCACTTTATGTGTGACTTGTACCCGTTACTGGAGCTTGCCTGCACTGATACTC
30 ACATCTTTGGCCTCATGGTGGTCATCAACAGTGGGTTTATCTGCATCATAAACTTCTCCTTG
TTGCTTGTCTCCTATGCTGTCTCTTGTCTCTCTGAGAACACACAGTTCTGAAGGGCGCTG
GAAAGCTCTCTCCACCTGTGGATCTCACATTGCTGTTGTGATTTTGTCTTTGTCCCATGCA
TATTTGTATATACACGACCTCCATCTGCTTTTTCCCTTGACAAAATGGCGGCAATATTTTAT
ATCATCTAAATCCCTTGCTCAATCCTTTGATTTACACTTTCAGGAATAAGGAAGTAAAC
35 AGGCCATGAGGAGAATATGGAACAGACTGATGGTGGTTTCTGATGAGAAAGAAAATATTA
AACTTTAA (SEQ ID NO: 168)

AOLFR91 sequences:

40 MGNWSTVTEITLIAFPALLEIRISLFLVVLVVTYTLTATGNITISLIWIDHRLQTPMYFFLSNLSFL
DILYTTVITPKLLACLLGEEKTISFAGCMIQTYFYFFLGTVEFILLAVMSFDRYMAICDPLHYTVI
MNSRACLLVLGCVVGAFLSVLFPTIVVTRLPHYCRKEINHFFCDIAPLLQVACINTHLIEKINFL
SALVILSSLAFTTGSYVYIISTILRIPSTQGRQKAFSTCASHITVVSIAHGSNIFVYVRPNQNSSLD
YDKVA AVLITVVTPLLPFIYSLRNEKVQEVLRVTRNIMTLIQRKT (SEQ ID NO: 169)

45 ATGGGAAACTGGAGCACTGTGACTGAAATCACCTAATTGCCTTCCCAGCTCTCCTGGAGA
TTCGAATATCTCTCTCGTGGTTCTTGTGGTAACTTACACATTAACAGCAACAGGAAACAT
CACCATCATCTCCCTGATATGGATTGATCATCGCCTGCAAACTCCAATGTACTTCTCCTCA
GTAATTTGTCTTTCTGGATATCTTATACACCACCTGCATTACCCCAAAGATTGTTGGCCTGC
CTCCTAGGAGAAGAGAAAACCATATCTTTTGTGCTGGTTGCATGATCCAAACATATTTCTACT
50 TCTTTCTGGGGACGGTGGAGTTTATCCTCTTGGCGGTGATGTCCTTTGACCGCTACATGGC
TATCTGCGACCCACTGCACTACACGGTCATCATGAACAGCAGGGCCTGCCTTCTGCTGGTT
CTGGGATGCTGGGTGGGAGCCTTCTGTCTGTGTTGTTTCCAACCATTGTAGTGACAAGGC
TACCTTACTGTAGGAAAGAAATTAATCATTTCTTCTGTGACATTGCCCTCTTCTTCAGGTG
GCCTGTATAAATACTCACCTCATTGAGAAGATAAACTTTCTCCTCTCTGCCCTTGTATCCT
55 GAGCTCCCTGGCATTCACTACTGGGTCTACGTGTACATAATTTCTACCATCCTGCGTATCC
CCTCCACCCAGGGCCGTCAGAAAGCTTTTCTACCTGTGCTTCTCACATCACTGTTGTCTCC

ATTGCCACGGGAGCAACATCTTTGTGTATGTGAGACCCAATCAGAACTCCTCACTGGATT
ATGACAAGGTGGCCGCTGTCCTCATCAGTGGTGACCCCTCTCCTGAACCCCTTTTATCTA
CAGCTTGAGGAATGAGAAGGTACAGGAAGTGTGAGAGAGACAGTGAACAGAATCATGAC
CTTGATACAAAGGAAAACCTGA (SEQ ID NO: 170)

5

AOLFR92 sequences:

MRNGTVITEFILLGFPVIQGLQTPLFIAIFLTYILTLAGNGLIATVWAEPRQLQIPMYFFLCNLSFLE
IWYTTTVIPKLLGTFVVARVICMSCLLQAFHFHFGTTEFLILTIMSFDRYLTCNPLHHPTIM
TSKLCLQLALSSWVVGFTIVFCQTMILLQLPFCGNNVISHFYCDVGPSLKAACIDTSILELLGVIA
TILVIPGSLLFNMISYIYILSAILRIPSATGHQKTFSTCASHLTVVSLLYGAVLFMYLRPTAHSSFK
INKVSVLNTILTPLLNPFITYIRNKEVKGALRKAMTCPKTGHAK (SEQ ID NO: 171)

10

ATGAGAAATGGCACAGTAATCACAGAATTCATCCTGCTAGGCTTTCCTGTTATCCAAGGCC
TACAAACACCTCTCTTTATTGCAATCTTCTCACCTACATATTAACCCCTTGCAAGCAATGGG
CTTATTATTGCCACTGTGTGGGCTGAGCCCAGGCTACAAATCCAATGTACTTCTTCCTTTG
TAACCTGTCTTTCTTAGAAATCTGGTACACCACCACAGTCATCCCCAACTGCTAGGAACC
TTTGTAGTGGCAAGAACAGTAATCTGCATGTCCTGCTGCCTGCTGCAGGCCTTCTTCCACT
TCTTCGTGGGCACCCGAGTTCTTGATCCTCACTATCATGTCTTTTGACCGCTACCTCACC
ATCTGCAATCCCCTTACCACCCCACCATCATGACCAGCAAACCTGCTGCCTGCAGCTGGCCC
TGAGCTCCTGGGTGGTGGGCTTACCATTGTCTTTTGTGACGATGCTGCTCATCCAGTT
GCCATTCTGTGGCAATAATGTTATCAGTCATTTCTACTGTGATGTTGGGCCCAGTTTGAAA
GCCGCTGCATAGACACCAGCATTTTGGAACTCCTGGGCGTCATAGCAACCATCCTTGTA
TCCCAGGGTCACTTCTCTTAATATGATTCTTATATCTACATTCTGTCCGCAATCCTACGA
ATTCCTTCAGCCACTGGCCACCAAAAGACTTTCTCTACCTGTGCCTCGCACCTGACAGTTGT
CTCCCTGCTCTACGGGGCTGTTCTGTTCATGTACCTAAGACCCACAGCACACTCCTCCTTTA
AGATTAATAAGGTGGTGTCTGTGCTAAATACTATCCTCACCCCCCTTCTGAATCCCTTTATT
TATACTATTAGAAACAAGGAGGTGAAGGGAGCCTTAAGAAAGGCAATGACTTGCCCAAAG
ACTGGTCATGCAAAGTAA (SEQ ID NO: 172)

30

AOLFR93 sequences:

MLMNYSSATEFYLLGFPGSEELHHILFAIFFFFYLVTLMGNTVIIMIVCVDKRLQSPMYFFLGH
SALEILVTTHVPVMLWGLLLPGMQTYLSACVVQLFLYLAVGTTEFALLGAMAVDRYVAVCN
PLRYNIIMNRHTCNFVVLVSWVFGFLFQIWPVYVMFQLTYCKSNVNVNFFCDRGQLKLSCN
NTLFTFIFLMAVFVLFGLIPTIVSNAYIISTILKIPSSSGRRKSFSTCASHFTCVVIGYGSCFLY
VKPKQTQAADYNWVVSMLMSVVTPLNPFIFTLRNDKVIEALRDGVKRCCQLFRN (SEQ ID
NO: 173)

35

ATGTTGATGAATTACTCTAGTGCCACTGAATTTTATCTCCTTGGCTTCCCTGGCTCTGAAGA
ACTACATCATATCCTTTTTGCTATATTCTCTTTTTCTACTTGGTGACATTAATGGGAAACA
CAGTCATCATCATGATTGTCTGTGTGGATAAACGTCTGCAGTCCCCCATGTATTTCTTCCTC
GGCCACCTCTCTGCCCTGGAGATCCTGGTCACAACCATAATCGTCCCCGTGATGCTTTGGG
GATTGCTGCTCCCTGGGATGCAGACAATATATTTGTCTGCCTGTGTTGTCCAGCTCTTCTTG
TACCTTGCTGTGGGGACAACAGAGTTTCGATTACTTGGAGCAATGGCTGTGGACCGTTATG
TGGCTGTCTGTAACCCTCTGAGGTACAACATCATTATGAACAGACACACCTGCAACTTTGT
GGTTCTTGTGTCATGGGTGTTTGGGTTTCTTTTTCAAATCTGGCCGGTCTATGTCATGTTTC
AGCTTACTTACTGCAAATCAAATGTGGTGAACAATTTTTTTGTGACCGAGGGCAATTGCT
CAAATATCCTGCAATAATACTCTTTTACGGAGTTTATCCTCTTCTTAATGGCTGTTTTTG
TTCTCTTTGGTTCTTTGATCCCTACAATGTCTCCAACGCCTACATCATCTCCACCATCTC
AAGATCCCGTCACCTCTGGCCGAGGAAATCCTTCTCCTACTGAAACCCAAAGCAACGAGGCA
TGTTGTGATTGGCTACGGCAGCTGCTTGTCTCTACGTGAAACCCAAAGCAACGAGGCA
GCTGATTACAATTGGGTAGTTTCCCTGATGGTTTCAGTAGTAACTCCTTTCCTCAATCCTTT
CATCTTACCCTCCGGAATGATAAAGTCATAGAGGCCCTTCGGGATGGGGTGAAACGCTGC
TGTCAACTATTCAGGAATTAG (SEQ ID NO: 174)

50

AOLFR94 sequences:

METWVNQSYTDGFFLLGIFSHSTADLVLFSSVMAVFTVALCGNVLLIFLIYMDPHLHTPMYFF
 LSQSLMDLMLVCTNVPKMAANFLSGRKSISFVCGGIQIGLFVCLVSGEGLLLGLMAYDRYVA
 ISHPLHYPILMNQRVCLQITGSSWAFGIIDGLIQMVVVMNFPYCGLRKVNHFFCEMLSLLKLAC
 5 VDTSLFEKVIFACCVFMLLPFSIIVASYAHILGTVLQMHSAQAWKKALATCSSHLTAVTLFYG
 AAMFIYLRPRHYRAPSHDKVASIFYTVLTPMLNPLIYSLRNREVMGALRKGLDRCRIGSQH
 (SEQ ID NO: 175)

ATGGAGACGTGGGTGAACCAAGTCCTACACAGATGGCTTCTTCCTCTTAGGCATCTTCTCCC
 10 ACAGTACTGCTGACCTTGTCTCTTCTCCGTGGTTATGGCGGTCTTCACAGTGGCCCTCTGT
 GGAATGTCTCCTCATCTTCTCATCTACATGGACCCCTCACCTTCACACCCCATGTACTT
 CTTCTCAGCCAGCTCTCCCTCATGGACCTCATGTTGGTCTGTACCAATGTGCCAAAGATG
 GCAGCCAACTTCTGTCTGGCAGGAAGTCCATCTCCTTTGTGGGCTGTGGCATACAAATG
 GCCTCTTTGTCTGTCTTGTGGGATCTGAGGGGCTCTTGTGGGACTCATGGCTTATGACCG
 15 CTATGTGGCCATTAGCCACCCACTTCACTATCCCATCCTCATGAATCAGAGGGTCTGTCTCC
 AGATTACTGGGAGCTCCTGGGCCTTTGGGATAATCGATGGCTTGATCCAGATGGTGGTAGT
 AATGAATTTCCCCTACTGTGGCTTGAGGAAGGTGAACCATTTCTTCTGTGAGATGCTATCC
 TTGTTGAAGCTGGCCTGTGTAGACACATCCCTGTTTGAGAAGGTGATATTTGCTTGCTGTG
 TCTTCATGCTTCTCTTCCCATCTCCATCATCGTGGCCTCCTATGCTCACATTCTAGGGACT
 20 GTGCTGCAAATGCACTCTGCTCAGGCCTGGAAAAAGGCCCTGGCCACCTGCTCCTCCCACC
 TGACAGCTGTACCCCTCTTCTATGGGGCAGCCATGTTTCTACCTGAGGCCTAGGCACTA
 CCGGGCCCCCAGCCATGACAAGGTGGCCTCTATCTTCTACACGGTCCTTACTCCCATGCTC
 AACCCCTCATTTACAGCTTGAGGAACAGGGAGGTGATGGGGGCACTGAGGAAGGGGCTG
 GACCGCTGCAGGATCGGCAGCCAGCACTGA (SEQ ID NO: 176)

25

AOLFR95 sequences:

MLGSKPRVHLYLPCASQVSTMGDRGTSNHSEMTDFILAGFRVRPELHILLFLLFLFVYAMILL
 GNVGMMTIIMTDPRLNTPMYFFLGNLSFIDLFSYSSVIEPKAMINFWSENKSISFAGCVAQLFLFA
 LLIVTEGFLLAAMAYDRFIAICNPLLYSVQMSTRLCQLVAGSYFCGCISSVIQTSMTFTLSFCAS
 30 RAVDHFYCDSPRLQRLSCSDLFIHRMISFSLSCHILPTIIVIVSYMYIVSTVLKIHSTEGHKAFST
 CSSHLGVVSVLYGAVFFMYLTPDRFPELSKVASLCYSLVTPMLNPLIYSLRNKDVQEALKKFLE
 KKNIL (SEQ ID NO: 177)

ATGCTAGGATCCAAACCAAGAGTTCATTTGTATATTTTGCCCTGTGCCTCTCAACAGGTTTC
 35 TACCATGGGTGACAGGGGAACAAGCAATCACTCAGAAATGACTGACTTCATTCTTGCAGG
 CTTGAGGTACGCCAGAGCTCCACATTCTCCTCTTCTGCTATTTTTGTTTGTATGCCA
 TGATCCTTCTAGGGAATGTTGGGATGATGACCATTATTATGACTGATCCTCGGCTGAACAC
 ACCAATGTATTTTTTCTAGGCAATCTCTCCTTCACTGATCTTTTCTATTCTGTTATTGA
 ACCCAAGGCTATGATCAACTTCTGGTCTGAAAACAAGTCTATCTCCTTTGACGGCTGTGTG
 40 GCCCAGCTCTTTCTCTTTGCCCTCCTCATTGTGACTGAGGGATTTCTCCTGGCGGCCATGGC
 TTATGACCGCTTTATTGCCATCTGCAACCCTCTGCTCTACTCTGTTCAAATGTCCACACGTC
 TGTGTACTCAGTTGGTGGCTGGTTCCTATTTTGTGGCTGCATTAGCTCAGTTATTCAGACT
 AGCATGACATTTACTTTATCTTTTGGCTTCTCGGGCTGTTGACCACTTTTACTGTGATTC
 TCGCCCACTTCAGAGACTGTCTTGTCTGATCTCTTTATCCATAGAATGATATCTTTTCTCCT
 45 TATCATGTATTATTATCTTGCCTACTATCATAGTCATTATAGTATCTTACATGTATATTGTG
 TCCACAGTTCTAAAGATACATTCTACTGAGGGACATAAGAAGGCCTTCTCCACCTGCAGCT
 CTCACCTGGGAGTTGTGAGTGTGCTGTATGGTGTCTGTCTTTTATGTATCTCACTCCTGAC
 AGATTTCTGAGCTGAGTAAAGTGGCATCCTTATGTTACTCCCTAGTCACTCCCATGTTGA
 ATCCTTTGATTTACTCTCTGAGGAACAAAGATGTCCAAGAGGCTCTAAAAAAATTTCTAGA
 50 GAAGAAAAATATTATTCTTTGA (SEQ ID NO: 178)

AOLFR96 sequences:

MICENHTRVTEFILLGFTNNPEMQVSLFIFFLAIYTVTLLGNFLIVTVTSVDLALQTPMYFFLQN
 LSLEVCFTLVMPKMLVDLVSPRKIISFVCGGTQMYFFFFFGSSECFLLSMMA YDRFVAICNP
 55 LHYSVIMNRSCLLWMAIGSWMSGVPVSMQLTAWMMALPFCGPNAVDFHFFCDGPPVLKLVTV
 DTTMYEMQALASTLLFIMFPFCLILVSYTRIITILRMSSATGRQKAFSTCSSHLIVVSLFYGTASL

TYLRPKSNQSPESKKLVLSYTVITPMLNPIFYGLRNNEVKGAVKRTITQKVLQKLDVF (SEQ ID NO: 179)

5 ATGATCTGTGAAAATCACACCAGAGTCACTGAATTTATTCTTCTTGGTTTTACAAACAACC
CCGAGATGCAAGTTTCCCTCTTTATTTTTTTCCTGGCCATTTATACAGTCACTTTGTTGGGC
AACTTTCTTATTGTACAGTTACCAGTGTGGATCTCGCACTTCAAACACCCATGTACTTCTT
TCTTCAAAATCTGTCACTTCTTGAAGTATGTTTCACCTTGGTTATGGTGCCAAAAATGCTTG
TAGATCTAGTGTCCCCAAGGAAAATTATCTCTTTTGTGGGCTGTGGTACCCAGATGTACTT
CTTCTTCTTCTTGGCAGTTCTGAATGTTTCCTTCTCTCCATGATGGCTTATGATCGCTTGTG
10 GGCCATCTGTAACCCCTCTCCATTATTCAGTCATAATGAACAGGTCCCTATGCTTGTGGATG
GCCATAGGCTCTTGGATGTCCGGTGTTCCTGTGTCTATGCTACAGACAGCTTGGATGATGG
CCCTTCTTTCTGTGGACCAAATGCCGTGGACCACTTTTTCTGTGATGGTCCCCCAGTGTTA
AACTAGTCACAGTGGATAACAACCATGTATGAAATGCAAGCACTTGCCTCCACACTCCTGT
TTATCATGTTTCCCTTTTGTCTCATTTTGGTTTCTACACCCGCATTATCATAACAATTCTG
15 AGGATGTCCTCTGCCACTGGCCGCCAGAAGGCATTTTCTACTTGTTCCTCACACCTCATTGT
GGTGTCCCTCTTCTACGGAACAGCCAGTCTGACCTACCTGCGGCCCAAATCAAACCAAGTCC
CCTGAGAGCAAGAAGCTAGTGTCAATTGTCTACACTGTCATCACACCTATGCTAAACCCCA
TCATCTACGGCCTGAGGAACAATGAAGTGAAAGGGGCTGTCAAGAGGACAATCACTCAAA
AAGTCTTACAGAAGTTAGATGTGTTTGA (SEQ ID NO: 180)

20

AOLFR97 sequences:

MTEFHLQSOMPSIRLIFRRLSLGRIKPSQSPRCSTSFMVVPSFSIAEHWRRMKGANLSQGMFEL
LGLTDPQLQRLLFVFLGMYTATLLGNLVMFLIHVSATLHTPMYSLKSLSFLDFCYSSSTVV
PQTLVNFLAKRKVISYFGCMTQMFFYAGFATSECYLIAAMAYDRYAAICNPLLYSTIMSPEVC
25 ASLIVGSYSAGFLNSLIHTGCFISLKFCGAHVVTTHFFCDGPILSLSCVDTSLCEILLFIFAGFNLLS
CTLTLISYFLILNTILKMSSAQGRFKAFTCASHLTAICLFFGTILFMYLRPRSSYSLTQDRIVA
VIYTVVIPVLNPLMYSLRNKDVKKALIKVWGRKTIME (SEQ ID NO: 181)

30 ATGACAGAGTTTTCATCTGCAAAGCCAAATGCCCTCAATAAGACTCATCTTCAGAAGGCTGT
CCTTAGGCAGAATTAACCCAGTCAGAGCCCCAGGTGTTCAACCTCATTTATGGTGGTGCC
TTCTTTCTCCATCGCAGAGCACTGGAGAAGGATGAAAGGGGCAAACCTGAGCCAAGGGAT
GGAGTTTGAGCTCTTGGGCCTCACCACTGACCCCCAGCTCCAGAGGCTGCTCTCGTGGTG
TTCCTGGGCATGTACACAGCCACTCTGCTGGGGAACCTGGTCATGTTCTCTCTGATCCATG
TGAGTGCCACCCTGCACACACCCATGTACTCCCTCCTGAAGAGCCTCTCCTTCTTGGATTTC
35 TGCTACTCCTCCACGGTTGTGCCCCAGACCCTGGTGAACCTTCTTGGCCAAGAGGAAAGTGA
TCTCTATTTTGGCTGCATGACTCAGATGTTCTTCTATGCGGGTTTTGCCACCAGTGAGTGC
TATCTCATCGCTGCCATGGCCTATGACCGCTATGCCGCTATTTGTAACCCCTGCTCTACTC
AACCATCATGTCTCCTGAGGTCTGTGCCTCGCTGATTGTGGGCTCCTACAGTGCAGGATTC
CTCAATTCTCTTATCCACACTGGCTGTATCTTTAGTCTGAAATTCCTGCGGTGCTCATGTCTG
40 CACTCACTTCTTCTGTGATGGGCCACCCATCCTGTCTTGTCTTGTGTAGACACCTCACTGT
GTGAGATCCTGCTCTTCAATTTTGTCTGGTTTCAACCTTTTGAGCTGCACCCCTACCATCTTG
ATCTCCTACTTCTTAATTCACACCATCCTGAAAATGAGCTCGGCCCAGGGCAGGTTTA
AGGCATTTTCCACCTGTGCATCCCACCTCACTGCCATCTGCCTCTTCTTTGGCACAACACTT
TTTATGTACCTGCGCCCCAGGTCCAGCTACTCCTTGACCCAGGACCGCACAGTTGCTGTCA
45 TCTACACAGTGGTGATCCAGTGCTGAACCCCTCATGTACTCTTTGAGAAACAAGGATGT
GAAGAAAGCTTTAATAAAGTTTGGGGTAGGAAAACAATGGAATGA (SEQ ID NO: 182)

AOLFR98 sequences:

MRGFNKTTVVVTQFILVGFSSLGELQLLLFVIFLLLYLTILVANVTIMAVIRFSWTLHTPMYGFLEI
50 LSFSESCYTFVIIPQLLVHLLSDTKTISFMACATQLFFFLGFACTNCLLIAVMGYDRYVAICHPLR
YTLINKRLGLELISLSGATGFFIALVATNLCIDMRFCGPNRVNHYFCDMAPVIKLACTDTHVKE
LALFSLVIMVPFLILISYGFIVNTILKIPSAEGKKAFTVCASHLTVFVHYGCASHYLRPKSK
SASDKDQLVAVTYTVVTPLLNPLVYSLRNKEVKTALKRVLGMPVATKMS (SEQ ID NO: 183)

55 ATGCGAGGTTTCAACAAAACCACTGTGGTTACACAGTTCATCCTGGTGGGTTTCTCCAGCC
TGGGGGAGCTCCAGCTGCTGCTTTTTGTATCTTTCTTCTCTATACTTGACAATCCTGGTG

GCCAATGTGACCATCATGGCCGTTATTCGCTTCAGCTGGACTCTCCACACTCCCATGTATG
 GCTTTCTATTTCATCCITTCATTTTCTGAGTCCCTGCTACACTTTTGTGCATCATCCCTCAGCTGC
 TGGTCCACCTGCTCTCAGACACCAAGACCATCTCCTTCATGGCCTGTGCCACCCAGCTGTT
 CTTTTCCCTTGGCTTTGCTTGCAACCACTGCCTCCTCATTGCTGTGATGGGATATGATCGCT
 5 ATGTAGCAATTTGTACCCCTCTGAGGTACACACTCATCATAAAACAAAAGGCTGGGGTTGGA
 GTTGATTTCTCTCTCAGGAGCCACAGGTTTCTTTATTGCTTTGGTGGCCACCAACCTCATT
 GTGACATGCGTTTTTGTGGCCCCAACAGGGTTAACCCTATTTCTGTGACATGGCACCTGT
 TATCAAGTTAGCCTGCACTGACACCCATGTGAAAGAGCTGGCTTTATTTAGCCTCAGCATC
 CTGTAATTATGGTGCCTTTTCTGTAAATTCTCATATCCTATGGCTTCATAGTTAACACCAT
 10 CCTGAAGATCCCCCTCAGCTGAGGGCAAGAAGGCCTTTGTACCTGTGCCTCACATCTCACT
 GTGGTCTTTGTCCACTATGGCTGTGCCTCTATCATCTATCTGCGGCCCAAGTCCAAGTCTGC
 CTCAGACAAGGATCAGTTGGTGGCAGTGACCTACACAGTGGTTACTCCCTTACTTAATCCT
 CTTGTCTACAGTCTGAGGAACAAAGAGGTAATAAAGTGCATTGAAAAGAGTTCTTGGAATG
 CCTGTGGCAACCAAGATGAGCTAA (SEQ ID NO: 184)

15

AOLFR99 sequences:

MERVNETVVREVIFLGFSSLARLQQLFVIFLLLYLFTLGTNAINISTIVLDRALHIPMYFFLAISC
 SEICYTFIIVPKMLVDLLSQKKTISFLGCAIQMFSLFLGCSHSFLLAVMGYDRYIAICNPLRYSV
 LMGHGVCMLVAAACACGFTVAQIITSLVFHLPFYSSNQLHHFFCDIAPVLKLASHHNFHSQIV
 20 IFMLCTLVLAIPLLLILVSYVHILSAILQFPSTLGRCKAFSTCVSHLIIVTVHYGCASFYLRPQSNY
 SSSQDALISVSYTHITPLFNPMIYSLRNKEFKSALCKIVRRITISLL (SEQ ID NO: 185)

ATGGAGCGGGTCAATGAGACTGTGGTGAGAGAGGTCATCTTCCTCGGCTTCTCATCCCTGG
 CCAGGCTGCAGCAGCTGCTCTTTGTTATCTTCCTGCTCCTCTACCTGTTCACTCTGGGCACC
 25 AATGCAATCATCATTTCCACCATGTGCTGGACAGGGCCCTTCATATCCCCATGTACTTCTT
 CCTTGCCATCCTCTCTGCTCTGAGATTGCTACACCTTCATCATTGTACCCCAAGATGTCTGG
 TTGACCTGCTGTCCAGAAAGAAGACCATTCTTTTCTGGGCTGTGCCATCCAAATGTTTCC
 TTCTCTTCCTTGGCTGCTCTCACTCCTTTCTGCTGGCAGTCATGGGTTATGATCGTTACAT
 AGCCATCTGTAACCCACTGCGCTACTCAGTGCTAATGGGACATGGGGTGTGTATGGGACTA
 30 GTGGCTGCTGCCTGTGCCTGTGGCTTCACTGTTGCACAGATCATCACATCCTTGGTATTTC
 CCTGCCCTTTTATTCTCCAATCAACTACATCACTTCTTCTGTGACATTGCTCCTGTCTCA
 AGCTGGCATCTCACCATAACCACTTTAGTCAGATTGTCATCTTCATGCTCTGTACATTGGTC
 CTGGCTATCCCCTTATTGTTGATCTTGGTGTCTATGTTACATCCTCTCTGCCATACTTCA
 GTTTCTCTCCACACTGGGTAGGTGCAAAGCTTTTCTACCTGTGTATCTCACCTCATTATTG
 35 TCACTGTCCACTATGGCTGTGCCTCCTTTATCTACTTAAGGCCTCAGTCCAATACTCCTCA
 AGCCAGGATGCTCTAATATCAGTATCCTACACTATTATAACTCCATTGTTCAACCCAATGA
 TTTATAGCTTGAGAAATAAAGAGTTCAAATCAGCTCTTGTAAATTTGTGAGAAGAACAAT
 TTCCCTGTTGTAA (SEQ ID NO: 186)

40 **AOLFR101 sequences:**

MDTGNWSQVAEFILGFPHLQGVQIYFLLLLLLIYLMTVLGNLLIFLVVCLDSRLHTPMYHFVSI
 LSFSELGYTAATIPKMLANLLSEKKTISFSGCLLQIYFFHSLGATECYLLTAMAYDRYLAICRPL
 HYPTLMPTLCAEIAIGCWLGLAGPVVEISLISRLPFCGPNRIQHVFCDFFPVLSACTDTSINV
 LVDFVINSCKILATFLLILCSYVQIICTVLRIPSAAGKRKAISTCASHFTVVLIFYGSILSMYVQLK
 45 KSYSLDYDQALAVVYSVLTPLNPFYSLRNKEIKEAVRRQLKRIGILA (SEQ ID NO: 187)

ATGGACACAGGGAAGTGGAGCCAGGTAGCAGAATTCATCATCTTGGGCTTCCCCCATCTCC
 AGGGTGTCCAGATTTATCTCTTCTCTGTTGCTTCTCATTTACCTCATGACTGTGTGGGA
 AACCTGCTGATATTCCTGGTGGTCTGCCTGGACTCCCGGCTTCACACACCCATGTACCACT
 50 TTGTACGATTCTCTCCTTCTCAGAGCTTGGCTATACAGCTGCCACCATCCCTAAGATGCTG
 GCAAACTTGCTCAGTGAGAAAAAGACCATTTCATTCTCTGGGTGTCTCCTGCAGATCTATT
 TCTTTCACTCCCTTGGAGCGACTGAGTGCTATCTCCTGACAGCTATGGCCTACGATAGGTA
 TTAGCCATCTGCCGGCCCCCTCCACTACCAACCCCTCATGACCCCAACACTTTGTGCAGAG
 ATTGCCATTGGCTGTTGGTTGGGAGGCTTGGCTGGGCCAGTAGTTGAAATTTCTTGATTT
 55 CACGCCTCCCATTCTGTGGCCCCAATCGCATTACGACAGTCTTTTGTGACTTCCCTCCTGTG
 CTGAGTTTGGCTTGCATGATACGTCTATAAATGTCCTAGTAGATTTTGTATAAATTCCTG

5

AOLFR102 sequences:

10

15

AOLFR103 sequences:

35

40

AOLFR105 sequences:

MOGLNHTSVSEFILVGFSAPHLQLMLFLLFLLMYLFTLLGNLLIMATVWSESLHMPMYLFLC
ALSITEILYTVAIIPRMLADLLSTQRSIAFLACASQMFFSFSFGFTHSFLLTVMGYDRYVAICHPL
RYNVLM SLRGCTCRVGC SWAGGLVMGMVVTSAIFHLAFCGHKEIHFFCHVPPLLKLACGDD
5 VLVVAKGVGLVCITALLGCFLILLISYAFIVAAILKIPSAEGRNKAFTSCASHLTVVVVHYGFAS
VIYLPKGPQSPGDTLMGITYTVLTPFLSPIIFSLRNKELKVAMKKTCFTKLFPQNC (SEQ ID
NO: 193)

ATGCAGGGGCTAAACCACACCTCCGTGTCTGAATTCATCCTCGTTGGCTTCTCTGCCTTCCC
10 CCACCTCCAGCTGATGCTCTTCTGCTGTTCTGCTGATGTACCTGTTACAGCTGCTGGGCA
ACCTGCTCATCATGGCCACTGTCTGGAGCGAGCGCAGCCTCCACATGCCCATGTACCTCTT
CCTGTGTGCCCTCTCCATCACCGAGATCCTCTACACCGTGGCCATCATCCCGCGCATGCTG
GCCGACCTGCTGTCCACCCAGCGCTCCATCGCCTTCTGCGCTGTGCCAGTCAGATGTTCTT
CTCCTTCAGCTTCGGCTTACCCACTCCTTCTGCTCACTGTCATGGGCTACGACCGCTACG
15 TGGCCATCTGCCACCCCCTGCGTTACAACGTGCTCATGAGCCTGCGGGGCTGCACCTGACG
GGTGGGCTGCTCCTGGGCTGGTGGCTTGGTCATGGGGATGGTGGTGACCTCGGCCATTTTC
CACCTCGCCTTCTGTGGACACAAGGAGATCCACCATTTCTTCTGCCACGTGCCACCTCTGTT
GAAGTTGGCCTGTGGAGATGATGTGCTGGTGGTGGCCAAAGGCGTGGGCTTGGTGTGTAT
CACGGCCCTGCTGGGCTGTTTCTCCTCATCCTCCTCTCCTATGCCTTCATCGTGGCCGCCA
20 TCTTGAAGATCCCTTCTGCTGAAGGTGCGAACAAGGCCTTCTCCACCTGTGCCTCTCACCT
CACTGTGGTGGTCTGCACTATGGCTTTGCCTCCGTCATTTACCTGAAGCCCAAAGGTCCC
CAGTCTCCGGAAGGAGACACCTTGATGGGCATCACCTACACGGTCTCACACCTTCTCTCA
GCCCCATCATCTTCAGCCTCAGGAACAAGGAGCTGAAGGTGCGCCATGAAGAAGACTTGCTT
CACCAAACCTCTTCCACAGAACTGCTGA (SEQ ID NO: 194)

AOLFR106 sequences:

METANYTKVTEFVLTLGLSQTPEVQLVLFVIFLSFYLFILPGNLIICTISLDPHLTSPMYFLLANLA
FLDIWYSSITAPEMLIDFFVERKIIISFDGCIQFLHFAGASEMFLLTVMAFDLYTAICRPLHYA
TIMNQRLCCILVALSWRGGFIHSIIQVALIVRLPFCGPNELDSYFCDITQVVRIACANTFPEELVM
30 ICSSGLISVVCLIALLSYAFLLALFKKLSGSGENTNRAMSTCYSHITIVVLMFGPSIYYARFDF
SFSLDKVVSFNTLIFPLRNPIIYTLRNKEVKAAMRKLVTKYILCKEK (SEQ ID NO: 195)

ATGGAAACTGCAAATTACACCAAGGTGACAGAATTTGTTCTCACTGGCCTATCCCAGACTC
CAGAGGTCCAACCTAGTCCTATTTGTTATATTTCTATCCTTCTATTTGTTCACTCCTACCAGGA
35 AATATCCTTATCATTTGCACCATCAGTCTAGACCCTCATCTGACCTCTCCTATGTATTTCTT
GTTGGCTAATCTGGCCTTCTTGATATTTGGTACTCTTCCATTACAGCCCCTGAAATGCTCA
TAGACTTCTTTGTGGAGAGGAAGATAATTTCTTTTGATGGATGCATTGCACAGCTCTTCTT
CTTACACTTTGCTGGGGCTTCGGAGATGTTCTTGTCTCACAGTGATGGCCTTTGACCTCTACA
CTGCTATCTGCCGACCCCTCCACTATGCTACCATCATGAATCAACGTCTCTGCTGTATCCTG
40 GTGGCTCTCTCCTGGAGGGGGGGCTTCATTCACTTATCATACAGGTGGCTCTCATTGTTTC
GACTTCCTTTCTGTGGGCCCAATGAGTTAGACAGTTACTTCTGTGACATCACACAGGTTGT
CCGGATTGCCTGTGCCAACACCTTCCCAGAGGAGTTAGTGATGATCTGTAGTAGTGGTCTG
ATCTCTGTGGTGTGTTTGATTGCTCTGTTAATGTCCTATGCCTTCTTCTGGCCTTGTTCAA
GAAACTTTCAGGCTCAGGTGAGAATACCAACAGGGCCATGTCCACCTGCTATTCCACATT
45 ACCATTGTGGTGCTAATGTTTGGGCCATCCATCTACATTTATGCTCGCCATTTGACTCGTT
TTCCCTAGATAAAGTGGTGTCTGTGTTCAATACTTTAATAATCCCTTTACGTAATCCCATTA
TTTACACATTGAGAAACAAGGAAGTAAAGGCAGCCATGAGGAAGTTGGTCACCAAATATA
TTTTGTGTAAAGAGAAGTGA (SEQ ID NO: 196)

AOLFR107 sequences:

MELWNFTLGSFILVGILNDSGSPELLCATITILYLLALISNGLLLAITMEARLHMPMYLLLGQ
LSLMDLLFTSVVTPKALADFLRRENTISFGGALQMFLALTMGGAEDLLAFMAYDRYVAICH
PLTYMTLMSSRACWLMVATSWILASLSALIYTVYTMHYPCRAQEIRHLLCEPHLLKVACAD
TSRYELMVYVMGVTFILPSLAAILASYTQILLTVLHMPSPNEGRKKALVTCSSHLTVVGMFYGA
55 ATFMVLPSSFHSTRQDNISVFYITVTPALNPLIYSLRNKEVMRALRRVLGKYMPLPAHSTL
(SEQ ID NO: 197)

ATGGAGCTCTGGAACCTTCACCTTGGGAAGTGGCTTCATTTTGGTGGGGATTCTGAATGACA
GTGGGTCTCCTGAACTGCTCTGTGCTACAATTACAATCCTATACTTGTGGCCCTGATCAG
CAATGGCCTACTGCTCCTGGCTATCACCATGGAAGCCCGGCTCCACATGCCCATGTACCTC
5 CTGCTTGGGCAGCTCTCTCTCATGGACCTCCTGTTACATCTGTTGTCACTCCCAAGGCCCT
TGCGGACTTTCTGCGCAGAGAAAAACACCATCTCCTTTGGAGGCTGTGCCCTTCAGATGTTT
CTGGCACTGACAATGGGTGGTGGCTGAGGACCTCCTACTGGCCTTCATGGCCTATGACAGGT
ATGTGGCCATTTGTCATCCTCTGACATACATGACCTCATGAGCTCAAGAGCCTGCTGGCT
CATGGTGGCCACGTCCTGGATCCTGGCATCCCTAAGTGCCCTAATATATACCGTGTATACC
10 ATGCACTATCCCTTCTGCAGGGCCCAGGAGATCAGGCATCTTCTCTGTGAGATCCCACT
TGCTGAAGGTGGCCTGTGCTGATACCTCCAGATATGAGCTCATGGTATATGTGATGGGTGT
GACCTTCCTGATTCCCTCTCTTGCTGCTATACTGGCCTCCTATACACAAATTCTACTACTG
TGCTCCATATGCCATCAAATGAGGGGAGGAAGAAAGCCCTTGTCACCTGCTCTTCCACCT
GACTGTGGTTGGGATGTTCTATGGAGCTGCCACATTTCATGTATGTCTTGCCAGTTCCCTCC
15 ACAGCACCAGACAAGACAACATCATCTCTGTTTCTACACAATTGTCACTCCAGCCCTGAA
TCCACTCATCTACAGCCTGAGGAATAAGGAGGTCATGCGGGCCTTGAGGAGGGTCTGGG
AAAATACATGCTGCCAGCACACTCCACGCTCTAG (SEQ ID NO: 198)

AOLFR108 sequences:

20 MCSFFLCQTGKQAKISMGEENQTFVSKFIFLGLSQDLQTQILLFILFLIYLLTVLGNQLIILIFLD
SRLHTPMYFFLRNLSFADLCFSTSIVPQVLVHFLVKRKTIISFYGCMTQIIVFLLVGCTECALLAV
MSYDRYVAVCKPLYYSTIMTQRVCLWLSFRSWASGALVSLVDTSFTFHLPHYWGQNIINHYFCE
PPALLKLASIDTYSTEMAIFSMGVVILLAPVSLILGSYWNIIISTVIQMOSGEGRLKAFSTCGSHLI
VVVLFYSGIFTYMRPNSKTTKELDKMISVFYTAVTPMLNPIIYSLRNKDVKGALRKLVRKC
25 FSHRQ (SEQ ID NO: 199)

ATGTGTTCTTTTTTCTTGTGCCAAACAGGTAAACAGGCCAAAAATATCAATGGGAGAAGAAA
ACCAAACCTTTGTGTCCAAGTTTATCTTCTGGGTCTTTCACAGGACTTGCAGACCCAGAT
CCTGCTATTTATCCTTTTCTCATCATTTATCTGCTGACCGTGCTTGGAACCAGCTCATCA
30 TCATTCTCATCTTCTGGATTCTCGCCTTCACACTCCCATGTATTTTTTCTAGAAATCTCT
CCTTTCAGATCTCTGTTTCTCTACTAGCATTGTCCCTCAAGTGTTGGTTCACTTCTTGGA
AAGAGGAAAACCATTTCTTTTTATGGGTGTATGACACAGATAATTGTCTTTCTTCTGGTTG
GGTGTACAGAGTGTGCGCTGCTGGCAGTGATGTCCTATGACCGGTATGTGGCTGTCTGCAA
GCCCCTGTACTACTCTACCATCATGACACAACGGGTGTGTCTCTGGCTGTCCTTCAGGTCCT
35 GGGCCAGTGGGGCACTAGTGTCTTAGTAGATAACCAGCTTTACTTTCCATCTTCCCTACTG
GGGACAGAATATAATCAATCACTACTTTTGTGAACCTCCTGCCCTCCTGAAGCTGGCTTCC
ATAGACACTTACAGCACAGAAATGGCCATCTTTTCAATGGGCGTGGTAATCCTCCTGGCCC
CTGTCTCCCTGATTCTTGGTTCTTATTTGAATATTATCTCCACTGTTATCCAGATGCAGTCT
GGGGAAGGGAGACTCAAGGCTTTTCCACCTGTGGCTCCCATCTTATTGTTGTTGCTCTCT
40 CTATGGGTGAGGAATATTCACCTACATGCGACCAAACTCCAAGACTACAAAAGAACTGGA
TAAAATGATATCTGTGTTCTATACAGCGGTGACTCCAATGTTGAACCCCATATTTATAGC
TTGAGGAACAAAGATGTCAAAGGGGCTCTCAGGAACTAGTTGGGAGAAAGTGCTTCTCT
CATAGGCAGTGA (SEQ ID NO: 200)

AOLFR109 sequences:

45 MLRNGSIVTEFILVGFQQSSTSTRALLFALFLALYSLTMAMNGLIHFITSWTDPKLNSPMYFFLG
HLSLLDVCFITTTIPQMLIHLVVRDHIVSFVCCMTQMYFVFCVGVAECILLAFMAYDRYVAICY
PLNYVPIISQKVCVRLVGTAWFFGLINGIFLEYISFREPFRRDNHIESFFCEAPIVIGLSCGDPQFSL
WAIFADAIVVILSPMVLTVTSYVHILATILSKASSSGRGKTFSTCASHLTVVIFLYTSAMFSYMN
50 PHSTHGPKDKPFSLLYTHITPMCNPIIYSFRNKEIKEAMVRALGRTRLAQPQSV (SEQ ID NO:
201)

ATGCTAAGGAATGGCAGCATAGTGACGGAATTTATCCTCGTGGGCTTTTACGAGAGCTCCA
CTTCCACACGAGCATTGCTCTTTGCCCTCTTCTTGGCCCTCTACAGCCTCACCATGGCCATG
55 AATGGCCTCATCATCTTTATCACCTCCTGGACAGACCCCAAGCTCAACAGCCCCATGTACT
TCTTCTCGGCCATCTGTCTCTCCTGGATGTCTGCTTCATCACCCTACCCTACCATCCACAGATG

TTGATCCACCTCGTGGTCAGGGACCACATTGTCTCCTTTGTATGTTGCATGACCCAGATGT
ACTTTGTCTTCTGTGTTGGTGTGGCCGAGTGCATCCTCTTGGCTTTCATGGCCTATGACCGT
TATGTTGCTATCTGCTACCCACTTAACATATGTCCCAGATCATAAGCCAGAAGGTCTGTGTCA
GGCTTGTGGGAACCTGCCTGGTTCTTTGGGCTGATCAATGGCATCTTTCTCGAGTATATTTC
5 ATTCCGAGAGCCCTTCCGCAGAGACAACCACATAGAAAAGCTTCTTGTGTGAGGCCCCCATA
GTGATTGGCCTCTCTTGTGGGGACCTCAGTTTAGTCTGTGGGCAATCTTTGCCGATGCCA
TCGTGGTAATTCTCAGCCCCATGGTGCTCACTGTCACTTCCTATGTGCACATCCTGGCCACC
ATCCTCAGCAAAGCCTCCTCCTCAGGTCGGGGGAAGACTTTCTCTACTTGTGCCTCTCACC
TGACTGTGGTCATCTTTCTCTACACTTCAGCTATGTTCTCTTACATGAACCCCCACAGCACA
10 CATGGGCCTGACAAAGACAAACCTTTCTCCCTCCTGTACACCATCATTACCCCCATGTGCA
ACCCCATCATTTATAGTTTCCGCAACAAGGAAATTAAGGAGGCCATGGTGAGGGCACTTG
GAAGAACCAGGCTGGCCCAGCCACAGTCTGTCTAG (SEQ ID NO: 202)

AOLFR110 sequences:

15 MKIANNTVVTEFILLGLTQSQDIQLLVFVLILIFYLILPGNFLIIFTIRSDPGLTAPLYLFLGNLAFL
DASYSFIVAPRMLVDFLSEKKVISYRGCTQLFFLHFLGGGEGLLLVVMAFDRIAICRPLHCST
VMNPRACYAMMLALWLGGFVHSIIQVVLRLPFCGPNQLDNFFCDVRQVIKLACTDMFVVEL
LMVFNGLMTLLCFLGLLASYAVILCHVRRRAASEGKNKAMSTCTTRVIIIIMFGPAIFIYMCPP
RALPADKMOVSLFHTVIFPLMNPMTYTLRNQEVKTSMKRLLSRHVVCQVDFIIRN (SEQ ID NO:
20 203)

ATGAAGATAGCAAACAACACAGTAGTGACAGAATTTATCCTCCTTGGTCTGACTCAGTCTC
AAGATATTCAGCTCTTGGTCTTTGTGCTGATCTTAATTTTCTACCTTATCATCCTCCCTGGA
AATTTTCTCATTATTTTACCATAAAGGTCAGACCCTGGGCTCACAGCCCCCTCTATTTATT
25 TCTGGGCAACTTGGCCTTCCCTGGATGCATCCTACTCCTTCATTGTGGCTCCCAGGATGTTGG
TGGACTTCCTCTCTGAGAAAAAGGTAATCTCCTACAGAGGCTGCATCACTCAGCTCTTTTT
CTTGCACTTCCTTGGAGGAGGGGAGGGATCTACTCCTTGTGTGATGGCCTTTGACCGCTAC
ATCGCCATCTGCCGGCCTCTGCACTGTTCAACTGTGCATGAACCCTAGAGCCTGCTATGCAA
TGATGTTGGCTCTGTGGCTTGGGGGTTTTGTCCACTCCATTATCCAGGTGGTCTCATCCTC
30 CGCTTGCCCTTTTTGTGGCCCAAACCAGCTGGACAACTTCTTCTGTGATGTCCGACAGGTCA
TCAAGCTGGCTTGCACCGACATGTTTGTGGTGGAGCTTCTAATGGTCTTCAACAGTGGCCT
GATGACACTCCTGTGCTTCTGTTGGGCTTCTGGCTTCTATGCAGTCATCCTCTGCCATGTTT
GTAGGGCAGCTTCTGAAGGGAAGAACAAAGGCCATGTCCACGTGCACCACTCGTGTCTATTA
TTATACTTCTTATGTTTGGACCTGCTATCTTCTATCTACATGTGCCCTTTCAGGGCCTTACCA
35 GCTGACAAGATGGTTTCTCTCTTTTACACAGTGATCTTTCCATTGATGAATCCTATGATTTA
TACCCTTCGCAACCAGGAAGTGAAAACCTCCATGAAGAGGTTATTGAGTCGACATGTAGTC
TGTC AAGTGGATTTTATAATAAGAACTGA (SEQ ID NO: 204)

AOLFR111 sequences:

40 MCYIYLIFKEWTLIFYFSLLLFLQITPAIMANLTIVTEFILMGFSTNKNMCIHLSILFLIYLCALM
GNVLIIMITLTDHHLHTPVYFFLKNLSFLDLCLISVTAPKSIANSIHNNSISFLGCVSQVFLLSS
ASAEILLLVMSFDRTYTAICHPLHYDVIMDRSTCVQRATVSWLYGGGLIIVMHTAGTFSLSYCG
SNMVHQFFCDIPQLLAISCSENLIIEALILINVLDFCCFVVIHTYVHVSTVKKIPSTEGQSKAY
SICLPHLLVVLFLSTGFIAYLKPASESPSILDAVISVFTMLPPTFNPIIYSLRNKAIKVALGMLIKG
45 KLTKK (SEQ ID NO: 205)

ATGTGTTATATATATTTAATATTTAAAGAGTGACATTGATATTTTACTTCAGTCTTCTCCT
TTTCTGCAAGTACTCCTGCAATAATGGCAAATCTCACAATCGTGAATTTATCCTTA
TGGGGTTTTCTACCAATAAAAAATATGTGCATTTTGCATTGCTCTCTTCTGTTGATTTAT
50 TTGTGTGCCCTGATGGGGAATGTCCTCATTATCATGATCACAACTTTGGACCATCATCTCC
ACACCCCCGTGATTTTCTTCTTGAAGAATCTATCTTTCTTGGATCTCTGCCTTATTTAGTC
ACGGCTCCCAAATCTATCGCCAATTCTTTGATACACAACAACTCCATTTCTTCTTGGCTG
TGTTTCCCAGGTCTTTTGTGCTTTCTTCAAGCATCTGCAGAGCTGCTCCTCCTCAGGTGA
TGTCCTTTGACCGCTATACTGCTATATGTCAACCTCTGCACTATGATGTCATCATGGACAGG
55 AGCACCTGTGTCAAAGAGCCACTGTGTCTTGGCTGTATGGGGGTCTGATTGCTGTGATGC
ACACAGCTGGCACCTTCTCCTTATCCTACTGTGGGTCCAACATGGTCCATCAGTTCTTCTGT

GACATTCCCCAGTTATTAGCTATTTCTTGCTCAGAAAATTTAATAAGAGAAATTGCACTCA
TCCTTATTAATGTAGTTTTGGATTTCTGCTGTTTTATTGTCATCATCATTACCTATGTCCAC
GTCTTCTCTACAGTCAAGAAGATCCCCTCCACAGAAGGCCAGTCAAAAGCCTACTCTATTT
GCCTTCCACACTTGCTGGTTGTGTTATTTCTTCCACTGGATTCAATTGCTTATCTGAAGCCA
5 GCTTCAGAGTCTCCTTCTATTTTGGATGCTGTAATTTCTGTGTTCTACACTATGCTGCCCCC
AACCTTTAATCCATTATATACAGTTTGAGAAACAAGGCCATAAAGGTGGCTCTGGGGATG
TTGATAAAGGGAAAGCTCACCAAAAAGTAA (SEQ ID NO: 206)

AOLFR113 sequences:

10 MKFWHGFSSHLNPMFSSFLLYLSLPWINTTIQAWLNLC SLALPVWAMSGAGFLSCCYWHTCSP
SVVTCSSSQSSDWMQLCTHLCTTLSVFFPSWSCGQLPLSLRCCLIFSRRKPFLQDASFRPTSS
TPWGACECYLLTAMAYDRYLAICRPLHYPIIMTTTLC AKMAAACWTCGFLCPISEVILASQLPF
CAYNEIQHIFCDFPILLSLACKDTSANILVDFAINAFIILITFFFIMISYARIIGAVLKIKTASGRKK
15 AFSTCASHLAVVLIFFGSIIFMYVRLKKSYSLTLDRTLAIVYSVLTPMVNPIIYSLRNKEIKAIKR
TIFQKGDKASLAHL (SEQ ID NO: 207)

ATGTGTCAACAAATCTTACGGGATTGCATTCTTCTCATACATCATTTGTGCATTAACAGGA
AAAAAGTCTCACTTGTGATGCTGGGTCCAGCTTATAACCACACAATGGAAACCCCTGCCTC
CTTCCTCCTTGTGGGTATCCCAGGACTGCAATCTTACATCTTTGGCTGGCTATCTCACTGA
20 GTGCCATGTACATCATAGCCCTGTTAGGAAACACCATCATCGTGAAGTCAATCTGGATGGA
TTCCACTCGGCATGAGCCCATGTATTGCTTTCTGTGTGTTCTGGCTGCTGTGGACATTGTTA
TGGCCTCCTCGGTGGTACCCAAGATGGTGAGCATCTTCTGCTCAGGAGACAGCTCAATCAG
CTTTAGTGCTTGTTCCTCACTCAGATGTTTTTGTCCACTTAGCCACAGCTGTGGAGACGGGG
CTGCTGCTGACCATGGCTTTTGACCGCTATGTAGCCATCTGCAAGCCTCTACACTACAAGA
25 GAATTCTCACGCCTCAAGTGATGCTGGGAATGAGTATGGCCATCACCATCAGAGCTATCAT
AGCCATAACTCCACTGAGTTGGATGGTGAGTCATCTACCTTTCTGTGGCTCCAATGTGGTT
GTCCACTCTACTGTGAGCACATAGCTTTGGCCAGGTTAGCATGTGCTGACCCCGTGCCCA
GCAGTCTCTACAGTCTGATTGGTTCTCTCTTATGGTGGGCTCTGATGTGGCCTTCATTGCT
GCCTCCTATATCTTAATTCTCAAGGCAGTATTTGGTCTCTCCTCAAAGACTGCTCAGTTGAA
30 AGCATTAAGCACATGTGGCTCCCATGTGGGGGTTATGGCTTTGTACTATCTACCTGGGATG
GCATCCATCTATGCGGCCTGGTTGGGGCAGGATGTAGTGCCCTTGACACACCAAGTCCTGC
TAGCTGACCTGTACGTGATCATCCCAGCCACCTTAAATCCCATCATCTATGGCATGAGGAC
CAAACAACCTGCGGGAGAGAATATGGAGTTATCTGATGCATGTCCTCTTTGACCATTCCAAC
CTGGGTTCATGA (SEQ ID NO: 208)

35

AOLFR114 sequences:

MERINHTSSVSEFILLGLSSRPEDQKTLFVFLVIVYLVTTGNLLIILAIRFNPHLQTPMYFFLSFLS
LTDICFTTSVVPKMLMNFLEKKTISYAGCLTQMYFLYALGNSDSCLLAVMAFDRYVAVCDPF
HYVTTMSHHHCVLLVAFSCSFPHLHSLHLLNRLTFCDNSNVIHFLCDLSPVLKLSCSSIFVN
40 EIVQMTEAPIVLVTRFLCIAFSYIRILTTVLKIPSTSGKRKAFTSCGFYLTVVTLFYGSIFCVYLQP
PSTYAVKDHVATIVYTVLSSMLNPFYISLRNKDLKQGLRKLMSKRS (SEQ ID NO: 209)

ATGGAAAGAATCAACCACACCAGCAGTGTCTCCGAGTTTATCCTCCTGGGACTCTCCTCCC
GGCCTGAGGACCAAAAAGACACTCTTTGTTCTCTTCTCATCGTGACCTGGTCAACCATAAC
45 AGGGAACCTGCTCATCATCCTGGCCATTGCTTCAACCCCCATCTTACAGACCCCTATGTATT
TCTTCTTGAGTTTTCTGTCTCTCACTGATATTTGCTTTACAACAAGCGTTGTCCCCAAGATG
CTGATGAACCTCCTGTGAGAAAAGAAGACCATCTCCTATGCTGGGTGTCTGACACAGATGT
ATTTTCTCTATGCCTTGGGCAACAGTGACAGCTGCCTTCTGGCAGTCATGGCCTTTGACCG
CTATGTGGCCGTCTGTGACCCCTTCCACTATGTCAACCACCATGAGCCACCACTGTGTGCC
50 TGCTGGTGGCCTTCTCCTGCTCATTTCCCTCACTCCACTCACTCCTGCACACACTGTGCTG
AATCGTCTCACCTTCTGTGACTCCAATGTTATCCACCACTTTCTCTGTGACCTCAGCCCTGT
GCTGAAATTGTCCTGCTCTTCCATATTTGTCAATGAAATTGTGCAGATGACAGAAGCACCT
ATTGTTTTGGTGACTCGTTTTCTCTGCATTGCTTTCTCTTATATACGAATCCTCACTACAGT
TCTCAAGATTCCCTCTACTTCTGGGAAACGCAAAGCCTTCTCCACCTGTGGTTTTTACCTCA
55 CCGTGGTGACGCTCTTTTATGGAAGCATCTTCTGTGTCTATTTACAGCCCCCATCCACCTAC
GCTGTCAAGGACCACGTGGCAACAATTGTTTACACAGTTTTGTGCATCCATGCTCAATCCTT

TTATCTACAGCCTGAGAAACAAAGACCTGAAACAGGGCCTGAGGAAGCTTATGAGCAAGA
GATCCTAG (SEQ ID NO: 210)

AOLFR115 sequences:

5 MEGFYLRRSHELQGMGKPRVNTTVSDFLLGLSEWPPEEQPLFGIFLGMVLTVMVGNLLII
LAISSDPHLHTPMYFFLANLSLTDACFTSASIPKMLANIHTQSQIISYSGCLAQLYFLLMFGGLD
NCLLAVMAYDRYVAICQPLHYSTSMSPQLCALMLGVCWVLTNCPALMHITLLLTRVAFCAQK
AIPHFYCDPSALLKLACSDTHVNELMIITMGLLFLTVPPLLIVFSYVRIFWAVFVISSPGGRWKA
10 FSTCGSHLTVVLLFYGSLMGVYLLPSTYSTERESRAAVLYMVIPTLNPFIYSLRNRDMKEALG
KLFVSGKTFFL (SEQ ID NO: 211)

ATGGAAGGTTTTATCTGCGCAGATCACACGAACTACAAGGGATGGGAAAACCAGGCAGA
GTGAACCAAACCACTGTTTCAGACTTCCTCCTTCTAGGACTCTCTGAGTGGCCAGAGGAGC
AGCCTCTTCTGTTTGGCATCTTCCTTGGCATGTACCTGGTCACCATGGTGGGGAACCTGCTC
15 ATTATCCTGGCCATCAGCTCTGACCCACACCTCCATACTCCCATGTACTTCTTTCTGGCCAA
CCTGTCATTAAGTATGCTGCTGTTTCACTTCTGCTCCATCCCCAAAATGCTGGCCAAACATTC
ATACCCAGAGTCAGATCATCTCGTATTCTGGGTGTCTTGACACAGCTATATTTCTCCTTATG
TTTGGTGGCCTTGACAACTGCCTGCTGGCTGTGATGGCATATGACCGCTATGTGGCCATCT
GCCAACCCTCCATTACAGCACATCTATGAGTCCCCAGCTCTGTGCACTAATGCTGGGTGT
20 GTGCTGGGTGCTAACCAACTGCTCCTGCCCTGATGCACACACTGTTGCTGACCCGCGTGGCT
TTCTGTGCCCAGAAAGCCATCCCTCATTTCTATTGTGATCCTAGTGCTCTCCTGAAGCTTGC
CTGCTCAGATACCCATGTAAACGAGCTGATGATCATCACCATGGGCTTGCTGTTCTCCTCACT
GTTCCCTCCTGCTGATCGTCTTCTCCTATGTCCGCATTTTCTGGGCTGTGTTTGTCTATCTC
ATCTCCTGGAGGGAGATGGAAGGCCTTCTCTACCTGTGGTTCTCATCTCACGGTGGTTCTG
25 CTCTTCTATGGGTCTCTTATGGGTGTGTATTTACTTCTCCATCAACTTACTCTACAGAGAG
GGAAAGTAGGGCTGCTGTTCTCTATATGGTGATTATTTCCACGCTAAACCCATTCAATTTAT
AGCTTGAGGAACAGAGACATGAAGGAGGCTTTGGGTAAACTTTTTGTGAGTGGAAAAACA
TTCTTTTTATGA (SEQ ID NO: 212)

AOLFR116 sequences:

30 MDEANHSVSVSEFVFLGLSDSRKIQLLLFLFFSVFYVSSLMGNLLIVLTVTSDPRLQSPMYFLLAN
LSIINLVFCSSTAPKMIYDLFRKHKTISFGGCVVQIFFIHAVGGTEMVLLIAMAFDRYVAICKPLH
YLTIMNPQRCLFLVISWIGIHVQLAFVVDLLFCGPNELDSFFCDLPRFIKLACIETYTLGFMV
TANSGFISLASFLILISYIFILVTVQKKSSGGIFKAFSMLSAHVIVVVLVFGPLIFFYIFPPTSHLD
35 KFLAIFDAVITPVLNPVIYTFRNKEMMVAMRRRCSQFVNYSKIF (SEQ ID NO: 213)

ATGGATGAAGCCAATCACTCTGTGGTCTCTGAGTTTGTGTTCTCTGGGACTCTCTGACTCGC
GGAAGATCCAGCTCCTCCTCTTCTCTTTTCTCAGTGTTCTATGTATCAAGCCTGATGGGA
AATCTCCTCATTGTGCTAACTGTGACCTCTGACCCTCGTTACAGTCCCCCATGTACTTCCT
40 GCTGGCCAAACCTTTCCATCATCAATTTGGTATTTTGTCTCCACAGCTCCCAAGATGATTT
ATGACCTTTTCAGGAAGCACAAGACCATCTCTTTGGGGGCTGTGTAGTTCAGATCTTCTT
TATCCATGCAGTTGGGGGAAGTGAAGTGGTGTCTCATAGCCATGGCTTTTGACCGATAT
GTGGCCATATGTAAGCCTCTCCACTACCTGACCATCATGAACCCACAAAGGTGCATTTTGT
TTTTAGTCATTTCTGGATTATAGGTATTATCACTCAGTGATTGAGTTGGCTTTTGTGTGA
45 GACCTGCTGTTCTGTGGCCCTAATGAATTAGATAGTTTCTTTTGTGATCTTCTCGATTTAT
CAAACCTGGCTTGATAGAGACCTACACATAATCTCTTACATCTTTATTTTGGTGACTGTTTCTG
AAAAATCTTCAGGTGGTATATTCAAGGCTTTCTCTATGCTGTGAGCTCATGTCATTGTG
TGGTTTTGGTCTTTGGGCCATTAATCTTTTCTATATTTTCCATTTCCACATCATCTGTTG
50 ATAAATCCTTGCCATCTTTGATGCAGTTATCACTCCCGTTTTGAATCCAGTCATCTATACT
TTAGAAATAAGAGATGATGGTGGCAATGAGAAGACGATGCTCTCAGTTTGTGAATTAC
AGTAAATCTTTTAA (SEQ ID NO: 214)

AOLFR117 sequences:

55 MNNTIVFVIKIQIEKSDLKYRAISLQEISKISLLFWVLLLVISRLLAMTLGNSTEVTEFYLLGFGA
QHEFWCILFIVFLIYVTSIMGNSGILLINTDSRFQTLTYFFLQHLAFVDICYTSAITPKMLQSFT

EEKNLILFQGCVIQFLVYATFATSDCYLLAMMAVDPYVAICKPLHYTVMSRTVCIRLVAGSYI
MGSINASVQTGFTCSLSFCKSNSINHHFCDVPPILALSCSNVDINIMLLVVFVGSNLIFTGLVVIFS
YTYIMATILKMSSSAGRKKSFSSTCASHLTAVTIFYGTLSYMYLQSHSNNSQENMKVAFIFYGTVI
PMLNPLIYSLRNKEVKEALKVIGKKLF (SEQ ID NO: 215).

5

ATGAATAACACTATTGTATTTGTCATAAAAAATACAAATAGAAAAAAGTGAATTGAAATATA
GAGCCATTTTCATTGCAAGAAATCTCAAAGATTTCCCTTCTTTTCTGGGTCCTTCTCTTGGTC
ATTTCTAGACTTTTACTAGCCATGACACTAGGAAACAGCACTGAAGTCACTGAATTCTATC
TTCTGGGATTTGGTGCCCATGAGTTTTGGTGTATCCTCTTCATTGTATTCCTTCTCATC
10 TATGTGACCTCCATAATGGGTAATAGTGGAATAATCTTACTCATCAACACAGATTCCAGAT
TTCAAACACTCACGTACTTTTTTCTACAACATTTGGCTTTTGTGATATCTGTTACACTTCT
GCTATCACTCCCAAGATGCTCCAAAGCTTACAGAAGAAAAGAATTTGATATTATTTTCAGG
GCTGTGTGATACAATTCTTAGTTTATGCAACATTTGCAACCAGTGACTGTTATCTCCTGGCT
ATGATGGCAGTGATCCTTATGTTGCCATCTGTAAGCCCCTTCACTATACTGTAATCATGT
15 CCCGAACAGTCTGCATCCGTTTGGTAGCTGGTTCATACATCATGGGCTCAATAAATGCCTC
TGTAACAAACAGGTTTACATGTTCACTGTCTTCTGCAAGTCCAATAGCATCAATCACTTTT
TCTGTGATGTTCCCCCTATTCTTGCTCTTTCATGCTCCAATGTTGACATCAACATCATGCTA
CTTGTTGTCTTTGTGGGATCTAAGTTGATATTCAGTGGGTTGGTCGTCATCTTTTCCTACAT
CTACATCATGGCCACCCTGAAAATGTCTTCTAGTGCAGGAAGGAAAAAATCCTTCTCA
20 ACATGTGCTTCCACCTGACCGCAGTCACCAATTTCTATGGGACACTCTCTTACATGTATTT
GCAGTCTCATTCTAATAATTCCCAGGAAAATATGAAAGTGGCCTTTATATTTTATGGCACA
GTTATTCCCATGTTAAATCCTTTAATCTATAGCTTGAGAAATAAGGAAGTAAAGAAGCTT
TAAAAGTGATAGGGAAAAAGTTATTTTAA (SEQ ID NO: 216)

25 **AOLFR118 sequences:**

MNHMSASLKSNSSKFQVSEFILLGFPGIHSWQHWLSLPLALLYLSALAANTLILIIWQNPSLQQ
PMYIFLGILCMVDMGLATTIIPKILAIFWFDKVISLPECFAQIYAIHFFVGMESGILLCMAFDRY
VAICHPLRYPISVTSSLILKATLFMVLRLNGLFVTPVPLAAQRDYCSKNEIEHCLCSNLGVTSLA
CDDRRPNISICQLVLAWLGMGSDLSLILSYILYSVLRLNSAEAAAKALSTCSSHLTLILFFYTIV
30 VVISVTHLTEMKATLIPVLLNVLHNIIPSLNPTVYALQTKELRAAFQKVLFAITKEIRS (SEQ ID
NO: 217)

ATGAATCATATGTCTGCATCTCTCAAAATCTCCAATAGCTCCAAATTCCAGGTCTCTGAGTT
CATCCTGCTGGGATTCCCGGGCATTACAGCTGGCAACACTGGCTATCTCTGCCCTGGCA
35 CTACTGTATCTCTCAGCACTTGCTGCAAACACCCTCATCCTCATCATCTGGCAGAACCC
TTCTTTACAGCAGCCCATGTATATTTCTTGGCATCCTCTGTATGGTAGACATGGGTCTGG
CCACTACTATCATCCCTAAGATCCTGGCCATCTTCTGGTTTGATGCCAAGGTTATTAGCCTC
CCTGAGTGCTTTGCTCAGATTTATGCCATTCACTTCTTTGTGGGCATGGAGTCTGGTATCCT
ACTCTGCATGGCTTTGATAGATATGTGGCTATTTGTACCCCTCTTCGCTATCCATCAATTG
40 TCACCAGTTCCTTAATCTTAAAGCTACCCTGTTTCATGGTGCTGAGAAATGGCTTATTTGTC
ACTCCAGTGCCTGTGCTTGACGACAGCGTGATTATTGCTCCAAGAATGAAATTGAACACT
GCCTGTGCTCTAACCTTGGGGTCACAAGCCTGGCTTGATGACAGGAGGCCAAACAGCAT
TTGCCAGTTGGTTCTGGCATGGCTTGGGAATGGGGAGTGATCTAAGCTTATTATACTGTCA
TATATTTTGATTCTGTACTCTGTACTTAGACTGAAGCTGAGCTGAAGCTGCAGCCAAGGCC
45 TGAGCACTTGATGTTACATCTCACCCCTCATCCTTTCTTTTACACTATTGTTGTAGTGATT
TCAGTGACTCATCTGACAGAGATGAAGGCTACTTTGATTCCAGTTCTACTTAATGTGTTGC
ACAACATCATCCCCCTTCCCTCAACCCTACAGTTTATGCACTTCAGACCAAAGAAGCTTAG
GGCAGCCTTCCAAAAGGTGCTGTTTGCCCTTACAAAAGAAATAAGATCTTAG (SEQ ID NO:
218)

50

AOLFR119 sequences:

MPLFNSLCWFPTIHVTPPSFILNGIPGLERVHVWISLPLCTMYIIFLVGNLGLVYLIYYEESLHHP
MYFFFGHALSLIDLLTCTTLPNALCIFWFSLEKINFNACLAQMFFVHGFTGVESGVLMLMALD
RYAICYPLRYATTLTNPIIAKELATFLRGVLLMPFPFLVKRLPFCQSNISHTYCDHMSVVKL
55 SCASIKVNVYGLMVALLIGVFDICISLSYTLILKAAISLSSSDARQKAFSTCTAHISAIITYVPA

FFTFFAHRFGGHTIPPSLHIIVANLYLLLPTLNPVYGVKTKQIRKSVIKFFQGDKGAG (SEQ ID NO: 219)

5 ATGCCTCTATTTAATTCATTATGCTGGTTTCCAACAATTCATGTGACTCCTCCATCTTTTAT
TCTTAATGGAATACCTGGTCTGGAAAGAGTACATGTATGGATCTCCCTCCCACTCTGCACA
ATGTACATCATCTTCCTTGTGGGGAATCTTGGTCTTGTGTACCTCATTTATTATGAGGAGTC
CTTACATCATCCGATGTATTTTTTTTTTGGCCATGCTCTCTCCCTCATTTGACCTCCTTACCTG
10 CACCACCACTCTACCCAATGCACTCTGCATCTTCTGGTTCAGTCTCAAAGAAATTAACCTTCA
ATGCTTGCTTGGCCAGATGTTCTTTGTTTCATGGGTTTACAGGTGTGGAGTCTGGGGTGCT
CATGCTCATGGCTCTAGACCGCTATATAGCCATTTGCTACCCTTTGCGTTATGTACCACAC
TCACCAACCCTATCATTGCCAAGGCTGAGCTTGCCACCTTCTGAGGGGTGTATTGCTGAT
GATTCCTTTCCCATCTTGGTTAAGCGTTTGCCTTTCTGCCAAAGCAATATTATCTCCATA
CGTACTGCGACCACATGTCTGTAGTAAAGCTATCTTGTGCCAGCATCAAGGTCAATGTAAT
15 CTATGGTCTAATGGTTGCTCTCCTGATTGGAGTGTGTTGACATTTGTTGTATATCTTTGCTT
ACACTTTGATCCTCAAGGCAGCGATCAGCCTCTCTTCATCAGATGCTCGGCAGAAAGGCTTT
CAGCACCTGCACTGCCATATATCTGCCATCATCATCACCTATGTTCCAGCATCTTCACTT
TCTTTGCCCACCGTTTGGGGGACACACAATCCCCCTTCTCTTACATCATTGTGGCTAAT
CTTTATCTTCTTCTCCCCCAACTCTAAACCTATGTTTATGGAGTAAAGACAAAACAGAT
ACGCAAGAGTGTCTATAAAGTTCTTCCAGGGTGATAAGGGTGCAGGTTGA (SEQ ID NO: 220)

20

AOLFR120 sequences:

MQPYTKNWTQVTEFVMMGFAGIHEAHLFFILFLTMYLFTLVENLAJLVVGLDHRLRRPMYF
FLTHLSCLEIWYTSVTPKMLAGFIGVDGKKNISYAGCLSQLFIFTFLGATECFLLAAMAYDRY
VAICMPLHYGAFVSWGTCIRLAAACWLVGFLTPIPLIYLLSQLTFCGPNVIDHFSCDASPLLALS
25 CSDVTWKETVDFLVSLAVLLASSMVIAVSYGNIVWTLHIRSAAERWKAFTCAHLTVVSLF
YGTLFFMYVQTKVTSSINFNKVVSFYSVVTPLNPLIYSLRNKEVKGALGRVFSLNFWKGQ
(SEQ ID NO: 221)

30 ATGCAACCATATACCAAAAACTGGACCCAGGTAAGTGAATTTGTCATGATGGGCTTTGCTG
GCATCCATGAAGCACACCTCCTCTTCTTCATACTCTCCTCACCATGTACCTGTTACCTTG
GTGGAGAATTTGGCCATCATTTTAGTGGTGGGTTTGGACCACCGACTACGGAGACCCATGT
ATTTCTTCTGACACACTTGTCTGCCTTGAATCTGGTACACTTCTGTTACAGTGCCCAAG
ATGCTGGCTGGTTTTATTGGGGTGGATGGTGGCAAGAATATCTCTTATGCTGGTTGCCTAT
CCCAGCTCTTCATCTTCACCTTTCTTGGGGCAACTGAGTGTTTCTACTGGCTGCCATGGCC
35 TATGATCGTTATGTGGCCATTTGTATGCCTCTCCACTATGGGGCTTTTGTGTCTGGGGCAC
CTGCATCCGTCTGGCAGCTGCCTGTTGGCTGGTAGGTTTCTCACACCCATCTTGCCAATCT
ACCTCTTGTCTCAGCTAACATTTTGTGGCCCAATGTCATTGACCATTTCTCCTGTGATGCC
TCACCCCTTGCTAGCCTTGTCGTGCTCAGATGTCACCTTGAAGGAGACTGTGGAAATTCCTGG
TGTCTCTGGCTGTGCTACTGGCCTCCTCTATGGTCATTGCTGTGTCCTATGGCAACATCGTC
40 TGGACACTGCTGCACATCCGCTCAGCTGCTGAGCGCTGGAAGGCCTTCTCTACCTGTGCAG
CTCACCTGACTGTGGTGAGCCTCTTCTATGGCACTCTTTTCTTTATGTATGTCCAGACCAAG
GTGACCTCCTCCATCAACTTCAACAAGGTGGTATCTGTCTTCTACTCTGTTGTACGCCCCAT
GCTCAATCCTCTCATCTACAGTCTTAGGAACAAGGAAGTGAAGGGAGCTCTGGGTGAGTC
TTTCTCTCAACTTTTGAAGGGACAGTGA (SEQ ID NO: 222)

45

AOLFR121 sequences:

MKRKNFTEVSEFIFLGFSSFGKHQITLVVFLTVYILTLVANIIIVTICIDHHLHTPMYFFLSMLA
SSETVYTLVIVPRMLLSLIFHNQPISLAGCATQMFFVILATNNCFLLTAMGYDRYVAICRPLRY
TVIMSKGLCAQLVCGSFGIGLTMAVLHVTAMFNLPCGTVVDHFFCDIYPMKLSCIDTTINEII
50 NYGVSSFVIFVPIGLIFISYVLVISSILQIASAEGRKKTFATCVSHLTVVIVHCGCASIAYLKPKSES
SIEKDLVLSVTYTHITPLNPNVYSLRNKEVKDALCRVVGRNIS (SEQ ID NO: 223)

55 ATGAAGAGAAAGAACTTCACAGAAGTGTGAGAATTCATTTTCTTGGGATTTTCTAGCTTTG
GAAAGCATCAGATAACCCTCTTTGTGGTTTTCTAACTGTCTACATTTTAACTCTGGTTGCT
AACATCATCATTGTGACTATCATCTGCATTGACCATCATCTCCACACTCCCATGTATTTCTT
CCTAAGCATGCTGGCTAGTTCAGAGACGGTGTACACACTGGTCATTGTGCCACGAATGCTT

TTGAGCCTCATTTCATAACCAACCTATCTCCTTGGCAGGCTGTGCTACACAAATGTTCTT
 TTTTGTATCTTGGCCACTAATAATTGCTTCCTGCTTACTGCAATGGGGTATGACCGCTATG
 TGGCCATCTGCAGACCCCTGAGATACACTGTCATCATGAGCAAGGGACTATGTGCCAGCT
 GGTGTGGGTCTTGGCATTGGTCTGACTATGGCAGTTCTCCATGTGACAGCCATGTTT
 5 AATTTGCCGTTCTGTGGCACAGTGGTAGACCACTTCTTTTGTGACATTTACCCAGTCATGA
 AACTTTCTTGCATTGATAACCACTATCAATGAGATAATAAATTATGGTGTAAGTTTCATTTGT
 GATTTTGTGCCCATAGGCCTGATATTTATCTCCTATGTCCTTGTCTCTTCCATCCTTC
 AAATTGCCTCAGCTGAGGGCCGGAAGAAGACCTTTGCCACCTGTGTCTCCACCTCACTGT
 GGTTATTGTCCACTGTGGCTGTGCCTCCATTGCCTACCTCAAGCCGAAGTCAGAAAGTTCA
 10 ATAGAAAAAGACCTTGTCTCTCAGTGACGTACACCATCATCACTCCCTTGCTGAACCTG
 TTGTTTACAGTCTGAGAAACAAGGAGGTAAAGGATGCCCTATGCAGAGTTGTGGGCAGAA
 ATATTTCTTAA (SEQ ID NO: 224)

AOLFR122 sequences:

15 MEWENQTLVEFFLKGHSVHPRLELLFFVLIFIMYVVILLGNGTLILISILDPHLHTPMYFFLGNL
 SFLDICYTTSIPSTLVSFLSERKTISFSGCAVQMFGLAMGTTECVLLGMMAFDRYVAICNPLR
 YPIIMSKNAYVPMAGVSWFAGIVNSAVQTTFFVQLPFCRKNVINHFSCILAVMKLACADISGN
 EFLMLVATILFTLMPLLLVISYSLIISILKHSSEGRSKAFSTCSAHLTVVIIFYGTILFMYMKPKS
 20 KETLNSDDL DATDKIISMFIYGVMTPMNPLIYSLRNKDVKEAVKHLNRRFFSK (SEQ ID NO:
 225)

ATGGAATGGGAAAACCAACCAATTCTGGTGGAATTTTTCTGAAGGGACATTCTGTTCAACC
 CAAGGCTTGAGTTACTCTTTTGTGCTAATCTTCATAATGTATGTGGTCATCCTTCTGGGG
 AATGGTACTCTCATTTTAATCAGCATCTTGGACCCCTCACCTTCACACCCCTATGTACTTCTT
 25 TCTGGGGAACCTCTCCTTCTTGGACATCTGCTACACCACCACCTCTATTCCCTCCACACTAG
 TGAGCTTCCTTTCAGAAAGAAAGACCATTTCTTTTCTGGCTGTGCAGTGCAGATGTTCTT
 GGCTTGGCCATGGGGACAACAGAGTGTGTGCTTCTGGGCATGATGGCCTTTGACCGCTATG
 TGGCTATCTGCAACCCCTCTGAGATATCCCATCATCATGAGCAAGAATGCCTATGTACCCAT
 GGCTGTTGGGTCCTGGTTTGCAGGGATTGTCAACTCTGCAGTACAAACTACATTTGTAGTA
 30 CAATTGCCTTTCTGCAGGAAGAATGTCATCAATCATTTCTCATGTGAAATTCTAGCTGTCAT
 GAAGTTGGCCTGTGCTGACATCTCAGGCAATGAGTTCCTCATGCTTGTGGCCACAATATTG
 TTCACATTGATGCCACTGCTCTTGATAGTTATCTCTTACTCATTAAATCATTTCCAGCATCCT
 CAAGATTCACTCCTCTGAGGGGAGAAGCAAAGCTTTCTCTACCTGCTCAGCCCATCTGACT
 GTGGTCATAATATTCTATGGGACCATCCTCTTCATGTATATGAAGCCCAAGTCTAAAGAGA
 35 CACTTAATTCAGATGACTTGGATGCTACCGACAAAATTATATCCATGTTCTATGGGGTGAT
 GACTCCCATGATGAATCCTTTAATCTACAGTCTTAGAAACAAGGATGTGAAAGAGGCAGT
 AAAACACCTACCGAACAGAAGGTTCTTTAGCAAGTGA (SEQ ID NO: 226)

AOLFR123 sequences:

40 MYRFTDFDVSNISIYLNHVLFYTTQQAGDLEHMETRNYSAMTEFFLVGLSQYPELQLFLFLCL
 IMYMIILLGNLLIITILDSRLHTPMYFFLGNLSFLDICYTSSSIPMLIIFMSERKSISFIGALQM
 VVSLGLGSTECVLLAVMAYDHYVAICNPLRYSIIMNGVLYVQMAAWSWIIGCLTSLLQTVLT
 MMLPFCGNNVIDHITCEILALLKLVCSBITINVLMTVTNIVSLVILLLLIFISYVFILSSILRINCAE
 GRKKAFTSCAHSIVVILFYGSALFMYMKPKSKNTNTSDEIIGLSYGVVSPMLNPIIYSLRNKEV
 45 KEAVKKVLSRHLHLLKM (SEQ ID NO: 227)

ATGTACAGATTTACAGATTTTGATGTATCAAACATTTCAATTTACCTGAATCATGTCCTTTT
 CTATACTACCCAGCAGGCAGGTGACCTAGAACACATGGAGACAAGAAATTACTCTGCCAT
 GACTGAATTCTTTCTGGTGGGGCTTTCCCAATATCCAGAGCTCCAGCTTTTCTGTTCTGCTGC
 50 TCTGCCTCATCATGTACATGATAATCCTCCTGGGAAATAGCCTCCTCATTATCATCACCATC
 TTGGATTCTCGCCTCCATACTCCCATGTATTTCTTTCTTGGAACCTCTCATTCTTGACAT
 CTGTTACACATCCTCATCCATTCTCCAATGCTTATTATTTATGTCTGAGAGAAAATCCA
 TCTCCTTCATTGGCTGTGCTCTGCAGATGGTTGTGTCCCTTGGCTTGGGCTCCACTGAGTGT
 GTCCTCCTGGCTGTGATGGCCTATGACCACTATGTGGCCATCTGCAACCCACTGAGGTACT
 55 CCATCATCATGAACGGAGTGCTGTATGTGCAAAATGGCTGCATGGTCTGGATCATAGGCTG
 TCTGACCTCCCTATTGCAAACAGTTCTGACAATGATGTTGCCTTTCTGTGGGAATAATGTC

ATTGATCATATTACCTGTGAAATTTTGGCCCTTCTAAAACCTGTTTGTTCAGATATCACCAT
 CAATGTGCTTATCATGACAGTGACAAATATTGTTTCACTGGTGATTCTTCTACTGTAAATTT
 TCATCTCCTATGTGTTTATTCTCTCTTCCATCCTGAGAATTAATTGTGCTGAGGGAAGAAAG
 AAAGCCTTCTCTACCTGTTCAAGCGCACTCGATTGTGGTCATCTTATTCTACGGTTCAGCCCT
 5 TTTTATGTACATGAAACCCAAGTCAAAGAACTAATACATCTGATGAGATTATTGGGCTG
 TCTTATGGAGTGGTAAGCCCAATGTTAAATCCCATCATCTATAGCCTCAGGAATAAAGAGG
 TCAAAGAGGCTGTAAAGAAAGTCCTGAGCAGACATCTGCATTTATTGAAAATGTGA (SEQ
 ID NO: 228)

10 **AOLFR124 sequences:**

MNHSVVTEFIILGLTKKPELQGHIFLFLIVYLVAFLGNMLIIIAKIYNNTLHTPMYVFLTLAVV
 DIICCTSIIPKMLGTMLTSENTISYAGCMSQLFLFTWSLGAEMVLFTTMAYDRYVAICFPLHYST
 VMNHHMCMVALLSMVMAIAVTNSWVHTALIMRLTFCGPNTIDHFFCEIPLLALSCSPVRINEV
 MVYVADITLAIGDFILTCISYGFIIIVAILRRTVEGKRKAFTSCSSHLTVVTLYYSPVIYTYIRPASS
 15 YTFERDKVVAALYTLVPTLNPVMVYSFQNRMQAGIRKVFAFLKH (SEQ ID NO: 229)

ATGAATCACAGCGTTGTAACCTGAGTTCATTATTCTGGGCCTCACCAAAAAGCCTGAACTCC
 AGGGAATTATCTTCTCTTTTTTCTCATTGTCTATCTTGTGGCTTTTCTCGGCAACATGCTC
 20 ATCATCATTGCCAAAATCTATAACAACACCTTGCATACGCCCATGTATGTTTCTTCTGAC
 ACTGGCTGTTGTGGACATCATCTGCACAACAAGCATCATACCGAAGATGCTGGGGACCAT
 GCTAACATCAGAAAATACCATTTTCATATGCAGGCTGCATGTCCCAGCTCTTCTTGTTCACA
 TGGTCTCTGGGAGCTGAGATGGTTCTCTCACCACCATGGCCTATGACCGCTATGTGGCCA
 TTTGTTTCCCTCTTCATTACAGTACTGTTATGAACCACCATATGTGTGTAGCCTTGCTCAGC
 ATGGTCATGGCTATTGCAGTCACCAATTCCTGGGTGCACACAGCTCTTATCATGAGGTTGA
 25 CTTTCTGTGGGCCAAACACCATTGACCACCTTCTTCTGTGAGATACCCCATGCTGGCTTTG
 TCCTGTAGCCCTGTAAGAATCAATGAGGTGATGGTGTATGTTGCTGATATTACCTGGCCA
 TAGGGGACTTTATTCTTACCTGCATCTCCTATGGTTTTATCATTGTGTCTCCGTATC
 CGCACAGTAGAAGGCAAGAGGAAGGCCTTCTCAACATGCTCATCTCATCTCACAGTGGTG
 ACCCTTTACTATTCTCCTGTAATCTACACCTATATCCGCCCTGCTTCCAGCTATACATTTGA
 30 AAGAGACAAGGTGGTAGCTGCACTCTATACTCTGTGACTCCACATTAAACCCGATGGTG
 TACAGCTTCCAGAATAGGGAGATGCAGGCAGGAATTAGGAAGGTGTTTGCATTTCTGAAA
 CACTAG (SEQ ID NO: 230)

AOLFR125 sequences:

35 MTNQTQMMEFLLVRFTENWVLLRLHALLFSLIYLTAVLMNLVILLMILDHRLHMAMYFFLRH
 LSFLDLCLISATVPKSILNSVASTDSISFLGCVLQLFLVLLAGSEIGILTAMSYDRYAAICPLHC
 EAVMSRGLCVQLMALSWLNRGALGLLYTAGTFSLNFYGSDELHQFFCDVPALLKLTCSKEHAI
 ISVSVAIGVCYAFSCLVCIVVSYVYIFSAVLRISQRQRQSKAFSNCVPHLIVTVFLVTGAVAYL
 KPGSDAPSILDLLVSVFYSVAPPTLNPVTYCLKNKDIKSALSKVLWNVRSSGVMKDD (SEQ ID
 40 NO: 231)

ATGACCAATCAGACACAGATGATGGAATTCTTGCTTGTGAGATTTACTGAGAATTGGGTGC
 TCCTGAGGCTGCATGCTTTGCTCTTCTCACTGATCTACCTCACGGCTGTGCTGATGAATTTA
 45 GTCATCATTTCTCCTCATGATTCTGGACCATCGTCTCCACATGGCAATGTACTTTTCTCTCCG
 ACATTTGTCCTTCTTAGACCTGTGTCTCATTCTGCCACAGTCCCCAAATCCATCCTCAACT
 CTGTCGCCTCCACTGACTCCATCTCCTTCCCTGGGGTGTGTGTTGCAGCTCTTCTTGGTGGTA
 CTGCTGGCTGGATCAGAGATTGGCATCCTTACTGCCATGTCCTATGACCGCTATGCTGCCA
 TCTGTGCCCCCTACACTGTGAGGCTGTCTATGAGCAGAGGGCTCTGTGTCCAGTTGATGGC
 TCTGTCTCTGGCTCAACAGAGGGGCCTTGGGACTCTTGTACACAGCTGGAACATTCTCTCTG
 50 AATTTTTATGGCTCTGATGAGCTACATCAGTTCTTCTGCGATGTCCCTGCCCTACTAAAGCT
 CACTTGTCTAAAGAACATGCCATCATTAGTGTGAGTGTGGCCATTGGGGTCTGTTATGCA
 TTTTCATGTTTAGTTTGCATTGTAGTTTCTATGTGTACATTTTCTCTGCTGTGTTAAGGAT
 ATCACAGAGACAGAGACAATCCAAAGCCTTTTCCAACCTGTGTGCCTCACCTCATTGTTGTC
 ACTGTGTTTCTTGTAAACAGGTGCTGTTGCTTATTTAAAGCCAGGGTCTGATGCACCTTCTAT
 55 TCTAGACTTGCTGGTGTCTGTGTTCTATTCTGTGCGACCTCCAACCTTGAACCCTGTTATCT

ACTGTCTGAAGAACAAGGACATTAAATCCGCTCTGAGTAAAGTCCTGTGGAATGTTAGAA
GCAGTGGGGTAATGAAAGATGACTAA (SEQ ID NO: 232)

AOLFR126 sequences:

5 MFLYLCFIFQRTCSEEMEEENATLLTEFVLTGFLHQPDCKIPLFLAFLVIYLITMGNLGLIVLIW
KDPHLHIPMYLFLGSLAFVDASLSSTVTPKMLINFLAKSKMISLSECMVQFFSLVTTVTTECFLL
ATMAYDRYVAICKALLYPVIMTNELCIQLLVLSFIGGLLHALIHEAFSFRLTFCNSNIIQHFYCDII
PLLKISCTDSSINFLMVFI FAGSVQVFTIGTILISYTIILFTILEKKSIKGIKAVSTCGAHLISVSLY
10 YGPLTFKYLGSASPQADDQDMMESLFYTVIVPLLNPMIYSLRNKQVIASFTKMFKSNV (SEQ ID
NO: 233)

ATGTTCCCTTTACCTTTGCTTCATTTTTTCAGAGGACATGCAGTGAGGAGATGGAAGAGGAAA
ATGCAACATTGCTGACAGAGTTTGTCTCACAGGATTTTTACATCAACCTGACTGTAAAAT
ACCGCTCTTCCTGGCATTCTTGGTAATATATCTCATCACCATCATGGGGAATCTTGGTCTAA
15 TTGTTCTCATCTGGAAGACCCTCACCTTCATATCCCAATGTACTTATCCCTGGGAGTTTA
GCCTTTGTGGATGCTTCGTTATCATCCACAGTGACTCCGAAGATGCTGATCAACTTCTTAG
CTAAGAGTAAGATGATATCTCTCTGAATGCATGGTACAATTTTTTCCCTTGTAACCACT
GTAACCACAGAATGTTTTCTCTTGCAACAATGGCATATGATCGCTATGTAGCCATTTGCA
AAGCTTTACTTTATCCAGTCATTATGACCAATGAACTATGCATTACAGCTATTAGCTTTGTCA
20 TTTATAGGTGGCCTTCTTCATGCTTTAATCCATGAAGCTTTTTTCATTACAGATTAACCTTCTG
TAATTCCAACATAATACAACACTTTTACTGTGACATTATCCCATTTGTTAAAGATTTCTGTGTA
CTGATTCCTCTATTAACCTTTCTAATGGTTTTTATTTTCGCAGGTTCTGTTCAAGTTTTTACCA
TTGGAACCTATTCTTATATCTTATACAATTATCCTCTTTACAATCTTAGAAAAGAAGTCTATC
AAAGGGATACGAAAAGCTGTCTCCACCTGTGGGGCTCATCTCTTATCTGTATCTTTATACT
25 ATGGCCCCCTCACCTTCAAATATCTGGGCTCTGCATCTCCGCAAGCAGATGACCAAGATAT
GATGGAGTCTCTATTTTACACTGTATAGTTCCCTTTATTAATCCCATGATCTACAGCCTGA
GAAACAAGCAAGTAATAGCTTCATTACAAAAATGTTCAAAAGCAATGTTTAG (SEQ ID
NO: 234)

30 **AOLFR127 sequences:**

MSNEDMEQDNTLLTEFVLTLTYQPEWKMPFLVFLVITYLITIVWNLGLIALIWNDRPOLHIPM
YFFLGSLAFVDAWISSTVTPKMLVNFLAKNRMISLSECMIQFFSFAFGGTTECFLLATMAYDRY
VAICKPLLYPVIMNNSLCIRLLAFSFLGGFLHALIHEVLIFRLTFCNSNIIHHFYCDIPLFMISCTD
35 PSINFLMVFILSGSIQVFTIVTVLNSYTFALFTILKKSVRGVRKAFTSTCGAHLISVSLYYGPLIF
MYLRPASQPADDQDMIDSVFYTHIPLNPIIYSLRNKQVIDSFTKMKVKNV (SEQ ID NO: 235)

ATGTCGAATGAGGACATGGAACAGGATAATACAACATTGCTGACAGAGTTTGTCTCACA
GGACTTACATATCAGCCAGAGTGGAATAATGCCCTGTTCTTGGTGTCTTGGTGTATCTATC
TCATCACTATTGTGTGGAACCTTGGTCTGATTGCTCTTATCTGGAATGACCCACAACCTTAC
40 ATCCCCATGTACTTTTTTCTTGGGAGTTTAGCCTTTGTTGATGCTTGGATATCTTCCACAGT
AACTCCCCAAAATGTTGGTTAATTTCTTGGCCAAAAACAGGATGATATCTCTGTCTGAATGC
ATGATTCAATTTTTTCTTTGCATTTGGTGGAACTACAGAATGTTTTCTCTTGGCAACAAT
GGCATATGATCGCTATGTAGCCATATGCAAACCTTTACTATATCCAGTGATTATGAACAAT
TCACTATGCATACGGCTGTTAGCCTTCTCATTITTAGGTGGCTTCTCCATGCCTTAATTCA
45 TGAAGTCCTTATATTCAGATTAACCTTCTGCAATTCTAACATAATACATCATTTTTACTGTG
ATATTATACCACTGTTTATGATTTCTGTACTGACCTTCTATTAATTTTCTAATGGTTTTTA
TTTTGTCTGGCTCAATTCAGGTATTCACCATTTGTGACAGTTCTTAATTCTTACACATTTGCT
CTTTTCACAATCTTAAAAAAGAGTCTGTTAGAGCGTAAGGAAAGCCTTTTCCACCTGTG
GAGCCCATCTCTTATCTGTCTCTTTATATTATGGCCCACTTATCTTCATGTATTGTCGCCCT
50 GCATCTCCACAAGCAGATGACCAAGATATGATAGACTCTGTCTTTTATACAATCATAATTC
CTTTGCTAAATCCCATATCTACAGTCTGAGAAATAACAAGTAATAGATTTCATTACAAA
AATGGTAAAAAGAAATGTTTAG (SEQ ID NO: 236)

AOLFR128 sequences:

55 METQNLTVVTEFILLGLTQSQDAQLLVFVLVILFYLIILPGNFIIFTIKSDPGLTAPLYFFLGNL
LLDASYSFIVVPRMLVDFLSEKKVISYRSCITQLFFLHFLGAGEMFLLVVMFAFDRIYIAICRPLHY

STIMNPRACYALSLVLWLGGFIHSIVQVALILHLPFCGPNQLDNFFCDVPQVIKLACTNTFVVEL
LMVSNSSGLLSLLCFLGLLASYAVILCRIREHSSEKSKAISTCTTHIIIFLMFGPAIFIYTCPFQAFP
ADKVVSLFHTVIFPLMNPVIYTLRNQEVKASMRKLLSQHMFC (SEQ ID NO: 237)

- 5 ATGGAAACACAGAACCTCACAGTGGTGACAGAATTCATTCTTCTTGGTCTGACCCAGTCTC
AAGATGCTCAACTTCTGGTCTTTGTGCTAGTCTTAATTTTCTACCTTATCATCTCCCTGGA
AATTTCTCATCATTTTACCATAAAGTCAGACCCTGGGCTCACAGCCCCCTCTATTTCTT
TCTGGGCAACTTGGCCTTACTGGATGCATCCTACTCCTTCATTGTGGTTCCCAGGATGTTG
GTGGACTTCTCTCTGAGAAGAAGGTAATCTCTATAGAAGCTGCATCACTCAGCTCTTTT
10 TCTTGCATTTTCTTGGAGCGGGAGAGATGTTCTCTCCTCGTTGTGATGGECTTTGACCGCTAC
ATCGCCATCTGCCGGCCTTTACACTATTCAACCATCATGAACCCTAGAGCCTGCTATGCAT
TATCGTTGGTTCTGTGGCTTGGGGGCTTTATCCATTCCATTGTACAAGTAGCCCTTATCCTG
CACTTGCCCTTTCTGTGGCCCAAACCAGCTCGATAACTTCTTCTGTGATGTTCCACAGGTCAT
CAAGCTGGCCTGCACCAATACCTTTGTGGTGGAGCTTCTGATGGTCTCCAACAGTGGCCTG
15 CTCAGCCTCCTGTGCTTCTTGGGCCTTCTGGCCTCCTATGCAGTCATCCTCTGTCTGATAAG
GGAGCACTCCTCTGAAGGAAAGAGCAAGGCTATTTCCACATGCACCACCCATATTATCATT
ATATTTCTCATGTTTGGACCTGCTATTTTCATCTACACTTGGCCCTTCCAGGCTTTCCAGC
TGACAAGGTAGTTTCTCTTTTCCATACTGTCATCTTTCTTGTGATGAACCCTGTTATTTATA
CGCTTCGCAACCAGGAGGTGAAAGCTTCCATGAGGAAGTTGTTAAGTCAACATATGTTTTG
20 CTGA (SEQ ID NO: 238)

AOLFR129 sequences:

- MALYFSLILHGMSDLFFLSTGHPRASCRMEAMKLLNQSQVSEFILLGLTSSQDVEFLLFALFSVI
YVVTVLGNLLIIVTVFNTPNLNTPMYFLLGNLSFVDMTLASFATPKVILNLLKKQKVISFAGCFT
25 QIFLLHLLGGVEMVLLVSMADFVYVAICKPLHYMTIMNKKVCVLLVVTSWLLGLLHSGFQIPF
AVNLPFCGPNVDSIFCDLPLVTKLACIDIYFVQVVIVANSGLSLSCFIILLISYSLILITIKNHSPT
GQSKARSTLTAHITVVILFFGPCIFIYIWPFGNHSVDKFLAVFYTIITPILNPIIYTLRNKEMKISMK
KLWRAVNSREDT (SEQ ID NO: 239)

- 30 ATGGCTCTTTATTTTCACTCATACTCCATGGTATGAGTGATCTTTTCTTCTCTCTACAGG
TCATCCAAGAGCGAGCTGTAGGATGGAGGCCATGAAACTATTAAATCAATCTCAAGTGTC
AGAATTCATTTTGTGCTGGGACTGACCAGCTCCCAGGATGTAGAGTTTCTTCTTTGCCCTCT
TCTCGGTTATCTATGTGGTCACAGTTTTGGGTAACCTTCTTATTATAGTCACAGTGTTTAAC
ACCCCTAACCTGAATACTCCCATGTATTTTCTCCTTGGTAATCTCTCTTTTGTAGATATGAC
35 CTTTGCTTCTTTGCCACCCCTAAGGTGATTCTGAACCTTGTTAAAAAAGCAGAAGGTAATT
TCTTTTGCTGGGTGCTTCACTCAGATATTTCTCCTTCACTTACTGGGTGGGGTTGAAATGGT
ACTGTTGGTCTCCATGGCTTTTGACAGATATGTGGCCATTTGTAAGCCCCCTACACTACATG
ACCATCATGAACAAGAAGGTATGTGTTTTGCTTGTAGTGACCTCATGGCTCTTGGGTCTCC
TTCACTCAGGTTTTTCAGATACCATTTGCTGTGAACCTGGCCTTTTGTGGTCCCAATGTGGTA
40 GACAGCATTTTTTGTGACCTCCCTTTGGTTACTAAGCTTGCCTGTATAGACATATATTTTGT
ACAGGTAGTCAATTGTTGCCAACAGTGGCATAATCTCCCTGAGCTGTTTCATTATTTTGTCTTA
TCTCTACAGTCTGATCCTCATAACCATTAAAGAACCACTCTCCTACTGGGCAATCTAAAGC
CCGTTCCACTTTGACTGCTCACATCACAGTGGTGATTCTCTTCTTTGGCCCATGCATCTTTA
TCTACATTTGGCCCTTCGGCAACCACTCTGTAGATAAGTTCCTTGCTGTGTTTTATACCATC
45 ATCACTCCTATCTTGAATCCAATTATCTATACTCTGAGAAACAAAGAAATGAAGATATCCA
TGAAAAAACTCTGGAGAGCTTTTGTGAATTCTAGAGAAGATACTTAG (SEQ ID NO: 240)

AOLFR131 sequences:

- MASTSNVTELIPTGLFQDPAVQSVCFVFLPVYLATVVGNGLIVLTVSISKSLDSPMYFFLSCLS
50 LVEISYSSTIAPKFIDLLAKIKTISLEGCLTQIFFHFFGVAEILLIVVMA YDCYVAICKPLHYMNI
ISRQLCHLLVAGSWLGGFCHSHIQLVIIQLPFCGPNVIDHYFCDLQPLFKLACTDTFMEGVIVLA
NSGLFSVFSFLILVSSYIVILVNLNRNHSAGRHKALSTCASHITVVILFFGPAIFLYMRPSSFTED
KLVAVFYTVITPMLNPIIYTLRNAEVKIAIRRLWSKKENPGRE (SEQ ID NO: 241)
- 55 ATGGCCAGTACAAGTAATGTGACTGAGTTGATTTTCACTGGCCTTTTCCAGGATCCAGCTG
TGCAGAGTGATGCTTTGTGGTGTCTTCCCCGTGTACCTTGCCACGGTGGTGGGCAATGG

CCTCATCGTTCTGACGGTCAGTATCAGCAAGAGTCTGGATTCTCCCATGTACTTCTTCCTTA
GCTGCCTGTCCTTGGTGGAGATCAGTTATTCCTCCACTATCGCCCCATAATTCATCATAGAC
TTACTTGCCAAGATTAAACCACTCTCTCTGGAAGGCTGTCTGACTCAGATATTCTTCTTCCA
CTTCTTTGGGGTTGCTGAGATCCTTTTGATTGTGGTGATGGCCTATGATTGCTACGTGGCC
5 ATTTGCAAGCCTCTTCATTATATGAACATTATCAGTCGTCAACTGTGTCACGTTCTGGTGGC
TGGTTCCTGGCTGGGGGGCTTTTGTCACTCCATAATTCAGATTCTCGTTATCATCCAATTGC
CCTTCTGTGGTCCCAATGTGATTGACCACTATTTCTGTGACCTCCAGCCTTTATTCAAGCTT
GCCTGCACTGACACCTTCATGGAGGGGGTTATTGTGTTGGCCAACAGTGGATTATTCTCTG
TCTTCTCCTTCTCATCTTGGTGTCTCTTATATTGTCAATTCTGGTCAACTTGAGGAACCAT
10 TCTGCAGAGGGGAGGCACAAAGCCCTCTCCACCTGTGCTTCTCACATCAGAGTGGTCATCT
TGTTTTTTGGACCTGCTATCTTCTCTACATGCGACCTTCTTCCACTTTCAGTGAAGATAAA
CTTGTGGCTGTATTCTACACGGTCATCACCCCATGCTGAACCCCATCATTTACACACTCAG
GAATGCAGAGGTGAAAATCGCCATAAGAAGATTGTGGAGCAAAAAGGAGAATCCAGGGA
GGGAGTGA (SEQ ID NO: 242)

15

AOLFR132 sequences:

MVATNNVTEIIFVGFSQLNWSEQRVISVMFLLMYTAVVLGNGLIVVTILASKVLTSPMYFFLSYL
SFVEICYCSVMAPKLIFDSFIKRVISLKGCLTQMFSLHFFGGTEAFLLMVMAYDRYVAICKPL
HYMAIMNQRMCGLLVRIAWGGGLLHSVQTFILFQLPFCGPNIMDHYFCDVHPVLELACADT
20 FFISLLITNGGSISVVSFFVLMASYLIILHFLRSHNLEGQHKALSTCASHVTVDLFFIPCSLVYIR
PCVTLPADKIVAVFYTVVTPLLNPVIYSFRNAEVKNAMRRFIGGKVI (SEQ ID NO: 243)

ATGGTTGCTACAAACAATGTGACTGAAATAATTTTCGTGGGATTTTCCCAGAATTGGAGTG
AGCAGAGGGTCATTTCTGTGATGTTTCTCCTCATGTACACAGCTGTTGTGCTGGGCAATGG
25 CCTACTTGTTGGTGACCATCCTGGCCAGCAAAGTGCTCACCTCCCCCATGTATTTCTTTCTCA
GCTACTTATCCTTTGTGGAGATCTGCTACTGTTCTGTGCATGGCCCCCAAGCTTATCTTTGAC
TCTTTTATCAAGAGGAAAGTCATTTCTCTCAAGGGCTGCCTCACACAGATGTTTTCCCTCC
ATTTCTTTGGTGGCACTGAGGCCTTTCTCCTGATGGTGTGATGGCCTATGACCGCTATGTGGC
CATCTGCAAGCCCTTGCACTACATGGCCATCATGAACCAGCGAATGTGTGGTCTCCTCGTG
30 AGGATAGCATGGGGCGGGGGCCTGCTGCATTCTGTTGGGCAAACCTTCTGATTTTCCAGC
TCCCGTTCTGTGGCCCCAACATCATGGACCACTACTTCTGTGATGTCCACCCAGTGCTGGA
GCTGGCCTGCGCAGACACCTTCTTCATTAGCCTGCTGATCATCACCATGGCGGCTCCATC
TCCGTAGTCAGTTTCTTCGTGCTGATGGCTTCTACCTGATCATCCTGCACTTCTGAGAAG
CCACAACCTTGGAGGGGCAGCACAAAGGCCCTCTCCACCTGTGCCTCTCATGTACAGTTGTC
35 GACCTGTTCTTCATACCTTGCTCCTTGGTCTATATTAGGCCCTGTGTACCCCTCCCTGCAGA
CAAGATAGTTGCTGATTTTATACAGTGGTCACACCTCTCTTAAACCCTGTGATTTACTCCT
TCAGGAATGCTGAAGTGAAAAATGCCATGAGGAGATTTATTGGGGGAAAAGTAATTTGA
(SEQ ID NO: 244)

40 **AOLFR133 sequences:**

MTEFIFLVLSNPQEVQRVCFVIFLFLYTAIVLGNFLIVLTVMTSRSLGSPMYFFLSYLSFMEICYS
SATAPKLISDLLAERKVISWWGCMAQLFFLHFFGGTEIFLLTVMAYDHYVAICKPLSYTTIMN
WQVCTVLVGIAWVGGMHSFAQILLIFHLLFCGPNVINHYFCDLVPLLKLACSDTFLIGLLIVAN
GGTLSVISFGVLLASYMVILLHLRTWSSEGWCKALSTCGSHFAVVILFFGPCVFNSLRPSTTLPI
45 DKMVAVFYTVITAILNPVIYSLRNAEMRKAMKRLWIRTLRLNEK (SEQ ID NO: 245)

ATGACTGAATTCATTTTTCTGGTACTTTCTCCCAACCAGGAGGTGCAGAGGGTTTGCTTTG
TGATATTTCTGTTCTTGACACAGCAATTGTGCTGGGGAATTTCTCATTGTGCTCACTGTC
ATGACCAGCAGAAGCCTTGGTTCCCCCATGTACTTCTTCTCAGCTACCTCTCCTTCATGGA
50 GATCTGCTACTCCTCCGCTACAGCCCCCAAACCTCATCTCAGATCTGCTGGCTGAAAGGAAA
GTCATATCTTGGTGGGGCTGCATGGCACAGCTTTTCTTCTTGCACTTCTTTGGTGGCACTGA
GATTTTCTGCTCACTGTGATGGCCTATGACCACTATGTGGCCATCTGCAAGCCCCTCAGC
TACACCACCATCATGAACTGGCAGGTGTGTAAGTGTGCTTGTAGGAATAGCATGGGTGGGA
GGCTTCATGCATTCCTTTGCACAAATCCTTCTCATCTTCCACCTGCTCTTCTGTGGCCCCAA
55 TGTGATCAATCACTATTTCTGTGACCTAGTTCCTTCTCAAACCTTGCTGCTGTGACACCT
TCCTCATTGGTCTGCTGATTGTTGCCAATGGAGGCACCTGTCTGTGATCAGTTTTGGGGT

CCTCTTAGCATCCTATATGGTCATCTTGCTCCATCTGAGAACCTGGAGCTCTGAAGGGTGG
TGCAAAGCCCTCTCCACCTGTGGGTCCCATTTCGCTGTGGTTATCTTGTTCTTTGGGGCCCTG
CGTCTTCAACTCTCTGAGGCCCTTCTACCACTCTGCCCATAGACAAGATGGTGGCTGTGTTCT
ACACAGTGATAACCGCGATCCTGAACCCTGTCTACTCTCTGAGAAATGCTGAAATGAG
5 GAAGGCCATGAAGAGGCTGTGGATTAGGACATTGAGACTAAATGAGAAATAG (SEQ ID
NO: 246)

AOLFR134 sequences:

MTTHILEVDNHTVTTRFILLGFTRPAFQLFFSIFLATYLLTLENLLILAIHSDGQLHKPMYFFL
10 SHLSFLEMWYVTVISPKMLVDFLSHDKSISFNGCMTQLYFFVTVFVCTEYILLAIMAFDRYVAIC
NPLRYPVIMTNQLCGTLAGGCWFCGLMTAMIKMVFIQLHYCGMPQINHYFCDISPLLNVSCE
DASQAEMVDFFLALMVIAIPLCVVVASYAAILATILRIPSAQGRQKAFSTCASHLTVVILFYSMT
LFTYARPKLMYAYNSNKVVSVLYTVIVPLLNPIIYCLRNHEVKAALRKTIHCRGSGPQNGAFS
S (SEQ ID NO: 247)

15 ATGACCACCATAATTCTGGAAGTAGATAATCATACAGTGACAACACGTTTCATTCTTCTGG
GGTTTCCAACACGACCAGCCTTCCAGCTTCTCTTTTCTCCATTTTCTGCGAACCTATCTG
CTGACACTGCTGGAGAATCTTCTTATCATCTTAGCTATCCACAGTGATGGGCAGCTGCATA
AGCCCATGTACTTCTTCTGAGCCACCTCTCCTTCTGAGATGTGGTATGTCACAGTCATC
20 AGCCCCAAGATGCTTGTGACTTCCTCAGTCATGACAAGAGTATTTCTTCAATGGCTGCA
TGACTCAACTTTACTTTTTTGTGACCTTTGTCTGCACTGAGTACATCCTTCTTGCTATCATG
GCCTTTGACCGCTATGTAGCCATTTGTAATCCACTACGCTACCCAGTCATCATGACCAACC
AGCTCTGTGGCACACTGGCTGGAGGATGCTGGTTCTGTGGACTCATGACTGCCATGATTAA
GATGGTTTTATAGCACAACTTCACTACTGTGGCATGCCTCAGATCAATCACTACTTTTGTG
25 ATATCTCTCCACTCCTTAACGTCTCCTGTGAGGATGCCTCACAGGCTGAGATGGTGGACTT
CTTCTTGCCCTCATGGTCATTGCTATTCTCTTTGTGTTGTGGTGGCATCCTACGCTGCTA
TCCTTGCCACCATCCTCAGGATCCCTTCTGCTCAGGGCCGCCAAAAGGCATTCTCCACCTG
TGCTTCCACCTGACCGCTCGTAATTCTCTTCTATTCCATGACACTTTTACCTATGCCCGTC
CCAAACTCATGTATGCCTACAATTCCAACAAAGTGGTATCTGTTCTCTACACTGTCACTGTT
30 CCACTCCTCAACCCCATCATTTACTGTCTGAGGAACCATGAAGTAAAGGCAGCCCTCAGAA
AGACCATACATTGCAGAGGAAGTGGGCCCCAGGGAAATGGGGCTTTCAGTAGTTAA (SEQ
ID NO: 248)

AOLFR135 sequences:

35 MIFPSHDSQAFTSVDMEVGNCTILTEFILLGFSADSQWQPILFGVFLMLYLITLSGNMTLVILIRT
DSHLHTPMYFFIGNLSFLDFWYTSVYTPKILASCVSEDKRISLAGCGAQLFFSCVVAYTECYLL
AAMAYDRHAAICNPLLYSGTMSTALCTGLVAGSYIGGFLNAIAHTANTFRLHFCGKNIDHFFC
DAPPLVKMSCTNTRVYEKVLGTVVGFTVLSSILAILISYVNILLAILRIHSASGRHKAFSTCASHL
ISVMLFYGSLLFMYSRPSSTYSLERDKVAALFYTVINPLLNPLIYSLRNKDIKEAFRKATQTIQPO
40 T (SEQ ID NO: 249)

ATGATTTTCCCTTCTCATGATAGTCAGGCTTTCACCTCCGTGGACATGGAAGTGGGAAATT
GCACCATCCTGACTGAATTCATCTTGTTGGGTTTCTCAGCAGATTCCCAGTGGCAGCCGAT
TCTATTTGGAGTGTTTCTGATGCTCTATTTGATAACCTTGTCAGGAAACATGACCTTGGTTA
45 TCTTAATCCGAAGTATCCCACTTGCCATACACCTATGTACTTTTTTCATTGGCAATCTGTCT
TTTTTGGATTTCTGGTATACCTCTGTGTATACCCCCAAAATCCTGGCCAGTTGTGTCTCAGA
AGATAAGCGCATTTCTTGGCTGGATGTGGGGCTCAGCTGTTTTTTCTGTGTTGTAGCCT
ACACTGAATGCTATCTCCTGGCAGCCATGGCATATGACCGCCATGCAGCAATTTGTAACCC
ATTGCTTTATTCAAGTACCATGTCCACCGCCCTCTGTACTGGGCTTGTGTGCTGCTCCTACA
50 TAGGAGGATTTTGAATGCCATAGCCATACTGCCAATACATTCCGCCTGCATTTTTGTGG
TAAAAATATCATTGACCACTTTTCTGTGATGCACCACCATTGGTAAAAATGTCCTGTACA
AACACCAGGGTCTACGAAAAAGTCCTGCTTGGTGTGGTGGGCTTACAGTACTCTCCAGCA
TTCTTGCTATCCTGATTTCTATGTCAACATCCTCCTGGCTATCCTGAGAATCCACTCAGCT
TCAGGAAGACACAAGGCATTCTCCACCTGTGCTTCCACCTCATCTCAGTCATGCTCTTCTA
55 TGGATCATTTGTTTATGTATTCAAGGCCTAGTTCCACCTACTCCCTAGAGAGGGGACAAA
GTAGCTGCTCTGTTCTACACCGTGATCAACCCACTGCTCAACCTCTCATCTATAGCCTGAG

AAACAAAGATATCAAAGAGGCCTTCAGGAAAGCAACACAGACTATACAACCACAAACATG
A (SEQ ID NO: 250)

AOLFR136 sequences:

- 5 MTMENYSMAAQFVLDGLTQQAELQLPLFLLFLGIYVVTVVGNLGMILLIAVSPLLHTPMYYFL
SSLSFVDFCYSSVITPKMLVNFLGKKNILYSECMVQLFFVVFVVAEGYLLTAMAYDRYVAIC
SPLLYNAIMSSWVCSSLVLAFFLGLSALTHTSMMKLSFCKSHIINHYFCDVLP LLNLSCSNT
HLNELLLFIAGFNTLVPTLAVAVSYAFILYSILHIRSSEGRSKAFGTCSSHLMAVVIFFGSITFMY
FKPPSSNSLDQEKVSSVFYTTVIPMLNPLIYSLRNKDVKKALRKVLVGK (SEQ ID NO: 251)
- 10 ATGACCATGGAAAATTATTCTATGGCAGCTCAGTTTGTCTTAGATGGTTTAACACAGCAAG
CAGAGCTCCAGCTGCCCCCTCTCCTCCTGTTCTGGGAATCTATGTGGTCACAGTAGTGGG
CAACCTGGGCATGATTCTCCTGATTGCAGTCAGCCCTCTACTTCACACCCCCATGTACTATT
TCCTCAGCAGCTTGTCTTCGTCGATTTCTGCTATTCCTCTGTCACTACTCCCAAAATGCTG
15 GTGAACCTTCTAGGAAAGAATAACAATCCTTTACTCTGAGTGCATGGTCCAGCTCTTTT
TCTTTGTGGTCTTTGTGGTGGCTGAGGGTTACCTCCTGACTGCCATGGCATATGATCGCTA
TGTTGCCATCTGTAGCCCACTGCTTTATAATGCGATCATGTCTCATGGGTCTGCTCACTGC
TAGTGCTGGCTGCCTTCTTCTTGGGCTTTCTCTCTGCCTTGACTCATAACAAGTGCCATGATG
AACTGTCTCTTTTGCAAATCCCACATTATCAACCATTACTTCTGTGATGTTCTTCCCCTCCT
20 CAATCTCTCCTGCTCCAACACACACCTCAATGAGCTTCTACTTTTATCATTGCGGGGTTTA
ACACCTTGGTGCCCAACCTAGCTGTTGCTGTCTCCTATGCCTTCATCCTCTACAGCATCCTT
CACATCCGCTCCTCAGAGGGCCGGTCCAAAGCTTTTGAACATGCAGCTCTCATCTCATGG
CTGTGGTGATCTTCTTTGGGTCCATTACCTTCATGTATTTCAAGCCCCCTTCAAGTAACTCC
CTGGACCAGGAGAAGGTGTCCTCTGTGTTCTACACCACGGTGATCCCCATGCTGAACCTT
25 TAATATACAGTCTGAGGAATAAGGATGTGAAGAAAGCATTAAGGAAGGTCTTAGTAGGAA
AATGA (SEQ ID NO: 252)

AOLFR137 sequences:

- 30 MSPENQSSVSEFLLGLPIRPEQQA VFFALFLGMYLTTVLGNLLIMLLIQLDSHLHTPMYFFLSH
LALTDISFSSVTPKMLMNMQTQHLAVFYKGCISQTYFFIFFADLDSFLITSMAYDRYVAICHPL
HYATIMTQSQCVMLVAGSWVIACACALLHTLLLAQLSFCADHIIPHYFCDLGALLKLSCSDTSL
NQLAIFTAALTAIMLPFLCILVSYGHIGVTILQIPSTKGICKALSTCGSHLSVVTIYYRTIIGLYFLP
PSSNTNDKNILASVIYTA VTPMLNPFYIYSLRNKDIKGALRKLLSRSGAVAHACNLSTLGG (SEQ
ID NO: 253)
- 35 ATGAGCCCTGAGAACCAGAGCAGCGTGTCCGAGTTCCTCCTCCTGGGCCTCCCCATCCGGC
CAGAGCAGCAGGCCGTGTCTTCGCCCTGTTCTCTGGGCATGTACCTGACCACGGTGCTGGG
GAACCTGCTCATCATGCTGCTCATCCAGCTAGACTCTCACCTTCACACCCCCATGTACTTCT
TCCTTAGCCACTTGGCCCTCACTGACATCTCCTTTTTCATCTGTCACTGTCCCTAAGATGCTG
40 ATGAACATGCAGACTCAGCACCTAGCCGTCTTTTACAAGGGATGCATTTACAGACATATT
TTTTCATATTTTTTGCTGACTTAGACAGTTTCTTATCACTTCAATGGCATATGACAGGTAT
GTGGCCATCTGTCACTCTACATTATGCCACCATCATGACTCAGAGCCAGTGTGTCATGC
TGGTGGCTGGGTCTGGGTGTCGCTTGTGCGTGTGCTCTTTTGCATACCCTCCTCCTGGCC
CAGCTTTCTTCTGTGCTGACCACATCATCCCTCACTACTTCTGTGACCTTGGTGCCCTGCT
45 CAAGTTGTCTGCTCAGACACCTCCCTCAATCAGTTAGCAATCTTTACAGCAGCATTGACA
GCCATTATGCTTCCATTCTGTGCTGCTGCTGCTTCTTATGGTCACATTGGGGTCACCATCCT
CCAGATTCCCTCTACCAAGGGCATATGCAAGCCCTTGTCCTACTGTGGATCCCACCTCTCA
GTGGTGACTATCTATTATCGGACAATTATTGGTCTCTATTTTCTTCCCCATCCGACAAC
CAATGACAAGAACATAATTGCTTCAGTGATATACACAGCAGTCACTCCCATGTTGAACCCA
50 TTCATTTACAGTCTGAGAAATAAAGACATTAAGGGAGCCCTAAGAAAACCTCTTGAGTAGG
TCAGGCGCAGTGGCTCATGCCTGTAATCTCAGCACTTTGGGAGGCTGA (SEQ ID NO: 254)

AOLFR138 sequences:

- 55 MLNFTDVTEFILLGLTSRREWQVLFFVFLVYIITVVGNIGMMLLIKVSPQLNSPMYFFLSHLS
FVDVWFSSNVTPKMLENLFSDDKKTISYADCLAQCFFIALVHVEIFILAAIAFDRTVIGNPLLY
GSKMSRGVCIRLITFPYTYGFLTSLTATLWTYGLYFCGKIEINHFYCADPPLIKMACAGTFVKEY

TMLILAGINFTYSLTVIIISYLFILIAILMRSAEGRQKAFSTCGSHPTAVIIFYGTLIFMYLRRPTE
ESVEQGMVAVFYTTVIPMLNPMIYSLRNKDVKKAMMKVISRSC (SEQ ID NO: 255)

5 ATGCTCAATTTACCGATGTGACAGAGTTCATTCTTTTGGGGCTAACGAGCCGTCGGGAAT
GGCAAGTTCTCTTCTTCATCGTTTTTCTTGTGGTCTACATTATCACCGTGGTGGGCAATATC
GGCATGATGTTGTTAATCAAGGTCAGTCCTCAGCTTAACAGCCCCATGTAATTTTTCTCA
GTCACCTGTCAATTTGTTGATGTGTGGTTTTCTTCCAATGTCACCCCTAAAATGTTGGaAAAT
CTGTTATCAGATAAAAAACAATTTCTTATGCTGGCTGTTTAGCACAGTGTTCCTTCTTCAT
10 TGCTCTTGTCATGTGGAAATTTTTATTCTTGTGCTGCGATTGCCTTTGATAGATACACAGTGA
TTGGAAATCCTTTGCTTTATGGCAGCAAAATGTCAAGGGATGTCTGTATTTCGACTGATTAC
TTTCCCTTACATTTATGGTTTTCTGACGAGTCTGACAGCAACATTATGGACTTATGGCTTGT
ACTTCTGTGGAAAAATTGAGATCAACCATTTCTACTGTGCAGATCCACCTCTCATCAAAAT
GGCCTGTGCCGGGACCTTTGTAAAAGAATATACAATGCTCATACTTGCCGGCATCAACTTC
15 ACATATCCCTGACTGTAATTATCATCTCTTACTTATTCATCCTCATTGCCATTCTGCGAAT
GCGCTCAGCAGAAGGAAGGCAGAAGGCCTTTCCACATGTGGGTCCCCTGACAGCTGT
CATCATATTCTATGGTACTCTGATCTTCATGTATCTCAGACGTCCACAGAGGAGTCTGTG
GAGCAGGGGAAGATGGTGGCTGTGTTCTATACCACAGTGATCCCCATGTTGAATCCCATGA
TCTACAGTCTGAGGAACAAGGATGTGAAAAAGGCCATGATGAAAGTGATCAGCAGATCAT
GTTAA (SEQ ID NO: 256)

20

AOLFR139 sequences:

MGFFGIHSWQHWLSLPLALLYLLALSANILILIINKEAALHQPMMYYFLGILAMADIGLATTIMP
KILAILWFNAKTISLLECFAQMYAIHCFVAMESSTFVCMADRYVAICRPLRYPISITESFVKAN
GFMALRNSLCLISVPLLAQRHYCSQNQIEHCLCSNLGVTSLSDDRINSINQVLLAWTLMGS
25 DLGLILSYALILYSVLKLSPEASKALSTCTSHLILILFFYTVIIVISITRSTGMRVPLIPVLLNVL
HNVIPPALNPMVYALKNKELRQGLYKVLRLGVKGT (SEQ ID NO: 257)

30 ATGGGATTCCCTGGCATTACAGTTGGCAGCACTGGCTCTCCCTGCCCCCTGGCTCTGCTCT
ACCTCTTAGCTCTCAGTGCCAACATCCTTATCCTGATCATCATCAACAAAGAGGCAGCACT
GCACCAGCCTATGTACTATTTCTGGGCATCTTGGCTATGGCAGACATAGGCCTGGCTACC
ACCATCATGCCTAAGATTTTGGCCATCTTATGGTTCAATGCTAAGACCATCAGTCTCCTGG
AGTGCTTTGCTCAGATGTATGCCATACATGCTTTGTGGCCATGGAATCAAGTACCTTTGT
CTGCATGGCTATTGATAGATATGTAGCCATTTGTGACCGCTACGATATCCATCAATCATC
35 ACTGAATCTTTTGTTCAAAGCAAATGGGTTTCATGGCACTGAGAAACAGCCTGTGTCTCA
TCTCAGTGCCTCTGTTGGCTGCCAGAGGCATTACTGCTCCAGAATCAAATTGAGCACTG
TCTTTGTTCTAACCTTGGAGTCACTAGCCTATCTTGTGATGATCGAAGAATCAATAGCATT
AACCAGGTCCTTTTGGCTTGGACACTCATGGGAAGTGACCTGGGTTTGATTATTTTATCAT
ATGCTCTAATACTTTACTCTGTCTGAAGCTGAACCTCTCCAGAAGCTGCATCCAAGGCCTT
AAGTACCTGCACCTCCACCTCATCTTAATCCTTTTCTTCTACACAGTCATCATTGTGATTT
40 CCATTACTCGTAGTACAGGAATGAGAGTTCCCCTTATTCCAGTTCTACTTAATGTGCTACA
CAATGTCATTCCCCCTGCCCTGAACCCCATGGTATATGCACTCAAGAACAAGGAACCTCAGG
CAAGGCTTATACAAGGTACTTAGACTGGGAGTGAAGGGCACCTGA (SEQ ID NO: 258)

AOLFR140 sequences:

45 MLTLNKTDLIPASFILNGVPGLEDQLWISFPFCSMYVVMVGNCGLLYLIHYEDALHKPMYY
FLAMLSFTDLVMCSSTIPKALCIFWFHLKDIFDECLVQMFFIHTFTGMESGVLMLMALDRYV
AICYPLRYSTILTNPVIAKVGTATFLRGVLLIIPFTFLTKRLPYCRGNILPHTYCDHMSVAKLSCG
NVKVNAYGLMVALLIGGFDILCITISYTMILRAVVSLSADARQKAFNTCTAHICAIVFSYTPAF
50 FSFFSHRFGHEIIPPSCHIIIVANYLLLPPTMNPIVYGVKTKQIRDCVIRILSGSKDTKSYSM (SEQ
ID NO: 259)

55 ATGCTAACACTGAATAAAACAGACCTAATACCAGCTTCATTTATTCTGAATGGAGTCCAG
GACTGGAAGACACAACTCTGGATTTCTTCCCATCTGCTCTATGTATGTTGTGGCTAT
GGTAGGGAATTGTGGACTCCTCTACCTCATTCACTATGAGGATGCCCTGCACAAACCCATG
TACTACTTCTTGGCCATGCTTTCCCTTACTGACCTTGTTATGTGCTCTAGTACAATCCCTAA
AGCCCTCTGCATCTTCTGGTTTCATCTCAAGGACATTGGATTTGATGAATGCCTTGTCCAG

ATGTTCTTCATCCACACCTTCACAGGGATGGAGTCTGGGGTGCTTATGCTTATGGCCCTGG
 ATCGCTATGTGGCCATCTGCTACCCCTTACGCTATTCAACTATCCTCACCAATCCTGTAATT
 GCAAAGGTTGGGACTGCCACCTTCCTGAGAGGGGTATTACTCATTATTCCTTTACTTTCTCT
 5 CACCAAGCGCCTGCCCTACTGCAGAGGCAATATACTTCCCCATACCTACTGTGACCACATG
 TCTGTAGCCAAATTGTCCTGTGGTAATGTCAAGGTCAATGCCATCTATGGTCTGATGGTTG
 CCTCCTGATTGGGGGCTTTGACATACTGTGTATCACCATCTCCTATACCATGATTCTCCGG
 GCAGTGGTCAGCCTCTCCTCAGCAGATGCTCGGCAGAAAGGCCTTTAATACCTGCACTGCCC
 ACATTTGTGCCATTGTTTTCTCCTATACTCCAGCTTTCTTCTCCTTCTTTTCCACCGCTTTG
 10 GGAACACATAATCCCCCTTCTTGCCACATCATTGTAGCCAATATTTATCTGCTCCTACCA
 CCCACTATGAACCTATTGTCTATGGGGTGAAAACCAACAGATACGAGACTGTGTCTATAA
 GGATCCTTTCAGGTTCTAAGGATACCAAATCCTACAGCATGTGA (SEQ ID NO: 260)

AOLFR141 sequences:

MSSTLGHNMESPNTDVPDSVFFLLGIPGLEQFHLWLSLPVCGLTATIVGNITLVVVATEPVL
 15 HKPVYFLCMLSTIDLAASVSTVPKLLAIFWCGAGHISASACLAQMFFIHAFCMMESTVLLAM
 AFDYVAICHPLRYATILDTIIAHIGVAAVVRGSLMLPCPFLIGRLNFCQSHVILHTYCEHMA
 VVKLACGDTRPNRVYGLTAALLVIGVDLFCIGLSYALSAQAVLRLSSHEARSKALGTCGSHVC
 VILISYTPALFSFFTHRFHGHVPHIHILLANVYLLPPLNPVVGKTKQIRKRVVRVFQSGQ
 20 GMGIKASE (SEQ ID NO: 261)

ATGTCCAGCACTCTTGGCCACAACATGGAATCTCCTAATCACACTGATGTTGACCCTTCTG
 TCTTCTTCTCCTGCGGCATCCCAGGTCTGGAACAATTTCAATTTGTGGCTCTCACTCCCTGTG
 TGTGGCTTAGGCACAGCCACAATGTGGGCAATATAACTATTCTGGTTGTTGTTGCCACTG
 AACAGTCTTGACAAGCCTGTGTACCTTTTTCTGTGCATGCTCTCAACCATCGACTTGGCT
 25 GCCTCTGTCTCCACAGTCCCAAGCTACTGGCTATCTTCTGGTGTGGAGCCGGACATATAT
 CTGCCTCTGCCTGCCTGGCACAGATGTTCTTCATTATGCCTTCTGCATGATGGAGTCCACT
 GTGCTACTGGCCATGGCCTTTGATCGCTACGTGGCCATCTGCCACCCACTCCGCTATGCCA
 CAATCCTCACTGACACCATCATTGCCACATAGGGGTGGCAGCTGTAGTGCAGGCTCCCT
 GCTCATGCTCCCATGTCCCTTCCTTATTGGGCGTTTGAACCTCTGCCAAAGCCATGTGATCC
 30 TACACACGTACTGTGAGCACATGGCTGTGGTGAAGCTGGCCTGTGGAGACACCAGGCCTA
 ACCGTGTGTATGGGCTGACAGCTGCACTGTTGGTCATTGGGGTTGACTTGTTTTGCAATTGG
 TCTCTCCTATGCCCTAAGTGCACAAGCTGTCCTTCGCTCTCATCCCATGAAGCTCGGTCCA
 AGGCCCTAGGGACCTGTGGTTCCTATGTCTGTGTCATCCTCATCTCTTATACACCAGCCCTC
 TTCTCCTTTTTTACACACCGCTTTGGCCATCACGTTCCAGTCCATATTCACATTCTTTTGGC
 35 CAATGTTTATCTGCTTTTGGCACCTGCTCTTAATCCTGTGGTATATGGAGTTAAGACCAAAC
 AGATCCGTAAAAGAGTTGTCAAGGTGTTTCAAAGTGGGCAGGGAATGGGCATCAAGGCAT
 CTGAGTGA (SEQ ID NO: 262)

AOLFR143 sequences:

MLGLNGTPFPQATLQLTGIPGIQTGLTWVALIFCILYMISIVGNLSILTLVFWEPALHQPMMYYFL
 40 SMLALNDLGVSFSTLPTVISTFCFNYNHVAFNACLVMFFIHTFSFMESGILLAMSLDRFVAICY
 PLRYVTVLTHNRILAMGLGILTKSFTTLFPFPFVVKRLPFCKGNVLHHSYCLHPDLMKVACGDI
 HVNNIYGLLVIFTYGMDSFTILLSYALILRAMLVHSQEQLKALNTCMISHICAVLAFYVPIIAMS
 MIHRFWKSAPPVVHVMMNSNVYLFVPPMLNPPIIYSVKTKKIRKILKFFHKSQA (SEQ ID NO:
 45 263)

ATGCTGGGTCTCAATGGCACCCCCCTTCCAGCCAGCAACACTCCAGCTGACAGGCATTCTCTG
 GGATACAAACAGGCCTCACCTGGGTGTCCTGATTTTCTGCATCCTCTACATGATCTCCATT
 GTAGGTAACTCAGCATTCTCACTCTGGTGTGTTTGGGAGCCTGCTCTGCATCAGCCCATGT
 50 ACTACTTCTCTCTATGCTCGCTCTCAATGATCTGGGAGTGTCTTTTCTACACTTCCCACT
 GTGATTTCTACTTTCTGCTTCAACTACAACCATGTTGCGTTTAAATGCTTGCCTGGTCCAGAT
 GTTCTTCATCCACACTTTCTCCTTCATGGAGTCAGGCATACTGCTGGCCATGAGCTTGGATC
 GCTTTGTGGCTATTTGTTATCCATTACGCTATGTCACTGTGCTCACTCACAACCGTATATTG
 GCTATGGGTCTGGGCATCCTTACCAAGAGTTTCAACACTCTCTTCCCTTTCCCTTTTGTGGT
 55 GAAACGACTGCCCTTCTGCAAAGGCAATGTTTTGCATCACTCCTACTGTCTCCATCCAGAT
 CTCATGAAAGTAGCATGTGGAGACATCCATGTTAAACAACATTTATGGGCTCTTGGTGATCA

TTTTTACCTATGGTATGGACTCAACTTTTCATCCTGCTTTCCTACGCATTGATCCTGAGAGCC
 ATGCTGGTCATCATATCCCAGGAACAGCGGCTCAAGGCACTCAACACCTGCATGTCACACA
 TCTGTGCAGTGTGGCCTTTTATGTGCCCATAATTGCTGTCTCCATGATTACCGCTTCTGG
 AAAAGTGCTCCACCTGTTGTTTCATGTCATGATGTCCAATGTCTACCTGTTTGTACCACCCAT
 5 GCTCAACCCTATCATCTACAGTGTGAAAACCAAGGAGATCCGCAAAGGGATTCTCAAGTTC
 TTCCATAAATCCCAGGCCTGA (SEQ ID NO: 264)

AOLFR144 sequences:

MGLFNVTHPAFFLLTGIPGLESSHWSLGLPLCVMYAVALGGNTVILQAVRVEPSLHEPMMYYFL
 10 SMLSFSDDVAISMATLPTVLRITFCLNARNITFDACLIQMFLIHFFSMMESGILLAMSFDRYVAICD
 PLRYATVLTTEVIAAMGLGAAARSFITLPLPLIKRLPICRSNVLSHSYCLHPDMMRLACADISI
 NSIYGLFVLVSTFGMDLFFIFLSYVLIILRSVMATASREERLKALNTCVSHILAVLAFYVPMIGVS
 TVHRFGKHVPCYIHLMSNVYLFVPPVLNPLIYSAKTKEIRRAIFRMFHHIKI (SEQ ID NO: 265)

15 ATGGGGTTGTTCATGTCACCTGCAATTCTTCCTCCTGACTGGTATCCCTGGTCTGGA
 GAGCTCTCACTCCTGGCTGTGAGGGCCCCCTCTGCGTGATGTATGCTGTGGCCCTTGGGGGA
 AATACAGTGATCCTGCAGGCTGTGCGAGTGGAGCCCAGCCTCCATGAGCCCATGTACTACT
 TCCTGTCCATGTTGTCTTCAGTGATGTGGCCATATCCATGGCCACACTGCCCACTGTACTC
 CGAACCTTCTGCCTCAATGCCCCGAACATCACTTTTGATGCCTGTCTAATTCAGATGTTTCT
 20 TATTCACCTTCTTCTCCATGATGGAATCAGGTATTCTGCTGGCCATGAGTTTGTACCGCTATG
 TGGCCATTTGTGACCCCTTGCCTATGCAACTGTGCTCACCCTGAAGTCATTGCTGCAAT
 GGGTTTAGGTGCAGCTGCTCGAAGCTTCATCACCTTTTCCCTCTTCCCTTTCTTATTAAGA
 GGCTGCCTATCTGCAGATCCAATGTTCTTTCTCACTCCTACTGCCTGCACCCAGACATGATG
 AGGCTGCCTGTGCTGATATCAGTATCAACAGCATCTATGGACTCTTTGTTCTTGTATCCAC
 25 CTTTGGCATGGACCTGTTTTTATCTTCTCTCCTATGTGCTCATTCTGCGTTCTGTGATGG
 CCACTGCTTCCCGTGAGGAACGCCCTCAAAGCTCTCAACACATGTGTGCACATATCTGCGC
 TGTACTTGCAATTTATGTGCCAATGATTGGGGTCTCCACAGTGCACCGCTTTGGGAAGCAT
 GTCCCATGCTACATACATGTCTCATGTCAAATGTGTACCTATTTGTGCTCCTGTGCTCAA
 CCCTCTCATTTATAGCGCCAAGACAAAGGAAATCCGCCGAGCCATTTTCCGCATGTTTCAC
 30 CACATCAAAATATGA (SEQ ID NO: 266)

AOLFR145 sequences:

MSVQYSLSPQFMLLSNITQFSPIFYLTSPGLEGIKHWIFIPFFFMVMVAISGNCFILIIKTNPRLH
 TPMYYLLSLLALTDLGLCVSTLPTTMGIFWFNSQSIYFGACQIQMFCHSFSFMESSVLLMMSFD
 35 RFVAICHPLRYSVIITGQQVVRAGLIVFRGPVATPIVLLKAFPYCGSVVLSHSFCLHQEVIQLA
 CTDITFNNLGLMVVFTVMDLVLIALSYGLIHLHTVAGLASQEEQRRAFQTCTAHLCAVLVF
 FVPMMLSLVHRFGKHAPPAIHLMLANVYLFVPPMLNPIIYSIKTKEIHRAIKLLGLKKASK
 (SEQ ID NO: 267)

40 ATGTCAGTCCAATATTCGCTCAGTCCTCAATTCATGCTGCTATCCAACATTACTCAGTTTAG
 CCCCATATTCATCTCACCAGCTTTCCTGGATTGGAAGGCATCAAACACTGGATTTTCATCC
 CCTTTTTCTTTATGTACATGGTTGCCATCTCAGGCAATTGTTTCATTCTGATCATTATTAAG
 ACCAACCCCTCGTCTGCACACACCCATGTACTATCTACTATCCTTGCTGGCCCTCACTGACCT
 GGGGCTGTGTGTGTCCACGTTGCCACCACTATGGGGATCTTCTGGTTAACTCCCAGAGT
 45 ATCTACTTTGGAGCGTGTCAAATCCAGATGTTCTGCATCCACTCTTTTTCCTTCATGGAGTC
 CTCAGTGCTCCTCATGATGTCCTTTGACCGCTTTGTGGCCATCTGCCACCCCTCTGAGGTATT
 CGGTCAATTATCACTGGCCAGCAAGTGGTCAGAGCGCCTAATTGTCTCTTCCGGGGACC
 TGTGGCCACTATCCCTATTGTCCTCCTCCTGAAGGCTTTTCCCTACTGTGGATCTGTGGTCC
 TCTCCCACTCATTTTGCCTGCACCAGGAAGTGATACAGCTGGCCTGCACAGATACCACCTT
 50 CAATAATCTGTATGGACTGATGGTGGTAGTTTTCACTGTGATGCTGGACCTGGTGTCTATC
 GCACTGTCCTATGGACTCATCCTGCACACAGTAGCAGGCCTGGCCTCCCAAGAGGAGCAGC
 GCCGTGCCTTTTACAGCATGCACCGCTCATCTCTGTGCTGTGCTAGTATTCTTTGTGCCCATG
 ATGGGGCTGTCCCTGGTGCACCGTTTTGGGAAGCATGCCCCACCTGCTATTCATCTTCTTAT
 GGCCAATGTCTACCTTTTTGTGCCTCCCATGCTTAACCCAATCATATACAGCATTAAAGACC
 55 AAGGAGATCCACCGTGCCATTATCAAACCTCCTAGGTCTTAAAAAGGCCAGTAAATGA (SEQ
 ID NO: 268)

AOLFR146 sequences:

- MSQVTNTTQEGIFYILTDIPGFEASHIWISIPVCCLYTISIMGNTTILTVIRTEPSVHQRMVFLFLSM
 LALTDLGLTLTTLPTVMQLLWFNVRRISSEACFAQFFFLHGFSESSVLLAMSVDCYVAICCP
 5 LHYASILTNEVIGRTGLAIICCCVLAVLPSLFLLKRLPFCHSHLLSRSYCLHQDMIRLVACDIRLN
 SWYGFALALLIIVDPLLVISYTLILKNILGTATWAERLRALNNCLSHILAVLVLYIPMVGVSMT
 HRFKHAASPLVHVIMANIYLLAPPVMNPIIYSVKNKQIQWGMLNFLSLKNMHSR (SEQ ID NO:
 269)
- 10 ATGTCCCAGGTGACTAACACCACACAAGAAGGCATCTACTTCATCCTCACGGACATCCCTG
 GATTTGAGGCCTCCCACATCTGGATCTCCATCCCCGTCTGCTGTCTCTACACCATCTCCATC
 ATGGGCAATACCACCATCCTCACTGTCAATTCGCACAGAGCCATCTGTCCACCAGCGCATGT
 ATCTGTTTCTCTCCATGCTGGCCCTGACGGACCTGGGTCTCACCCCTCACCACTACCCACA
 GTCATGCAGCTTCTCTGGTTCAACGTTCTGAGTCTTCTGTCTCCTGGCTATGTCGGTTGACT
 15 TTTCTTCTTCATGGATTCTCCTTTATGGAGTCTTCTGTCTCCTGGCTATGTCGGTTGACT
 GCTATGTGGCCATCTGCTGTCCCTCCATTATGCCTCCATCCTCACCAATGAAGTCATTGGT
 AGAACTGGGTAGCCATCATTTGCTGCTGTGTTCTGGCGGTTCTTCCCTCCCTTTTCTTACT
 CAAGCGACTGCCTTTCTGCCACTCCCACCTTCTCTCTCGCTCCTATTGCCTCCACCAGGATA
 TGATCCGCCTGGTCTGTGCTGACATCAGGCTCAACAGCTGGTATGGATTGCTCTTGCCTT
 20 GCTCATTATTATCGTGGATCCTCTGCTCATTGTGATCTCCTATACACTTATTCTGAAAAATA
 TCTTGGGCACAGCCACCTGGGCTGAGCGACTCCGTGCCCTCAATAACTGCCTGTCCACAT
 TCTAGCTGTCCTGGTCTCTACATTCCCATGGTTGGTGTATCTATGACTCATCGCTTTGCCA
 AGCATGCCTCTCCACTGGTCCATGTTATCATGGCCAATATCTACCTGCTGGCACCCCCGGT
 GATGAACCCCATCATTTACAGTGTAAGAACAAGCAGATCCAATGGGGAATGTTAAATTTT
 25 CTTTCCCTCAAAAATATGCATTCAAGATGA (SEQ ID NO: 270)

AOLFR147 sequences:

- MPSASAMIIFNLSSYNPGPFILVGIPGLEQFHVWIGIPFCIIYIVAVVGNCLLYLIVVEHSLHEPMF
 FFLSMLAMTDLILSTAGVPKALSIFWLGAAREITFPGLTQMFFLHYNFVLDSSAILMAMAFDHVY
 30 AICSPRYTTLTPKTHKSAMGISFRSFCILPDVFLLTCLPFCRTRIIPHTYCEHIGVAQLACADISI
 NFWYGFVCPIMTVISDVILIAVSYAHILCAVFLPSQDACQKALGTCGSHVCVILMFYTPAFFSI
 LAHRFGHNVSRTFHIMFANLYIVIPPALNPMVYGVKTKQIRDKVILLFSKGTG (SEQ ID NO:
 271)
- 35 ATGCCATCTGCCTCTGCCATGATCATTTTCAACCTGAGCAGTTACAATCCAGGACCCTTCAT
 TCTGGTAGGGATCCCAGGCCTGGAGCAATTCATGTGTGGATTGGAATTCCTTCTGTATC
 ATCTACATTGTAGCTGTTGTGGGAACTGCATCCTTCTCTACCTCATGTGGTGGAGCATA
 GTCTTCATGAACCCATGTTCTTCTTCTCTCCATGCTGGCCATGACTGACCTCATCTTGCC
 40 ACAGCTGGTGTGCCTAAAGCACTCAGTATCTTTGGCTAGGGGCTCGCGAAATCACATTCC
 CAGGATGCCTTACACAAATGTTCTTCTTCTACTATAACTTTGTCTGCTGATTGAGCCATTCTG
 ATGGCCATGGCATTGATCACTATGTAGCTATCTGTTCTCCCTTGAGATATACCACCATCTT
 GACTCCCAAGACCATCATCAAGAGTGCTATGGGCATCTCCTTTCGAAGCTTCTGCATCATC
 CTGCCAGATGTATTCTTGCTGACATGCCTGCCTTCTGCAGGACACGCATCATACCCCA
 CATAGTGTAGCATATAGGTGTTGCCAGCTCGCTGTGCTGATATCTCCATCAACTTCTG
 45 GTATGGCTTTTGTGTTCCCATCATGACGGTCATCTCAGATGTGATTCTCAITGCTGTTTCT
 ACGCACACATCCTCTGTGCTGTCTTTGGCCTTCCCTCCCAAGATGCCTGCCAGAAAGCCCT
 CGGCACTTGTGGTTCTCATGTCTGTGTCATCCTCATGTTTTATACACCTGCCCTTTTCTCCA
 TCCTCGCCCATCGCTTTGGACACAATGTCTCTCGCACCTTCCACATCATGTTTGCCAATCTC
 TACATTGTTATCCACCTGCACTCAACCCCATGGTTTACGGAGTGAAGACCAAGCAGATCA
 50 GAGATAAGGTTATACTTTTGTGTTTCTAAGGGTACAGGATGA (SEQ ID NO: 272)

AOLFR148 sequences:

- MPTVNHSGTSHTVFHLGIPGLQDQHMWISIPFISYVTALLGNSLLIFILTKRSLHEPMYFLC
 MLAGADIVLSTCTIPQALAIWFWRAGDISLDRCTQLFFIHSTFISESGILLVMAFDHYIAICYPLR
 55 YTTILTNALIKKICVTVSLRSYGTIFPIIFLLKRLTFCQNNIIPHTFCEHIGLAKYACNDIRJINWYG

FSILMSTVVLDVVLIFISYMLILHAVFHMPSPDACHKALNTFGSHVCIILFYGSGIFTILTQRFGR
HIPPCIHIPLANVCILAPPMLNPITYGIKTKQIQEQVVQFLFIKQKITLV (SEQ ID NO: 273)

5 ATGCCTACTGTAAACCACAGTGGCACTAGCCACACAGTCTTCCACTTGCTGGGCATCCCTG
GCCTACAGGACCAGCACATGTGGATTCTATCCCATTCCTCATTTCCTATGTCACCGCCCTT
CTTGGGAACAGCCTGCTCATCTTCATTATCCTCACAAAGCGCAGCCTCCATGAACCCATGT
ACCTCTTCTCTGTCATGCTGGCTGGAGCAGACATTGTCCTCTCCACGTGCACCATTCCTCAG
GCCTTAGCTATCTTCTGGTTCCGTGCTGGGGACATCTCCCTGGATCGTTGCATCACTCAGCT
10 CTCTTCATCCATTCCACCTTCATCTCTGAGTCAGGGATCTTGCTGGTGATGGCCTTTGACC
ACTATATTGCCATATGCTACCCACTGAGGTACACCACCATTCCTTACAAATGCTCTGATCAA
GAAAATTTGTGTGACTGTCTCTCTGAGAAGTTATGGTACAATTTCCCTATCATATTTCTTT
TAAAAAGATTGACTTTCTGCCAGAATAATATTATTCACACACCTTTTGTGAACACATTGG
CCTAGCCAAATATGCATGTAATGACATTGCAATAAACATTTGGTATGGGTTTTCCATTCTA
15 ATGTCGACGGTGGTCTTAGATGTTGTACTAATTTTTATTTCTATATGCTGATTCTCCATGC
TGTCTTCCACATGCCTTCTCCAGATGCTTGCCACAAAGCTCTCAACACATTGCGCTCCCATG
TCTGCATCATCATCCTCTTTTATGGGTCTGGCATCTTCACAATCCTTACCCAGAGGTTTGA
CGCCACATTCCACCTTGTATCCACATCCCGTTGGCTAATGTCTGCATTCTGGCTCCACCTAT
GCTGAATCCCATTATTTATGGGATCAAAACCAAGCAAATCCAGGAACAGGTGGTTCAGTTT
20 TTGTTTATAAAACAGAAAATAACTTTGGTTTAA (SEQ ID NO: 274)

AOLFR149 sequences:

MSNASLLTAFILMGLPHAPALDAPLFGVFLVVYVLTVLGNLLILLVIRVDSHLHTTMYFYLTNL
SFIDMWFSTVTVPKLLMTLVFPSGRAISFHSMAQLYFFHFLGGTECFLYRVMSCDRYLAISSP
LRYTSMMTGRSCTLLATSTWLSGSLHSAVQAILTFHLPYCGPNWQHYLCDAPPILKLACADTS
25 AIETVIFVTVGIVASGCFVLIVLSYVSIVCSILRIRTSEKHFRAFQTCASHCIVVLCFFGPGLFYLR
PGSRKAVDGVVAVFYTVLTPLLNPVVYTLRNKEVKKALLKLKDKVAHSQSK (SEQ ID NO:
275)

30 ATGTCCAACGCCAGCCTACTGACAGCGTTCATCCTCATGGGCCTTCCCCATGCCCCAGCGC
TGGACGCCCCCTCTTTGGAGTCTTCCTGGTGGTTACGTGCTCACTGTGCTGGGGAACT
CCTCATCCTGCTGGTGATCAGGGTGGATTCTCACCTCCACACCACCATGTACTACTTCTCA
CCAACCTGTGCTTCATTGACATGTGGTTCTCCATGTCACGGTGCCCAAATTGCTGATGAC
TTTGGTGTTCCCAAGTGGCAGGGCTATCTCCTTCCACAGCTGCATGGCTCAGCTCTATTCT
35 TTCCTTCTAGGGGGCACCAGTGTTTCTCTACAGGGTCATGTCCTGTGATCGCTACCT
GGCCATCAGTTACCCGCTCAGGTACACCAGCATGATGACTGGGCGCTCGTGACTCTTCTG
GCCACCAGCACTTGGCTCAGTGGCTCTCTGCACTCTGCTGTCCAGGCCATATTGACTTTCC
ATTTGCCCTACTGTGGACCCAACTGGATCCAGCACTATTTGTGTGATGCACCGCCCATCCT
GAAACTGGCCTGTGCAGACACCTCAGCCATAGAGACTGTCATTTTTGTGACTGTTGGAATA
GTGGCTCGGGCTGCTTTGTCTGATAGTGTCTGCTATGTGTCCATCGTCTGTTCCATCCT
40 GCGGATCCGACCTCAGAGGGGAAGCACAGAGCCTTTCAGACCTGTGCCTCCCACTGTATC
GTGGTCTTTGCTTCTTTGGCCCTGGTCTTTTCACTTACCTGAGGCCAGGCTCCAGGAAAGC
TGTGGATGGAGTTGTGGCCGTTTTCTACACTGTGCTGACGCCCCCTTCTCAACCTGTTGTGT
ACACCCTGAGGAACAAGGAGGTGAAGAAAGCTCTGTTGAAGCTGAAAGACAAAGTAGCAC
ATTCTCAGAGCAAATAG (SEQ ID NO: 276)

45

AOLFR150 sequences:

MELGNVTRVKEFIFLGLTQSQDQSLVFLFLCLVYMTLLGNLLIMVTVTCESRLHTPMYFLLR
NLAILDICFSSTAPKVLLDLLSKKKTISYTSMTQIFLHLLGGADIFSLSVMAFDCYMAJSKPL
HYVTIMSRGQCTALISASWMGGFVHSIVQISLLLPLFCGPNVLDTFYCDVPQVLKLTCTDTFA
50 LEFLMISNNGLVTTLWFIFLLVSYTVILMTLRSQAGGGRRKAISTCTSPHHCGDPAFCALHLCLC
PALHCPPHRKGHLCHLHCHLPSAEPDLHSEEPGNEVSHEKTEKTRAF (SEQ ID NO: 277)

55 ATGGAGTTGGGAAATGTCACCAGAGTAAAGAATTTATATTTCTGGGACTTACTCAATCCC
AAGACCAGAGTTTGGTCTTGTTTCTTTTTTATGTCTTGTGTACATGACGACTCTGCTGGGA
AACCTCCTCATCATGGTCACCGTGACCTGTGAGTCTCGCCTTCACACCCCCATGTAATCCT
GCTCCGCAATCTAGCCATCCTTGACATCTGCTTCTCCTCCACAAGTCTCTAAAGTCTTGC

TGGACCTTCTGTCAAAGAAAAAGACCATATCCTATACAAGCTGCATGACACAGATATTTCT
CTTCCACCTCCTTGGTGGGGCAGACATTTTTTCTCTCTGTGATGGCGTTTGACTGCTACA
TGGCCATCTCCAAGCCCCTGCACTATGTGACCATCATGAGTAGAGGGCAATGCACTGCCCT
CATCTCTGCCTCTTGGATGGGGGGCTTTGCTCCACTCCATCGTGCAGATCTCCCTGTTGCTGC
5 CTCTCCCTTTCTGTGGACCCAATGTTCTTGACACTTTCTACTGCGATGTCCCCCAGGTCCTC
AAACTCACTTGCACTGACACTTTTGGCTCTTGAGTTCTTGATGATTTCCAACAATGGCCTGGT
CACTACCCTGTGGTTTATCTTCCTGCTTGTGTCCTACACAGTCATCCTAATGACGCTGAGGT
CTCAGGCAGGAGGGGGCAGGAGGAAAGCCATCTCCACTTGACCTCCCCACATCACTGTG
GTGACCTGCATTTTGTGCCCTGCATCTATGTCTATGCCCCGCCCTTCACTGCCCTCCCCAC
10 AGAAAAGGCCATCTCTGTACCTTCACTGTCTATCTCCCTCTGCTGAACCTTTGATCTACA
CTCTGAGGAACCAGGAAATGAAGTCAGCCATGAGAAGACTGAAGAGAAGACTCGTGCCTT
CTGA (SEQ ID NO: 278)

AOLFR151 sequences:

15 MFSPNHTIVTEFILLGLTDDPVLEKILFGVFLAIYLITLAGNLCMILLIRTNSHLQTPMYFFLGHL
FVDICYSSNVTPNMLHNFLSEQKTISYAGCFTQCLLFIALVITEFYILASMLDRYVAICSPHY
SRMSKNICVCLVTIPYMYGFLSGFSQSLLTFHLSFCGSLEINHFYCADPPLIMLACSDTRVKKMA
MFVVAGFNLSSSLFIILLSYLFIFAAIFRIRSAEGRHKAFTSCASHLTIVTLFYGTLCFMYVRPSE
KSVEESKITAVFYTFLSPMLNPLIYSLRNTDVLAMQQMIRGKSFHKIAV (SEQ ID NO: 279)

20 ATGTTCTCCCCAAACCACACCATAGTGACAGAATTCATTCTCTTGGGACTGACAGACGACC
CAGTGCTAGAGAAGATCCTGTTTGGGGTATTCCTTGCGATCTACCTAATCACACTGGCAGG
CAACCTGTGCATGATCCTGCTGATCAGGACCAATCCCACCTGCAACACCCATGTATTTT
TTCCTTGGCCACCTCTCCTTTGTAGACATTTGCTATTCTTCCAATGTTACTCCAAATATGCT
25 GCACAATTTCTCTCAGAACAGAAGACCATCTCCTACGCTGGATGCTTCACACAGTGTCTT
CTCTTCATCGCCCTGGTGATCACTGAGTTTACATCCTTGCTTCAATGGCATTGGATCGCTA
TGTAGCCATTTGACGCCCTTTGCATTACAGTTCAGGATGTCCAAGAACATCTGTGTCTGT
CTGGTCACTATCCCTTACATGTATGGGTTTCTTAGTGGGTTCTCTCAGTCACTGCTAACCTT
TCACTTATCCTTCTGTGGCTCCCTTGAAATCAATCATTTCTACTGCGCTGATCCTCCTCTTA
30 TCATGCTGGCCTGCTCTGACACCCGTGTCAAAAAGATGGCAATGTTTGTAGTTGCAGGCTT
TAATCTCTCAAGCTCTCTCTTCATCATTTCTTCTGTCTATCTTTTCATTTTTGCAGCGATCTT
CAGGATCCGTTCTGCTGAAGGCAGGCACAAAGCCTTTTCTACGTGTGCTTCCACCTGACA
ATAGTCACTTTGTTTTATGGAACCCCTCTTCTGCATGTACGTAAGGCCTCCATCAGAGAAGT
CTGTAGAGGAGTCCAAAATAACTGCAGTCTTTTATACTTTTTTGAGCCCAATGCTGAACCC
35 ATTGATCTATAGCCTACGGAACACAGATGTAATCCTTGCCATGCAACAAATGATTAGGGGA
AAATCCTTTCATAAAATTGCAGTTTAG (SEQ ID NO: 280)

AOLFR152 sequences:

40 MDQINHTNVKEFFLELTRSRELEFFLVVFFAVYVATVLGNALIVVTITCESRLHTPMYFLLRN
KSVLDIVFSSITVPKFLVDLLSDRK TISYND CMAQIFFH FAGGADIFFLSVMAYDRYLAIKPL
HYVTMMRKEVWVALVVASWVSGGLHSIIQVILMLPFPFCGPNTLDAFYCYVLQVVKLACTDT
FALELFMISNNGLVTLWFLLLLGSYTVILVMLRSHSGEGRNKALSTCTSHMLVVTLHFVPCV
YIYCRPFMTLPMDTTISINNTVITPMLNPIIYSLRNQEMKSAMQRLQRRLLGPSES RKWG (SEQ ID
NO: 281)

45 ATGGACCAGATCAACCACACTAATGTGAAGGAGTTTTTCTTCCTGGAACCTTACACGTTCCC
GAGAGCTGGAGTTTTTCTTGTGTGGTCTTCTTTGCTGTGTATGTAGCAACAGTCCTGGG
AAATGCACTCATTGTGGTCACTATTACCTGTGAGTCCCGCTACACACTCCTATGTACTTTC
TCCTGCGGAACAAATCAGTCCTGGACATCGTTTTTTCATCTATCACCGTCCCCAAGTTCCTG
50 GTGGATCTTTTATCAGACAGGAAAACCATCTCCTACAATGACTGCATGGCACAGATCTTTT
TCTTCCACTTTGCTGGTGGGGCAGATATTTTTTCTCTCTGTGATGGCCTATGACAGATAC
CTTGCAATCGCCAAGCCCCTGCACTATGTGACCATGATGAGGAAAGAGGTGTGGGTGGCC
TTGGTGGTGGCTTCTTGGGTGAGTGGTGGTTGCATTCAATCATCCAGGTAATTCTGATGC
TTCCATTCCCCTTCTGTGGCCCCAACACACTGGATGCCTTCTACTGTTATGTGCTCCAGGTG
55 GTAAACTGGCCTGCACTGACACCTTTGCTTTGGAGCTTTTCATGATCTCTAACAACGGAC
TGGTGACCCTGCTCTGGTTCCTCCTGCTCCTGGGCTCCTACACTGTCATTCTGGTGATGCTG

AGATCCCACTCTGGGGAGGGGCGGAACAAGGCCCTCTCCACGTGCACGTCCCACATGCTG
GTGGTGACTCTTCACTTCGTGCCTTGTGTTTACATCTACTGCCGGCCCTTCATGACGCTGCC
CATGGACACAACCATATCCATTAATAACACGGTCATTACCCCATGCTGAACCCCATCATC
TATTCCTGAGAAATCAAGAGATGAAGTCAGCCATGCAGAGGCTGCAGAGGAGACTTGGG
5 CCTTCCGAGAGCAGAAAATGGGGGTGA (SEQ ID NO: 282)

AOLFR153 sequences:

MSKTSLVTAFILTGLPHAPGLDAPLFGIFLVVYVLTVLGNLLILLVIRVDSHLHTPMYYFLTNLS
FIDMWFSVTVPKMLMTLVSPSGRAISFHSCVAQLYFFHFLGSTECFLYTVMSYDRYLAIISYPL
10 RYTSMMMSGSRCALLATSTWLSGSLHSAVQILTFLHPYCGPNQIQHYLCDAPPILKLACADTSA
NEMVIFVDIGLVASGCFLLIVLSYVSIVCSILRIHTSEGRHRAFQTCASHCIVVLCFFVXCVFIYLR
PGSRD VVDGVVAIFYTVLTPLLNPVYTLRNKEVKKAVLKLRDKVAHSQGE (SEQ ID NO:
283)

15 ATGTCCAAGACCAGCCTCGTGACAGCGTTCATCCTCACGGGCCTTCCCCATGCCCCAGGGC
TGGACGCCCCACTCTTTGGAATCTTCTGGTGGTTTACGTGCTCACTGTGCTGGGGAACCT
CCTCATCCTGCTGGTGATCAGGGTGGATTCTCACCTCCACACCCCATGTACTACTTCTCA
CCAACCTGTCCTTCATTGACATGTGGTTCTCCACTGTCACGGTGCCCAAAATGCTGATGAC
CTTGGTGTCCCCAAGCGGCAGGGCTATCTCCTCCACAGCTGCGTGGCTCAGCTCTATTTTT
20 TCCACTTCTGGGGAGCACCGAGTGTTTCTCTACACAGTCATGTCCTATGATCGCTACTTG
GCCATCAGTTACCCGCTCAGGTACACCAGCATGATGAGTGGGAGCAGATGTGCCCTCCTGG
CCACCAGCACTTGGCTCAGTGGCTCTCTGCACTCTGCTGTCCAGACCATATTGACTTTCCAT
TTGCCCTACTGTGGACCCAACCAGATCCAGCACTATTTGTGTGATGCACCGCCCATCCTGA
AACTGGCCTGTGCAGACACCTCAGCCAACGAGATGGTCATCTTTGTGGACATTGGGCTAGT
25 GGCTCGGGTGCTTTCTCCTGATAGTGCTGCTTATGTGTCCATCGTCTGTTCCATCCTGC
GGATCCACACCTCAGAGGGGAGGCACAGAGCCTTTCAGACCTGTGCCTCCCAGTCATCGT
GGTCTTTGCTTTTTGTNNCTGTGTTTTCATTTACCTGAGACCAGGCTCCAGGGACGTCG
TGGATGGAGTTGTGGCCATTTTCTACACTGTGCTGACACCCCTTCTCAACCTGTTGTGTAC
ACCCTGAGAAACAAGGAGGTGAAGAAAGCTGTGTTGAAACTGAGAGACAAAGTAGCACAT
30 TCTCAGGGAGAATAA (SEQ ID NO: 284)

AOLFR156 sequences:

MCWAMPSPFTGSSTRNMESRNQSTVTEFIFTGFPQLQDGSLLYFFPLLFIYTFIHDNLLIFS AVR
DTHLGNPMYNFISIFSLEIWTYTTATIPKMLSNLISEKKAISMTGCILQMYFFHSLNSEGILLTT
35 MAIDRYVAICNPLRYQMIMTPRLCAHLSAGSCLFGLILLPEIVMISTLPFCGPNQIQHIFCDLVP
VLSLACTDTSMILIEDVIHAVTIIITFLIALSYVRIVTVILRIPSSEGRQKAXSTCAGHLMVFLIFFG
SVSLMYLRFSNTYPPVLDTAIALMFTVLAPFFNPIIYSLRNKDMNNAIKKLFCLQKVLNPKPG
(SEQ ID NO: 285)

40 ATGTGCTGGGCTATGCCCTCTCCATTTACAGGTAGCTCTACTAGAAATATGGAGAGCAGAA
ACCAATCAACAGTGACTGAATTTATCTTCACTGGATTCCCTCAGCTTCAGGATGGTAGTCT
CCTGTACTTCTTTCTTTACTTTTCTATCTATACTTTTATTATCATTGATAACTTATTAATCTT
CTCTGCTGTAAGGCTGGACACCCATCTGGGCAACCCCATGTATAATTTTATCAGTATATTTT
CCTTTCTGGAGATCTGGTACACCACAGCCACCATTTCCCAAGATGCTCTCCAACCTCATCAG
45 TGAAAAGAAGGCCATCTCAATGACTGGCTGCATCTTGAGATGTATTTCTTCCACTCACTT
GAAAACTCAGAGGGGATCTTGCTGACCACCATGGCCATTGACAGATACGTTGCCATCTGCA
ACCTCTTCGCTATCAAAATGATCATGACCCCCCGGCTCTGTGCTCACCTCTCTGCAGGTTCC
TGCCTCTTCGGTTTCTTATCTGCTTCCCGAGATTGTGATGATTTCCACACTGCCTTTCTG
TGGGCCCCAACCAATCCATCAGATCTTCTGTGACTTGGTCCCTGTGCTAAGCCTGGCCTGT
50 ACAGACACGTCCATGATTCTGATTGAGGATGTGATTGATGCTGTGACCATCATCATTACCT
TCCTAATCATTGCCCTGTCTATGTAAGAATTGTCACTGTGATATTGAGGATTCCCTCTTCT
GAAGGGAGGCAAAAGGCTNTTCTACCTGTGCAGGCCACCTCATGGTCTTCTGATATTCT
TTGGCAGTGTATCACTCATGTACTTGCCTTCAGCAACACTTATCCACCAGTTTTGGACAC
AGCCATTGCACTGATGTTTACTGTACTTGTCTCCATTCTTCAATCCCATCATTTATAGCCTGA
55 GAAACAAGGACATGAACAATGCAATTAATAAACTGTTCTGTCTTCAAAAAGTGTGAAACA
AGCCTGGAGGTAA (SEQ ID NO: 286)

AOLFR157 sequences:

MAMDNVTA VFQFLIGISNYPQWRDTFFTLVLIYLLSTLLGNGFMIFLIHFDPNLHTPIYFFLSNL
 SFLDLCYGTASMPQALVHCFSTHPYLSYPRCLAQTSVSLALATAECLLLAAMAYDRVVAISNP
 5 LRYSVVMNGPVCVCLVATSWGTSVLTLAMLILSLRLHFCGANVINHFACILSLIKLTCSDSL
 NEFMILITSIFTL LLPFGFVLLSYIRIAMAIIRISLQGR LKAFTTCGSHLTVVTIFYGSAISMYMKT
 QSKSSPDQDKFISVFY GALT PMLNPLIYSLRKKDV KRAIRKVMLKRT (SEQ ID NO: 287)

ATGGCCATGGACAATGTCACAGCAGTGTTTCAGTTTCTCCTTATTGGCATTCTAACTATCC
 10 TCAATGGAGAGACACGTTTTTCACATTAGTGCTGATAATTTACCTCAGCACATTGTTGGGG
 AATGGATTATGATCTTTCTTATTCACTTTGACCCCAACCTCCACACTCCAATCTACTTCTT
 CCTTAGTAACCTGTCTTTCTTAGACCTTTGTTATGGAACAGCTTCCATGCCCCAGGCTTTGG
 TGCATTGTTTCTACCCATCCCTACCTCTCTTATCCCCGATGTTTGGCTCAAACGAGTGTC
 TCCTTGGCTTTGGCCACAGCAGAGTGCCTCTACTGGCTGCCATGGCCTATGACCGTGTGG
 15 TTGCTATCAGCAATCCCTGCGTTATTCACTGGTTATGAATGGCCCAGTGTGTGTCTGCTT
 GGTTGCTACCTCATGGGGGACATCACTTGCTGCTCACTGCCATGCTCATCCTATCCCTGAGG
 CTTCACCTTCTGTGGGGCTAATGTCATCAACCATTTTGCCTGTGAGATTCTCTCCCTCATTA
 GCTGACCTGTTCTGATACCAGCCTCAATGAATTTATGATCCTCATCACCAGTATCTTCACCC
 TGCTGCTACCATTTGGGTTTGTCTCCTCTCCTACATACGAATTGCTATGGCTATCATAAGG
 20 ATTCGCTCACTCCAGGGCAGGCTCAAGGCCTTTACCACATGTGGCTCTCACCTGACCGTGG
 TGACAATCTTCTATGGGTCAGCCATCTCCATGTATATGAAAACCTCAGTCCAAGTCTCCCC
 TGACCAGGACAAGTTTATCTCAGTGTTTTATGGAGCTTTGACACCCATGTTGAACCCCTG
 ATATATAGCCTGAGAAAAAAGATGTTAAACGGGCAATAAGGAAAGTTATGTTGAAAAGG
 ACATGA (SEQ ID NO: 288)

25

AOLFR158 sequences:

MKAGNFSDTPEFFLLGLSGDPELQPIFLFSLMYLATMLGNLLIILAVNSDSLHTPMYFLLSI
 LSLVDICFTSTTMPKMLVNIQAQASINYTGCLTQICFVLVFGLENGILVMMAYDRFVAICHP
 LRYNVIMNPKLCGLLLLLSFIVSVLDALLHTLMVLQLTFCIDLEIPHFFCEL AHILKLACSDVLIN
 30 NILVYLVTSL LGV VPLSGIIFS YTRIVSSVMKIPSAGGKYKAFSICGSHLIVVSLFYGTGFGVYLS
 GATHSSRKGAIASVMYTVVTPMLNPLIYSLRNKDMLKALRKLISRIPSFH (SEQ ID NO: 289)

ATGAAAGCAGGAAACTTCTCAGACACTCCAGAATTCTTTCTCTTGGGATTGTCAGGGGATC
 CGGAGCTGCAGCCCATCCTCTTCATGCTGTTCTGTCCATGTACCTGGCCACAATGCTGGG
 35 GAACCTGCTCATCATCCTGGCCGTCACCTCTGACTCCACCTCCACACCCCCATGTACTTCC
 TCCTCTCTATCCTGTCTTGGTCGACATCTGTTTACCTCCACCACGATGCCCAAGATGCTG
 GTGAACATCCAGGCACAGGCTCAATCCATCAATTACACAGGCTGCCTCACCAATCTGCT
 TTGCTCTGGTTTTTGTGGATTGGAATAATGGAATTCTGGTCATGATGGCCTATGATCGATT
 TGTGGCCATCTGTCACCCACTGAGGTACAATGTCATCATGAACCCCAAATCTGTGGGCTG
 40 CTGCTTCTGCTGTCCTTCATCGTTAGTGTCTGGATGCTCTGCTGCACACGTTGATGGTGCT
 ACAGCTGACCTTCTGCATAGACCTGGAAATCCCCACTTTTCTGTGAACTAGCTCATATTC
 TCAAGCTCGCCTGTTCTGATGTCCTCATCAATAACATCCTGGTGTATTTGGTGACCAGCCT
 GTTAGGTGTTGTTCTCTCTCTGGGATCATTTTCTCTTACACACGAATTGTCTCTCTGTCA
 TGAAAATTCCATCAGCTGGTGGAAGTATAAAGCTTTTCCATCTGCGGGTACATTTAAT
 45 CGTTGTTTCTTGTGTTTATGGAACAGGTTTGGGGTGACCTTAGTTCTGGGGCTACCCACT
 CCTCCAGGAAGGGTGCAATAGCATCAGTGATGTATACCGTGGTCACCCCATGCTGAACCC
 ACTCATTTACAGCCTGAGAAACAAGGACATGTTGAAGGCTTTGAGGAACTAATATCTAG
 GATACCATCTTCCATTGA (SEQ ID NO: 290)

AOLFR159 sequences:

MGPRNQTA VSEFLLMKVTEDEPELKLIPFSLFSLMYLVLTILGNLLILLAVISDSLHTPMYFLLFN
 LSFTDICLTTTTVPKILVNIQAQNSITYTGCLTQICLVLFAGLESCFLAVMAYDRYVAICHP
 RYTVLMNVHFVGLLLLSMFMTMDALVQSLMVLQLSFCKNVEIPLFFCEVYQVIKLACSDTL
 INNILIYFASSVFGAIPLSGIIFSYSQIVTSVLRMP SARGKYKAFSTCGCHLSVFSLVGYGTAFGVYIS
 55 SAVAESSRITAVASVMYTVVPQMMNPFIYSLRNKEMKKALRKLIGRLFPF (SEQ ID NO: 291)

ATGGGACCCAGAAACCAAACAGCTGTTTCAGAATTTCTTCTCATGAAAGTGACAGAGGAC
 CCAGAACTGAAGTTAATCCCTTTACAGCCTGTTCTGTCCATGTACCTGGTCACCATCCTGG
 GGAACCTGCTCATCTCTCCTGGCTGTCACTCTGACTCCACCTCCACACCCCCATGTACTTC
 CTTCTCTTTAATCTCTCCTTTACTGACATCTGTTTAACCACAACCACAGTCCCAAAGATCCT
 5 AGTGAACATCCAAGCTCAGAATCAGAGTATCACTTACACAGGCTGCCTCAGGATCTGT
 CTTGTCTTGGTTTTTGGCTGGCTTGGAAAGTTGCTTTCTTGCAGTCATGGCCTACGACCGCTA
 TGTGGCCATTTGCCACCCACTGAGGTACACAGTCCTCATGAATGTCCATTTCTGGGGCTTG
 CTGATTCTTCTCTCCATGTTTCATGAGCACTATGGATGCCCTGGTTCAGAGTCTGATGGTATT
 GCAGCTGTCTTCTGCAAAAACGTTGAAATCCCTTTGTTCTTCTGTGAAGTCGTTACAGGTC
 10 ATCAAGCTCGCCTGTTCTGACACCCTCATCAACAACATCCTCATATATTTTGCAAGTAGTGT
 ATTTGGTGCAATTCCTCTCTCTGGAATAATTTCTCTTATTCTCAAATAGTCACCTCTGTTC
 TGAGAATGCCATCAGCAAGAGGAAAGTATAAAGCGTTTTCCACCTGTGGCTGTACCTCTC
 TGTTTTTTCTTGTCTATGGGACAGCTTTTGGGGTGTACATTAGTTCTGCTGTTGCTGAGT
 CTTCCCGAATTACTGCTGTGGCTTCAGTGATGTACACTGTGGTCCCTCAAATGATGAACCC
 15 CTTATCTACAGCCTGAGAAATAAGGAGATGAAGAAAGCTTTGAGGAACTTATTGGTAG
 GCTGTTTCCTTTTAG (SEQ ID NO: 292)

AOLFR160 sequences:

MPMQLLLTDFIIFSIRFIINSMEARNQTAISKFLLGLIEDPELQPVLFSLFLSMYLVLTILGNLLILL
 20 AVISDSHLHTPMYFFLSNLSFLDICTSTTTPKMLVNIQAQNRSTYSGLTQICFVLFAGLENC
 LLAAMAYDRYVAICHPLRYTVIMNPRCLGLILLSLTSVNNALLSLMVLRLSFCTDLEIPLFF
 CELAQVIQLTCSDTLINNLIYFAACIFGGVPLSGHLSYQTITSCVLRMPASGKHKAIVSTCGSHL
 SIVLLFYGAGLVYISSVVTDSRKTAVASVMYSVFPQMVNPFYSLRNKDMKGTLRKFIRIP
 SLLWCAICFGFRFLE (SEQ ID NO: 293)

25 ATGCCGATGCAGCTGCTGCTTACAGATTTTATTATCTTTTCCATCAGATTCATCATCAACAG
 CATGGAAGCGAGAAACCAAACAGCTATTTCAAAATTCCTTCTCCTGGGACTGATAGAGGAT
 CCGGAACCTGCAGCCCGTCTTTTACAGCCTGTTCTGTCCATGTACTTGGTCACCATCCTGGG
 GAACCTGCTCATCTCTTGGCTGTCACTCTGACTCTCACCTCCACACCCCCATGTACTTCT
 30 TCCTCTCCAATCTCTCCTTTTGGACATTTGTTAAGCACAAACCAGATCCCAAAGATGCTG
 GTGAACATCCAAGCTCAGAATCGGAGCATCACGTAAGTCTCAGGCTGCCTCAGGATCTGCT
 TTGTCTTGTTTTTTGGCTGGCTTGGAAAATTGTCTCCTTGCAGCAATGGCCTATGACCGCTAT
 GTGGCCATTTGTCAACCCCTTAGATACACAGTCATCATGAACCCCGCCTCTGTGGCCTGC
 TGATTCTTCTCTCTGTTGACTAGTGTGTGAATGCCCTTCTTCTCAGCCTGATGGTGTG
 35 AGGCTGTCTTCTGACAGACCTGGAAATCCCGCTCTTCTTCTGTGAAGTGGCTCAGGTCA
 TCCAACCTCACCTGTTGACACACCTCATCAATAACATCCTGATATATTTGACAGCTTGATA
 TTTGGTGGTGTCTCTGTCTGGAATCATTTTGTCTTACACTCAGATCACCTCTGTGTTTT
 GAGAATGCCATCAGCAAGTGGAAAGCACAAAGCAGTTTCCACCTGTGGGTCTCACCTCTCC
 ATTGTTCTCTTGTCTATGGGGCAGGTTTGGGGGTGTACATTAGTTCTGTGGTTACTGACTC
 40 ACCTAGGAAGACTGCAGTGGCTTCAGTGATGTATTCTGTGTTCCCTCAAATGGTGAACCCC
 TTTATCTATAGTCTGAGGAATAAGGACATGAAAGGAACCTTGAGGAAGTTCATAGGGAGG
 ATACCTTCTCTTCTGTGGTGTGCCATTTGCTTTGGATTACAGGTTTCTAGAGTAA (SEQ ID
 NO: 294)

AOLFR161 sequences:

45 MEPRNQTSASQFILLGLSEKPEQETLLFSLFFCMYLVMMVGNLLIILAIIDSHTLHTPMYFFLANL
 SLVDFCLATNTIPKMLVSLQTGSKAISYPCCLIQMYFFHFFGIVDSVILAMMAYDRFVAICHPLH
 YAKIMSLRLCRLLVGALWAFSCFISLTHILLMARLVFCGSHEVPHYFCDLTPILRLSCTDTSVNR
 IFILIVAGMVIATPFVCILASYARILVAIMKVPSAGGRKKAFTSCSSHLVVALFYGTTIGVYLCF
 50 SSVLTTVKEKASAVMYTAVTPMLNPFYSLRNRLDKGALRKLVRNKITSSS (SEQ ID NO: 295)

55 ATGGAACCAAGAAACCAAACAGTGCATCTCAATTCATCCTCCTGGGACTCTCAGAAAAGC
 CAGAGCAGGAGACGCTTCTCTTTCCCTGTTCTTCTGCATGTACCTGGTCATGGTCGTGGG
 GAACCTGCTCATCATCCTGGCCATCAGCATAGACTCCACCTCCACACCCCCATGTACTTCT
 TCCTGGCCAACCTGTCCCTGGTTGATTTCTGTCTGGCCACCAACACCATCCCTAAGATGCT
 GGTGAGCCTTCAAACCGGGAGCAAGGCCATCTCTTATCCCTGCTGCCTGATCCAGATGTAC

TTCTTCCATTTCTTTGGCATCGTGGACAGCGTCATAATCGCCATGATGGCTTATGACCGGTT
CGTGGCCATCTGCCACCAATTGCACTACGCCAAGATCATGAGCCTACGCCTCTGTGCGCTG
CTGGTCGGCGCCCTCTGGGCGTTTTCCTGCTTCACTCACTCACATCCTCCTGATGGC
CCGTCTCGTTTTCTGCGGCAGCCATGAGGTGCCTCACTACTTCTGCGACCTCACTCCCATCC
5 TCCGACTTTCGTGCACGGACACCTCTGTGAATAGGATCTTCATCCTCATTGTGGCAGGGAT
GGTGATAGCCACGCCCTTGTCTGCATCCTGGCCTCCTATGCTCGCATCCTTGTGGCCATCA
TGAAGGTCCCCTCTGCAGGCGGCAGGAAGAAAGCCTTCTCCACCTGCAGCTCCACCTGTC
TGTGGTTGCTCTCTTCTATGGGACCACCATTTGGCGTCTATCTGTGTCCCTCCTCGGTCCTCA
10 CCACTGTGAAGGAGAAAGCTTCTGCGGTGATGTACACAGCAGTCACCCCCATGCTGAATCC
CTTCATCTACAGCTTGAGGAACAGAGACCTGAAAGGGGCTCTCAGGAAGCTGGTCAACAG
AAAGATCACCTCATCTTCCTGA (SEQ ID NO: 296)

AOLFR162 sequences:

MMRLMKEVRGRNQTEVTEFLLGLSDNPDQLQGVLFALFLLIYMANMVGNLGMIVLIKIDLCLH
15 TPMYFFLSSLSFVDASYSSSVTPKMLVNLMAENKAISFHGCAAQFYFFGSFLGTECFLLAMMA
YDRYAAIWNPLLVPVLSGRICFLLIATSFLAGCGNAAIHTGMTFRLSFCGSNRINHFCYDTPPL
LKLSGSDTHFNQIVIMAFSSFFVISCVMIVLISYLCIFIAVLKMPSEGRHKAFTSCASYLMAVTIF
FGTILFMYLRPTSSYSMEQDKVVSFYT VIIIPVLNPLIYSLKNKDVKKALKKILWKHIL (SEQ ID
20 NO: 297)

ATGATGAGACTTATGAAAGAGGTTTCGAGGCAGAAATCAAACAGAAGTAACAGAATTTCTC
CTCTTAGGACTTTCCGACAATCCAGATCTACAAGGAGTCCTCTTTGCATTGTTTCTGTTGAT
CTATATGGCAAACATGGTGGGCAATTTGGGGATGATTGTATTGATTAAGATTGATCTCTGT
CTCCACACCCCCATGTATTTCTTTCTCAGTAGCCTCTCTTTTGTAGATGCCTCTTACTCTTCT
25 TCCGTCACCTCCCAAGATGCTGGTGAACCTCATGGCTGAGAATAAGGCCATTTCTTTTCATG
GATGTGCTGCCAGTTCTACTTCTTTGGCTCCTTCTCTGGGGACTGAGTGCTTCTGTTGGCC
ATGATGGCATATGACCGCTATGCAGCCATTTGGAACCCCTGCTCTACCCAGTTCTCGTGT
CTGGGAGAATTTGCTTTTTGCTAATAGCTACCTCCTTCTTAGCAGGTTGTGGAATGCAGC
CATACATACAGGGATGACTTTTAGGTTGTCCTTTTGTGGTTCTAATAGGATCAACCATTTCT
30 ACTGTGACACCCCGCCACTGCTCAAACCTCTTGTCTGTATACCCACTTCAATGGCATTGTG
ATCATGGCATTCTCAAGTTTTATTGTCATCAGCTGTGTTATGATTGTCCTCATTTCTACCT
GTGTATCTTCATTGCCGTCTTGAAGATGCCTTCGTTAGAGGGCAGGCACAAAGCCTTCTCC
ACCTGTGCCTCTTACCTCATGGCTGTCACCATATTCTTTGGAACAATCCTCTTCATGTACTT
GCGCCCTACATCTAGCTACTCAATGGAGCAAGACAAGGTTGTCTCTGTCTTTTATACAGTA
35 ATAATCCCTGTGCTAAATCCCCTCATCTATAGTTTAAAAAATAAGGATGTAAAAAAGGCC
TAAAGAAGATCTTATGGAAACACATCTGTAG (SEQ ID NO: 298)

AOLFR163 sequences:

MQRSNHTVTEFILLGFTTDPGMQLGLFVVFLGVYSLTVVGNSTLIVLICNDSCLHTPMYFFTGN
40 LSFLDLWYSSVYTPKILVTCISEDKSISFAGCLCQFFSAGLAYSECYLLAAVAYDRYVAISKPL
LYAQAMSIKLCALLVAVSYCGGFINSIIKKTFSFNFCRENIIDDFCDLLPLVELACGEKGGYK
IMMYFLASNVCIPAVLILASYLFIITSVLRISSSKGYLKAFSTCSSHLTSVTLYYGSILYIALPRS
SYSFDMDKIVSTFYTVVFPMLNLMIYSLRNKDVKEALKKLLP (SEQ ID NO: 299)

ATGCAGAGGAGCAATCATACAGTGACTGAGTTTATACTGCTGGGCTTCACCACAGACCCA
GGAATGCAGCTGGGCCTCTTCGTGGTGTCTCTGGGCGTGTACTCTCTCACTGTGGTAGGAA
ATAGCACCTCATCGTGTGATCTGTAATGACTCCTGCCTCCACACACCCATGATTTTTTC
ACTGAAATCTGTGTTTTCTGGATCTCTGGTATTCTTCTGTCTACACCCCAAAGATCCTAGT
GACCTGCATCTCTGAAGACAAAAGCATCTCCTTTGCTGGCTGCCTGTGTCAGTTCTTCTTCT
50 CTGCAGGGCTGGCCTATAGTGAGTGCTACCTGCTGGCTGCCGTGGCTTATGACCGCTACGT
GGCCATCTCCAAGCCCCTGCTTTATGCCAGGCCATGTCCATAAAGCTGTGTGCATTGCTG
GTAGCAGTCTCATATTGTGGTGGCTTTATTAACCTCTCAATCATACCAAGAAAACGTTTTTC
CTTTAACTTCTGCCGTGAAAACATCATTGATGACTTTTTCTGTGATTTGCTTCCCTTGGTGG
AGCTGGCCTGTGGCGAGAAGGGCGGCTATAAAATTATGATGTACTTCTGCTGGCCTCCAA
55 TGTCACTGCCCCGAGTGCTCATCCTGGCCTCCTACCTCTTTATCATCACCAAGTGTCTTGA
GGATCTCCTCCTCCAAGGGCTACCTCAAAGCCTTCTCCACATGCTCCTCCACCTGACCTCT

GTCAC TTTATACTATGGCTCCATTCTCTACATCTACGCTCTCCCCAGATCTAGCTATTCTTT
TGATATGGACAAAATAGTTTCTACATTTTACACTGTGGTATTCCCCATGTTGAATCTCATG
ATCTACAGCCTAAGGAATAAGGATGTGAAAGAGGCTCTGAAAAAACTTCTCCCATAA (SEQ
ID NO: 300)

5

AOLFR164 sequences:

MFLTERNTTSEATFTLLGFS DYLELQIPLFFVFLAVYGFSVVG NLGMIVIIKINPKLHTPMYFFLN
HLSFVDFCYSSIIAPMMLVNLVVEDRTISFSGCLVQFFFFCTFVVTELILFAVMAYDHFVAICNP
LLYTVAISQKLCAMLVVVLYAWGVACSLTLACSALKLSFHGFNTINHHFCELSLISLSPDSYL
10 SQLLLFTVATFNEISTLLILTSYAFIIVTTLKMPSASGHRKVFS TCASHLTATTFHGTILFLYCVP
NSKNSRHTVKVASVFYTVVIPLNPLIYSLRNKDVKDAIRKIINTKYFHIKHRHWYPFNFVIEQ
(SEQ ID NO: 301)

ATGTTTCTGACAGAGAGAAATACGACATCTGAGGCCACATTCAC TCTCTTGGGCTTCTCAG
15 ATTACCTGGAAC TGCAAATCCCCTCTTCTTTGTATTTCTGGCAGTCTACGGCTTCAGTGTG
GTAGGGAATCTTGGGATGATAGTGATCATCAAAATTAACCCAAAATTGCATACCCCCATGT
ATTTTTCCTCAACCACTCTCCTTTGTGGATTCTGCTATTCTCCTCCATCATTTGCTCCCATGA
TGCTGGTGAACCTGGTTGTAGAAGATAGAACCATTTCATTCTCAGGATGTTTGGTGCAATT
CTTTTTCTTTGCACCTTTGTAGTGACTGAATTAATTCTATTTGCGGTGATGGCCTATGACC
20 ACTTTGTGGCCATTTGCAATCCTCTGCTCTACACAGTTGCCATCTCCAGAAACTCTGTGCC
ATGCTGGTGGTTGTATTGTATGCATGGGGAGTCGCATGTTCCCTGACACTCGCGTGCTCTG
CTTTAAAGTTATCTTTTCATGGTTTCAACACAATCAATCATTCTTCTGTGAGTTATCCTCC
CTGATATCACTCTCTTACCCTGACTCTTATCTCAGCCAGTTGCTTCTTTTCACTGTTGCCAC
TTTTAATGAGATAAGCACACTACTCATCATTCTGACATCTTATGCATTTCATCATTGTCACCA
25 CCTTGAAGATGCCTTCAGCCAGTGGGCACCGCAAAGTCTTCTCCACCTGTGCCTCCCACCT
GACTGCCATCACCATCTTCCATGGCACCATCCTCTTCTCTACTGTGTACCCAAC TCCAAAA
ACTCCAGGCACACAGTCAAAGTGGCCTCTGTGTTTTACACCGTGGTGATCCCCTTGTGAA
TCCCCTGATCTACAGTCTGAGAAATAAAGATGTTAAAGGATGCAATCCGAAAAATAATCAAT
ACAAAATATTTTCATATTAAACATAGGCATTGGTATCCATTTAATTTTGTATTGAACAATA
30 A (SEQ ID NO: 302)

AOLFR165 sequences:

MAVGRNNTIVTKFILLGLSDHPQMKIFLFLGLYLLTLAWNLSLIALIKMDSHLHMPMYFFL
SNLSFLDICYVSSTAPKMLS DIITEQKTISFVGCA TQYFVFCGMGLTECFLLAAMAYDRYAAICN
35 PLYTVLISHTLCLKMVVGAYVGGFLSSFIETYSVYQHDFCGPYMINHFFCDLPPVLALSCSDTF
TSEVVTFIVSVVGVISVLVVLISYGYIVA AVVKISSATGR TKAFSTCASHLTAVTLFYGSGFFM
YMRPSSYS LNRDKVVSIFYALVIPVNP IYSFRNKEIKNAMRKAMERDPGISHGGPFIFMTLG
(SEQ ID NO: 303)

ATGGCTGTAGGAAGGAACAACAATTTGTGACAAAATTCATTCTCCTGGGACTTTT CAGACC
ATCCTCAAATGAAGATTTTCTTTTCATGTTATTTCTGGGGCTCTACCTCTGACGTTGGCC
TGGAAC TTAAGCCTCATTGCCCTCATTAAAGATGGACTCTCACCTGCACATGCCCATGTACT
TCTTCCTCAGTAACCTGTCTTCTCCTGGACATCTGCTATGTGTCTCCACCGCCCCTAAGATG
40 CTGTCTGACATCATCACAGAGCAGAAAACCATTTCTTTTGTGGCTGTGCCACTCAGTACT
TTGTCTTCTGTGGGATGGGGCTGACTGAATGCTTTCTCCTGGCAGCTATGGCCTATGACCG
GTATGCTGCAATCTGCAACCCCTTGCTTTACACAGTCCTCATATCCCATA CACTTTGTTTAA
AGATGGTGGTTGGCGCCTATGTGGGTGGATTCTTAGTTCTTTTCA TTGAAACATACTCTGT
45 CTATCAGCATGATTTCTGTGGGCCCTATATGATCAACCAC TTTTCTGTGACCTCCCTCCAG
TCCTGGCTCTGTCTGCTCTGATACTTACACGAGGTGGTGACCTTCATAGTCAGTGTT
GTCGTTGGAATAGTGTCTGTGCTAGTGGTCCTCATCTCTTATGGTTACATTGTTGCTGCTGT
50 TGTGAAGATCAGCTCAGCTACAGGTAGGACAAAGGCCCTCAGCACTTGTGCCTCTCACCTG
ACTGCTGTGACCTCTTCTATGGTTCTGGATTCTTCATGTACATGCGACCCAGTTCCAGCTA
CTCCCTAAACAGGGACAAGGTGGTGTCCATATTCTATGCCTTGGTGATCCCCGTGGTGAAT
CCCATCATCTACAGTTT TAGGAATAAGGAGATTA AAAATGCCATGAGGAAAGCCATGGAA
55 AGGGACCCCGGGATTTCTCACGGTGGACCATTCTTTTATGACCTTGGGCTAA (SEQ ID
NO: 304)

AOLFR166 sequences:

MEMENCTRVKEFIFLGLTQNREVSLLVFLFLLLVYVTTLLGNLLIMVTVTCE SRLHTPMYFLLH
NLSIADICFSSITVPKVLVDLLSERKTISFNHCFTQMFLFHLIGGVDVFSLSVMALDRYVAISKPL
5 HYATIMSRDHCIGLTVAAWLGGFVHSIVQISLLLPLFCGPNVLDTFYCDVHRVLKLAHTDIFIL
ELLMISNNGLLTTLWFFLLLVSYIVILSLPKSQAGEGRRKAISTCTSHITVVTLHFVPCIVVYARP
FTALPMDKAISVTFTVISPLLNPLIYTLRNHEMKSAMRRLKRRLVPSDRK (SEQ ID NO: 305)

ATGGAGATGGAAAAGCTGCACCAGGGTAAAAGAATTTATTTTCCTTGGCCTGACCCAGAATC
10 GGGAAAGTGAGCTTAGTCTTATTTCTTTTCTACTCTTGGTGTATGTGACAACTTTGCTGGGA
AACCTCCTCATCATGGTCACTGTTACCTGTGAATCTCGCCTTCACACGCCCATGTATTTTT
GCTCCATAATTTATCTATTGCCGATATCTGCTTCTCTTCCATCACAGTGCCCAAGGTTCTGG
TGGACCTTCTGTCTGAAAGAAAAGACCATCTCCTTCAATCATTGCTTCACTCAGATGTTTCTA
TTCCACCTTATTGGAGGGGTGGATGATTTTTCTCTTTCGGTGATGGCATTGGATCGATATG
15 TGGCCATCTCCAAGCCCCCTGCACTATGCGACTATCATGAGTAGAGACCATGTGATTGGGCT
CACAGTGGCTGCCTGGTTGGGGGGCTTTGTCCACTCCATCGTGCAGATTTCCCTGTTGCTC
CCACTCCCTTTCTGCGGACCCAATGTTCTTGACACTTTCTACTGTGATGTCCACCGGGTCTC
CAAAGTGGCCCATACAGACATTTTCTACTTGAAGTACTAATGATTTCCAACAATGGACTG
CTCACCACACTGTGGTTTTTCTGCTCCTGGTGTCTACATAGTCATATTATCATTACCCAA
20 GTCTCAGGCAGGAGAGGGCAGGAGGAAAGCCATCTCCACCTGCACCTCCCATCACTGT
GGTGACCCTGCATTTCTGTCCTGCATCTATGTCTATGCCCGGCCCTTCACTGCCCTCCCA
TGGATAAGGCCATCTCTGTACCTTCACTGTCTCTCCCTCTGCTCAACCCCTTGATCTAC
ACTCTGAGGAACCATGAGATGAAGTCAGCCATGAGGAGACTGAAGAGAAGACTTGTGCCT
TCTGATAGAAAATAG *SEQ ID NO: 306)

25

AOLFR167 sequences:

MSITKAWNSSSVTMMFILLGFTDHPQLALLFVTFGLIYLTTLAWNLLALIFLIRGDTLHHTPMYFF
LSNLSFIDICYSSAVAPNMLTDFWEQKTISFVGCAAQFFFFVGMGLSECLLLTAMAYDRYAAI
SSPLLYPTIMTQGLCTRMVVGAYVGGFLSSLIQASSIFRLHFCGPNINHHFFCDLPPVLALSCSDT
30 FLSQVNFLLVVTVGGSFLQLLISYGYVSAVLKIPSAEGRWKACNTCASHLMVVTLLFGTAL
FVYLRPSSSYLLGRDKVVSFVSLVPMNLPLIYSLRNKEIKDALWKVLERKKVFS (SEQ ID
NO: 307)

ATGTCCATAACCAAAGCCTGGAACAGCTCATCAGTGACCATGTTTCATCCTCCTGGGATTCA
35 CAGACCATCCAGAACTCCAGGCCCTCCTCTTTGTGACCTTCTGAGCATCTATCTTACCACC
CTGGCCTGGAACCTGGCCCTCATTTTTCTGATCAGAGGTGACACCCATCTGCACACACCA
TGTACTTCTTCTTAAGCAACTTATCTTTTCACTGACATCTGCTACTCTTCTGCTGTGGCTCCC
AATATGCTCACTGACTTCTTCTGGGAGCAGAAAGACCATATCATTGTGGGCTGTGCTGCTC
AGTTTTTTTTCTTTGTGCGCATGGGTCTGTCTGAGTGCCTCCTGACTGCTATGGCATA
40 GACCGATATGCAGCCATCTCCAGCCCCCTTCTTACCCCACTATCATGACCCAGGGCCTCT
GTACACGCATGGTGGTTGGGGCATATGTTGGTGGCTTCTGAGCTCCCTGATCCAGGCCAG
CTCCATATTTAGGCTTCACTTTTTCGGGACCCAACATCATCAACCACTTCTTCTGCGACCTCC
CACCAGTCCCTGGCTCTGTCTTGTCTGTGACACCTTCTCAGTCAAGTGGTGAATTTCTCGTG
GTGGTCACTGCGGAGGAACATCGTTCTCCAACTCCTTATCTCCTATGGTTACATAGTGT
45 CTGCGGTCTGAAGATCCCTTCAGCAGAGGGCCGATGGAAAGCCTGCAACACGTGTGCTC
CGCATCTGATGGTGGTGAATCTGCTGTTTGGGACAGCCCTTTCTGCTGTAATTTGCGACCCAG
CTCCAGCTACTTGTAGGCAGGGACAAGGTGGTGTCTGTTTCTATTCTGTTGATGATCCCC
ATGCTGAACCTCTCATTTACAGTTTGAAGAACAAAGAGATCAAGGATGCCCTGTGGAAG
GTGTTGGAAGGAAGAAAGTGTCTTTCTTAG (SEQ ID NO: 308)

50

AOLFR168 sequences:

MEKINNVTETIFWGLSQSPEIEKVCFVVSFFYIILLGNLLIMLTVCLSNLFKSPMYFFLSFSLFV
DICYSSTAPKMIVDLLAKDKTISYVGCMLQLLGVFHFGCTEIFILTVMAYDRYVAICKPLHYM
TIMNRETCNKMLLGTWVGGLHSHIQVALVVQLPFCGPNIDHYFCDVHPVLKLACTETYIVG
55 VVVTANSGTIALGSFVILLISYIILVSLRKQSAEGRRKALSTCGSHIAMVVIFFGPCTFMYMRPD

TTFSEDKMVAVFYTIITPMLNPLIYTLRNAEVKNAMKKLWGRNVFLEAKGK (SEQ ID NO: 309)

5 ATGGAAAAAATAAACAACTGAATTCATTTTCTGGGGTCTTTCTCAGAGCCCAGAGA
TTGAGAAAGTTTGTGTTTGTGGTGTGTTTCTTTCTTCTACATAATCATTCTTCTGGGAAATCTC
CTCATCATGCTGACAGTTTGCCTGAGCAACCTGTTTAAAGTCACCCATGTATTTCTTTCTCAG
CTTCTTGTCTTTTGTGGACATTTGTTACTCTTCAGTCACAGCTCCCAAGATGATTGTTGACC
TGTTAGCAAAGGACAAAACCATCTCCTIATGTGGGGTGCATGTTGCAACTGCTTGGAGTAC
10 ATTTCTTTGGTTGCACTGAGATCTTCATCCTTACTGTAATGGCCTATGATCGTTATGTGGCT
ATCTGTAAACCCCTACATTATATGACCATCATGAACCGGGAGACATGCAATAAAATGTTAT
TAGGGACGTGGGTAGGTGGGTTCTTACACTCCATTATCCAAGTGGCTCTGGTAGTCCAAC
ACCTTTTGTGGACCCAATGAGATAGATCACTACTTTTGTGATGTTCAACCTGTGTTGAAA
CTTGCCTGCACAGAAACATACATTGTTGGTGTGTTGTGACAGCCAACAGTGGTACCATTG
15 CTCTGGGGAGTTTGTATCTTGCTAATCTCCTACAGCATCATCCTAGTTTCCCTGAGAAAG
CAGTCAGCAGAAGGCAGGCGCAAAGCCCTCTCCACCTGTGGCTCCACATTGCCATGGTGC
TTATCTTTTTCGGCCCCGTGACTTTTATGTACATGCGCCCTGATACGACCTTTTCAGAGGAT
AAGATGGTGGCTGTATTTTACACCATTATCACTCCCATGTTAAATCCTCTGATTTATACACT
GAGAAATGCAGAAGTAAAGAATGCAATGAAGAACTGTGGGGCAGAAATGTTTTCTTGGA
GGCTAAAGGGAAATAG (SEQ ID NO: 310)

20

AOLFR169 sequences:

MMDNHSSATEFHLLGFPGSQGLHHILFAIFFFFYLVTLMGNTVIIVIVCVDKRLQSPMYFFLSHL
STLEILVTTHVPMMLWGLLFLGCRQYLSLHVSLNFSCGTMEFALLGVMAVDYVAVCNPLRY
NIIMNSSTCIWVVIVSWVFGFLSEIWPIYATFQFTFRKSNSLDHFYCDRGQLKLSCDNTLLTEFI
25 LFLMAVFILIGSLIPTIVSYTYIISTILKIPSASGRRAKAFSTFASHFTCVVIGYGSCLFLYVKPKQTQ
GVEYNKIVSLLVSVLTPFLNPFIFTLRNDKVKEALRDGMKRCCQLLKD (SEQ ID NO: 311)

ATGATGGACAACCACTCTAGTGCCACTGAATTCCACCTTCTAGGCTTCCCTGGGTCCCAAG
GACTACACCACATTCTTTTTGCTATATTCTTTTCTTCTATTTAGTGACATTAATGGGAAAC
30 ACGGTCACTATTGTGATTGTCTGTGTGGATAAACGTCTGCAGTCCCCCATGTATTTCTTCTC
CAGCCACCTCTCTACCCTGGAGATCCTGGTCAACACATAATTGTCCCATGATGCTTTGG
GGATTGCTCTTCTGGGATGCAGACAGTATCTTTCTCTACATGTATCGCTCAACTTTTCTG
TGGGACCATGGAGTTTGCATTACTTGGAGTGATGGCTGTGGACCGTTATGTGGCTGTGTGT
AACCCTTTGAGGTACAACATCATTATGAACAGCAGTACCTGTATTTGGGTGGTAATAGTGT
35 CATGGGTGTTTGGATTTCTTTCTGAAATCTGGCCCATCTATGCCACATTTCAAGTTTACCTTC
CGCAAATCAAATTCATTAGACCATTTTTACTGTGACCGAGGGCAATTGCTCAAACCTGTCCT
GCGATAACACTCTTCTCACAGAGTTTATCCTTTTCTTAATGGCTGTTTTTATTCTCATTGGT
TCTTTGATCCCTACGATTGTCTCCTACACCTACATTATCTCCACCATCCTCAAGATCCCGTC
AGCCTCTGGCCGGAGGAAAGCCTTCTCCACTTTTGCCTCCCACTTCACCTGTGTTGTGATTG
40 GCTATGGCAGCTGCTTGTGTTTCTCTACGTGAAACCCAAAGCAAACACAGGGAGTTGAGTACAA
TAAGATAGTTTCCCTGTTGGTTTCTGTGTTAAACCCCTTCTGAATCCTTTTCTATCTTTACTCT
TCGGAATGACAAAGTCAAAGAGGCCCTCCGAGATGGGATGAAACGCTGCTGTCAACTCCT
GAAAGATTAG (SEQ ID NO: 312)

AOLFR170 sequences:

MSFTSLIPSLCFSLTLPFLFCYLSLLPFLSAFLFITRWLLAFLSLFSVSVPVSSVSSSMVLCYLSVS
ASPSVFCFSCMQGPILWIMANLSQPSEFVLLGFSSFGELQALLYGPFLMLYLLAFMGNTIIVMVI
ADTHLHTPMYFFLGNFSLLEILVTMTAVPRMLSDDLVPKHVITFTGCMVQFYFHFSLGSTFLIL
TDMALDRFVAICHPLRYGTLMSRAMCVQLAGAAWAAPFLAMVPTVLSRAHLDYCHGDVINH
50 FFCDNEPLLQLSCSDTRLLEFWDFLMALTFVLSSFLVTLISYGYIVTTVLRIPSASSCQKAFSTCG
SHLTLVFIGYSSTIFLYVRPGKAHSVQVRKVVALVTSVLTPFLNPFILTCFNQTVKTVLQGQM
QRLKGLCKAQ (SEQ ID NO: 313)

ATGTCTTTCACCTTCTCTCATACCCTCACTCTGTTTCTCCTTGACTCTCCCATTCCTGTTTTGT
55 TATCTTTCTTTATTGCCGTTTCTTTCTGCTTTTCTGTTTATCACTCGCTGGCTACTTGCCITT
CTCTCTCTATTCTCTGTCTCTGTCCCTGTTTCTTCTGTTTCAAGTTCAATGGTTCTCTGTCTC

TATCTCTCTGTTTCTGCCTCTCCGTCTGTCTTTTGTCTCTTGCATGCAGGGCCCCATACTG
TGGATCATGGCAAATCTGAGCCAGCCCTCCGAATTTGTCTCTTGGGCTTCTCCTCCTTTGG
TGAGCTGCAGGCCCTTCTGTATGGCCCCCTTCTCATGCTTTATCTTCTCGCCTTCATGGGAA
ACACCATCATCATAGTTATGGTCATAGCTGACACCCACCTACATACACCCATGTACTTCTTC
5 CTGGGCAATTTTCCCTGCTGGAGATCTTGGTAACCATGACTGCAGTGCCAGGATGCTCT
CAGACCTGTTGGTCCCCCACAAAGTCATTACCTTCACTGGCTGCATGGTCCAGTCTACTTC
CACTTTTCCCTGGGGTCCACCTCCTTCCCTCATCCTGACAGACATGGCCCTTGATCGCTTGT
GGCCATCTGCCACCCACTGCGCTATGGCACTCTGATGAGCCGGGCTATGTGTGTCCAGCTG
GCTGGGGCTGCCTGGGCAGCTCCTTTCCTAGCCATGGTACCCACTGTCTCTCCCGAGCTC
10 ATCTTGATTACTGCCATGGCGACGTCATCAACCACTTCTTCTGTGACAATGAACCTCTCCTG
CAGTTGTCATGCTCTGACACTCGCCTGTTGGAATTCTGGGACTTTCTGATGGCCTTGACCTT
TGTCTCAGCTCCTTCCCTGGTGACCCTCATCTCCTATGGCTACATAGTGACCACTGTGCTGC
GGATCCCCTCTGCCAGCAGCTGCCAGAAGGCTTTCTCCACTTGCGGGTCTCACCTCACACT
GGTCTTCATCGGCTACAGTAGTACCATCTTTCTGTATGTCAGGCCTGGCAAAGCTCACTCT
15 GTGCAAGTCAGGAAGGTCGTGGCCTTGGTGACTTCAGTTCTCACCCCTTTCTCAATCCCT
TTATCCTTACCTTCTGCAATCAGACAGTTAAAACAGTGCTACAGGGGCAGATGCAGAGGCT
GAAAGGCCTTTGCAAGGCACAATGA (SEQ ID NO: 314)

AOLFR171 sequences:

20 MVGNLLIWVTTIGSPSLGSLMYFFLAYLSLMDAIYSTAMSPKLMIDLLCDKIAISLSACMGQLFI
EHLGGAIEVFLVVMAYDRYVAISKPLHYLNIMNRLVCILLVVMIGGFVHSVQIVFLYSLP
ICGPNVIDHSVCDMYPLLELLCLDITYFGLTVVANGGHIICMVIFTFLLISCGVILNFKTYSQER
HKALPTCISHIIVVALVFVPCIFMYVRPVSNFPDKLMTVFYSIITLMLNPLIYSLRQSEMKNAM
KNLWCEKLSIVRKRVSPTLNIFIPSSKATNRR (SEQ ID NO: 315)

25 ATGGTGGAACCTCCTCATTTGGGTGACTACTATTGGCAGCCCCCTCCTTGGGCTCCCTAA
TGTACTTCTTCTTGCCTACTTGCTACTTATGGATGCCATATATCCACTGCCATGTCACCC
AAATTGATGATAGACTTACTCTGTGATAAAATCGCTATTTCTTGTGAGCTTGCATGGGTC
AGCTCTTCATAGAACACTTACTTGGTGGTGCAGAGGTCTTCTTTTGGTGGTGATGGCCTA
30 TGATCGCTATGTGGCTATCTCTAAGCCGCTGCACTATTTGAACATCATGAATCGACTGGTT
TGCATCCTTCTGTTGGTGGTGGCCATGATTGGAGGTTTTGTGCACTCTGTGGTTCAAATTGT
CTTCTGTACAGTCTACCAATCTGTGGCCCCAATGTTATTGACCACTCTGTCTGTGACATGT
ACCCATTGTTGGAACCTGTTGTGCCTTGACACCTACTTTATAGGACTCACTGTGGTTGCCAA
TGGTGGAATAATTTGTATGGTCATCTTTACCTTTCTGCTAATCTCCTGTGGAGTCATCCTAA
35 ACTTCCTTAAACTTACAGTCAGGAAGAGAGGCATAAAGCCCTGCCTACCTGCATCTCCCA
CATATTGTGGTTGCCCTCGTTTTTGTTCCTGTATTTTATGTATGTTAGACCCGTTTCCA
ACTTTCCTTTGATAAATTAATGACTGTGTTTTATTCAATTATCACACTCATGTTGAATCTC
TTAATATACTCGTTGAGACAATCAGAGATGAAAAATGCTATGAAAAATCTCGGTGTGAA
AAGTTAAGTATAGTTAGAAAAAGAGTATCTCCCACTGAACATATTTATTCCTAGTTCTA
40 AGGCAACAAATAGGCGGTAA (SEQ ID NO: 316)

AOLFR172 sequences:

MAETLQLNSTFLHPNFFILTGFPGLSAQTWLTLVFGPIYLLALLGNGALPAVVWIDSTLHQPM
FLLAILAATDLGLATSIAPGLLAVLWLGPRSVPYAVCLVQMFFVHALTAMESGVLLAMACDR
45 AAAIGRPLHYPVLVTKACVGYAALALALKAVAIVVPFLLVAKFEHFQAKTIGHTYCAHMAV
VELVVGNTQATNLYGLALSLAISGMDILGITGSYGLIAHAVLQLPTREAHAKAFGTCSSHICVIL
AFYIPGLFSYLAHRFGHHTVPKPVHILLSNTYLLLPPALNPLIYGARTKQIRDRLLTFTFRKSPL
(SEQ ID NO: 317)

50 ATGGCAGAACTCTACAACCTCAATTCCACCTTCTACACCCAACTTCTTCATACTGACTG
GCTTTCAGGGCTAGGAAGTGCCAGACTTGGCTGACACTGGTCTTTGGGCCCATTTATCT
GCTGGCCCTGCTGGGCAATGGAGCACTGCCGGCAGTGGTGTGGATAGACTCCACACTGCA
CCAGCCCATGTTTCTACTGTTGGCCATCCTGGCAGCCACAGACCTGGGCTTAGCCACATCT
ATAGCCCCAGGGTTGCTGGCTGTGCTGTGGCTTGGGCCCCGATCTGTGCCATATGCTGTGT
55 GCCTGGTCCAGATGTTCTTTGTACATGCACTGACTGCCATGGAATCAGGTGTGCTTTTGGC
CATGGCCTGTGATCGTGCTGCGGCAATAGGGCGTCCACTGCACTACCCTGTCTGGTCACC

AAAGCCTGTGTGGGTTATGCAGCCTTGGCCCTGGCACTGAAAGCTGTGGCTATTGTTGTAC
CTTTCCCACTGCTGGTGGCAAAGTTTGAGCACTTCCAAGCCAAGACCATAGGCCATACCTA
TTGTGCACACATGGCAGTGGTAGAACTGGTGGTGGGTAAACACACAGGCCACCAACTTATA
TGGTCTGGCACTTTCACTGGCCATCTCAGGTATGGATATTCTGGGTATCACTGGCTCCTAT
5 GGACTCATTTGCCCATGCTGTGCTGCAGCTACCTACCCGGGAGGCCCATGCCAAGGCCTTTG
GTACATGTAGTTCTCACATCTGTGTCACTTCTGGCCTTCTACATACCTGGTCTCTTCTCCTAC
CTCGCACACCGCTTTGGTCATCACACTGTCCCAAAGCCTGTGCACATCCTTCTCTCCAACAT
CTACTTGCTGCTGCCACCTGCCCTCAACCCCTCATCTATGGGGCCCGCACCAAGCAGATC
AGAGACCGACTCCTGGAAACCTTCACATTGAGAAAAAGCCCGTTGTAA (SEQ ID NO: 318)

10

AOLFR173 sequences:

MSHTNVTFHPAVFVLPPIGLEAYHIWLSIPLCLIYTTAVLGNSILIVVIVMERNLHVPMPYFFLS
MLAVMDILLSTTTVPKALAIFWLQAHNIAFDACVTQGGFVHMMFVGESAILLAMAFDRFVAIC
APLRYTTVLTWPVVGRIALAVITRSFCHFPVIFLLKRLPFCLTNIVPHSYCEHIGVARLACADITV
15 NIWYGFSVPVIMVILDVILIAVSYSLLILRAVFRLPQDARHKALSTCGSHLCVILMFYVPSFFTL
THHFGRNIPQHVHILLANLYVAVPPMLNPVYGVKTKQIREGVAHRFFDIKTWCCTSPLGS
(SEQ ID NO: 319)

ATGAGTCACACCAATGTTACCATCTTCCATCCTGCAGTTTTTGTCTTCTCTGGCATCCCTGG
20 GTTGGAGGCTTATCACATTTGGCTGTCAATACCTCTTTCCTCATTTACATCACTGCAGTCC
TGGGAAACAGCATCCTGATAGTGGTATTGTGCATGGAACGTAACCTTCATGTGCCCATGTA
TTTCTTCTCTCAATGCTGGCCGTCATGGACATCCTGCTGTCTACCACCACTGTGCCCAAGG
CCCTAGCCATCTTTGGCTTCAAGCACATAACATTGCTTTTGATGCCTGTGTACCCCAAGGC
TTCTTTGTCCATATGATGTTTGTGGGGGAGTCAGCTATCCTGTTAGCCATGGCCTTTGATCG
25 CTTTGTGGCCATTTGTGCCCACTGAGATATACAACAGTGCTAACATGGCCTGTTGTGGGG
AGGATTGCTCTGGCCGTCATCACCCGAAGCTTCTGCATCATCTTCCCAGTCATATTCTTGCT
GAAGCGGCTGCCCTTCTGCCTAACCAACATTGTTCTCTCACTCTACTGTGAGCATATTGGA
GTGGCTCGTTTAGCCTGTGCTGACATCACTGTAAACATTTGGTATGGCTTCTCAGTGCCCAT
TGTCATGGTCATCTTGGATGTTATCCTCATCGCTGTGTCTTACTCACTGATCCTCCGAGCAG
30 TGTTCGTTTGCCTCCCAGGATGCTCGGCACAAGGCCCTCAGCACTTGTGGCTCCCACCT
CTGTGTCATCCTTATGTTTTATGTTCCATCCTTCTTTACCTTATTGACCCATCATTTTGGGCG
TAATATTCTCAACATGTCCATATCTTGCTGGCCAATCTTTATGTGGCAGTGCCACCAATGC
TGAACCCCATTTGCTATGGTGTGAAGACTAAGCAGATACGTGAGGGTGTAGCCACCGGT
CTTTGACATCAAGACTTGGTGCTGTACCTCCCTCTGGGCTCATGA (SEQ ID NO: 320)

35

AOLFR175 sequences:

MHFLSQNDLNINLIPHLCLHRHSVIAGAFTIHRHMKIFNSPSNSSTFTGFILLGFPCPREGQILLFV
LFTVVYLLTLMGNGSIICAVHWDQRLHAPMYILLANFSFLEICYVTSTVPSMLANFLSDTKIISF
SGCFLOFYFFFSLGSTECFFLAVMAFDRLAICRPLRYPTIMTRRLCTNLVNCWVLGFIWFLPI
40 VNISQMSFCGSRIDHFLCDPAPLLTLCKKGPVIELVFSVLSPLPVFMLFLFIVGSYALVVRVL
RVPSAAGRRKAFSTCGSHLAVVSLFYGSVLVVMYGSPPSKNEAGKQKTVTLFYSVVTPLNPVI
YSLRNKDMRKALKKFWGT (SEQ ID NO: 321)

ATGCATTTTCTTTCCCAAATGATTTAAATATAAATCTGATTCCCCATCTATGTTTGCACCG
45 TCATTAGTAATTGCTGGTGCTTTTACAATTCACAGGCACATGAAAATCTTCAACAGCCCC
AGCAACTCCAGCACCTTCACTGGCTTCATCCTCCTGGGCTTCCCTTGCCCCAGGGAGGGGC
AGATCCTCCTCTTTGTGCTCTTCACTGTTGTTTACCTCCTGACCCTCATGGGCAATGGTTCC
ATCATCTGTGCTGTGCACTGGGATCAGAGACTCCACGCCCCCATGTACATCTGCTCGCCA
ACTTCTCCTTCTTGGAGATATGTTATGTCACTCCACAGTCCCCAGCATGCTGGCCAACTTC
50 CTCTCTGACACCAAGATCATCTCGTTCTCTGGCTGCTTCCCTCCAGTTCTACTTTTCTTCTCC
TTGGGCTCTACAGAATGCTTTTCTGGCAGTTATGGCATTTGATCGATACCTTGCCATCTG
TCGGCCTCTACGCTATCCAACCATATGACCAGACGTCTCTGTACCAATCTTGTGGTCAATT
GCTGGGTACTTGGTTTCATCTGGTTCTTGATTCTATCGTCAACATCTCCCAAATGTCCTTC
TGTGGATCTAGGATTATTGACCACTTCCATGTGACCCAGCTCCTCTTCTAACTCTCACTTG
55 CAAAAAAGGCCCTGTGATAGAGCTTGCTTTTCTGTCTTAAGTCCTCTGCCTGTCTTATGC
TCTTCTCTTCATTGTGGGGTCCATGCTCTGGTCGTGAGAGCTGTGTTGAGGGTCCCTTCA

GCAGCTGGGAGAAGAAAGGCTTTCTCCACCTGTGGGTCTCACCTGGCTGTGGTTTCACTGT
TCTACGGCTCAGTACTGGTCATGTATGGGAGCCCACCATCTAAGAATGAAGCTGGAAAGC
AGAAGACTGTGACTCTGTTTTATTCTGTTGTTACCCCACTGCTTAACCCTGTGATATATAGT
CTTAGGAACAAAGATATGAGAAAAGCTCTGAAGAAATTTTGGGGAACATAA (SEQ ID NO:
5 322)

AOLFR176 sequences:

MFFIIHSLVTSVFLTALGPQNRTMHFVTEFVLLGFHGQREMQSCFFSFILVLYLLTLLGNGAIVC
AVKLDRLHTPMYILLGNFAFLEIWYISSTVPMNMLVNILSEIKTISFSGCFLQFYFFSLGTTECFE
10 LSVMAYDRYLAICRPLHYPSIMTGKFCIILVCVCWVGFLCYPVPIVLISQLPFCGPNIIDHLVCD
PGPLFALACISAPSTELICYTFNSMIIFGPFLSILGSYTLVIRAVLCIPSGAGRKAFTSCGSHLMV
VSLFYGTLMVMYVSPSTSGNPAGMQKIITLVYTAMTFLNPLIYSLRNKMDKDALKRVLGLTVS
QN (SEQ ID NO: 323)

15 ATGTTCTTTATTATTCTTTGGTTACTTCTGTTTTTCTAACAGCTTTGGGACCCCAGAA
CAGAACAAATGCATTTTGTGACTGAGTTTGTCTCTCTGGGTTTCCATGGTCAAAGGGAGATG
CAGAGCTGCTTCTTCTCATTCTCCTGGTTCTCTATCTCCTGACACTGTAGGGAATGGAGC
TATTGTCTGTGCAGTGAAATTGGACAGGCGGCTCCACACACCCCATGTACATCTTCTGGGA
AACTTTGCCTTTCTAGAGATCTGGTACATTTCTCCACTGTCCCAAACATGCTAGTCAATAT
20 CCTCTCTGAGATTAAAACCATCTCCTTCTCTGGTTGCTTCTGCAATTCTATTTCTTTTTTC
ACTGGGTACAACAGAGTGTTTCTTTTTATCAGTTATGGCTTATGATCGGTACCTGGCCATC
TGTCGTCCATTACACTACCCCTCCATCATGACTGGGAAGTTCTGTATAATTCTGGTCTGTGT
ATGCTGGGTAGGCGGATTTCTCTGCTATCCAGTCCCTATTGTTCTTATCTCCCAACTTCCCT
TCTGTGGGCCCCAACATCATTGACCACTTGGTGTGTGACCCAGGCCCATTTGTTGCACTGGC
25 CTGCATCTCTGCTCCTTCCACTGAGCTTATCTGTTACACCTTCAACTCGATGATTATCTTTG
GGCCCTTCTCTCCATCTTGGGATCTTACACTCTGGTCATCAGAGCTGTGCTTTGTATTCCC
TCTGGTGTCTGGTGAACCTAAAGCTTTTCCACATGTGGGTCCCACTAATGGTGGTGTCTC
TATTCTATGGAACCCTTATGGTGATGTATGTGAGCCCAACATCAGGGAACCCAGCAGGAAT
GCAGAAGATCATCACTCTGGTATACACAGCAATGACTCCATTCTTAAATCCCCTTATCTAT
30 AGTCTTCGAAACAAAGACATGAAAGATGCTCTAAAGAGAGTCCTGGGGTTAACAGTTAGC
CAAACTGA (SEQ ID NO: 324)

AOLFR177 sequences:

MSFFVVDLRPMNRSATHIVTEFILLGFPWCWKIQLFSLFLVIYVLTLLGNGAIIYAVRCNPLH
35 TPMYFLLGNFAFLEIWYVSSTIPNMLVNILSKTKAISFSGCFLQFYFFSLGTTECLFLAVMAYD
RYLAICHPLQYPAIMTVRFCGKLVSFCWLIGFLGYPIPIFYISQLPFCGPNIIDHFLCDMDPLMAL
SCAPAPITECIFYTQSSLVLFSTSMYILRSYILLTAVFQVPSAAGRRKAFSTCGSHLVVSLFYG
TVMVMYVSPTYGIPTLLQKILTLVYSVTTPLFNPLIYTLRNKDMKMLALRNVLFGMRIQNS
(SEQ ID NO: 325)

40 ATGTCTTTCTTCTTTGTAGACTTAAGACCCATGAACAGGTCAGCAACACACATCGTGACAG
AGTTTATTCTCCTGGGATTCCCTGGTTGCTGGAAGATTCAGATTTTCTCTTCTCATTGTTT
TTGGTGATTTATGTCTTGACCTTGCTGGGAAATGGAGCCATCATCTATGCAGTGAGATGCA
ACCCACTACTACACACCCCCATGTACTTTCTGCTGGGAAATTTTGCCTTCTTCTGAGATCTGG
45 TATGTGTCCTCCACTATTCCTAACATGCTAGTCAACATTCTCTCCAAGACCAAGGCCATCTC
ATTTTCTGGGTGCTTCTCTCCAGTTCTATTTCTTCTTTTCACTGGGAACAACCTGAATGTCTCT
TTCTGGCAGTAATGGCTTATGATCGATACCTGGCCATCTGCCACCCACTGCAGTACCCTGC
CATCATGACTGTAAGGTTCTGTGGTAAGCTGGTGTCTTTCTGTTGGCTTATTGGATTCCCTTG
GATACCCAATTCCCATTTTCTACATCTCCCACTCCCTTCTGTGGTCCCTAATATCATTGAT
50 CACTTCTGTGTGACATGGACCCATTGATGGCTCTATCCTGTGCCCCAGCTCCCATAACTG
AATGTATTTTCTATACTCAGAGCTCCCTTGTCCTCTTTTTCACTAGTATGTACATTCTTCGA
TCCTATATCCTGTTACTAACAGCTGTTTTTCAGGTCCCTTCTGCAGCTGGTCGGAGAAAAG
CCTTCTCTACCTGTGGTTCTCATTGTTGTTGTTATCTCTTTTCTATGGGACAGTCATGGTA
ATGTATGTAAGTCCTACATATGGGATCCCACTTATTGCAGAAGATCCTCACACTGGTAT
55 ATTCAGTAACGACTCCTCTTTTAACTCTGATCTATACTCTTCGTAATAAGGACATGAAA

CTCGCTCTGAGAAATGTCCTGTTTGAATGAGAATTCGTCAAAATTCGTGA (SEQ ID NO: 326)

AOLFR178 sequences:

- 5 MVGANHSVVSEFVFLGLTNSWEIRLLLLVFSSMFYMASMMGNSLILLTVTSDPHLHSPMYFLL
ANLSFIDLGVSSVTSPKMIYDLFRKHEVISFGGCIAQIFFIHVIGGVEMVLLIAMAFDRYVAICKP
LQYLTIMSPRMCMFFLVAAWVTGLIHSVVLVFNLPFCGPNVSDSFYCDLPRFIKLACTDSY
RLEFMVTANS GFISLGSFFILII SYVVII LTVLKHSSAGLSKALSTLSAHVSVVVLFFGPLIFVYTW
PSPSTHLDKFLAIFDAVLTPVLNPIIYTFRN (SEQ ID NO: 327)
- 10 ATGGTTGGGGCAAATCACTCCGTGGTGTGAGAGTTTGTGTTCTGGGACTCACCAATTCCT
GGGAGATCCGACTTCTCCTCCTTGTGTTCTCCTCCATGTTTTACATGGCCAGTATGATGGGA
AACTCTCTCATTTTGTCTACTGTGACTTCTGACCCTCACTTGCACTCCCCCATGTATTTCT
GTAGCCAACCTCTCCTTCATTGACCTGGGTGTTTCTCTGTCACTTCTCCCAAAATGATTT
- 15 ATGACCTGTTGAGAAAGCACGAAGTCATCTCCTTTGGAGGCTGCATCGCTCAAATCTTCTT
CATCCACGTCATTGGCGGTGTGGAGATGGTGTCTCATAGCCATGGCCTTTGACAGATAT
GTGGCCATATGTAAGCCCCCTCCAGTACCTGACCATTATGAGCCCAAGAATGTGCATGTTCT
TCTTAGTGGCTGCCTGGGTGACCGGCCTTATCCACTCTGTAGTTCAATTGGTTTTTGTAGTA
AACTTGCCCTTCTGTGGTCCTAATGTATCGGACAGCTTTTACTGTGACCTTCTCGGTTTCAT
- 20 CAAACTTGCTGCACAGACAGCTACCGACTGGAGTTCATGGTTACAGCCAACAGTGGATTCT
ATCTCTCTGGGCTCCTTCTTCATACTGATCATTTCTCTATGTGGTCATCATTCTCACTGTTCT
GAAACACTCTTCAGCTGGTTTATCCAAGGCTCTGTCCACCTTTCAGCTCACGTCAGTGTG
GTAGTTTTGTCTTTGGTCCTTTGATTTTTGTCTATACGTGGCCATCTCCCTCCACACACCT
GGATAAGTTTCTGGCCATCTTTGATGCAGTTCTCACTCCTGTTTTAAATCCTATCATCTACA
- 25 CATTGAGGAATTGA (SEQ ID NO: 328)

AOLFR179 sequences:

- MNGMNHVVSEFVFMGLTNSREIQLLLVFSLLFYFASMMGNLVIVFTVTMDAHLHSPMYFLL
ANLSIIDMAFCSITAPKMICDIFKKHKAISFRGCITQIFFSHALGGTEMVLLIAMAFDRYMAICKP
- 30 LHYLTIMSPRMCLYFLATSSIIHLISLVQLVFVVDLPFCGPNIFDSFYCDLPRLLRLACTNTQEL
EFMVTVNISGLISVGSFVLLVISYIFILFTVWKHSSGGLAKALSTLSAHVTVVILFFGPLMFFYTW
PSPTSHLDKYLAIFDAFITPFLNPVIYTFRNKDMKVAMRRLCSRLAHFTKIL (SEQ ID NO: 329)
- 35 ATGAATGGAATGAATCACTCTGTGGTATCAGAATTTGTATTTCATGGGACTCACCAACTCAC
GGGAGATTGAGCTTCTACTTTTGTCTTCTCTTGTGTTCTACTTTGCGAGCATGATGGGA
AACCTTGTCATTGTATTCACTGTAACCATGGATGCTCATCTGCACTCCCCCATGTATTTCT
CCTGGCTAACCTCTCAATCATTGATATGGCATTGCTCAATTACAGCCCCCTAAGATGATTT
GTGATATTTTCAAGAAGCACAAAGGCATCTCCTTTGCGGGATGTATTACTCAGATCTTCTT
TAGCCATGCTCTTGGGGGCACTGAGATGGTGTCTGCTCATAGCCATGGCCTTTGACAGATAC
- 40 ATGGCCATATGTAAACCTCTCCACTACCTGACCATCATGAGCCCAAGAATGTGTCTATACT
TTTTAGCCACTTCTCTATCATTGGCCTTATCCACTCATTGGTCCAATTAGTTTTTGTGGTA
GATTTACCTTTTTGTGGTCCTAATATCTTTGACAGTTTTTACTGTGATCTCCCTCGGCTCCT
CAGACTTGCTGTACCAACACCCAAGAACTGGAGTTCATGGTCACTGTCAATAGTGGACTC
ATTTCTGTGGGCTCCTTTGTCTTGTGTAATTTCTACATCTTCATTCTGTTCACTGTTTG
- 45 GAAACATTCTTCTGGTGGTCTAGCCAAGGCCCTCTCTACCTGTGAGCTCATGTCACTGTG
GTCATCTTGTCTTTGGGCCACTGATGTTTTTCTACACATGGCCTTCTCCACATCACACCT
GGATAAATATCTTGCTATTTTTGATGCATTTATTACTCCTTTTCTGAATCCAGTTATCTACA
CATTCAGGAACAAAGACATGAAAGTGGCAATGAGGAGACTGTGCAGTCGTCTTGCGCATT
TTACAAAGATTTTGTA (SEQ ID NO: 330)
- 50

AOLFR180 sequences:

- MTNKMAYAIYIKNLNYFSFLIVQCLQPTMAIFNNTTSSSSNFLLTAFPGLECAHVWISIPVCCLYTI
ALLGNSMIFLVITKRRLHKPMYYFLSMLAAVDLCLTITTLPTVLGVLWFHAREISFKACFIQMF
- 55 FVHAFSLLESSVLVAMAFDRFVAICNPLNYATILTDRMVLVIGLVICIRPAVFLPLLVAINTVSF
HGGHELHSHPCYHPEVIKYTYSKWPWISSFWGLFLQLYLNGLTDVLFILFSYVLILRTVLGIVARKK

QQKALSTCVCHICAVTIFYVPLISLSLAHRLFHSTPRVLCSTLANIYLLLPPVLNPIIYSLKTKTIR
QAMFQLLQSKGSWGFNVRGLRGRWD (SEQ ID NO: 331)

5 ATGACTAATAAAATGTATGCTATATATATAAAGAATCTTAATTATTTTTCTTTCCTCATAGT
TCAGTGTCTTCAACCAACCATGGCAATATTCAATAACACCACTTCGTCTTCCTCAAACCTCC
TCCTCACTGCATTCCCTGGGCTGGAATGTGCTCATGTCTGGATCTCCATTCCAGTCTGCTGT
CTCTACACCAATTGCCCTCTTGGGAAACAGTATGATCTTCTTGTTCATCTACTAAGCGGA
GACTCCACAAACCCATGTATTATTTCTCTCCATGCTGGCAGCTGTTGATCTATGTCTGACC
10 ATTACGACCCCTCCCACTGTGCTTGGTGTCTCTGGTTTCATGCCCGGAGATCAGCTTTAA
AGCTTGCTTCATTCAAATGTTCTTTGTGCATGCTTCTCCTTGCTGGAGTCTCGGTGCTGG
TAGCCATGGCCTTTGACCGCTTCGTGGCTATCTGTAACCCACTGAACTATGCTACTATCCTC
ACAGACAGGATGGTCTGGTGATAGGGCTGGTTCATCTGCATTAGACCAGCAGTTTTCTTAC
TTCCCTTCTTGTAGCCATAAACACTGTGTCTTTTCATGGGGGTACAGAGCTTTCCCATCCA
15 TTTTGCTACCACCCAGAAGTGATCAAATACACATATCCAAACCTTGGATCAGCAGTTTTT
GGGGACTGTTTCTTCAGCTCTACCTGAATGGCACTGACGTATTGTTTATTCTTTCTCCTAT
GTCCTGATCCTCCGTACTGTTCTGGGCATTGTGGCCCGAAAGCAACAAAAAGCTCTCA
GCACTTGTGTCTGTACATCTGTGCAGTCACTAATTTCTATGTGCCACTGATCAGCCTCTCT
TTGGCACACCGCCTCTTCCACTCCACCCCAAGGGTGCTCTGTAGCACTTTGGCCAATATTTA
TCTGCTCTTACCACCTGTGCTGAACCTTATCATTTACAGCTTGAAGACCAAGACAATCCGC
20 CAGGCTATGTTCCAGCTGCTCCAATCCAAGGGTTCATGGGGTTTTAATGTGAGGGGTCTTA
GGGGAAGATGGGATTGA (SEQ ID NO: 332)

AOLFR181 sequences:

MSVLNNSEVKLFLIGIPGLEHAHIWFSIPICLMYLLAIMGNCTILFIKTEPSLHEPMYYFLAML
25 AVSDMGLSLSSLPTMLRVLFNAMGISPNACFAQEFFIHGFTVMESSVLLIMSLDRFLAIHNPLR
YSSILTSNRVAKMGLILAIRSILLVIPFPTLRRLKYCQKNLLSHSYCLHQDTMKLACSDNKTNV
IYGFFIALCTMLDLALIVLSYVLILKTLISLASLAERLKALNTCVSHICAVLTFYVPIITLAAMHHF
AKHKSPLVVILIADMFLLPPLMNPVYCVKTRQIWELGKLLNVCGR (SEQ ID NO: 333)

30 ATGTCTGTTCTCAATAACTCCGAAGTCAAGCTTTTCTTCTGATTGGGATCCCAGGACTGG
AACATGCCACATTTGGTTCTCCATCCCCATTTGCCTCATGTACCTGCTTGCCATCATGGGC
AACTGCACCATTTCTTTATTATAAAGACAGAGCCCTCGCTTCATGAGCCCATGTATTATTT
CCTTGCCATGTTGGCTGTCTCTGACATGGGCCTGTCCCTCTCCTCCCTTCTACCATGTTGA
GGGTCTTCTTGTTCATGCCATGGGAATTTACCTAATGCCTGCTTTGCTCAAGAATTTCTTC
35 ATTCATGGATTCACTGTTCATGGAATCCTCAGTACTTCTAATTATGTCTTTGGACCGCTTTCT
TGCCATTCACAATCCCTTAAGATACAGTTCTATCCTCACTAGCAACAGGGTGTGCTAAAATG
GGACTATTTTAGCCATTAGGAGCATTCTCTTAGTGATTCCATTTCCCTTACCTTAAGGAG
ATTAATAATTGTCAAAAGAATCTTCTTTCTCACTCATACTGTCTTCATCAGGATACCATGA
AGCTGGCCTGCTCTGACAACAAGACCAATGTTCATCTATGGCTTCTTCATTGCTCTCTGTACT
40 ATGCTGGACTTGGCACTGATTGTTTTGTCTTATGTGCTGATCTTGAAGACTATACTCAGCAT
TGCATCTTTGGCAGAGAGGCTTAAGGCCCTAAATACCTGTGTCTCCACATCTGTGCTGTG
CTCACCTTCTATGTGCCCATCATCACCTGGCTGCCATGCATCACTTTGCCAAGCACAAAA
GCCCTCTTGTGTGATCCTTATTGCAGATATGTTCTTGTGGTGCCGCCCTTATGAACCCC
ATTGTGTACTGTGTAAAGACTCGACAAATCTGGGAGAAGATCTTGGGGAAGTTGCTTAAT
45 GTATGTGGGAGATAA (SEQ ID NO: 334)

AOLFR182 sequences:

MTLGLSGNSSSVSATFLLSGIPGLERMHIWISIPLCFMYLVSIPGNCTILFIKTERSLHEPMYFL
SMLALIDLGLSLCTLPVLGIFWVGAREISHDACFAQLFFIHCFSFLESSVLLSMAFDRFVAICHP
50 LHYVSILTNTVIGRIJLVSLGRSVALIFPLPFMLKRFPYCGSPVLSHSYCLHQEVMKLACADMK
ANSIYGMFVIVSTVGIDSLILFSYALILRTVLSIASRAERFKALNTCVSHICAVLLFYTPMIGLSV
IHRFGKQAPHLVQVVMGFMYYLLFPPVMNPVYSVKTKQIRDRVTHAFCY (SEQ ID NO: 335)

55 ATGACCCTGGGATCCCTGGGAAACAGCAGCAGCAGCGTTTCTGCTACCTTCTGCTGAGTG
GCATCCCTGGGCTGGAGCGCATGCACATCTGGATCTCCATCCCACTGTGCTTCATGTATCT
GGTTCCATCCCGGGCAACTGCACAATTCTTTTATCATTAACAGAGCGCTCACTTCAT

GAACCTATGTATCTCTTCCTGTCCATGCTGGCTCTGATTGACCTGGGTCTCTCCCTTTGCAC
TCTCCCTACAGTCCTGGGCATCTTTTGGGTTGGAGCACGAGAAATTAGCCATGATGCCTGC
TTTGCTCAGCTCTTTTTCATTCACTGCTTCTCCTTCCTCGAGTCCTCTGTGCTACTGTCTATG
GCCTTTGACCGCTTTGTGGCTATCTGCCACCCCTTGCACTATGTTTCCATTCTCACCAACAC
5 AGTCATTGGCAGGATTGGCCTGGTCTCTCTGGGTCGTAGTGTAGCACTCATTTTTCCATTA
CCTTTTATGCTCAAAAGATTCCCCTATTGTGGCTCCCCAGTTCTCTCACATTCTTATTGTCT
CCACCAAGAAGTGATGAAATTGGCCTGTGCCGACATGAAGGCCAACAGCATCTACGGCAT
GTTTGTCAATCGTCTCTACAGTGGGTATAGACTCACTGCTCATCCTCTTCTCTTATGCTCTGA
10 TCCTGCGCACCGTGCTGTCCATCGCCTCCAGGGCTGAGAGATTCAAGGCCCTTAACACCTG
TGTTTCCCACATCTGTGCTGTGCTGCTCTTCTACACTCCCATGATTGGCCTCTCTGTCTATCC
ATCGCTTTGGAAAGCAGGCACCCACCTGGTCCAGGTGGTCATGGGTTTCATGTATCTTCT
CTTTCCTCCTGTGATGAATCCCATTTGTCTACAGTGTGAAGACCAACAGATCCGGGATCGA
GTGACGCATGCCTTTTGTACTAA (SEQ ID NO: 336)

15 **AOLFR183 sequences:**

MTNLNASQANHRNFILTGIPGTPDKNPWLAFPLGFLYTLTLLGNGTILAVIKVEPSLHEPTYFYFL
SILALTDVSLMSMSTLPSMLSIYWFNAPQIVFDACIMQMFFIHFVFGIVESGLVSMADFDFVAIRN
PLHYVSILTHDVIRKTGISVLTRAVCVVFPVPFLIKCLPFCHSNVLSHSYCLHQNMRLACASTR
20 INSLYGLIVVIFTLGLDVLLTLLSYVLTLKTVLGIVSRGERLKLSTCLSHMSTVLLFYVPFMGA
ASMIHRFWEHLSPVVMVMADIYLLLPVLNPIVYSVKTKQI (SEQ ID NO: 337)

ATGACGAACTTGAATGCATCACAGGCCAACCCGTAACCTTCATTCTGACAGGTATCCCAG
GAACGCCAGACAAGAACCCATGGTTGGCCTTTCCCCTGGGATTTCTCTACACACTCACACT
CCTGGGAAATGGTACCATCCTAGCTGTCATCAAGGTGGAGCCAAGTCTCCATGAGCCCACG
25 TATTACTTCCITTTCTATCTTGGCTCTCACTGACGTTAGTCTCTCCATGTCCACCTTGCCCTCC
ATGCTCAGCATCTACTGGTTTAATGCCCTCAGATTGTTTTTGATGCATGCATCATGCATGAGAT
GTTCTTCATCCATGTATTTGGAATAGTAGAATCAGGAGTCCTAGTGTCCATGGCCTTTGAC
AGATTGTGGCCATCCGAAACCCATTACACTATGTTTCCATCCTCACTCACGATGTTATTCCG
AAAGACTGGAATATCTGTCTCACCCGGGCAGTCTGTGTGGTATTCCCTGTGCCCTTCTCTT
30 ATAAAGTGCTACCCCTTCTGCCATTCCAATGTCTTGTCTCATTACATACTGTCTTACCAAAA
CATGATGCGGCTAGCTTGTGCCAGCACCCGCATCAACAGCCTCTACGGCCTCATCGTCGTC
ATCTTACACTGGGGCTCGATGTTCTCCTCACTCTACTGTCTTATGTAATCACCCCTGAAGAC
TGTGCTGGGCATTGTCTCCAGAGGTGAAAGGCTGAAAACCCCTCAGCACATGCCTCTCTCAC
ATGTCTACCGTGCTCCTCTCTATGTTCTTTATGGGTGCTGCCTCCATGATCCACAGATT
35 TTGGGAGCATTATACACCAGTAGTGACATGGTCATGGCTGATATATACCTACTGCTCCCG
CCTGTGCTAAACCCCATTTGTCTACAGTGTGAAGACCAAGCAAATTTGA (SEQ ID NO: 338)

AOLFR184 sequences:

MSTLPTQIAPNSSTSMAPTFLLVGMPLSGAPSWWTLPLIAVYLLSALGNGTILWIALQPALHR
40 PMHFFLFLLSVSDIGLVTALMPTLLGIALAGAHTVPASACLLQMVFIHFVFSVMESSVLLAMSID
RALAICRPLHYPALLTNGVISKISLAISFRCLGLHLPLPFLLAYMPYCLPQVLTHSYCLHPDVARL
ACPEAWGAAYSLFVVL SAMGLDLLIFFSYGLIGKVLQGVESREDRWKAGQTCAAHLSAVLLF
YIPMILLALINHPPLPITQHTHTLLSYVHFLPLNPLILYSVKMKEIRKRLNRLQPRKVGGAGQ
(SEQ ID NO: 339)

45

ATGTCAACATTACCAACTCAGATAGCCCCCAATAGCAGCACTTCAATGGCCCCCACCTTCT
TGCTGGTGGGCATGCCAGGCCTATCAGGTGCACCCTCCTGGTGGACATTGCCCTCATTGC
TGTCTACCTTCTCTCTGCACTGGGAAATGGCACCATCCTCTGGATCATTGCCCTGCAGCCC
GCCCTGCACCGCCCAATGCACTTCTTCTCTTCTGCTTAGTGTGTCTGATATTGGATTGGT
50 CACTGCCCTGATGCCACACTGCTGGGCATCGCCCTTGCTGGTGTCTCACACTGTCCCTGCC
TCAGCCTGCCTTCTACAGATGGTTTTATCCATGTCTTTTCTGTCTATGGAGTCTCTGTCTT
GCTCGCCATGTCCATTGATCGGGCACTGGCCATCTGCCGACCTCTCCACTACCCAGCGCTC
CTACCAATGGTGTAATTAGCAAAATCAGCCTGGCCATTTCTTTTCGATGCCTGGGTCTCC
ATCTGCCCTGCCATTCTGCTGGCCTACATGCCCTACTGCCTCCACAGGTCTTAACCCAT
55 TCTTATTGCTTGCATCCAGATGTGGCTCGTTTGGCCTGCCAGAAGCTTGGGGTGCAGCCT
ACAGCCTATTTGTGGTTCTTTCAGCCATGGGTTTGGACCCCTGCTTATTTTCTTCTCCTAT

GGCCTGATTGGCAAGGTGTTGCAAGGTGTGGAGTCCAGAGAGGATCGCTGGAAGGCTGGT
CAAACCTGTGCTGCCCACCTCTCTGCAGTGCTCCTCTTCTATATCCCTATGATCCTCCTGGC
ACTGATTAAACCATCCTGAGCTGCCAATCACTCAGCATAACCCATACTCTTCTATCCTATGTCC
ATTTCTTCTTCTCCTCCATTGATAAACCTATTCTCTATAGTGCAAGATGAAGGAGATTAGA
5 AAGAGAATACTCAACAGGTTGCAGCCAGGAAGGTGGGTGGTGTGCTCAGTGA (SEQ ID NO:
340)

AOLFR185 sequences:

MFYPILNDISTKNNSNIMSCCNILFIKTVEILVYNQTQSPWYPIVPSKSLVYNNNTCFDCYHLQR
10 VDCVPSRDHINQSMVLASGNSSSHPVSFILLGIPGLESFQLWIAFPFCATYAVAVVGNITLLHVIR
IDHTLHEPMYLFLAMLAITDLVLSSTQPKMLAIFWFHAHEIQYHACLIQVFFIHAFSSVESGVL
MAMALDCYVATCFPLRHSSILTPSVVIKLTIVMLRGLLWVSPFCFMVSRMPFCQHQAIPQSYC
EHMAVLKLVCAADSISRGYGLFVAFSVAGFDMIVIGMSYVMILRAVLQLPSEARLKAFSTRA
SHICVILALYIPALFSFLTFRFGHDVPRVVHILFANLYLLIPPMLNPIIYGVRTKQIGDRVIQGCCG
15 NIP (SEQ ID NO: 341)

ATGTTCTACCCCATTTTGAATGACATAAGTACGAAAAACAACAGTAACATCATGTGTCATGTT
GTAACATATTATTTATTAACAGTTGAAATTATTCTAGTTTATAATCAAACCCAATCACC
CTGGTATCCAATAGTCCCATCCAAAAGCCTTGATATAATAAACACTTGTTTTGATTGTT
20 ATCATCTGCAGAGAGTAGATTGCGTTCAGCAGAGACCATATTAACAGTCCATGGTGCT
GGCTTCAGGGAACAGCTCTTCTCATCCTGTGTCTTCATCCTGCTTGGAATCCCAGGCCTG
GAGAGTTCCAGTTGTGGATTGCCTTTCGTTCTGTGCCACGTATGCTGTGGCTGTTGTTGG
AAATATCACTCTCCTCCATGTAATCAGAAATTGACCACACCCTGCATGAGCCCATGTACCTC
TTTCTGGCCATGCTGGCCATCACTGACCTGGTCTCTCCTCCTCCACTCAACCTAAGATGTT
25 GGCCATATTCTGGTTTCATGCTCATGAGATTACAGTACCATGCCTGCCTCATCCAGGTGTTCT
TCATCCATGCCTTTTCTTCTGTGGAGTCTGGGGTGCTCATGGCTATGGCCCTGGACTGCTAC
GTGGCTACCTGCTTCCCACTCCGACACTGACATCCTGACCCCATCGGTGCTGATCAAAC
TGGGGACCATCGTGATGCTGAGAGGGGCTGCTGTGGGTGAGCCCCTTCTGCTTCATGGTGTC
TAGGATGCCCTTCTGCCAACACCAAGCCATTCCCCAGTCATACTGTGAGCACATGGCTGTG
30 CTGAAGTTGGTGTGTGCTGATAACAAGCATAAGTCGTGGGTATGGGCTCTTTGTGGCCTTCT
CTGTGGCTGGCTTTGATATGATTGTCATTGGTATGTCATACGTGATGATTTTGAGAGCTGT
GCTTCAGTTGCCCTCAGGTGAAGCCCGCCTCAAAGCTTTTAGCACACGTGCCTCCCATATC
TGTGTCATCTTGGCTCTTTATATCCCAGCCCTTTTTTCTTCTCACCTACCGCTTTGGCCAT
GATGTGCCCCGAGTTGTACACATCCTGTTTGCTAATCTCTATCTACTGATACCTCCCATGCT
35 CAACCCCATCATTTATGGAGTTAGAACCAAACAGATCGGGGACAGGGTTATCCAAGGATG
TTGTGGAAACATCCCCTGA (SEQ ID NO: 342)

AOLFR186 sequences:

MSNASLVTAFILTGLPHAPGLDALLFGIFLVVYVLTVLGNLLILLVIRVDSHLHTPMYYFLTNL
40 FIDMWFSTVTVPKMLMTLVSPSGRAISFHSQVAQLYFFHFLGSTECFLYTVMSYDRYLAI
RYTSMMSGSRCALLATGTWLSGSLHSAVQILTFHLPYCGPNQIQHYFCDAPPILKLACADTSA
NVMVIFVDIGIVASGCFVLIVLSYVSIVCSILRIRTSDDRRAAFQTCASHCIVVLCFFVPCV
PGSMDAMDGVVAIFYTVLTPLLNPVYTLRNKEVKKAVLKLKRDVVAHPQRK (SEQ ID NO:
343)

45 ATGTCCAACGCCAGCCTCGTGACAGCATTTCCTCACAGGCCTTCCCCATGCCCCAGGGC
TGGACGCCCTCCTCTTTGGAATCTTCTGGTGGTTACGTGCTCACTGTGCTGGGGAACCT
CCTCATCCTGCTGGTGATCAGGGTGGATTCTCACCTCCACACCCCATGTACTACTCTCTCA
CCAACCTGTCCTTCATTGACATGTGGTTCTCCACTGTCACGGTGCCCAAAATGCTGATGAC
50 CTTGGTGTCCCCAAGCGGCAGGGCTATCTCCTTCCACAGCTGCGTGGCTCAGTCTATTTTT
TCCACTTCTTGGGGAGCACCGAGTGTCTCTACACAGTCATGTCCTATGATCGCTACTTG
GCCATCAGTTACCCGCTCAGGTACACCAGCATGATGAGTGGGAGCAGGTGTGCCCTCCTGG
CCACCGGCACCTTGGCTCAGTGGCTCTCTGCACTCTGCTGTCCAGACCATATTGACTTCCAT
TTGCCCTACTGTGGACCCAACCAGATCCAGCACTACTTCTGTGACGCACCGCCCATCCTGA
55 AACTGGCCTGTGCAGACACCTCAGCCAACGTGATGGTCATCTTTGTGGACATTGGGATAGT
GGCCTCAGGCTGCTTTGTCCTGATAGTGCTGTCTATGTGTCCATCGTCTGTTCCATCCTGC

GGATCCGCACCTCAGATGGGAGGCGCAGAGCCTTTCAGACCTGTGCCTCCCACTGTATTGT
GGTCCTTTGCTTCTTTGTTCCTGTGTTGTTCATTTATCTGAGGCCAGGCTCCATGGATGCCA
TGGATGGAGTTGTGGCCATTTTCTACACTGTGCTGACGCCCTTCTCAACCCTGTTGTGTAC
ACCCTGAGAAACAAGGAGGTGAAGAAAGCTGTGTTGAACTTAGAGACAAAGTAGCACAT
5 CCTCAGAGGAAATAA (SEQ ID NO: 344)

AOLFR187 sequences:

MAQVRALHKIMALFSANSIGAMNNSDTRIAGCFLTGPGLQLHIWLSIPFCIMYIAALEGNIL
CVILSQAILHEPMYIFLSMLASADVLLSTTMPKALANLWLGYSHISFDGCLTQKFFIHLFIHSA
10 VLLAMAFDRYVAICSPRYVTILTTSKVIGKIVTATLSRSFIIMFPSIFLLEHLHYCQINIIAHTFCEH
MGIAHLSCSDISINVWYGLAAALLSTGLDMLITVSYIHILQAVFRLLSQDARSKALSTCGSHICV
ILLFYVPALFSVFAYRFGGRSIPCYVHILLASLYVVPMLNPVIYGVRTKPILEGAKQMFNSLAK
GSK (SEQ ID NO: 345)

15 ATGGCACAGGTGAGGGCGCTGCATAAAATCATGGCCCTTTTTTCTGCTAACAGCATAGGTG
CTATGAACAACTCTGACACTCGCATAGCAGGCTGCTTCCTCACTGGCATCCCTGGGCTGGA
GCAACTACATATCTGGCTGTCCATCCCCCTTCTGCATCATGTACATCGCTGCCCTGGAAGGC
AATGGCATCCTAATTTGTGTATCCTCTCCCAGGCAATCCTGCATGAGCCCATGTACATAT
TCTTATCTATGCTGGCCAGTGTGTATGCTCTCTACCACCACCATGCCTAAGGCCCTG
20 GCCAATTTGTGGCTAGGTTATAGCCACATTTCTTTGATGGCTGCCTCAAAAAGTTCTT
CATTCACTTCCTCTTCATTCACTCTGCTGTCTGCTGGCCATGGCCTTTGACCGCTATGTGG
CCATCTGCTCCCCCTGCGATATGTCACAATCCTCACAAGCAAGGTCATTGGGAAGATCGT
CACTGCCACCCTGAGCCGCAGCTTCATCATTATGTTTCCATCCATCTTTCTCCTTGAGCACC
TGCACTATTGCCAGATCAACATCATGTCACACACATTTTGTGAGCACATGGGCATTGCCCA
25 TCTGTCTGTTCTGATATCTCCATCAATGTCTGGTATGGGTTGGCAGCTGCTTCTCTCCA
CAGGCCTGGACATCATGCTTATTACTGTTTCTTACATCCACATCCTCCAAGCAGTCTTCCGC
CTCCTTTCTCAAGATGCCCGCTCCAAGGCCCTGAGTACCTGTGGATCCCATATCTGTGTCAT
CCTACTCTTCTATGTCCCTGCCCTTTTTTCTGTCTTTGCCTACAGGTTTGGTGGGAGAAGCA
TCCCATGCTATGTCCATATTCTCCTGGCCAGCCTCTACGTTGTCACTTCTCCTATGCTCAAT
30 CCCGTTATTTATGGAGTGAGGACTAAGCCAATACTGGAAGGGGCTAAGCAGATGTTTTCA
AATCTTGCCAAAGGATCTAAATAA (SEQ ID NO: 346)

AOLFR188 sequences:

MFPSLPCPVLLVQLPLMNENMQCFVFCSDSLLRMMVSRFIHVFPVKMKRIIVGGYSKHFFSN
35 ELLCVRPWSGKTWSIRHHIFDMELLTNLKFITDPFVCRLRHLSPTPSEEHMKNKNNVTEFILL
GLTQNPEGQKVLFTVFLIYMVTIMGNLLIIVTIMASQSLGSPMYFFLASLSFIDTVYSTAFAPK
MIVDLLSEKKTISFQGCMAQLFMDHLFAGAENVLLVVMAYDRYMAICKPLHELITMNRRCVCL
MLLAAWIGGFLHSLVQFLFIYQLPFCGPNVIDNFLCDLYPLLKLACTNTYVTGLSMLIANGGAIC
AVTFFITLLSYGVILHSLKTQSLEGKRKAFYTCASHVTVVILFFVPCIFLYARPNSTFPIDKSMTV
40 VLTFITPMLNPLIYTLKNAEMKSAMRKLWSKKVSLAGKWLYHS (SEQ ID NO: 347)

ATGTTCCCTCCCTGTGTCCATGTGTTCTCCTTGTTCAACTCCCACTTATGAATGAGAACAT
GCAGTGTTTTGTTTTCTGTTCTTGTGATAGTTTGCTGAGAATGATGGTTTCCCGCTTCATCC
ATGTCCCATTTGTAAAAATGAAAAGGATAATTGTGGGAGGATATTCTAAACACTTCTTTTC
45 TAATGAGCTGCTCTGTGTGAGGCCCTGGTCAGGGAAAACGTGGTCGATAAGGCATCACAT
TTTTGACATGGAGCTTCTGACAAATAATCTCAAATTTATCACTGACCCTTTGTTTGTAGGC
TCCGACACCTGAGTCCAACACCTTCAGAAGAACACATGAAAAATAAGAACAAATGTGACTG
AATTTATCCTCTTAGGGCTCACACAGAACCCTGAGGGGCAAAAAGGTTTTATTTGTCACATT
CTTACTAATCTACATGGTGACGATAATGGGCAACCTGCTTATCATAGTGACCATCATGGCC
50 AGCCAGTCCCTGGGTTCCCCCATGTACTTTTTTCTGGCTTCTTTATCATTATAGATACCGT
CTATTCTACTGCATTTGCTCCCAAAATGATTGTTGACTTGCTCTCTGAGAAAAAGACCATT
CCTTTCAGGGTTGTATGGCTCAACTTTTTATGGATCATTTATTTGCTGGTGCTGAAGTCATT
CTTCTGGTGGTAATGGCCTATGATCGATACATGGCCATCTGTAAGCCTCTTCATGAATTGA
TCACCATGAATCGTCGAGTCTGTGTTCTTATGCTGTTGGCGGCCTGGATTGGAGGCTTTCT
55 TCACTCATTTGGTTCAATTTCTCTTTATTTATCAGCTCCCTTTCTGTGGACCCAATGTCATTG
ACAACTTCTGTGTGATTGTATCCCTTATTGAAACTTGCTTGACCAATACCTATGTCACT

GGGCTTTCTATGATAGCTAATGGAGGAGCGATTTGTGCTGTCACCTTCTTCACTATCCTGC
TTTCTATGGGGTTCATATTACACTCTCTTAAGACTCAGAGTTTGGAAAGGAAACGAAAAGC
TTTCTACACCTGTGCATCCCACGTCACCTGTGGTCATTTTATTCTTTGTCCCCTGTATCTTCTT
GTATGCAAGGCCCAATTCTACTTTTCCCATGATAAATCCATGACTGTAGTTCTAACTTTTA
5 TAACTCCCATGCTGAACCCACTAATCTATACCCTGAAGAATGCAGAAATGAAAAGTGCCAT
GAGGAAACTTTGGAGTAAAAAAGTAAGCTTAGCTGGGAAATGGCTGTATCACTCATGA
(SEQ ID NO: 348)

AOLFR189 sequences:

10 MQQNNNSVPEFILLGLTQDPLRQKIVFVIFLIFYMGTVVGNMLIIVTIKSSRTLGSPMYFFLFYLSF
ADSCFSTSTAPRLVDALSEKKIITYNECMTQVFALHLFGCMEIFVLILMAVDRYVAICKPLRYP
TIMSQQVCILIVLAWIGSLIHSTAQILALRLPFCGPYLIIDHYCCDLQPLLKACMDTYMINLLL
VNSGAICSSSFMLIISYIVILHSLRNHSAKGKKKALSACTSHIIVILFFGPCIFYTRPPTTFPMD
KMVAVFYTIGTPFLNPLIYTSEECRSEKCHEK (SEQ ID NO: 349)

15 ATGCAGCAAAATAACAGTGTGCCTGAATTCATACTGTTAGGATTAACACAGGATCCCTTGA
GGCAGAAAATAGTGTITGTAATCTTCTTAATTTTCTATATGGGAACTGTGGTGGGGAATAT
GCTCATTATTGTGACCATCAAGTCCAGCCGGACACTAGGAAGCCCCATGTACTTCTTTCTA
TTTTATTTGTCTTTGCAGATTCTTGCTTTTCAACTTCCACAGCCCCTAGATTAATTGTGGA
20 TGCTCTCTCTGAAAAGAAAATTATAACCTACAATGAGTGCATGACACAAGTCTTTGCACTA
CATTTATTTGGCTGCATGGAGATCTTTGTCTCATTCTCATGGCTGTTGATCGCTATGTGGC
CATCTGTAAGCCCTTGCCTTACCCAACCATCATGAGCCAGCAGGTCTGCATCATCCTGATT
GTTCTTGCTGGATAGGGTCTTTAATACACTCTACAGCTCAGATTATCCTGGCCTTAAGATT
GCCTTTCTGTGGACCCTATTTGATTGATCATTATTGCTGTGATTGTCAGCCCTTGTGAAAC
25 TTGCCTGCATGGACACTTACATGATCAACCTGCTGTTGGTGTCTAACAGTGGGGCAATTTG
CTCAAGTAGTTTCATGATTTTGATAATTTTCATATATTGTCATCTTGCACTTCACTGAGAAACC
ACAGTGCCAAAGGGAAGAAAAGGCTCTCTCCGCTTGACGCTCTCACATAATTGTAGTCAT
CTTATTCTTTGGCCCATGTATATTTCATATATACACGCCCCCGACCACTTTCCCATGGACA
AGATGGTGGCAGTATTTTATACTATTGGAACACCCTTTCTCAATCCACTCATCTACACATCT
30 GAGGAATGCAGAAGTAAAAATGCCATGAGAAAG (SEQ ID NO: 350)

AOLFR190 sequences:

MQRSNHTVTEFILLGFTTIDPGMQLGLFVVLGVYCLTVVGSSTLIVLICNDSRLHTPMYFVIGN
LSFLDLWYSSVHTPKILVTCISEDKSISFAGCLCQFFSARLAYSECYLLAAMAYDHYVAISKPLL
35 YAQTMPPRLCICLVLYSYTGGFVNAILTSNTFTLDFCGDNVIDDFCDVPPLVKLACSVRESYQ
AVLHFLLASNVISPTVLILASYLSIITLRIHSTQGRIKVFSTCSSHLISVTLYYGSILYNYSRPPSS
YSLKRDKMVSTFYTMLFPMLNPMIYSLRSKDKMDALKKFFKSA (SEQ ID NO: 351)

40 ATGCAGAGGAGCAATCACACAGTGAAGTTCATCCTGCTGGGCTTCACCACAGATCCAG
GGATGCAACTGGGCCTCTTTGTGGTGTTCCTGGGTGTGTACTGTCTGACTGTGGTAGGAAG
TAGCACCCTCATCGTGTGATCTGTAATGACTCCCGCCTACACACACCCCATGTATTTGTCA
TTGGAAATCTGTCATTTCTGGATCTCTGGTATTCTTCTGTCCACACCCCAAAGATCCTAGTG
ACCTGCATCTCTGAAGACAAAAGCATCTCCTTTGCTGGCTGCCTGTGTCAGTTCTTCTCTGC
CAGGCTGGCCTATAGTGAGTGCTACCTACTGGCTGCCATGGCTTATGACCACTACGTGGCC
45 ATCTCCAAGCCCCTGCTTTATGCTCAGACCATGCCAAGGAGATTGTGCATCTGTTTGGTTTT
ATATTCCTATACTGGGGGTTTTGTCAATGCAATAATATTAACCAGCAACACATTCACATTG
GATTTTTGTGGTGACAATGTCATTGATGACTTTTTCTGTGATGTTCCACCCCTCGTGAAGCT
GGCATGCAGTGTGAGAGAGAGCTACCAAGCTGTGCTGCACTTCCTTCTGGCCTCCAATGTC
ATCTCCCCTACTGTGCTCATCCTTGCTCTTACCTCTCCATCATCACCACCACTCCTGAGGAT
50 CCACTCTACCCAGGGCCGCATCAAAGTCTTCTCCACATGCTCCTCCCACCTGATCTCCGTTA
CCTTATACTATGGCTCCATTCTCTACAATACTCCCGGCCAAGTCCAGCTACTCCCTCAAG
AGGGACAAAATGGTTTCTACCTTTTATACTATGCTGTTCCCCATGTTGAATCCCATGATCTA
CAGTCTGAGGAGTAAAGACATGAAAGACGCTCTGAAAAAATTCTTCAAGTCAGCATAA
(SEQ ID NO: 352)

55

AOLFR191 sequences:

5 MTGGGNITEITYFILLGFSDFPRIKVLFTIFLVIYITSLAWNLSLIVLIRMDSHLHTPMYFFLSNLS
FIDVCYISSTVPKMLSNLLQEQQTITFVGCIIQYFIFSTMGLESCLMTAMAYDRYAAICNPLLYS
SIMSPTLCVWMVLGAYMTGLTASLFQIGALLQLHFCGSNVIRHFFCDMPQLLLSCTDTFFVQV
MTAILTMFFGIALVIMISYGYIGISIMKITSAGSPKAFNTCASHLTAVSLFYTSGIFVYLRSSS
GGSSSFDRFASVFYTVVIPMLNPLIYSLRNKEIKDALKRLQKRKCC (SEQ ID NO: 353)

10 ATGACTGGGGGAGGAAATATTACAGAAATCACCTATTTTCATCCTGCTGGGATTCTCAGATT
TTCCCAGGATCATAAAAGTGCTCTTCACTATATTCCTGGTGATCTACATTACATCTCTGGCC
TGGAACCTCTCCCTCATGTGTTTTAATAAGGATGGATTCCCACCTCCATACACCCATGTATTT
CTTCCTCAGTAACCTGTCTTCATAGATGTCTGCTATATCAGCTCCACAGTCCCCAAGATGC
TCTCCAACCTCTTACAGGAACAGCAAACCTATCACTTTTGTGGTTGTATTATTAGTACTTT
ATCTTTTCAACGATGGGACTGAGTGAGTCTTGTCTCATGACAGCCATGGCTTATGATCGTT
15 ATGCTGCCATTTGTAAACCCCTGCTCTATTCATCCATCATGTCACCCACCCCTCTGTGTTTGG
ATGGTACTGGGAGCCTACATGACTGGCCTCACTGCTTCTTTATTCCAAATTGGTGCTTTGCT
TCAACTCCACTTCTGTGGGTCTAATGTCATCAGACATTTCTTCTGTGACATGCCCAAACCTGT
TAATCTTGTCTGTACTGACACTTTCTTTGTACAGGTCATGACTGCTATATTAACCATGTTC
TTTGGGATAGCAAGTGCCCTAGTTATCATGATATCCTATGGCTATATTTGGCATCTCCATCA
TGAAGATCACTTCAGCTAAAGGCAGTCCAAAGGCATTCAACACCTGTGCTTCTCATCTAAC
20 AGCTGTTTCCCTCTTCTATACATCAGGAATCTTTGTCTATTTGAGGTCCAGCTCTGGAGGTT
CTTCAAGCTTTGACAGATTTGCATCTGTTTCTACACTGTGGTCATTCCCATGTTAAATCCC
TTGATTTACAGTTTGAGGAACAAAGAAATTAAGATGCCTTAAAGAGGTTGCAAAAGAGA
AAGTGCTGCTGA (SEQ ID NO: 354)

25 **AOLFR192 sequences:**

MENNTEVTEFILVGLTDDPELQIPLFIVFLFIYLITLVGNLGMIELILLDSCLHTPMYFFLSNLSLV
DFGYSSAVTPKVMVGFLTGDKFILYNACATQFFFFVAFITAESFLLASMA YDRYAAALCKPLHY
TTMTTNVCACLAIGSYICGFLNASIHTGNTFRLSFCRSNVVEHFFCDAPLLTLSCSDNYISEM
VIFVVGENDLFSILVILISYLFIFITIMKMRSPEGROKAFSTCASHLTAVSIFYGTGIFMYLRPNSS
30 HFMGTDKMASVFYAIVIPMLNPLVYSLRNKEVKSAFKKTVGKAKASIGFIF (SEQ ID NO: 355)

35 ATGGAGAACAAACACAGAGGTGACTGAATTCATCCTTGTGGGGTTAACTGATGACCCAGAA
CTGCAGATCCCACTCTTCATAGTCTTCCTTTTCATCTACCTCATCACTCTGGTTGGGAACCT
GGGGATGATTGAATTGATTCTACTGGACTCCTGTCTCCACACCCCCATGTACTTCTTCTCA
GTAACCTCTCCCTGGTGGACTTTGGTTATTCCTCAGCTGTCACTCCCAAGGTGATGGTGGG
GTTTCTCACAGGAGACAAATTCATATTATATAATGCTTGTGCCACACAATTTCTTCTTTG
TAGCCTTTATCACTGCAGAAAGTTTCTCCTGGCATCAATGGCCTATGACCGCTATGCAGC
ATTGTGTAAACCCCTGCATTACACCACCACCATGACAACAAATGTATGTGCTTGCCTGGCC
40 ATAGGCTCCTACATCTGTGGTTTCTGAATGCATCCATTACACTGGGAACACTTTCAGGC
TCTCCTTCTGTAGATCCAATGTAGTTGAACACTTTTTCTGTGATGCTCCTCCTCTTGTACT
CTCTCATGTTTCAGACAACCTACATCAGTGAGATGGTTATTTTTTTTGTGGTGGGATTCAATG
ACCTCTTTTCTATCCTGGTAATCTTGATCTCCTCACTTATTTATATTTATCACCATCATGAAG
ATGCGCTCACCTGAAGGACGCCAGAAGGCCTTTTCTACTTGTGCTTCCACCTTACTGCAG
TTTCCATCTTTTATGGGACAGGAATCTTTATGTACTTACGACCTAACTCCAGCCATTTTCATG
45 GGCACAGACAAAATGGCATCTGTGTTCTATGCCATAGTCATTCCCATGTTGAATCCACTGG
TCTACAGCCTGAGGAACAAAGAGGTTAAGAGTGCCTTTAAAAAGACTGTAGGGAAGGCAA
AGGCCTCTATAGGATTCATATTTTAA (SEQ ID NO: 356)

AOLFR193 sequences:

50 MENKTEVTQFILLGLTNDSELQVPLFITFPFIYIITLVGNLGIIVLIFWDSCLHNPMYFFLSNLSLV
DFCYSSAVTPIVMAGFLIEDKVISYNACAAQMYIFVAFATVENYLLASMA YDRYAAVCKPLHY
TTTMTTTVCARLAIGSYLCGFLNASIHTGDTFSLSFCKSNEVHHFFCDIPAVMVLSCSDRHISEL
VLIYVVSFNIFIALLVILISYTFIFITILKMHSASVYQKPLSTCASHFIAVGIFYGTIIFMYLQPSSSH
SMDTDMAPVFYTMVIPMLNPLVYSLRNKEVKSAFKKVVEKAKLSVGWSV (SEQ ID NO:
55 357)

ATGGAAAATAAGACAGAAAGTAACACAATTCATTCTTCTAGGACTAACCAATGACTCAGAA
CTGCAGGTTCCCCTCTTTATAACGTTCCCCTTCATCTATATTATCACTCTGGTTGGAAACCT
GGGAATTATTGTATTGATATTCTGGGATTCCCTGTCTCCACAATCCCATGTACTTTTTTCTCA
GTAACCTGTCTCTAGTGGACTTTTGTACTCTTCAGCTGTCACTCCCATCGTCATGGCTGGA
5 TTCCTTATAGAAGACAAGGTCATCTCTTACAATGCATGTGCTGCTCAAATGTATATCTTTGT
AGCTTTTGGCACTGTGGAAAATTACCTCTTGGCCTCAATGGCCTATGACCGCTATGCAGCA
GTGTGCAAACCCCTACATTACACCACAACCATGACAACAACCTGTGTGTGCTCGTCTGGCCA
TAGGCTCCTACCTCTGTGGTTTCTGAATGCCTCCATCCACACTGGGGACACATTTAGTCTC
TCTTTCTGTAAGTCCAATGAAGTCCATCACTTTTTCTGTGATATTCCAGCAGTCATGGTTCT
10 CTCTTGCTCTGATAGACATATTAGCGAGCTTGTTCCTTATTTATGTTGTGAGCTTCAATATCT
TTATAGCTCTCCTGGTTATCTTGATATCCTACACATTCATTTTTATCACCATCCTAAAGATG
CACTCAGCTTCAGTATACCAGAAGCCTTTGTCCACCTGTGCCTCTCATTTCAATTGCAGTCGG
CATCTTCTATGGGACTATTATCTTCATGTACTTACAACCCAGCTCCAGTCACTCCATGGACA
CAGACAAAATGGCACCTGTGTTCTATACAATGGTCATCCCCATGCTGAACCCCTGGTCTA
15 TAGTCTGAGGAACAAGGAAGTGAAGAGTGCATTCAAGAAAGTTGTTGAGAAGGCAAAATT
GTCTGTAGGATGGTCAGTTTAA (SEQ ID NO: 358)

AOLFR194 sequences:

MERQNSQSCVVEFILLGFSNYPELQGQLFVAFLVIYLVTLIGNAIIIVIVSLDQSLHVPMYLFLNL
20 SVVDLSFSAVIMPEMLVVLSTEKTTISFGGCFQMYFILLFGGAECFLLGAMAYDRFAAICHPL
NYQMIMNKGVMKLIHFSWALGFMGLTVQTSWVSSFPFCGLNEINHISCETPAVLELACADTFL
FEIYAFGTFLIILVPFLLLSYIRVLFALKMPSTTGRQKAFSTCAAHLTSVTLFYGTASMTYLQ
PKSGYSPETKKVMSLSYSLTPLLNLIIYSLRNSEMKRALMKLWRRRVVLHTI (SEQ ID NO:
359)

25 ATGGAAAGACAAAATCAAAGCTGTGTGGTTGAATTCATCCTCTTGGGCTTTTCTAACTATC
CTGAGCTCCAGGGGCAGCTCTTGTGGCTTTCCTGGTTATTTATCTGGTGACCCTGATAGG
AAATGCCATTATTATAGTCATCGTCTCCCTAGACCAGAGCCTCCACGTTCCCATCTACCTGT
TTCTCCTGAACCTTATCTGTGGTGGACCTGAGTTTCAAGTGCAGTTATTATGCCTGAAATGCT
30 GGTGGTCTCTCTACTGAAAAAACTACAATTTCTTTTGGGGGCTGTTTTGCACAGATGTAT
TTCATCCTTCTTTTTGGTGGGGCTGAATGTTTTCTTCTGGGAGCAATGGCTTATGACCGATT
TGCTGCAATTTGCCATCCTCTCAACTACCAAATGATTATGAATAAAGGAGTTTTTATGAAA
TTAATTATATTTTCATGGGCCTTAGGTTTTATGTTAGGTACTGTTCAAACATCATGGGTATC
TAGTTTTCCCTTTTGTGGCCTTAATGAAATTAACCATATATCTTGTGAAACCCAGCAGTGT
35 TAGAACTTGCATGTGCAGACACGTTTTTGTGTTGAAATCTATGCATTACAGGCACCTTTTTG
ATTATTTTGGTTCTTTCTTGTGATACTCTTGTCTTACATTGAGTTCTGTTTGCCATCCTG
AAGATGCCATCAACCACTGGGAGACAAAAGGCCTTTCCACCTGTGCCGCTCACCTCACAT
CTGTGACCCTATTCTATGGCACAGCCAGTATGACTTATTTACAACCCAAATCTGGCTACTC
ACCGGAAACCAAGAAAGTGATGTCTTACTCACTTCTGACACCAGTCTGAATCTG
40 CTTATCTACAGTTTGCAGAAATAGTGAGATGAAGAGGGCTTTGATGAAATTATGGCGAAGG
CGAGTGGTTTTACACACAATCTGA (SEQ ID NO: 360)

AOLFR195 sequences:

MIVQLICTVCFLAVNTFHVRSFDFLKADDMGEINQTLVSEFLLGLSGYPKIEIVYFALILVMY
45 LVILIGNGVLIASIFDSHFHTPMYFFLGNLSFLDICYTSSVPSTLVSLISKRNISFSGCAVQMFF
GFAMGSTECLLLGMMAFDYVAICNPLRYPIILSKVAYVLMASVSWLSGGINSVQTLAMRL
PFCGNNIINHFACEILAVLKLACADISLNIITMVISNMAFLVPLMVIFFSYMFILYTIQMNSATG
RRKAFSTCSAHLTVVIFYGTIFFMYAKPKSQDLIGEEKLQALDKLISLFYGVVTPMLNPILYSLR
NKDVKAALKYLLNKKPIH (SEQ ID NO: 361)

50 ATGATTGTTTCAGTTAATTTGTACTGTTTGTCTTGGCAGTAAATACATTTTCATGTTAGATC
TTCTTTTGATTTCTGAAAGCAGATGACATGGGTGAGATTAACCAGACACTTGTGTCAGAA
TTTCTTCTTCTGGGTCTTCTGGATACCCAAAGATTGAGATTGTTTACTTTGCTCTCATTCT
AGTTATGTACCTAGTGATTCTAATTGGCAATGGTGTCTAATCATAGCCAGCATCTTTGATT
55 CTCATTTTCACACACCAATGTACTTCTTCTGGGCAACCTCTCTTCTCCTGGATATCTGCTAT
ACATCCTCCTCTGTTCCTCAACATTGGTGAGCTTAATCTCAAAGAAAAGAAACATTTCT

TCTCTGGATGTGCAGTGCAGATGTTCTTTGGGTTTGCAATGGGGTCAACAGAATGTCTGCT
TCTTGGCATGATGGCATTGATCGTTATGTGGCCATCTGCAACCCACTGAGATACCCCATC
ATCCTGAGCAAGGTGGCGTATGTATTGATGGCTTCTGTGTCCTGGCTGTCCGGTGGAATAA
ATTCAGCTGTGCAAACATTACTTGCCATGAGACTGCCTTTCTGTGGGAATAATATTATCAA
5 TCATTTCGCATGTGAAATATTAGCTGTCTCAAGCTGGCCTGTGCTGATATATCCCTCAATA
TTATCACCATGGTGATATCAAATATGGCCTTCCTGGTTCTTCCACTGATGGTCATTTTTTTC
TCCTATATGTTTCATCTCTACACCATCTTGCAAATGAATTCAGCCACAGGAAGACGCAAGG
CATTTTCCACGTGCTCAGCTCACCTGACTGTGGTGATCATATTTTACGGTACCATCTTCTTT
ATGTATGCGAAACCGAAGTCTCAAGACCTGATTGGGGAAGAAAAATTGCAAGCATTAGAC
10 AAGCTCATTTCTCTGTTTTATGGGGTAGTGACCCCATGCTGAATCCTATACTCTATAGCTT
GAGAAATAAGGATGTAAAAGCTGCTGTAAAATATTTGCTGAACAAAAACCAATCACTA
A (SEQ ID NO: 362)

AOLFR196 sequences:

15 MLESNYTMPTEFLFVGFTDYLPLRVTLFLVFLVYTLTMVGNILLIILVNINSSLQIPMYFYLSNL
SFLDISCSTAITPKMLANFLASRKSISPYGCALQMFFFAFADAECILLAAMAYDRYAAICNPLL
YTTLMSSRRVCVCFIVLAYFSGSTTSLVHVCLTFRLSFCGSNIVNHFFCDIPLLALSCTDTQINQL
LLFALCSFIQTSTFVVFISYFCILITVLSIKSSGGRSKTFSTCASHLIAVTLFYGALLFMYLQPTTS
YSLDTDKVVAVFYTVVFPMPFNPIYSFRNKDVKNALKKLLERIGYSNEWYLNRLRIVNI (SEQ
20 ID NO: 363)

ATGTTGGAGAGTAATTACACCATGCCAACTGAGTTCCTATTTGTTGGATTACAGATTATC
TACCTCTCAGAGTCACACTGTTCTTGGTATTCCTTCTGGTATATACATTAACATATGGTCGGA
AATATACTCTTAATAATTCTAGTTAATATTAATTCAAGCCTTCAAATTCCCATGTATTATTT
25 TCTTAGCAACTTATCTTTCTTAGACATCAGCTGTTCTACAGCAATCACTCCTAAATGCTGG
CAAACCTCTTGGCATCCAGGAAAAGCATCTCTCCTTATGGGTGTGCACTACAAATGTTTTT
CTTCGTTCTTTTGGCTGATGCTGAGTGCCTTATCCTGGCAGCAATGGCTTATGACCGCTATG
CAGCCATCTGCAACCCACTGCTCTATACTACACTGATGTCTAGGAGAGTCTGTGTCTGCTT
CATTGTGTTGGCATATTTTCACTGGAAGTACAACATCACTGGTCCATGTGTGCTCACATTC
30 AGGCTGTCATTTTGTGGCTCCAATATCGTCAATCATTTTTTCTGTGATATCCACCTCTTCT
GGCTTTATCATGTACAGACACTCAGATCAACCAGCTTCTGCTCTTTGCTTTGTGCAGCTTCA
TCCAGACCAGCACTTTTGTGGTAATATTTATTTCTTACTTCTGCATCCTCATCACTGTGTTG
AGCATCAAGTCTCAGGTGGCAGAAGCAAAACATTCTCCACTTGTGCTTCCACCTCATAG
CAGTCACCTTATTCTATGGAGCGCTCCTGTTTATGTACTTACAGCCCACCACTAGCTATTCC
35 CTAGACACTGATAAGGTGGTGGCAGTGTTTTATACTGTTGTATTTCCCATGTTTAATCCAA
TAATTTATAGTTTTCAGAAACAAGGATGTGAAAAATGCTCTCAAAAAGCTATTAGAAAGAA
TTGGATATTCAAATGAATGGTATTTAAATCGTTTAAGAATAGTCAATATCTAA (SEQ ID NO:
364)

AOLFR197 sequences:

MCYLSQLCLSLGEHTLHMGMRHTNESNLAGFILLGFSDYPQLQKVLFLILLYLLTILGNNTI
ILVSRLEPKLHMPMYFFLSHLSFLYRCFTSSVIPQLLVNLWEPMTIAYGGCLVHLYNSHALGS
TECVLLALMSCDRYVAVCRPLHYTVLMHIHLCMALASMAWLSGIATTLVQSTLTLQLPFCGH
RQVDHFICEVPVLIKLACVGTTFNEAEFLVASILFLIVPVSFILVSSGYIAHAVLRIKSATRRQKAF
45 GTCFSLTLTVVTIFYGTIFMYLQPAKSRSRDQGKFVSLFYTVVTRMLNPLIYTLRIKEVKGALKK
VLAKALGVNIL (SEQ ID NO: 365)

ATGTGTTATCTTTCTCAGCTATGCCTCAGCCTTGGGGAACACACTTTACATATGGGGATGG
TGAGACATACCAATGAGAGCAACCTAGCAGGTTTCATCCTTTTAGGGTTTTCTGATTATCC
50 TCAGTTACAGAAGGTTCTATTTGTGCTCATATTGATTCTGTATTTACTAACTATTTGGGGA
ATACCACCATCATTCTGGTTTCTCGTCTGGAACCCAAGCTTCATATGCCGATGTATTTCTTC
CTTTCTCATCTCTCCTTCCTGTACCGCTGCTTACCAGCAGTGTTATTCCCCAGCTCCTGGT
AAACCTGTGGGAACCCATGAAAACATCGCCTATGGTGGCTGTTTGGTTACCTTTACAAC
TCCCATGCCCTGGGATCCACTGAGTGCGTCTCTTGGCTCTGATGTCCTGTGACCGCTATGT
55 GGCTGTCTGCCGTCTCTCCATTACACTGTCTTAATGCATATCCATCTCTGCATGGCCTTGG
CATCTATGGCATGGCTCAGTGGAATAGCCACCACCTGGTACAGTCCACCCTCACCTGCA

GCTGCCCTTCTGTGGGCATCGCCAAGTGGATCATTTTCATCTGCGAGGTCCCTGTGCTCATC
AAGCTGGCTTGTGTGGGCACCACGTTTAAACGAGGCTGAGCTTTTTGTGGCTAGTATCCTTT
TCCTTATAGTGCCTGTCTCATTTCATCTCTGGTCTCCTCTGGCTACATTGCCACGCAGTGTG
AGGATTAAGTCAGCTACCAGGAGACAGAAAGCATTTCGGGACCTGCTTCTCCACCTGACA
5 GTGGTCACCATCTTTTATGGAACCATCATCTTTCATGTATCTGCAGCCAGCCAAGAGTAGAT
CCAGGGACCAGGGCAAGTTTGTCTCTCTTCTACACTGTGGTAACCCGCATGCTTAACCC
TCTTATTTATACCTTGAGGATCAAGGAGGTGAAAGGGGCATTAAAGAAAGTTCTAGCAAA
GGCTCTGGGAGTAAATATTTTATGA (SEQ ID NO: 366)

10 **AOLFR198 sequences:**

MENCTEVTKFILLGLTSVPELQIPLFILFTFIYLLTLCGNLGMMLLILMDSCLHTPMYFFLSNLSL
VDFGYSSAVTPKVMAGFLRGDKVISYNACAVQMFFVALATVENYLLASMAYDRYA AVCKP
LHYTTTMTASVGACLALGSYVCGFLNASFHIGGIFSLSFCKSNLVHHFFCDVPAVMALSCSDKH
TSEVILVMSSFNIFVLLVIFISYLFIFITILKMHSAKGHQKALSTCASHFTA VSVFYGT VIFYLQ
15 PSSSHSMDTDKMASVFYAMIIPMLNPVVYSLRNREVQNAFKKVLRRQKFL (SEQ ID NO: 367)

ATGGAGAATTGTACGGAAGTGACAAAGTTCATTCTTCTAGGACTAACCAGTGTCCAGAAC
TACAGATCCCCCTCTTTATCTTGTTCACCTTCATCTACCTCCTCACTCTGTGTGGGAACCTG
GGGATGATGTTGCTGATCCTGATGGACTCTTGTCTCCACACCCCCATGTACTTTTTCTCTCAG
20 TAACCTGTCTCTGGTGGACTTTGGATACTCCTCAGCTGTCACTCCCAAGGTCATGGCTGGG
TTCCTTAGAGGAGACAAGGTCATCTCCTACAATGCATGTGCTGTTTCAGATGTTCTTCTTTGT
AGCCTTGGCCACGGTGGAAAATTACTTGTGGCCTCAATGGCCTATGACCGCTATGCAGCA
GTGTGCAAACCCCTACACTACACCACCACCATGACGGCCAGTGTAGGTGCCTGTCTGGCCC
TAGGCTCATATGTCTGTGGCTTCCTAAATGCCTCATTCCACATTGGGGGCATATTCAAGTCTC
25 TCTTCTGTAAATCCAATCTGGTACATCACTTTTTCTGTGATGTTCCAGCAGTCATGGCTCT
GTCTTGCTCTGATAAACACACTAGTGAGGTGATTCTGTTTATGTCAAGCTTTAATATCT
TTTTGTCTTCTAGTTATCTTTATCTCCTACTTGTTTCATATTTCATCACCATTGAAGATGC
ATTCAGCTAAGGGACACCAAAAAGCATTGTCCACCTGTGCTCTCACTTCACTGAGTCTC
CGTCTTCTATGGGACAGTAATCTTCATCTACTTGCAGCCCAGCTCCAGCCACTCCATGGAC
30 ACAGACAAAATGGCATCTGTGTTCTATGCTATGATCATCCCCATGCTGAACCCTGTGGTCT
ACAGCCTGAGGAACAGAGAAGTCCAGAATGCATTCAAGAAAGTGTGAGAAGGCAAAAAT
TTCTATAA (SEQ ID NO: 368)

AOLFR199 sequences:

35 MDTGNKTL PQDFLLGFPQSQT LQLSLFMLFLVMYILTVSGNVAILMLVSTSHQLHTPMYFFLS
NLSFLEIWYTAA VPKALAILLGRSQTISFTSCLLQMYFVSLGCTEYFLLAAMAYDRCLAICY P
LHYGAIMSSLLSAQLALGSWVC GFVAIAVPTALISGLSFCGPRAINHHFFCDIAPWIALACTNTQA
VELVAFVIAVVVILSSCLITFVSYYIISTILRIPSASGRSKAFSTCSSHLTVVLIWYGSTVFLHVR
TSIKDALDLIKA VHVLNTVVTPVLNPFYITLRNKEVRETLKKWK GK (SEQ ID NO: 369)

40 ATGGACACAGGCAACAAAACCTCTGCCCCAGGACTTTCTCTTACTGGGCTTTCTGTTCTC
AAACTCTTCAGCTCTCTCTCTTTATGCTTTTTCTGGTGATGTACATCCTCACAGTTAGTGGT
AATGTGGCTATCTTGATGTTGGTGAGCACCTCCCATCAGTTGCATACCCCCATGTACTTCTT
TCTGAGCAACCTCTCCTTCTGAGATTTGGTATACCACAGCAGCAGTGCCCAAAGCACTG
45 GCCATCCTACTGGGGAGAAAGTCAGACCATATCATTTACAAGCTGTCTTTTGAGATGTACT
TTGTTTCTCATTAGGCTGCACAGAGTACTTCTCCTGGCAGCCATGGCTTATGACCGCTGT
CTTGCCATCTGCTATCCTTTACACTACGGAGCCATCATGAGTAGCCTGCTCTCAGCGCAGC
TGGCCCTGGGCTCCTGGGTGTGTGGTTTTCTGTTGTTGAGTGCAGTGCCCAAGCCCTCAG
TGGCCTGTCTTCTGTGGCCCCCGTGCCATCAACCACCTTCTTCTGTGACATTGCACCCCTGGA
50 TTGCCCTGGCCTGCACCAACACACAGGCAGTAGAGCTTGTGGCCTTTGTGATTGCTGTTGT
GGTTATCCTGAGTTCATGCCTCATCACCTTTGTCTCCTATGTGTACATCATCAGCACCATCC
TCAGGATCCCCCTCTGCCAGTGGCCGGAGCAAAGCCTTCTCCACGTGCTCCTCGCATCTCAC
CGTGGTGCTCATTTGGTATGGGTCCACAGTTTCTTCTCACGTCCGCACCTCTATCAAAGAT
GCCTTGGATCTGATCAAAGCTGTCCACGTCTGAACACTGTGGTGACTCCAGTTTAAACC
55 CCTTCATCTATACGCTTCGTAATAAGGAAGTAAGAGAGACTCTGCTGAAGAAATGGAAGG
GAAAATAA (SEQ ID NO: 370)

AOLFR200 sequences:

MTRKNYTSLTEFVLLGLADTLELQIILFLFFLVITYTLTVLGNLGMILLIRIDSQ LHTPMYFFLANL
SFVDVCNSTTTTPKMLADLLSEKKTISFAGCFLQMYFFISLATTECILFGLMAYDRYAAICRPLL
5 YSLIMSRTVYLKMAAGAF AAGLLNFMVNTSHVSSLSFCDSNVIHHFFCDSPPLFKLSCSDTILKE
SISSILAGVNIVGTLLVILSSYSYVLF SIFSMHSGEGRHAFSTCASHLTAIILFYATCIYTYLRPSS
SYSLNQDKVASVFYTVVIPMLNPLIYSLRSKEVKKALANVISRKRTSSFL (SEQ ID NO: 371)

ATGACCAGAAAAAATTATACCTCACTGACTGAGTTCGTCCTATTGGGATTAGCAGACACGC
10 TGGAGCTACAGATTATCCTCTTTTTGTGTTTTCTTGATTTATACACTTACAGTACTGGGA
AATCTCGGGATGATCCTCTTAATCAGGATCGATTCCCAGCTTCACACACCCATGTATTTCTT
CCTGGCTAACCTGTCCTTTGTGGACGTTTGTAACCTCAACTACCATCACCCCAAAGATGCTG
GCAGATTTATTATCAGAGAAGAAAACCATCTCTTTTGTGCTGGCTGCTTCCTACAGATGTACT
TCTTTATCTCCCTGGCGACAACCGAATGCATCCTCTTTGGGTTAATGGCCTATGACAGGTA
15 TGCGGCCATATGTCGCGCCGCTGCTTTACTCCTTGATCATGTCCAGGACCGTCTACCTAAAA
ATGGCAGCCGGGGCTTTTGTGTCAGGGTTGCTGAACTTCATGGTCAACACAAGCCATGTCA
GCAGCTTGTCATTCTGTGACTCCAATGTCATCCATCACTTCTTCTGTGACAGTCCCCCACTT
TTCAAGCTCTCTTGTCTGACACAATCCTGAAAGAAAGCATAAGTCTATTTTGGCTGGTG
TGAATATTGTGGGGACTCTGCTTGTTCATCCTCTCCTCCTACTCCTACGTTCTCTTCTCCATT
20 TTTTCTATGCATTGCGGGGAGGGGAGGCACAGAGCTTTCTCCACGTGTGCTCTCACCTGA
CAGCCATAATTCTGTTCTATGCCACCTGCATCTATACTTACCTGAGACCTAGTTCAGCTAC
TCCCTGAATCAGGACAAAGTGGCTTCTGTGTTCTACACAGTGGTGATTCCCATGTTGAATC
CTCTGATCTACAGCCTCAGGAGTAAGGAAGTAAAGAAAGGCTTTAGCGAATGTAATTAGCA
GGAAAAGGACCTCTTCTTTCTGTGA (SEQ ID NO: 372)

25

AOLFR201 sequences:

MEWENHTILVEFFLKGLSGHPRLELLFFVLIFIMYVVILLGNGTLILISILDPHLHTPMYFFLGNL
SFLDICYTTTIPSTLV SFLSERKTISLSGCAVQMFLGLAMGTTECVLLGMMAFDRYVAICNPLR
YPIIMSKDAYVPMAAGSWIIGAVNSAVQSVFVVL PFCRNNIINHFTCEILAVMKLACADISDN
30 EFIMLVATTLFILTPLLLIIVSYTLIIVSIFKISSSEGRSKASSTCSAHLTVVIIFYGTILFMYMKPKS
KETLNSDDLDATDKIISM FYGVMTPMMNPLIYSLRNKDVKEAVKHLLNRRFFSK (SEQ ID NO:
373)

ATGGAATGGGAAAACCACACCATTTCTGGTGGAATTTTTCTGAAGGGACTTTCTGGTCACC
35 CAAGACTTGAGTTACTCTTTTTTGTGCTCATCTTCATAATGTATGTGGTCATCCTTCTGGGG
AATGGTACTCTCATTTTAATCAGCATCTTGACCCTCACCTTCACACCCCTATGTACTTCTT
TCTGGGGAACCTCTCCTTCTTGACATCTGCTACACCACCACCTCTATTCCCTCCACGCTAG
TGAGCTTCCTTTAGAAAAGAAAGACCATTTCCTTTCTGGCTGTGCAGTGCAGATGTTCTT
CGGCTTGGCCATGGGGACAACAGAGTGTGTGCTTCTGGGCATGATGGCCTTTGACCGCTAT
40 GTGGCTATCTGCAACCCTCTGAGATATCCCATCATCATGAGTAAGGATGCCTATGTACCCA
TGGCAGCTGGGTCTGGATCATAGGAGCTGTCAATTCTGCAGTACAATCAGTGTTTGTGGT
ACAATTGCCTTTCTGCAGGAATAACATCATCAATCATTTACCTGTGAAATTCTGGCTGTC
ATGAAACTGGCCTGTGCTGACATCTCAGACAATGAGTTCATCATGCTTGTGGCCACAACAT
TGTTTCATATTGACACCTTTGTTATTAATCATTGTCTCTTACACGTTAATCATTGTGAGCATC
45 TTCAAAATTAGCTCTTCCGAGGGGAGAAAGCAAGCTTCCTCTACCTGTTAGCCCATCTGA
CTGTGGTGCATAATATTCTATGGGACCATCCTCTTCATGTACATGAAGCCCAAGTCTAAAGA
GACACTTAATTTCGGATGACTTGGATGCTACCGACAAAATTATATCCATGTTCTATGGGGTG
ATGACTCCCATGATGAATCCTTTAATCTACAGTCTTAGAAACAAGGATGTGAAAGAGGCA
GTAAACACCTACTGAACAGAAGGTTCTTTAGCAAGTGA (SEQ ID NO: 374)

50

AOLFR202 sequences:

MEWENHTILVEFFLKGLSGHPRLELLFFVLIFIMYVVILLGNGTLILISILDPHLHTPMYFFLGNL
SFLDICYTTTIPSTLV SFLSERKTISLSGCAVQMFLSLAMGTTECVLLGVMAFDRYVAICNPLR
YPIIMSKDAYVPMAAGSWIIGAVNSAVQTVFVVL PFCRNNIINHFTCEILAVMKLACADISGN
55 EFILLVTTTTLFLTPLLIIIVSYTLIILSIFKISSSEGRSKPSSTCSARLTVVITFCGTIFLMYMKPKSQ

ETLNSDDLDATDKLIFYRVMTPMMNPLIYSLRNKDVKEAVKHLLRRKNFNK (SEQ ID NO: 375)

5 ATGGAATGGGAAAACACACCATTCTGGTGGAATTTTTCTGAAGGGACTTTCTGGTCACC
CAAGACTTGAGTTACTCTTTTTGTGCTCATCTTCATAATGTATGTGGTCATCCTTCTGGGG
AATGGTACTCTCATTTTTAATCAGCATCTTGGACCCTCACCTTCACACCCCTATGTACTTCTT
TCTGGGGAACCTCTCCTTCTTGGACATCTGCTACACCACCACCTCTATTCCTCCACGCTAG
TGAGCTTCCCTTCAGAAAGAAAGACCATTTCCTTTCTGGCTGTGCAGTGCAGATGTTCCCT
10 CAGCTTGGCCATGGGGACAACAGAGTGTGTCTTCTGGGCGTGATGGCCTTTGACCGCTAT
GTGGCTATCTGCAACCCTCTGAGATATCCCATCATCATGAGTAAGGATGCCTATGTACCCA
TGGCAGCTGGGTCTCGATCATAGGAGCTGTCAATTCTGCAGTACAAACAGTGTTTGTGGT
ACAATTGCCCTTCTGCAGGAATAACATCATCAATCATTTACCTGTGAAATTCTAGCTGTC
ATGAAACTGGCCTGTGCTGACATCTCAGGCAATGAGTTCATCCTGCTTGTGACCACAACAT
15 TGTTCCCTATTGACACCTTTGTTATTAATTATTGTCTCTTACACGTTAATCATTTTGTAGCATC
TTCAAAATTAGCTCTTCGGAGGGGAGAAGCAAACCTTCCTCTACCTGCTCAGCTCGTCTGA
CTGTGGTGATAACATTCTGTGGGACCATCTTCCTCATGTACATGAAGCCCAAGTCTCAAGA
GACACTTAATTCAGATGACTTGGATGCCACTGACAACTTATATTCATATTCTACAGGGTG
ATGACTCCCATGATGAATCCTTTAATCTACAGTCTTAGAAACAAGGATGTGAAGGAGGCA
GTAAACACCTACTGAGAAGAAAAAATTTTAAACAAGTAA (SEQ ID NO: 376)

20
AOLFR203 sequences:
MKRQNSQSCVVEFILLGFSNFPELQVQLFGVFLVIYVVTLMGNAITVIISLNQSLHVPMYLFLN
LSVVEVSFSAVITPEMLVVLSTEKTMISFVGCF AQMYFILLFGGTECFLLGAMAYDRFAAICHPL
NYPVIMNRGVFMKLVIFSWISGIMVATVQTTWVFSFPFCGPNEINHLCETPPVLELVCADTFLF
25 EIYFTGTILIVMVPFLLILLSYIRVLFALIKMPSTTGRQKAFSTCASHLTSVTLFYGTANMTYLQ
PKSGYSPETKKLISLAYTLLTPLLNPLIYSLRNSEMKRTLILKLRWKVILHTF (SEQ ID NO: 377)

ATGAAAAGACAAAATCAAAGCTGTGTGGTTGAATTCATCCTCCTGGGCTTTTCTAACTTTC
30 CTGAGCTCCAGGTGCAGCTCTTTGGGGTTTTCTAGTTATTTATGTGGTGACCCTGATGGG
AAATGCCATCATTACAGTCATCATCTCCTTAAACCAGAGCCTCCACGTTCCCATGTACCTGT
TCCTCCTGAACCTATCTGTGGTGGAGGTGAGTTTTCAGTGCAGTCATTACGCCTGAAATGCT
GGTGGTGCTCTCTACTGAGAAAACTATGATTTCTTTTGTGGGCTGTTTGCACAGATGTAT
TTCATCCTTCTTTTGGTGGGACTGAATGTTTCTCCTGGGAGCGATGGCTTATGACCATT
TGCTGCAATTTGCCATCCTCTGAACTACCCAGTGATTATGAACAGAGGGGTTTTTATGAAA
35 TTAGTAATATTCTCATGGATCTCAGGGATCATGGTGGCTACTGTGCAGACCACCTGGGTAT
TTAGTTTCCATTTTGTGGCCCCAATGAAATTAATCATCTCTTCTGTGAGACTCCCCCGGTA
CTAGAGCTTGTGTGTGCAGACACCTTCTTATTTGAAATCTATGCCTTCACAGGCACCATTTT
GATTGTTATGGTTCCTTTCTTGTGATCCTCTTGTCTTACATTTCGAGTTCTGTTTGCCATCCT
GAAGATGCCATCACTACTGGGAGACAAAAGGCCTTTTCCACCTGTGCCTCTCACCTCACA
40 TCTGTGACCCTGTTCTATGGCACAGCCAATATGACTTATTTACAACCCAAATCTGGCTACTC
ACCCGAAACCAAGAAACTGATCTCATTGGCTTACACGTTGCTTACCCCTCTGCTCAATCCG
CTCATCTATAGCTTACGAAACAGTGAGATGAAGAGGACTTTGATAAACTATGGCGAAGA
AAAGTGATTTTACACACATTCTGA (SEQ ID NO: 378)

45 **AOLFR204 sequences:**
MEKKKNVTEFILIGLTQNPIMEKVTFVFLVLYMITLSGNLLIVVTITTSQALSSPMYFFLTHLSL
IDTVYSSSAPKLIVDSFQEKKIISFNGCMAQAYAEHIFGATEIILLVMACDCYVAICKPLNYTT
IMSHSLCILLVAVAWVGGFLHATIQILFTVWLPFCGPNVIGHFMCPLYLLKLVCIDHTLGLFV
AVNSGFICLLNFLILVVSYVILRSLKNNLEGRCKALSTCISHIIVVLFVPCIFVYLRSVTTLPI
50 DKAVAVFYTMVVPMLNPVVYTLRNAEVKSAIRKLWRKKVTSND (SEQ ID NO: 379)

ATGGAGAAGAAAAAGAATGTGACTGAATTCATTTTAAATAGGTCTTACACAGAACCCCAT
ATGGAGAAAGTCACGTTTGTAGTATTTTTGGTCTTTACATGATAACACTTTCAGGCAACC
TGCTCATTGTGGTTACCATTACCACCAGCCAGGCTCTGAGCTCCCCCATGTACTTCTTCTG
55 ACCACCTTTCTTTGATAGACACAGTTTATTCTTCTTCTTACAGCTCCTAAGTTGATTGTGGA
TTCCTTTCAAGAGAAGAAAAATCATCTCCTTTAATGGGTGTATGGCTCAAGCCTATGCAGAA

CACATTTTGGTGCTACTGAGATCATCCTGCTGACAGTGATGGCCTGTGACTGCTATGTGG
 CCATCTGCAAACCTCTGAACTACACAACCATATTAGGCCACAGCCTGTGCATTCTCCTGGT
 GGCAGTGGCCTGGGTGGGAGGATTCTTCATGCAACTATTCAGATTCTCTTTACAGTATGG
 CTGCCCTTCTGTGGCCCAATGTCATAGGCCACTTCATGTGTGACTTGTACCCATTGTTAAA
 5 ACTTGTGTTGCATAGACACTCATAACCCTTGGTCTCTTTGTTGCTGTGAACAGTGGGTTTATCT
 GCTTATTAAACTTCCTTATCTTGGTGGTATCCTATGTGATCATCTTGAGATCTTTAAAGAAC
 AATAGCTTGGAGGGGAGGTGTAAAGCCCTCTCCACCTGTATTTCTCACATCATAGTAGTTG
 TCTTATTCTTTGTGCCCTGTATATTTGTGTATCTGCGCTCAGTGACCACTCTGCCCATTGAT
 AAAGCTGTTGCTGTATTTTATACTATGGTGGTCCCAATGTTAAATCCCGTGGTCTACACAC
 10 TCAGAAATGCTGAGGTAAAAAGTGCAATAAGGAAGCTTTGGAGAAAAAAAGTGACTTCAG
 ATAATGATTAA (SEQ ID NO: 380)

AOLFR205 sequences:

MESENRTVIREFILLGLTQSQDIQLLVFVLVLIFYFIILPGNFIIFTIKSDPGLTAPLYFFLGNLAFL
 15 DASYSFTVAPRMLVDFLSAKKIISYRGCTQLFFLHFLGGGEGLLLVMMAFDRIAICRPLHYPT
 VMNPRTCYAMMLALWLGGFVHSIIQVVLJLRLPFCGPNQLDNFFCDVPQVIKLACTDTFVVEL
 LMVFNGLMTLLCFLGLLASAVILCRIRGSSSEAKNKAMSTCITHIIVIFFMFGPGIFYTRPFRA
 FPADKVVSLFHTVIFPLLNPVIYTLRNQEVKASMKKVFNKHIA (SEQ ID NO: 381)
 20 ATGGAAAGCGAGAACAGAACAGTGATAAGAGAATTCATCCTCCTTGGTCTGACCCAGTCT
 CAAGATATTCAGCTCCTGGTCTTTGTGCTAGTTTTAATATTCTACTTCATCATCCTCCCTGG
 AAATTTTCTCATTATTTTACCATAAAGTCAGACCCTGGGCTCACAGCCCCCTCTATTTCT
 TTCTGGGCAACTTGGCCTTCTGGATGCATCCTACTCCTTCACTGTGGCTCCCCGGATGTTG
 GTGGACTTCCTCTCTGCGAAGAAGATAATCTCCTACAGAGGCTGCATCACTCAGCTCTTTT
 25 TCTTGCACTTCCTTGGAGGAGGGGAGGGATTACTCCTTGTGTGATGGCCTTTGACCGCTA
 CATCGCCATCTGCCGGCTCTGCACTATCCTACTGTGCATGAACCCTAGAACCTGTATGCA
 ATGATGTTGGCTCTGTGGCTTGGGGGTTTTGTCCACTCCATTATCCAGGTGGTCTCATCCT
 CCGCTTGCCTTTTTGTGGCCCAAACAGCTGGACAACCTTCTTCTGTGATGTCCACAGGTC
 ATCAAGCTGGCCTGCACCGACACATTTGTGGTGGAGCTTCTGATGGTCTTCAACAGTGGCC
 30 TGATGACACTCCTGTGCTTTCTGGGGCTTCTGGCCTCCTATGCAGTCATTCTTTGTGCGATA
 CGAGGGTCTTCTTCTGAGGCAAAAACAAGGCCATGTCCACGTGCATCACCCATATCATTG
 TTATATTCTTCATGTTTGGACCTGGCATCTTCATCTACACGCGCCCTTCAGGGCTTTCCCA
 GCTGACAAGGTGGTTTCTCTCTTCCACACAGTGATTTTTCCTTTGTTGAATCCTGTCAATTA
 TACCCTTCGCAACCAGGAAGTGAAAGCTTCCATGAAAAAGGTGTTTAATAAGCACATAGC
 35 CTGA (SEQ ID NO: 382)

AOLFR206 sequences:

MANRNNVTEFILLGLTENPKMQKIIFVFSVIYINAMIGNVLIVVTITASPSLRSPMYFFLAYLSFI
 40 DACYSSVNTPKLITDSLYENKTLFNGCMTQVFGEHFFRGVEVILLTVMAYDHYVAICKPLHYT
 TIMKQHVCSLLVGVSWVGGFLHATIQLFICQLPFCGPNVIDHFMCDLYTLNLACTNTHTLGLF
 IAANSGFICLLNCLLLVSCVILYSLKTHSLEARHEALSTCVSHITVVILSFIPCFVYMRPPATL
 PIDKAVAVFYTMITSMLNPLIYTLRNAQMKNAIRKLCRSKAISSVK (SEQ ID NO: 383)
 45 ATGGCGAATAGAAACAATGTGACAGAGTTTATTCTATTGGGGCTTACAGAGAATCCAAAA
 ATGCAGAAAATCATATTTGTTGTGTTTTCTGTGCATCTACATCAACGCCATGATAGGAAATG
 TGCTCATTGTGGTCACCATCACTGCCAGCCCATCACTGAGATCCCCCATGTACTTTTCTCTG
 GCCTATCTCTCCTTTATTGATGCCTGCTATTCTCTGTCAATACCCCTAAGCTGATCACAGAA
 TTCACTCTATGAAAACAAGACTATCTTATTCTAATGGATGTATGACTCAAGTCTTTGGAGAA
 CATTTTTTTCAGAGGTGTTGAGGTCACTCCTACTTACTGTAATGGCCTATGACCACATGTGG
 50 CCATCTGCAAGCCCTTGCACTATAACCACCATCATGAAGCAGCATGTTTGTAGCCTGCTAGT
 GGGAGTGTGATGGGTAGGAGGCTTTCTTCATGCAACCATAACAGATCCTCTTCATCTGTCAA
 TTACCTTTCTGTGGTCCTAATGTCATAGATCACTTTATGTGTGATCTCTACACTTTGATCAA
 TCTTGCCCTGCACTAATACCCACACTCTAGGACTCTTCATTGCTGCCAACAGTGGGTTCATAT
 GCCTGTTAAACTGTCTCTTGTCTCCTGGTCTCCTGCGTGGTCATACTGTACTCCTTAAAGACC
 55 CACAGCTTAGAGGCAAGGCATGAAGCCCTCTCTACCTGTGTCTCCACATCACAGTTGTCA
 TCTTATCCTTTATACCCTGCATATTTGTGTACATGAGACCTCCAGCTACTTTACCCATTGAT

AAAGCAGTTGCTGTATTCTACACTATGATAACTTCTATGTTAAACCCCTTAATCTACACCTT
GAGGAATGCTCAAATGAAAAATGCCATTAGGAAATTGTGTAGTAGGAAAGCTATTTCAAG
TGTCAAATAA (SEQ ID NO: 384)

5 **AOLFR207 sequences:**

MERTNDSTSTEFFLVGLSAHPKLQTVFFVLILWMYLMILLGNGVLISVIIFDSHLHTPMYFFLCN
LSFLDVCYTSSSVPLILASFLAVKKKVSFSGCMVQMFISFAMGATECMILGTMALDRYVAICYP
LRYPVIMSKGAYVAMAAGSWVTGLVDSVVQTAFAAMQLPFCANNVIKHFVCEILAILKLACADI
SINVISMGTGSNLIVLVIPLLVISISYIFIVATILRIPSTEGKHKAFSTCSAHLTVVIIIFYGTIFFMYAKP
10 ESKASVDSGNEDIIEALISLFYGVMTPLNPLIYSLRNKDVKA AVKNILCRKNFSDGK (SEQ ID
NO: 385)

ATGGAAAGGACCAACGATTCCACGTCGACAGAATTTTCTGCTGGTAGGGCTTTCTGCCACC
CAAAGCTCCAGACAGTTTTCTTCGTCTAATTTTGTGGATGTACCTGATGATCCTGCTTGGG
15 AATGGAGTCCTTATCTCAGTTATCATCTTTGATTCTCACCTGCACACCCCATGTATTTCTT
CCTCTGTAATCTTTCTCTCGACGTTTGCTACACAAGTTCCTCTGTCCCCTAATTCTTG
CCAGCTTTCTGGCAGTAAAGAAAAAGGTTTCTTCTCTGGGTGTATGGTGCAAATGTTTAT
TTCTTTTGCCATGGGGGCCACGGAGTGCATGATCTTAGGCACGATGGCACTGGACCGCTAT
GTGGCCATCTGCTACCCACTGAGATACCCTGTCATCATGAGCAAGGGTGCCTATGTGGCCA
20 TGGCAGCTGGGTCTGGGTCACTGGGCTTGTGGACTCAGTAGTGCAGACAGCTTTTGCAAT
GCAGTTACCATCTGTGCTAATAATGTCATTAAACATTTTGTCTGTGAAATTCTGGCTATCT
TGAAACTGGCCTGTGCTGATATTTCAATCAATGTGATTAGTATGACAGGGTCTGAATCTGAT
TGTTCTGGTTATTCCATTGTTAGTAATTTCCATCTCTTACATATTTATTGTTGCCACTATTCT
GAGGATTCCTTCCACTGAAGGAAAAACATAAGGCCTTCTCCACCTGCTCAGCCCACCTGACA
25 GTGGTGATTATATTCTATGGAACCATCTTCTCATGTACGCAAAGCCTGAGTCTAAAGCCT
CTGTTGATTACGGTAATGAAGACATCATTGAGGCCCTCATCTCCCTTTTCTATGGAGTGAT
GACTCCCATGCTTAATCCTCTCATCTATAGTCTGCGAAACAAGGATGTAAAGGCTGCTGTC
AAAAACATACTGTGTAGGAAAAACTTTTCTGATGGAAAATGA (SEQ ID NO: 386)

30 **AOLFR208 sequences:**

MFPANWTSVKVFFFLGFFHYPKVQVIIFAVCLLMYLITLLGNIFLISITILDSHLHTPMYFLSNL
SFLDIWYSSSALSPMLANFVSGRNTISFSGCATQMYLSLAMGSTECVLLPMMAYDRYVAICNP
LRYPVIMNRRTCQVQIAAGSWMTGCLTAMVEMMSVLP LSLCGNSIINHFTCEILAILKLVCVDT
LVQLIMLVISVLLLPMPMLLICISYAFILASILRISSVEGRSKAFSTCTAHLMVVVLFYGTALSMH
35 LKPSAVDSQEIDKFMALVYAGQTPMLNPIIYSLRNKEVKVALKKLLIRNHFNTAFISILK (SEQ
ID NO: 387)

ATGTTCCCGGCAAATTGGACATCTGTAAAAGTATTTTCTTCTCCTGGGATTTTTTCACTACCC
CAAAGTTCAGGTCATCATATTTGCGGTGTGCTTGCTGATGTACCTGATCACCTTGCTGGGC
40 AACATTTTTCTGATCTCCATCACCATTCTAGATTCCCACCTGCACACCCCTATGTACCTCTT
CCTCAGCAATCTCTCCTTTCTGGACATCTGGTACTCCTCTTCTGCCCTCTCTCCAATGCTGG
CAAACCTTTGTTTCAGGGAGAAACACTATTTCAATTCTCAGGGTGCGCCACTCAGATGTACCT
CTCCCTTGCCATGGGCTCCACTGAGTGTGTGCTCCTGCCCATGATGGCATATGACCGGTAT
GTGGCCATCTGCAACCCCTGAGATACCCTGTCATCATGAATAGGAGAACCTGTGTGCGAGA
45 TTGCAGCTGGCTCCTGGATGACAGGCTGTCTCACTGCCATGGTGGAATGATGTCTGTGCT
GCCACTGTCTCTCTGTGGTAATAGCATCATCAATCATTTCACTTGTGAAATTCTGGCCATCT
TGAAATTGGTTTGTGTGGACACCTCCCTGGTGCAGTTAATCATGCTGGTGATCAGTGACT
TCTTCTCCCCATGCCAATGCTACTCATTTGTATCTTATGCATTTATCCTCGCCAGTATCC
TGAGAATCAGCTCAGTGAAGGTGGAAGTAAAGCCTTTTCAACGTGCACAGCCACCTGA
50 TGGTGGTAGTTTTGTTCTATGGGACGGCTCTCTCCATGCACCTGAAGCCCTCCGCTGTAGA
TTCACAGGAAATAGACAAATTTATGGCTTTGGTGTATGCCGGACAAACCCCATGTTGAAT
CCTATCATCTATAGTCTACGGAACAAAGAGGTGAAAGTGGCCTTGAAAAAATTGCTGATTA
GAAATCATTTTAATACTGCCTTCATTTCCATCCTCAAATAA (SEQ ID NO: 388)

AOLFR209 sequences:

- MDKINQTFVREFILLGLSGYPKLEIFFALILVMYVVILIGNGVLIHASILDSRLHMPMYFFLGNLS
 5 FLDICYTTSSIPSTLVSLISKRNISFSGCAVQMFFGFAMGSTECFLLGMMAFDRYVAICNPLRY
 PIIMNKVVYVLLTSVSWLSGGINSTVQTSLAMRWPF CGNNIINHFLCEILAVLKLACSDISVNIV
 TLAVSNIAFLVPLLVIFFSYMFILY TILRTNSATGRHKAFSTCSAHLTVVHIFYGTIFFMYAKPKS
 QDLLGKDNLQATEGLVSMFYGVVTPMLNPIIYSLRNKDVKAAIKYLLSRKAINQ (SEQ ID NO:
 389)
- 10 ATGGACAAGATAAACCAGACATTTGTGAGAGAATTCATTCTTCTGGGACTCTCTGGTTACC
 CCAAACCTTGAGATCATTTTCTTGTCTCTGATTCTAGTTATGTACGTAGTGATTCTAATTGGC
 AATGGTGTTCTGATCATAGCAAGCATCTTGGATTCTCGTCTTCACATGCCCATGTACTTCTT
 CCTGGGCAACCTCTCTTTCCTGGATATCTGCTATACAACCTCCTCCATTCCCTCAACACTGG
 TGAGCTTAATCTCAAAGAAAAGAAACATTTCTTCTCTGGATGTGCAGTGCAGATGTTCTT
 15 TGGGTTTGCAATGGGGTCAACAGAATGTTTCTTCTTGGCATGATGGCATTGTGATCGTTAT
 GTGGCCATCTGTAACCTCTGAGATACCCCATCATCATGAACAAGGTGGTGTATGTACTGC
 TGACTTCTGTATCATGGCTTTCTGGTGAATCAATTCAACTGTGCAACATCACTTGCCAT
 GCGATGGCCTTTCTGTGGGAACAATATTATTAATCATTTCTTATGCGAGATCTTAGCTGTCC
 TAAAATTAGCTTGTTCTGATATATCTGTCAATATTGTTACCCTAGCAGTGTCAAATATTGCT
 20 TTCCTAGTTCTTCTCTGCTCGTGATTTTTTCTCCTATATGTTTCATCCTCTACACCATCTTG
 CGAACGAACTCGGCCACAGGAAGACACAAGGCATTTTCTACATGCTCAGCTCACCTGACTG
 TGGTGATCATATTTTATGGTACCATCTTCTTATGTATGCAAAACCTAAGTCCCAGGACCTC
 CTTGGGAAAGACAACTTGCAAGCTACAGAGGGGCTTGTTTCCATGTTTTATGGGGTTGTGA
 CCCCCATGTTAAACCCATAATCTATAGCTTGAGAAATAAAGATGTAAAAGCTGCTATAAA
 25 ATATTTGCTGAGCAGGAAAGCTATTAACCAGTAA (SEQ ID NO: 390)

AOLFR210 sequences:

- MMGRNRDNTNVADFILTGLSDSEEVQMALFMLFLLIYLITMLGNVGMILLIIRLDLQLHTPMYFFL
 30 THLSFIDLSYSTVTPKTLANLLTSNYISFTGCFAQMFCFVFLGTAECYLLSSMAYDRYAAICSP
 LHYTEVIMPKRLCLALITGPYVIGFMDSFVNVSMRSLHFCDNSNIHHFFCDTSPILALSCDTDN
 TEMLIFIIAGSTLMVSLITISASYVSILSTILKINSTSGKQKAFSTCVSHLLGVTFIFYGTMIFTYLPK
 RKSYSLGRDQVAPVFYTIVIPMLNPLIYSLRNREVKNALIRVMQRRQDSR (SEQ ID NO: 391)
- 35 ATGATGGGTAGAAGGAATGACACAAATGTGGCTGACTTCATCCTTACGGGACTGTCAGAC
 TCTGAAGAGGTCCAGATGGCTCTGTTTATGCTATTTCTCCTCATATACCTAATTACTATGCT
 GGGGAATGTGGGGATGCTATTGATAATCCGCCTGGACCTCCAGCTTCACACTCCCATGTAT
 TTTTCTTACTCACCTGTCATTTATTGACCTCAGTTACTCAACTGTCGTCACACCTAAAAC
 CTTAGCGAACTTACTGACTTCCAACATATTTCTTTCACGGGCTGCTTIGCCAGATGTTCT
 40 GTTTTGTCTTCTTGGGTACTGCTGAATGTTATCTTCTCTCCTCAATGGCCTATGATCGCTAT
 GCAGCGATCTGCAGTCCTCTACACTACACAGTTATTATGCCAAAAGGCTCTGCCTCGCTC
 TCATCACTGGGCCTTATGTGATTGGCTTTATGGACTCCTTTGTCAATGTGGTTTCCATGAGC
 AGATTGCATTTCTGTGACTCAAACATAATTCATCACTTTTTCTGTGACACTTCCCCAATTTT
 AGCTCTGTCTGCTGACTGACACAGACAACACTGAAATGCTGATATTCATTATCGCTGGTTCC
 ACCCTGATGGTGTCCCTTATCACAATATCTGCATCCTATGTGTCCATTCTCTCTACCATCCT
 45 GAAAATTAATTCCAATTCAGGAAAGCAGAAAGCTTTCTCTACTTGCGTCTCTCATCTCTTG
 GGAGTCACCATCTTCTATGGAACATGATTTTTACTTACTTAAAGCCAAGAAAGTCTTATT
 CCTTGGGAAGAGATCAAGTGGCTCCTGTGTTTTATACTATTGTGATTCCCATGCTGAATCC
 ACTCATTTATAGTCTTAGAAACAGAGAAGTGAAAAATGCTCTCATTAGAGTCATGCAGAG
 AAGACAGGACTCCAGGTAG (SEQ ID NO: 392)
- 50

AOLFR211 sequences:

- MMGRNRNNTNVADFILMGLTLSEEIQMALFMLFLLIYLITMLGNVGMILLIIRLDLQLHTPMYFFL
 THLSFIDLSYSTVTPKTLANLLTSNYISFTGCFAQMFFFAFLGTAECYLLSSMAHdryAAICSP
 55 LHYTEVIMSKRLCLALITGPYVIGFIDSFVNVSMRSLHFYDSNVHHFFCDTSPILALSCDTYNT
 EILIFIIVGSTLMVSLFTISASYVFILFTILKINSTSGKQKAFSTCVSHLLGVTFYSTLIFTYLPKPK
 SYSLGRDQVASVFYTIVIPVLNPLIYSLRNKEVKNAVIRVMQRRQDSR (SEQ ID NO: 393)

ATGATGGGTAGAAGGAATAACACAAATGTGGCTGACTTCATCCTTATGGGACTGACACTTT
CTGAAGAGATCCAGATGGCTCTGTTTATGCTATTTCTCCTGATATACCTAATTACTATGCTG
GGGAATGTGGGGATGATATTGATAATCCGCCTGGACCTCCAGCTTCACACTCCCATGTATT
5 TTTTCCTTACTCACCTGTCATTTATTGACCTCAGTTACTCAACTGTCGTACACCTAAACC
TTAGCGAACTTACTGACTTCCAACATATTTCCCTTTACGGGCTGCTTTGCCAGATGTTCTT
TTTTGCCTTCTTGGGTACTGCTGAATGTTACCTTCTCTCCTCAATGGCCCATGATCGCTATG
CAGCGATCTGCAGTCCTCTACACTACACAGTTATTATGTCCAAAAGGCTCTGCCTCGCTCT
CATCACTGGGCCTTATGTGATTGGCTTTATAGACTCCTTTGTCAACGTGGTTTCCATGAGCA
10 GATTGCATTTCTACGACTCAAACGTAATTCATCACTTTTTCTGTGACAGTTCCCAATTTTA
GCTCTGTCTGCACTGATACATAACAACACCGAAATCCTGATATTCATTATTGTTGGTTCCAC
CCTGATGGTGTCCCTTTTCACAATATCTGCATCCTATGTGTTCACTTCTTTACCATCCTGA
AAATTAATTCCAATTACAGGAAAGCAGAAAGCTTTCTCTACTTGCCTCTCTCATCTCTTGGG
AGTCACCATCTTTTATAGCACTCTGATTTTTACTTATTTAAAACCAAGAAAGTCTTATTCCT
15 TGGGAAGAGATCAAGTGGCTTCTGTTTTTATACTATTGTGATTCCCGTGCTGAATCCACT
CATTTATAGTCTTAGAAACAAAGAGGTGAAAAATGCTGTCATCAGAGTCATGCAGAGAAG
ACAGGACTCCAGGTAA (SEQ ID NO: 394)

AOLFR212 sequences:

20 MAGNNFTEVTVFILSGFANHPELQVSLFLMFLFIYLFVTLGNLGLITLIRMDSQLHTPMYFFLSN
LAFIDIFYSSTVTPKALVNFQSNRRSISFVGCFFVQMYFFVGLVCCECFLLGSMAYNRYIAICNPL
LYSVVMSQKVS NWLGVMFYVIGFTSSLISVWVISSLAFCDSINHHFCDTTALLALSCVDTFGT
EMVSFVLGFTLLSSLLIITVTYIIISAILRIQSAAGRQKAFSTCASHLMAVTIFYGSLIFTYLQPD
25 NTSSLTQAQVASVFYITIVIPMLNPLIYSLRNKDVKNALLRVIHRKLFP (SEQ ID NO: 395)

ATGGCTGGCAACAATTTCACTGAGGTTACCGTCTTCATCCTCTCTGGATTGCAAATCACC
CTGAATTACAAGTCAGTCTTTTCTTGATGTTTCTCTTCATTTATCTATTCAGTGTTTTGGGA
AACCCTGGGACTGATCAGTTAATCAGAATGGATTCTCAGCTTCACACCCCTATGTACTTTT
30 TCCTGAGCAATTIAGCATTTATTGACATATTTACTCCTCTACTGTAACACCTAAGGCATTG
GTGAATTTCCAATCCAATCGGAGATCCATCTCCTTTGTTGGCTGCTTTGTTCAAATGTACTT
TTTTGTTGGATTGGTGTGTTGTGAGTGTTTCTTCTGGGATCAATGGCCTACAATCGCTACA
TAGCAATCTGCAATCCCTTACTGTATTTCAGTAGTCATGTCCCAAAAAGTGTTCAACTGGCT
GGGAGTAATGCCATATGTGATAGGCTTCACAAGCTCGCTGATATCTGTCTGGGTGATAAGC
AGTTTGGCGTTCTGTGATTCCAGCATCAATCATTTTTTTGTGACACCACAGCTCTTTTAGC
35 ACTCTCCTGTGTAGATACATTCCGGCACAGAAATGGTGAGCTTTGTCTTAGCTGGATTCACT
CTTCTTAGCTCTCTCCTTATCATCACAGTCACTTATATCATCATCTCAGCCATCCTGAG
GATCCAGTCAGCAGGCAGGCAGGAGGAGGCTTCTCCACCTGCGCATCCCACCTCATGGCT
GTAACATCTTTTATGGGTCTCTGATTTTACCTATTTGCAACCTGATAACACATCATCGCT
GACCCAGGCGCAGGTGGCATCTGTATTCTATACGATTGTCAATCCCATGCTGAATCCACTC
40 ATCTACAGTCTGAGGAACAAAGATGTGAAAAATGCTCTTCTGAGAGTCATACATAGAAAA
CTTTTCCATGA (SEQ ID NO: 396)

AOLFR213 sequences:

45 MNSLGKLVSMILSAHVFCYSKFNCFGCTHSIPALGADPPGGMGLGNESSLMDFILLGFSDHPRL
EAVLFVFLFFYLLTLVGNFTIIISYLDPPHPTMYFFLSNLSLLDICFTTSLAPQTLVNLQRPKK
TITYGGCVAQLYISLALGSTECILLADMALDRYIAVCKPLHYVVMNPRLCQQLASISWLSGLA
SSLIHATFTLQLPLCGNHRDLHFICEVPALLKLACVDTTVNELVLFVSVLFPALISISYGF
TQAVLRIKSVEARHKAFSTCSSHLTVVIFYGTIIYVYLQPSDSYAQDQGKFISLFYTMVPTLNP
50 IYTLRNKDMKEALRKLLSGKL (SEQ ID NO: 397)

ATGAATAGTTTGGGAAAGTTGGTCTCCATGATCCTCTCAGCTCATGTGTTCTGTTATTCTAA
ATTTAATGTTTTGGATGTACCCATTCCATTCCCTGCCTTAGGTGCGGATCCCCCTGGAGGG
ATGGGATTGGGCAATGAGAGTTCCTAATGGATTTTCATCCTTCTAGGCTTCTCAGACCACC
CTCGTCTGGAGGCTGTTCTCTTTGTATTTGTCCTTTTCTTCTACCTCCTGACCTTGTGGGA
55 AACTTCACCATAATCATCATCTCATATCTGGATCCCCCTCTTCATACCCCAATGTACTTTT
TCTCAGCAACCTCTCTTACTGGACATCTGCTTCACTACTAGCCTTGCTCCTCAGACCTTAG

TTAACTTGCAAAGACCAAAGAAGACGATCACTTACGGTGGTTGTGTGGCGCAACTCTATAT
 TTCTCTGGCACTGGGCTCCACTGAATGTATCCTCTTGGCTGACATGGCCTTGGATCGGTAC
 ATTGCTGTCTGCAAACCCCTCCACTATGTAGTCATCATGAACCCACGGCTTTGCCAACAGC
 TGGCATCTATCTCCTGGCTCAGTGGTTTGGCTAGTTCCCTAATCCATGCAACTTTTACCTTG
 5 CAATTGCCTCTCTGTGGCAACCATAGGCTGGACCATTTTATTTGCGAAGTACCAGCTCTTCT
 CAAGTTGGCTTGTGTGGACCACTGTCAATGAATTGGTGCCTTTTGTGTGTAGTGTCTGT
 TTGTGTCAATCCACCAGCACTCATCTCCATCTCCTATGGCTTCATAACTCAAGCTGTGCTG
 AGGATCAAATCAGTAGAGGCAAGGCATAAAGCCTTCAGCACCTGCTCCTCCACCTTACAG
 TGGTGATTATATTCTATGGCACCATAATCTACGTGTACCTGCAACCTAGTGACAGCTATGC
 10 CCAGGACCAAGGGAAGTTTATCTCCCTCTTCTACACCATGGTGACCCCCACTTTAAATCCT
 ATCATCTATACTTTAAGGAACAAGGATATGAAAGAGGGCTCTGAGGAACTTCTCTCGGGA
 AAATTGTGA (SEQ ID NO: 398)

AOLFR214 sequences:

15 MDKSNSSVVSEFVLLGLCSSQKLQLFYFCFFSVLYTVIVLGNLLIILTVTSDTSLHSPMYFLLGN
 LSFVDICQASFATPKMLADFLSAHETISFSGCIAQIFFIHLFTGGEMVLLVSMAYDRYVAICKPLY
 YVIVMSRRCTCVLVMISWAVSLVHTLSQLSFTVNLPCGPNVVDSEFFCDLPRVTKLACLDSEYIE
 ILIVVNSGILSLSTFSLVSSYIILVTVWLKSSAAMAKAFSTLASHIAVVILFFGPCIFYVWPFTIS
 20 PLDKFLAIFYTVFTPLNPIIYTLNRNRMKAAVRKIVNHYLRPRRISEMSLVVRTSFH (SEQ ID
 NO: 399)

ATGGATAAGTCCAAATTCTTCAGTGGTGTCTGAATTTGTACTGTTGGGACTCTGTAGTTCTC
 AAAAAGTCCAGCTTTTCTATTTTGTCTCTCTGTGTGTATACAGTCATTGTGCTGGGA
 AATCTTCTCATTATCCTCACAGTGACTTCTGATACCAGCCTGCACTCCCCTATGTACTTTCT
 25 CTGGGAAACCTTTCTTTGTGTGACATTTGTGAGGCTTCTTTGCTACCCCTAAAATGATTG
 CAGATTTTCTGAGTGACACAGGACCATATCTTTTCAGTGGCTGCATAGCCCAAAATTTCTTT
 ATTCACCTTTTTACTGGAGGGGAGATGGTGCTACTTGTTCGATGGCCTATGACAGGTATG
 TAGCCATATGCAAACCTTATACTATGTGGTCATCATGAGCCGAAGGACATGCACTGTCTT
 GGTAATGATCTCCTGGGCTGTGAGCTTGGTGACACATTAAGCCAGTTATCATTTACTGTG
 30 AACCTGCCTTTTTGTGGACCTAATGTAGTAGACAGCTTTTTTTGTGATCTTCTCGAGTCAC
 CAAACTTGCTGCTGGACTCTTACATCATTGAAATACTAATGTGGTCAATAGTGGAATT
 CTTTCCCTAAGCACTTTCTCTCTCTTGGTCAGCTCCTACATCATTATTCTTGTACAGTTTG
 GCTCAAGTCTTCAGCTGCAATGGCAAAGGCATTTTCTACGCTGGCTTCCCATATTGCAGTA
 GTAATATTATTCTTTGGACCTTGCATCTCATCTATGTGTGGCCCTTTACCATCTCTCCTTT
 35 GGATAAATTCTTTGCCATATTTTACACTGTTTTCAACCCCGTCCTAAACCCCATTTATTTATA
 CACTAAGGAATAGGGATATGAAGGCTGCCGTAAGGAAAATTGTGAACCATACCTGAGGC
 CAAGGAGAATTTCTGAAATGTCACTAGTAGTGAGAACTTCCTTTTATTAA (SEQ ID NO:
 400)

AOLFR215 sequences:

40 MAHTNESMVSEFVLLGLSNSWGLQFFFAIFSVIVTSVLGNVLIIVISFDSLNSPMYFLLSNL
 SFIDICQSNFATPKMLVDFFIERTISFEGCMAQIFVLHSFVGSEMMMLLVAMAYDRFIAICKPLH
 YSTIMNRRRLCVIFVSISWAVGVLSVSHLAFTVDLPFCGPNEVDSEFFCDLPLVIELACMDTYEM
 EIMTLTNSGLISLSCFLALIISYTIILIGVRCRSSGSSKALSTLTAHITVVILFFGPCIFYIWPFSRL
 45 PVDKFLSVFYTVCTPLNPIIYSLRNEDVKAAMWKLRNHHVNSWKN (SEQ ID NO: 401)

ATGGCTCACACAAATGAATCGATGGTGTCTGAGTTTGTACTTTTGGGACTCTCTAATTCCT
 GGGGACTTCAACTTTTCTTTTTCGCCATCTTCTCTATAGTCTATGTGACATCAGTGCTAGGC
 AATGTCTTAATTATTGTCAATTATTTCTTTTACTCCCATTTGAACTCTCCTATGTACTTCTTG
 50 CTCAGTAATCTTTCTTTCATTGATATCTGTGAGTCTAACTTTGCCACCCCAAGATGCTTGT
 AGACTTTTTTATTGAGCGCAAGACTATCTCCTTTGAGGGTTGCATGGCCCAGATATTCGTT
 CTTACAGTTTTTGTGGGAGTGAGATGATGTTGCTTGTAGCTATGGCATATGACAGATTTA
 TAGCCATATGTAAGCCTCTGCACTACAGTACAATTATGAACCGGAGGCTCTGTGTAATTTT
 TGTGTCTATTTCTGGGCGGTGGGCGTCTTTCATTCTGTGAGCCACTTGGCTTTTACAGTGG
 55 ACCTGCCATTCTGTGGTCCCAATGAGGTGGATAGCTTCTTTGTGACCTTCCCTTGGTGATA
 GAGCTGGCTTGCATGGATACATATGAAATGGAAATTATGACCCTAACGAACAGTGGCCTG

ATATCATTTGAGCTGTTTCCTGGCTTTAATTATTTCTACACCATCATTTTGATCGGTGTCCG
ATGCAGGTCTCCAGTGGGTCATCTAAGGCTCTTTCTACATTAAGTCCACATCACAGTG
GTCATTCTTTCTTCGGGCTTGCATTTATTTCTATATATGGCCTTTTAGCAGACTTCCTGT
GGACAAATTTCTTTCTGTGTTCTACACTGTTTGTACTCCCTTGTGAACCCCATCATCTACT
5 CTTTGAGGAATGAAGATGTTAAAGCAGCCATGTGGAAGCTGAGAAACCATCATGTGAACT
CCTGGAAAACTAG (SEQ ID NO: 402)

AOLFR216 sequences:

MDVGNKSTMSSEFVLLGLSNSWELQMFFFMVFSLLYVATMVGNLIVITVIVDPHLHSPMYFLL
10 TNLSDMSLASFATPKMITDYLTHGKTISFDGCLTQIFFLHLFTGTEILLMAMSFDRYIAICKPL
HYASVISPVQVCVALVVASWIMGVMHMSQVIFALTFPCGPYEVDSEFFCDLPVVFQLACVDY
VLGLFMISTSGIILALSCFIVLFNSYVIVLVTVKHHSSRGSSKALSTCTAHFIVVFLFFGPCIFYMW
PLSSFLTDKILSVFYTIFTPTLNPIIYTLRNQEVKIAMRKLKNRFLNFKAMPS (SEQ ID NO: 403)

15 ATGGATGTGGGCAATAAGTCTACCATGTCTGAATTTGTTTTGCTGGGGCTCTCTAATTCCT
GGGAACTACAGATGTTTTCTTTATGGTGTTTTCAATTGCTTTATGTGGCAACAATGGTGGG
TAACAGCCTCATAGTCATCACAGTTATAGTGGACCCTCACCTACACTCTCTATGTATTTCC
TGCTTACCAATCTTTCAATCATTGATATGTCTCTTGCTTCTTTCCGCCACCCCAAAGATGATT
ACAGATTACCTAACAGGTCACAAAACCATCTCTTTTGATGGCTGCCTTACCCAGATATTCT
20 TTCTCCACCTTTTCACTGGAAGTACATCTTACTCATGGCCATGTCCTTTGATAGGTAT
ATTGCAATATGCAAGCCCCTGCACTATGCTTCTGTCTAGTCCCCAGGTGTGTGTTGCTCT
CGTGGTGGCTTCCTGGATTATGGGAGTTATGCATTCAATGAGTCAGGTCATATTTGCCCTC
ACGTTACCATCTGTGGTCCCTATGAGGTAGACAGCTTTTTCTGTGACCTTCCTGTGGTGTT
CCAGTTGGCTTGTGTGGATACTTATGTTCTGGGCCTCTTTATGATCTCAACAAGTGGCATA
25 ATTGCGTTGTCTGTTTTATTGTTTTATTTAATTCATATGTTATTGTCTGGTTACTGTGAA
GCATCATTTCTTCCAGAGGATCATCTAAGGCCCTTTCTACTGTACAGCTCATTTCATTGTTG
TCTTCTTGTTCTTTGGGCCATGCATCTTCACTACATGTGGCCACTAAGCAGCTTTCTCACA
GACAAGATTCTGTCTGTGTTTTATACCATCTTTACTCCCACTCTGAACCAATATCTATAC
TTTGAGGAATCAAGAAGTAAAGATAGCCATGAGGAACTGAAAAATAGGTTTCTAAATTT
30 TAATAAGGCAATGCCTTCATAG (SEQ ID NO: 404)

AOLFR217 sequences:

MLESFQKSEQMAWSNQSAVTEFILRGLSSSLELQIFYLFFSIVYAATVVLGNLLIVVTIASEPHLH
SPTYFLLGNLSFIDMSLASFATPKMIADFLREHKAISFEGCMTQMFFLHLLGGAEIVLLISMFD
35 RYVAICKPLHYLTIMSRMCVGLVILSWIVGIFHALSQLAFTVNLFPFCGPNEVDSEFFCDLPVVK
LACVDYTLGVFMISTSGMIALVCFILLVISYTHLTVVRQRSSGGSSKALSTCSAHFTVVTLFFGP
CTFIYVWPFTNFPIDKVLVSVFYTYTPLLNPVIYTVRNKDVKYSMRKLSSHIFKSRKTDHTP
(SEQ ID NO: 405)

40 ATGCTAGAGTCCTTCCAGAAATCAGAGCAAATGGCCTGGAGCAATCAGTCTGCGGTAACC
GAATTCATACTACGGGGTCTGTCCAGTTCTTTAGAAGTCCAGATTTTCTACTTCTGTTTTT
CTCCATAGTCTATGCAGCCACTGTGCTGGGGAACCTTCTTATTGTGGTCACCATTCATCA
GAGCCACACCTTCATTCCTTACGTAATTTCTGCTGGGCAATCTCTCCTTCATTGACATGTC
CCTGGCCTCATTTGCCACCCCAAAATGATTGCAGACTTCCTTAGAGAACACAAAGCCATC
45 TCTTTTGAAGGCTGCATGACCCAGATGTTCTTCTACATCTCTTAGGGGGTGTGAGATTG
TACTGCTGATCTCCATGTCCTTTGATAGGTACGTGGCTATCTGTAAGCCTCTACATTACCTA
ACAATCATGAGCCGAAGAATGTGTGTTGGGCTTGTGATACTTTCTGGAATTGTGGGCATCT
TCCATGCTCTGAGTCAGTTAGCATTTACAGTGAATCTGCCCTTCTGTGGACCAATGAAGT
AGACAGTTTCTTTTGTGACCTCCCTTTGGTGATTAAACTTGCTTGTGTCGACACATATATTC
50 TGGGGGTGTTTCATGATCTCAACAGTGGCATGATTGCCCTGGTGTGCTTCCTCTTGGT
GATCTCTTACACTATCATCCTGGTCACCGTTCGGCAGCGTTCTCTGGTGGATCCTCCAAA
GCCCTCTCCACGTGCAGTGCCCACTTTACTGTTGTGACCCTTTTCTTTGGCCCATGCACTTT
CATTTATGTGTGGCCTTTCACAAATTTCCCAATAGACAAAGTACTCTCAGTATTTATACCA
TATACACTCCCTCTTGAATCCAGTGATCTATACCGTTAGGAATAAAGATGTCAAGTATTC
55 CATGAGGAACTAAGCAGCCATATCTTTAAATCTAGGAAGACTGATCATACTCCTTAA
(SEQ ID NO: 406)

AOLFR218 sequences:

METANYTKVTEFVLTGLSQTREVLVLFVIFLSFYLFILPGNIICTIRLDPHLTSPMYFLLANLA
LLDIWYSSITAPKMLIDFFVERKIIISFGGCIQLFFLHFVGASEMFLIVMAYDRYAAICRPLHYA
5 TIMNRRLLCCILVALSWMGGFIHSIIQVALIVRLPFCGPNELDSYFCDITQVVRIACANTFPEELVM
ICSSGLISVVCFIALLMSYAFLLALLKKHSGSDENTNRAMSTCYSHITIVVLMFGPSIYIYARPF
SFSLDKVVSVFHTVIFPLNPIIYTLRNKEVKAAMRKVVTKYILCEEK (SEQ ID NO: 407)

10 ATGGAAGCTGCAAATTACACCAAGGTGACAGAATTTGTTCTCACTGGCCTATCCCAGACTC
GGGAGGTCCAACTAGTCCTATTTGTTATATTTCTATCCTTCTATTTGTTTCATCCTACCAGGA
AATATCCTTATCATTTGCACCATCAGGCTAGACCCTCATCTGACTTCTCCTATGTATTTCTT
GTTGGCTAATCTGGCCCTCCTTGATAATTTGGTACTCTCCATTACAGCCCCTAAAAATGCTCA
TAGACTTCTTTGTGGAGAGGAAGATAATTCCTTTGGTGGATGCATTGCACAGCTCTTCTT
CTTACACTTTGTTGGGGCTTCGGAGATGTTCTTGCTCATAGTGATGGCCTATGACCGCTAT
15 GCTGCTATCTGCCGACCCCTCCACTATGCTACCATCATGAATCGACGCTCTGCTGTATCCT
GGTGGCTCTCTCCTGGATGGGGGGCTTCATTCTTCTATAATACAGGTGGCTCTCATTGTT
CGACTTCCTTTCTGTGGGCCCAATGAGTTAGACAGTTACTTCTGTGACATCACACAGGTG
TCCGGATTGCCTGTGCCAACACCTTCCCAGAGGAGTTAGTGATGATCTGTAGTAGTGGTCT
GATCTCTGTGGTGTGTTTCATTGCTCTGTTAATGTCTATGCCTTCTTCTGGCCTTGCTCA
20 AGAAACATTCAGGCTCAGATGAGAATACCAACAGGGCCATGTCCACCTGCTATTTCCACAT
TACCATTGTGGTGCTAATGTTTGGGCCATCCATCTACATTTATGCTCGCCCATTTGACTCAT
TTTCCCTAGATAAAGTGGTGTCTGTGTTTCATACTGTAATATTCCTTTACTTAATCCCAT
ATTTACACATTGAGAAACAAGGAAGTAAAGGCAGCCATGAGGAAGGTGGTCACCAAATAT
ATTTTGTGTGAAGAGAAGTGA (SEQ ID NO: 408).

25

AOLFR219 sequences:

MLTSLTDLCSPIQVAEIKSLPKSMNETNHSRVTEFVLLGLSSSRELQPFLFTFSLLYLAILLGNF
LIILTVTSDSR LHTPMYFLLANLSFIDVCVASFATPKMIADFLVERKTISFDACLAQIFFVHLFTGS
EMVLLVSMAYDRYVAICKPLHYMTVMSRRVCVVLVLISWVFGFIHTTSQLAFTVNLPCGPN
30 KVDSEFFCDLPLVTKLACIDTYVVSLLIVADSGFLSLSSFLLLVVSYTVILVTVNRSSASMAKAR
STLTAHITVVTLFFGPCIFIYVWPFSSYSVDKVLAVFYTIFTLILNPVIYTLRNKEVKAAMSKLKS
RYLKPSQVSVVIRNVLFLETK (SEQ ID NO: 409).

35 ATGCTCACTTCATTAAGTATCTCTGTTTCTCTCCTATTTCAGGTAGCTGAAATTAAGTCCCT
TCCAAAATCGATGAATGAGACAAATCATTCTCGGGTGACAGAATTTGTGTTGCTGGGACTG
TCTAGTTCAAGGGAGCTCCAACCTTTCTTGTCTTACATTTTCACTACTTTATCTAGCAAT
TCTGTTGGGCAACTTTCTCATCATCCTCACTGTGACCTCAGATTCCCGCCTTCACACCCCCA
TGTACTTTCTGCTTGCAAACCTGTCAATTTATAGACGTATGTGTTGCCTCTTTTGCTACCCCT
AAAATGATTGCAGACTTTCTGGTTGAGCGCAAGACTATTTCTTTTGATGCCTGCCTGGCCC
40 AGATTTTCTTTGTTTCATCTCTTCACTGGCAGTGAAATGGTGCTCCTAGTTTCCATGGCCTAT
GACCGTTATGTTGCTATATGCAAACCTCTCCACTACATGACAGTCATGAGCCGTCGTGTAT
GTGTTGTGCTCGTCCTCATTTTCATGGTTTGTGGGCTTCATCCATACTACCAGCCAGTTGGCA
TTCACTGTTAATCTGCCATTTGTGGTCCTAATAAGGTAGACAGTTTTTTCTGTGACCTTCC
TCTAGTGACCAAGTTAGCCTGCATAGACACTTATGTTGTCAGCTTACTAATAGTTGCAGAT
45 AGTGGCTTTCTTTCTCTGAGTTCCCTTCTCCTCTTGGTTGTCTCCTACACTGTAATACTTGTT
ACAGTTAGGAATCGCTCCTCTGCAAGCATGGCGAAGGCCCGCTCCACATTGACTGCTCACA
TCACTGTGGTCACTTTATTCTTTGGACCATGCATTTTCATCTATGTGTGGCCCTTCAGCAGT
TACTCAGTTGACAAAGTCCTTGCTGTATTCTACACCATCTTCACGCTTATTTTAAACCTGT
AATCTACACGCTAAGAAACAAAGAAGTGAAGGCAGCTATGTCAAACTGAAGAGTCGGTA
50 TCTGAAGCCTAGTCAGGTTTCTGTAGTCATAAGAAATGTTCTTTTCTAGAAACAAAGTAA
(SEQ ID NO: 410).

AOLFR220 sequences:

55 MKQYSVGNQHSNYRSLFPFLCSQMTQLTASGNQTMVTEFLFSMFPHAHRGGLLFFIPLLLIYG
FILTGNLIMFIVIQVGMALHTPLYFFISVLSFLEICYTTTTIPKMLSCLISEQKSISVAGCLLQMYFF
HSLGITESCVLTA MAIDRYIAICNPLRYPTIMIPKLCIQLTVGSCFCGFLVLPEIAWISTLPFCGS

NQIHQIFCDFTPVLSLACTDTFLVVIVDAIHAAEIVASFLVIALSYIRIIIVILGMHSAEGHHKAFST
CAAHLAVFLFFGSAVMYLRFSATYSVFWDTAIAVTFVILAPFFNPITYSLKNKDMKEAIGRLF
HYQKRAGWAGK (SEQ ID NO: 411).

5 ATGAAGCAATATTCAGTGGGTAATCAACATTCCAATTATAGGAGTCTCTTGTTTCCTTTTCT
GTGTTACAGATGACACAGTTGACGGCCAGTGGGAATCAGACAATGGTGACTGAGTTCCT
CTTCTCTATGTTCCCGCATGCGCACAGAGGTGGCCTCTTATTCTTTATTCCCTTGCTTCTCA
TCTACGGATTTATCCTAACTGGAAACCTAATAATGTTCAATTGTCATCCAGGTGGGCATGGC
CCTGCACACCCCTTTGTATTTCTTTATCAGTGTCTCTCTCTCTCTGGAGATCTGCTATACCA
10 CAACCACCATCCCCAAGATGCTGTCTGCTAATCAGTGAGCAGAAGAGCATTTCCTGGGC
TGGCTGCCTCCTGCAGATGTACTTTTTTCCACTCACTTGGTATCACAGAAAGCTGTGTCTG
ACAGCAATGGCCATTGACAGGTACATAGCTATCTGCAATCCACTCCGTTACCCAACCATCA
TGATTCCCAAACCTTTGTATCCAGCTGACAGTTGGATCCTGCTTTTGTGGCTTCTCCTTG
CTTCTGAGATTGCATGGATTTCCACCTTGCTTTCTGTGGCTCCAACCAGATCCACCAGAT
15 ATTCTGTGATTTCACACCTGTGCTGAGCTTGGCCTGCACAGATACATTCCCTAGTGGTCATT
GTGGATGCCATCCATGCAGCGGAAATTGTAGCCTCCTTCTGGTCATTGCTCTATCCTACA
TCCGGATTATTATAGTGATTCTGGGAATGCACTCAGCTGAAGGTCATCACAAAGGCCTTTTC
CACCTGTGCTGCTCACCTTGCTGTGTTCTTGCTATTTTTTGGCAGTGTGGCTGTCATGTATT
TGAGATTCTCAGCCACCTACTCAGTGTTTGGGACACAGCAATTGCTGTCACTTTTGTATTATC
20 CTGTCTCCCTTTTCAACCCCATCATCTATAGCCTGAAAAACAAGGACATGAAAGAGGCTA
TTGGAAGGCTTTTCCACTATCAGAAGAGGGCTGGTTGGGCTGGGAAATAG (SEQ ID NO:
412).

AOLFR221 sequences:

25 MRNLSGGHVEEFVLVGFPPTPPLQLLLFVLFVFFAIYLLTLENALIVFTIWLAPSLHRPMYFFLGH
LSFLELWYINVTIPRLAAFLTQDGRVSVYGCMTQLYFFIALACTECVLLAVMAYDRYLAICGP
LLYPSLMPSSLATRLAAASWGSFFSSMMKLLFISQLSYCGPNIINHFFCDISPLLNLTCSDKEQA
ELVDFLLALVMILLPLLAVVSSYTAIIAAILRIPTSRGRHKAFSTCAAHLAVVVIYYSSTLFTYAR
PRAMYTFNHNKIISVLYTIIVPPFNPAIYCLRNKEVKEAFRKTVMGRCHYPRDVQD (SEQ ID
30 NO: 413).

ATGAGAAATTTGAGTGGAGGCCATGTCGAGGAGTTTGTCTTGGTGGGTTTCCCTACCACGC
CTCCCCTCCAGCTGCTCCTCTTTTGTCTTTTGTGCAATTTACCTTCTGACATTGTTGGAGA
ATGCACTTATTGTCTTACAATATGGCTTGCTCCAAGCCTTCATCGTCCCATGTACTTTTTTC
35 CTGGCCATCTCTCTTTTCTGGAGCTATGGTACATCAATGTCACCATTCTCGGCTCTTGGC
AGCCTTTCTTACCCAGGATGGTAGAGTCTCCTACGTAGGTTGCATGACCCAACCTGTACTTC
TTTATTGCCTTAGCCTGTACTGAATGTGTGCTGTTGGCAGTTATGGCCTATGATCGCTACCT
GGCCATCTGTGGACCCCTCCTTTACCCTAGTCTCATGCCTTCCAGTCTGGCCACTCGCCTTG
CTGCTGCCTCTTGGGGCAGTGGCTTCTTACAGCTCCATGATGAAGCTTCTTTTATTTCCCAA
40 TTGTCCTACTGTGGACCCAACATTATCAACCACCTTTTCTGTGATATTTCCCACTACTCAA
CCTCACCTGCTCTGACAAGGAGCAAGCAGAGCTAGTAGACTTCCTTCTGGCCCTGGTGATG
ATTCTACTCCCTCTATTGGCTGTGGTTTTCATCATACACTGCCATCATTGCAGCCATCCTGAG
GATCCCTACGTCCAGGGGACGCCACAAAGCCTTTTCCACTTGTGCCGCTCATCTGGCAGTG
GTTGTTATCTACTACTCCTCCACTCTCTTACCTATGCACGGCCCCGGGCCATGTACACCTT
45 CAACCACAACAAGATTATCTCTGTGCTCTACACTATCATTGTACCATTCTTCAACCCAGCCA
TCTACTGCCTGAGGAACAAGGAGGTGAAGGAGGCCTTCAGGAAGACAGTGATGGGCAGAT
GTCACTATCCTAGGGATGTTCAAGGACTGA (SEQ ID NO: 414).

AOLFR222 sequences:

50 MGQTNVTSWRDFVFLGFSSSGELQLLLFALFLSLYLVTLTSNVFIIAIRLDSHLHTPMYFLSFL
SFSETCYTLGIIPRMLSGLAGGDQAI SYVGCAAQMFFSASWACTNCFLLAAMGFDRYVAICAPL
HYASHMNPTLCAQLVITSFLTGYLFGLGMTLVIFHLSFCSSHEIQHFFCDTPPVLSLACGDTGPS
ELRIFILSLVLLVSFFITISYAYILAAILRIPSAEGQKKAFTCASHLTVVIIHYGCASFVYLRPK
55 ASYSLERDQLIAMTYTVVTPLLNPVYSLRTRAIQTALRNAFRGRLLGKG (SEQ ID NO: 415).

ATGGGGCAGACCAACGTAACCTCCTGGAGGGATTTTGTCTTCCTGGGCTTCTCCAGTTCTG
GGGAGTTGCAGCTCCTTCTCTTTCCTTGTTCCTCTCTCTGTATCTAGTCACTCTGACCAGC
AATGTCTTCATTATCATAGCCATCAGGCTGGATAGCCATCTGCACACCCCCATGTACCTCTT
CCTTTCCTTCTATCCTTCTCTGAGACCTGCTACACTTTGGGCATCATCCCTAGAATGCTCT
5 CTGGCCTGGCTGGGGGGGACCAAGGCTATCTCCTATGTGGGCTGTGCTGCCAGATGTTCTT
TTCTGCCTCATGGGCCTGTACTAACTGCTTCCTTCTGGCTGCCATGGGCTTTGACAGATATG
TGGCCATCTGTGCTCCACTCCACTATGCCAGCCACATGAATCCTACCTCTGTGCCAGCT
GGTCATTACTTCTTCTGACTGGATACCTCTTGGACTGGGAATGACACTAGTTATTTTCC
ACCTCTCATTCTGCAGCTCCCATGAAATCCAGCACTTTTTTTGTGACACGCCACCTGTGCTG
10 AGCCTAGCCTGTGGAGATACAGGCCCCGAGTGAGCTGAGGATCTTTATCCTCAGTCTTTTGG
TCCTCTTGGTCTCCTTCTTCTTCATCACCATCTCCTACGCCTACATCTTGGCAGCAATACTG
AGGATCCCCTCTGCTGAGGGGGCAGAAGAAGGCCCTTCTCCACTTGTGCCTCGCACCTTACAG
TGGTCATTATTATTATGGCTGTGCTTCTTCTGTACCTGAGGCCCAAAGCCAGCTACTCT
CTTGAGAGAGATCAGCTTATTGCCATGACCTATACTGTAGTGACCCCCCTCCTTAATCCCA
15 TTGTTTATAGTCTAAGGACTAGGGCTATACAGACAGCTCTGAGGAATGCTTTCAGAGGGAG
ATTGCTGGGTAAAGGATGA (SEQ ID NO: 416).

AOLFR223 sequences:

MEANESSEGISFVLLGLTTSPGQQRPLFVLFLLLYVASLLGNGLIVAAIQASPALHAPMYFLLA
20 HLSFADLCFASVTPKMLANLLAHDHSISLAGCLTQMYFFALGVTDSCLLAAMAYDCYVAIR
HPLPYATMSRAMCAALVGMWL VSHVHSLLYILLMARLSFCASHQVPHFFCDHQPLRLSC
SDTHHIQLLIFTEGA AVVVT PFLILASYGAIAAVLQLPSASGR LRAVSTCGSHLAVVSLFYGT
VIAVYFQATSRREAEWGRVATVMYTVVTPMLNPIIYSLWNRDVQALRALLIGRRISASDS
(SEQ ID NO: 417).

25 ATGGAGGCTGCCAATGAGTCTTCAGAGGGAATCTCATTCGTTTTATTGGGACTGACAACAA
GTCCTGGACAGCAGCGGCCTCTCTTGTGCTGTCTTGTCTGTATGTGGCCAGCCTCCTG
GGTAATGGACTCATTGTGGCTGCCATCCAGGCCAGTCCAGCCCTTCATGCACCCATGTACT
TCCTGCTGGCCACCTGTCCTTTGCTGACCTCTGTTTCGCCTCCGTCACTGTGCCAAAGATG
30 TTGGCCAACCTGTTGGCCCATGACCACTCCATCTCGCTGGCTGGCTGCCTGACCCAAATGT
ACTTCTTCTTTGCCCTGGGGGTAACGTAGCTGTCTTCTGGCGGCCATGGCCTATGACTG
CTACGTGGCCATCCGGCACCCCTCCCCATGCCACGAGGATGTCCCGGGCCATGTGCGCA
GCCCTGGTGGGAATGGCATGGCTGGTGTCCACGTCCACTCCCTCCTGTATATCCTGCTCA
TGGCTCGCTTGTCTTCTGTGCTTCCCACCAAGTGCCCCACTTCTTCTGTGACCACAGCCT
35 CTCTAAGGCTCTCGTGCTCTGACACCCACCATCCAGCTGCTCATCTTCACCGAGGGCG
CCGCAGTGGTGGTCACTCCCTTCTGCTCATCTCGCTCCTATGGGGCCATCGCAGCTGC
CGTGCTCCAGCTGCCCTCAGCCTCTGGGAGGCTCCGGGCTGTGTCCACCTGTGGCTCCCAC
CTGGCTGTGGTGAGCCTCTTCTATGGGACAGTCATTGCAGTCTACTTCCAGGCCATATCCC
GACGCGAGGCAGAGTGGGGCCGTGTGGCCACTGTCATGTACACTGTAGTCACCCCATGC
40 TGAACCCCATCATCTACAGCCTCTGGAATCGCGATGTACAGGGGGCACTCCGAGCCCTTCT
CATTGGGCGAAGGATCTCAGCTAGTGACTCCTGA (SEQ ID NO: 418).

AOLFR224 sequences:

MGSFNTSFEDGFILVGFSDWPQLEPILFVFIFYSLTIFGNTHIALSWLDLRLHTPMYFFLSHL
45 LDLCFTTSTVPQLLINLCGVDRITTRGGCVAQLFIYALGSTECVLLVVMADFVYAAVCRPLHY
MAIMHPLCQTLAIA SWGAGFVNSLIQTGLAMAMPLCGHRLNHFFCEMPVFLKLACADTEGT
EAKMFVARVIVVAVPAALILGSYVHIAHAVLRVKSTAGRRKAFGTGSHLLVFLFYGSAIYT
YLQSIHNSEREGKFVALFYTIITPILNPLIYTLRNKDVKGALWKVLWRGRDSG (SEQ ID NO:
419).

50 ATGGGAAGTTTCAACACCAGTTTTGAAGATGGCTTCATTTTGGTGGGATTCTCAGATTGGC
CGCAACTGGAGCCCATCCTGTTTGTCTTTATTTTATTTTCTACTCCCTAACTCTCTTTGGC
AACACCATCATCATCGCTCTCTCCTGGCTAGACCTTCGGCTGCACACACCTATGTACTTCTT
TCTCTCTCATCTGTCCCTCCTGGACCTCTGCTTACCACCAGCACCGTGCCCCAGCTCCTGA
55 TCAACCTTTGCGGGGTGGACCGCACCATCACCCGTGGAGGGTGTGTGGCTCAGCTCTTCAT
CTACCTAGCCCTGGGCTCCACAGAGTGTGTGCTCCTGGTGGTGTATGGCCTTTGACCGCTAT

GCTGCTGTCTGTCTGCTCCACTCCACTACATGGCCATCATGCACCCCCATCTCTGCCAGACCCCT
GGCTATCGCCTCCTGGGGTGC GG GTTTCGTGAACTCTCTGATCCAGACAGGTCTCGCAATG
GCCATGCCTCTCTGTGGCCATCGACTGAATCACTTCTCTGTGAGATGCCTGTATTTCTGAA
GTTGGCTGTGCGGACACAGAAGGAACAGAGGCCAAGATGTTTGTGGCCCGAGTCATAGT
5 CGTGGCTGTTCCTGCAGCACTTATTCTAGGCTCCTATGTGCACATTGCTCATGCAGTGCTG
AGGGTGAAGTCAACGGCTGGGCGCAGAAAGGCTTTTGGGACTTGTGGGTCCCACCTCCTA
GTAGTTTTCCCTTTTTTATGGCTCAGCCATCTACACATATCTCCAATCCATCCACAATTATTC
TGAGCGTGAGGGAAAATTTGTTGCCCTTTTTTATACTATAATTACCCCATCTCAATCCTC
TCATTTATACACTAAGAAACAAGGACGTGAAGGGGGCTCTGTGGAAAGTACTATGGAGGG
10 GCAGGGACTCAGGGTAG (SEQ ID NO: 420).

AOLFR225 sequences:

MENYNQTSTDFILLGLFPPSIIDLFFFILIVFIFLMALIGNLSMILLIFLDTHLHTPMYFLLSQLSLID
LNYISTIVPKMASDFLHGNKISISFTGCGIQSFFFLALGGAEALLASMAYDRYIAICFPLHYLIRM
15 SKRVCVLMITGWSWIGSINACAHTVYVLHIPYCRSRINHHFCDVPAMVTLACMDTWVYEGTV
FLSATIFLVFPFIGISCSYGQVLFAVYHMKSAEGRKKAYLTCSTHLTVVTFYYPFVYTYLRPRS
LRSPTEDKVLAVFYTILTPMLNPIIYSLRNKEVMGALTRVSQRICSVKM (SEQ ID NO: 421).

ATGGAAAATTACAATCAAACATCAACTGATTTTCATCTTATTGGGGCTGTTTCCACCATCAA
20 TAATTGACCTTTTCTTCTTCTCATTGTTTTTCATTTTCTGATGGCTCTAATTGGAAACC
TGTCATGATTCTTCTCATCTTCTTGGACACCCATCTCCACACACCCATGTATTTCTACTG
AGTCAGCTCTCCCTCATTGACCTAAATTACATCTCCACCATTTGTTCTAAGATGGCATCTGA
TTTTCTGCATGGAAACAAGTCTATCTCCTTCACTGGGTGTGGGATTCAGAGTTTCTTCTTCT
TGGCATTAGGAGGTGCAGAAGCACTACTTTTGGCATCTATGGCCTATGATCGTTACATTGC
25 TATTTGCTTTTCTCTCCACTATCTCATCCGCATGAGCAAAAGAGTGTGTGTGCTGATGATA
ACAGGGTCTTGGATCATAGGCTCGATCAATGCTTGTGCTCACACTGTATATGTA TACTCCATA
TTCCTTATTGCCGATCCAGGGCCATCAATCATTTCTTCTGTGATGTCCCAGCAATGGTGACT
CTGGCTGCATGGACACCTGGGTCTATGAGGGCACAGTGTTTTTGAGTGCCACCATCTTTC
TCGTGTTTCCCTTCATTGGTATTTCTATGTTCTTATGGCCAGGTCTCTTTTGTGTCTACCAC
30 ATGAAATCTGCAGAAGGGAGGAAGAAAGCCTATTTGACCTGCAGCACCCACCTCACTGTA
GTAACCTTTCTACTATGCACCTTTTGTCTACACTTATCTACGTCCAAGATCCCTGCGATCTCC
AACAGAGGACAAGGTTCTGGCTGTCTTCTACACCATCCTCACCCCAATGCTCAACCCCATC
ATCTATAGCCTGAGGAACAAGGAGGTGATGGGGGCCCTGACACGAGTGAGTCAGAGAATC
TGCTCTGTGAAAATGTAG (SEQ ID NO: 422).

35

AOLFR226 sequences:

MEWRNHSGRVSEFVLLGFPAPAPLQVLLFALLLLAYVLVTENTLIIMAIRNHSTLHKPMYFFL
ANMSFLEIWIYVTVTPKMLAGFVGSQDHGQLISFEGCMTQLYFFLGLGCTECVLLAVMAYD
RYMAICYPLHYPVIVSGRLCVQMAAGSWAGGFGISMVVKVFLISGLSYCGPNINHHFCDVSPLL
40 NLSCTDMSTAELTDFILAIFILLGPLSVTGASYVAITGAVMHISAAAGRYKAFSTCASHLTVVIIF
YAASIFIYARPKALS AFDTNKLVSVLYAVIVPLLNPIIYCLRNQEVKRALCCTLHLYQHQPDP
KKASRNV (SEQ ID NO: 423).

ATGGAGTGGCGGAACCATAGTGGGAGAGTGAGTGAGTTTGTGTTGCTGGGCTTCCCTGCT
45 CCTGCGCCACTACAGGTACTATTGTTTGCCCTTTTGTGCTGCTGGCCTATGTGTTGGTGCTGAC
TGAGAACACACTCATCATTATGGCAATTAGGAACCATTTCTACCCTCCACAAACCATGTAC
TTTTTTCTAGCTAATATGTCCTTTCTGGAGATCTGGTATGTCACTGTCACTATTCCCAAGAT
GCTTGCTGGCTTTTGTGGATCCAAACAGGATCATGGACAGCTAATCTCCTTTGAGGGATGC
ATGACACAGCTCTACTTTTTCTTGGCTTGGGCTGCACTGAGTGTGTCTTCTCGCTGTTAT
50 GGCCTATGATCGCTATATGGCCATCTGCTATCCTCTCCACTACCCAGTCATTGTCAAGTGGCC
GGCTGTGTGTCAGATGGCTGCTGGCTCTTGGGCTGGAGGTTTGGCATCTCCATGGTCAA
AGTTTTTCTTATTTCTGGCTCTCTTACTGTGGCCCCAACATCATCAACCACTTTTCTGTG
ATGTCTCTCCATTGCTCAACCTCTCATGCACTGATATGTCCACAGCAGAGCTTACAGATTTC
ATCCTGGCCATTTTATTCTTCTAGGGCCACTCTCTGTCACTGGGGCCTCCTATGTGGCCAT
55 TACTGGTGCTGTGATGCACATATCTTCGGCTGCTGGACGCTATAAGGCCTTTTCCACCTGT
GCCTCTCATCTCACTGTTGTGATAATCTTCTATGCAGCCAGTATCTTCATCTATGCTCGGCC

AAAGGCACTCTCAGCTTTTGACACCAACAAGTTGGTCTCTGTACTGTATGCTGTCATTGTA
CCATTGCTCAATCCCATCATTTACTGCCTGCGCAATCAAGAGGTCAAGAGAGCCCTATGCT
GTA CTCTGCACCTGTACCAGCACCAGGATCCTGACCCCAAGAAAGCTAGCAGAAATGTATA
G (SEQ ID NO: 424).

5

AOLFR227 sequences:

MEPQNTSTVTNFQLLGFQNLLEWQALLFVIFLLIYCLTIIGNVVITTVVSQGLRLHSPMYMFLQH
LSFLEVWYTTSTVPLLLANLLSWGQAISFSACMAQLYFFVFLGATECFLLAFMAYDRYLAICSP
LRYPLMHRLCARLVVVSWCTGVSTGFLHSMMSRLDFCGRNQINHFCDLPPLMQLSCSR
V
YITEVTIFILSIAVLCICFFLTLPYVVFVSSILRPSTSGRRKTFSTCGSHLAVVTLYYGT
MISMIV
CPSPHLLPEINKIISVFYTVVTPLLNPVIYSLRNKDFKEAVRKVMRRKCGILWSTSKRKF
LY (SEQ ID NO: 425).

10

15

20

25

30

ATGGAGCCCCAAAATACCTCCACTGTGACTAACTTTCAGCTGTTAGGATTCCAGAACCTTC
TTGAATGGCAGGCCCTGCTCTTTGTCATTTTCTGCTCATCTACTGCCTGACCATTATAGGG
AATGTTGTCATCATCACCGTGGTGAGCCAGGGCCTGCGACTGCACTCCCCTATGTACATGT
TCCTCCAGCATCTCTCCTTTCTGGAGGTCTGGTACACGTCCACCACTGTGCCCTTCTCCTA
GCCAACCTGCTGTCTCTGGGGCCAAGCCATCTCCTTCTCTGCCTGCATGGCACAGCTCTACT
TCTTCGTATTCTCGGCGCCACCGAGTGCTTTCTCCTGGCCTTCATGGCCTATGACCGTTAC
CTGGCCATCTGCAGCCCACTCCGCTACCCCTTTCTCATGCATCGTGGGCTATGTGCCAGGTT
GGTGGTGGTCTCATGGTGACAGGGGTGAGCACAGGCTTTCTGCATTCCATGATGATTCC
AGGTTGGACTTCTGTGGGCGCAATCAGATTAAACCATTTCTTCTGCGACCTCCCGCCACTCA
TGCAGCTCTCCTGTTCCAGAGTTTATATCACCGAGGTGACCATCTTCATCCTGTCAATTGCC
GTGCTGTGCATTTGTTTTTTTCTGACACTGGGGCCCTATGTTTTTCATTGTGTCTCCATATT
GAGAATCCCTTCCACCTCTGGCCGGAGAAAGACCTTTTCCACATGTGGCTCCACCTGGCT
GTTGTCACTCTCTACTACGGGACCATGATCTCCATGTATGTGTGTCCCAGTCCCCACCTGTT
GCCTGAAATCAACAAGATCATTTCTGTCTTCTACACTGTGGTCAACCACTGCTGAACCCA
GTTATCTACAGCTTGAGGAACAAAGACTTCAAAGAAGCTGTTAGAAAGGTCATGAGAAGG
AAATGTGGTATTCTATGGAGTACAAGTAAAAGGAAGTTCCTTTATTAG (SEQ ID NO: 426).

AOLFR229 sequences:

MFYVNVQIPFQLYHISFVYPTTELWSRAIIPCMPTLSFWVCSATPVSPGFFALILLVFVTSIASNVVK
ILIHIDSRHLTPMYFLLSQLSLRDILYISTIVPKMLVDQVMSQRAISFAGCTAQHFLYTLGAE
FFLLGLMSCDRYVAICNPLHYPDLMSRKICWLIVAAAWLGGSIDGFLLTPVTMQFFFCASREIN
HFFCEVPALLKLSCTDTSAYETAMYVCCIMMLLIPFSVISGSYTRILITVYRMSEAEGRRAVAT
CSSHMVVVSLFYGAAMYTYVLPHSYHTPEQDKAVSAFYTILTPMLNPLIYSLRNKDVGTALQK
VVGRCVSSGKVTTT (SEQ ID NO: 427).

35

40

45

50

55

ATGTTTTATGTAAATCAGATACCTTTCCAACCTTTATCATATCTCTTTCTGTTACCTACAGA
GCTATGGAGCAGAGCAATTATTCCGTGTATGCCGACTTTATCCTTCTGGGTTTGTTCAGCA
ACGCCCCGTTTCCCCTGGCTTCTTTGCCCTCATTCTCCTGGTCTTTGTGACCTCCATAGCCAG
CAACGTGGTCAAGATCATTTCTCATCCACATAGACTCCCGCCTCCACACCCCATGTACTTC
CTGCTCAGCCAGCTCTCCCTCAGGGACATCCTGTATATTTCCACCATTTGTGCCAAAATGCT
GGTCGACCAGGTGATGAGCCAGAGAGCCATTTCTTTGCTGGATGCACTGCCAACACTTC
CTCTACTTGACCTTAGCAGGGGCTGAGTTCTTCTCCTAGGACTCATGTCTGTGATCGCTA
CGTAGCCATCTGCAACCTCTGCACTATCCTGACCTCATGAGCCGCAAGATCTGCTGGTTG
ATTGTGGCGGCAGCCTGGCTGGGAGGGTCTATCGATGGTTTCTTGCTACCCCCGTACCA
TGCAGTTCCCCCTTCTGTGCCTCTCGGGAGATCAACCACTTCTTCTGCGAGGTGCCTGCCCTT
CTGAAGCTCTCCTGCACGGACACATCAGCCTACGAGACAGCCATGTATGTCTGCTGTATTA
TGATGCTCCTCATCCCTTTCTCTGTGATCTCGGGCTTTACACAAGAATTCTCATTACTGTT
TATAGGATGAGCGAGGCAGAGGGGAGGCGAAAGGCTGTGGCCACCTGCTCCTCACACATG
GTGGTTGTGACGCTTCTATGGGGCTGCCATGTACACATACGTGCTGCTCACTTCTTACCA
CACCCCTGAGCAGGACAAAGCTGTATCTGCCTTCTACACCATCCTCACTCCCATGTCTCAAT
CCACTCATTTACAGCCTTAGGAACAAGGATGTACGGGGGCCCTACAGAAGGTTGTTGGG
AGGTGTGTGCTCCTCAGGAAAGGTAACCACTTTCTAA (SEQ ID NO: 428).

AOLFR230 sequences:

MGMEGLLQNSTNFVLTGLITHPAFPGLLFAIVFSIFVVAITANLVMILLIHMD SRLHTPMYFLLS
QLSIMDTIYICITVPKMLQDLLSKDKTISFLGCAVQIFLYLTLIGGEFFLLGLMAYDRYVAVCNP
LRYPLLMNRRVCLFMVVGSWVGGSLDGFMLTPVTMSFPFCRSREINHFFCEIPAVLKLSCDTDS
5 LYETLMYACCVLMMLIPLSVISVSYTHILLTVHRMNSAEGRRKAFATCSSHIMVVSVFYGAIFY
TNVLPHSYHTPEKDKVVSAFYTILTPMLNPLIYSLRNKDVAAALRKVLGRCGSSQSIRVATVIR
KG (SEQ ID NO: 429).

10 ATGGGCATGGAGGGTCTTCTCCAGAACTCCACTA ACTTCGTCCTCACAGGCCTCATCACCC
ATCCTGCCTTCCCCGGGCTTCTCTTTGCAATAGTCTTCTCCATCTTTGTGGTGGCTATAACA
GCCAACTTGGTCATGATTCTGCTCATCCACATGGACTCCCGCCTCCACACACCCATGTACTT
CTTGCTCAGCCAGCTCTCCATCATGGATACCATCTACATCTGTATCACTGTCCCAAGATGC
TCCAGGACCTCCTGTCCAAGGACAAGACCATTTCTTCTGCTGGGCTGTGCAGTTCAGATCTT
15 CCTCTACCTGACCCTGATTGGAGGGGAATTCTTCTGCTGGGTCTCATGGCCTATGACCGC
TATGTGGCTGTGTGCAACCCTCTACGGTACCCTCTCCTCATGAACCGCAGGGTTTGCTTATT
CATGGTGGTTCGGCTCCTGGGTTGGTGGTTCTTGGATGGGTTTCATGCTGACTCCTGTCACT
ATGAGTTTCCCCTTCTGTAGATCCCAGAGATCAATCACTTTTTCTGTGAGATCCCAGCCGT
GCTGAAGTTGTCTTGACAGACACGTCACCTCTATGAGACCCTGATGTATGCCTGCTGCGTG
CTGATGCTGCTTATCCCTCTATCTGTCTCTCTGTCTCCTACACGCACATCCTCCTGACTGT
20 CCACAGGATGAACCTCTGCTGAGGGCCGGCGCAAAGCCTTTGCTACGTGTTCTCCACATT
ATGGTGGTGAGCGTTTTCTACGGGGCAGCCTTCTACACCAACGTGCTGCCCCATCCTACC
ACACTCCAGAGAAAGATAAAGTGGTGTCTGCTTCTACACCATCCTCACCCCATGCTCAA
CCCACTCATCTACAGCTTGAGGAATAAAGATGTGGCTGCAGCTCTGAGGAAAGTACTAGG
GAGATGTGGTTCTCCTCCAGAGCATCAGGGTGGCGACTGTGATCAGGAAGGGCTAG (SEQ ID
25 NO: 430).

AOLFR231 sequences:

MERANHSVVSEFILLGLSKSQLQLFFLGFSVVVFGIVLGNLLILVTVTFDLSLHTPMYFLLSNL
SCIDMILASFATPKMIVDFLRERKTISWWGCYSQMFFMHLLGGSEMMLLVAMAIDRYVAICKP
30 LHYMTIMSPRVLTGLLLSSYAVGFVHSSQMAFMLTLPFCGPNVIDSFFCDLPLVIKLACKDTYI
LQLLVIADSGLLSLVCFLLLVSYGVIFSVRYRAASRSSKAFSTLSAHITVVTFFAPCVFIYVW
PFSRYSVDKILSVFYTIFTPLLNPIIYTLRNQEVKAAIKKRLCI (SEQ ID NO: 431).

ATGGAAAGAGCAAACCATTCAGTGGTATCGGAATTTATTTTGTGGGACTTTCCAAATCTC
35 AAAATCTTCAGATTTTATTCTTCTTGGGATTCTCTGTGGTCTTCGTGGGGATTGTGTTAGGA
AACCTGCTCATCTTGGTGACTGTGACCTTTGATTGCTCCTTCACACACCAATGTATTTTCT
GCTTAGCAACCTCTCCTGCATTGATATGATCCTGGCTTCTTTTGTACCCCTAAGATGATTG
TAGATTTCTCCTCCGAGAACGTAAGACCATCTCATGGTGGGGATGTTATCCCAGATGTTCTT
TATGCACCTCCTGGGTGGGAGTGAGATGATGTTGCTTGTAGCCATGGCAATAGACAGGTAT
40 GTTGCCATATGCAAACCCCTCCATTACATGACCATCATGAGCCACGGGTGCTCACTGGGC
TACTGTTATCCTCCTATGCAGTTGGATTGTGCACTCATCTAGTCAAAATGGCTTTTCATGTTG
ACTTTGCCCTTCTGTGGTCCCAATGTATATAGACAGCTTTTTCTGTGACCTTCCCCTTGTGAT
TAAACTTGCCTGCAAGGACACCTACATCCTACAGCTCCTGGTCATTGCTGACAGTGGGCTC
CTGTCACTGGTCTGCTTCTCCTCTTGTCTTCTCCTATGGAGTCATAATATTCTCAGTTAG
45 GTACCGTGCTGCTAGTCGATCCTCTAAGGCTTCTCCACTCTCTCAGCTCACATCACAGTTG
TGACTCTGTTCTTTGCTCCGTGTGTCTTTATCTACGTCTGGCCCTTCAGCAGATACTCGGTA
GATAAAATTCTTTCTGTGTTTTACACAATTTTACACCTCTCTTAAATCCTATTATTTATAC
ATTAAGAAATCAAGAGGTAAAAGCAGCCATTAAGAAAGACTCTGCATATAA (SEQ ID NO:
432).

50

AOLFR232 sequences:

MDNITWMASHTGWSDFILMGLFRQSKHPMANITWMANHTGWSDFILLGLFRQSKHPALLCV
VIFVFLMALSGNAVLILLIHCD AHLHTPMYFFISQLSLMDMAYISVTPKMLLDQVMGVN KIS
APEGCMQMFFYVTLAGSEFFLATMAYDRYVAICHPLRYPVLMNHRVCLFLSSGCWFLGSVD
55 GFTFTPTMTFPFRGSREIHFFCEVPAVLNLSCSDTSLYEIFMYLCCVLMMLLPVVISSSYLLILL

TIHGMNSAEGRKKAFATCSSHLTVVILFYGAAIYTYMLPSSYHTPEKDMMVSVFYTILTPVNVN
LIYSLRNKDVMGALKKMLTVEPAFQKAME (SEQ ID NO: 433).

5 ATGGACAACATCACCTGGATGGCCAGCCACACTGGATGGTCGGATTTCATCCTGATGGGAC
TCTTCAGACAATCCAAACATCCAATGGCCAATATCACCTGGATGGCCAACCACACTGGATG
GTCGGATTTCATCCTGTTGGGACTCTTCAGACAATCCAAACATCCAGCACTACTTTGTGTG
GTCATTTTTGTGGTTTTCTGATGGCGTTGTCTGGAAATGCTGTCCTGATCCTTCTGATACA
10 CTGTGACGCCACCTCCACACCCCCATGTACTTTTTCATCAGTCAATTGTCTCTCATGGACA
TGGCGTACATTTCTGTCACTGTGCCAAGATGCTCCTGGACCAGGTCATGGGTGTGAATAA
GATCTCAGCCCCCTGAGTGTGGGATGCAGATGTTCTTCTACGTGACACTAGCAGGTTTCAGAA
TTTTTCCTTCTAGCCACCATGGCCTATGACCGCTACGTGGCCATCTGCCATCCTCTCCGTTA
CCCTGTCCTCATGAACCATAGGGTGTGTCTCTTCTGTCATCAGGCTGCTGGTTCCTGGGCT
CAGTGGATGGCTTCACATTCACCTCCCATCACCATGACCTTCCCCTTCCGTGGATCCCGGA
GATTCATCATTTCTTCTGTGAAGTTCCTGCTGTATTGAATCTCTCCTGCTCAGACACCTCAC
15 TCTATGAGATTTTCATGTACTTGTGCTGTGTCTCATGCTCCTCATCCCTGTGGTGATCATT
TCAAGCTCCTATTTACTCATCCTCCTCACCATCCACGGGATGAACCTCAGCAGAGGGCCGGA
AAAAGGCCCTTGGCCACCTGCTCCTCCACCTGACTGTGGTCATCCTCTTCTATGGGGCTGCC
ATCTACACCTACATGCTCCCCAGCTCCTACCACACCCCTGAGAAGGACATGATGGTATCTG
TCTTCTATACCATCCTCACTCCAGTGGTGAACCTTTAATCTATAGTCTTAGGAATAAGGAT
20 GTCATGGGGGCTCTGAAGAAAATGTAAACAGTGGAACCTGCCTTTCAAAAAGCTATGGAG
TAG (SEQ ID NO: 434).

AOLFR233 sequences:

25 MANITRMANHTGKLDFFILMGLFRRSKHPALLSVVIFVFLKALSGNAVLILLIHCD AHLHSPMY
FFISQLSLMDMAYISVTVPKMLLDQVMGVNKVSAPECGMQMFLYLTLAGSEFFLLATMAYDR
YVAICHPLRYPVLMNHRVCLFLASGCWFLGSVDGFMLTPITMSFPFCRSWEIHFFCEVPAVTI
LSCSDTSLYETLMYLCCVLMMLIPVTIISSYLLILLTVHRMNSAEGRKKAFATCSSHLTVVILFY
GAAVYTYMLPSSYHTPEKDMMVSVFYTILTPVLNPLIYSLRNKDVMGALKKMLTVRFVL
(SEQ ID NO: 435).

30 ATGGCCAACATCACCAGGATGGCCAACCACACTGGAAAGTTGGATTTCATCCTCATGGGAC
TCTTCAGACGATCCAAACATCCAGCTCTACTTAGTGTGGTCATCTTTGTGGTTTTCTGAAG
GCGTTGTCTGGAAATGCTGTCCTGATCCTTCTGATACACTGTGACGCCACCTCCACAGCC
CCATGTACTTTTTCATCAGTCAATTGTCTCTCATGGACATGGCGTACATTTCTGTCACTGTG
35 CCAAAGATGCTCCTGGACCAGGTCATGGGTGTGAATAAGGTCTCAGCCCCCTGAGTGTGGG
ATGCAGATGTTCTCTATCTGACACTAGCAGGTTCCGAATTTTTCTTCTAGCCACCATGGC
CTATGACCGCTACGTGGCCATCTGCCATCCTCTCCGTTACCCTGTCCTCATGAACCATAGG
GTCTGTCTTTCTGGCATCGGGCTGCTGGTTCTGGGCTCAGTGGATGGCTTCATGCTCAC
TCCCATACCATGAGCTTCCCCTTCTGCAGATCCTGGGAGATTTCATCATTTCTTCTGTGAAG
40 TCCCTGCTGTAACGATCCTGTCTGCTCAGACACCTCACTCTATGAGACCTCATGTACCTA
TGCTGTGTCTCATGCTCCTCATCCCTGTGACGATCATTTCAAGCTCCTATTTACTCATCCT
CCTCACCGTCCACAGGATGAACCTCAGCAGAGGGCCGAAAAAGGCCTTTGCCACCTGCTC
CTCCACCTGACTGTGGTCATCCTCTTCTATGGGGCTGCCGTCTACACCTACATGCTCCCCA
GCTCCTACCACACCCCTGAGAAGGACATGATGGTATCTGTCTTCTATACCATCCTCACTCC
45 GGTGCTGAACCTTTAATCTATAGTCTTAGGAATAAGGATGTCATGGGGGCTCTGAAGAAA
ATGTTAACTGTGAGATTCGTCCTTTAG (SEQ ID NO: 436).

AOLFR234 sequences:

50 MPNSTTVMEFLLMRFSVDVWTLQILHSASFFMLYLVTLMGNILIVTVTCDSSLHMPMYFFLRN
LSILDACYISVTVPTSCVNSLLDSTTISKAGCVAQVFLVFFVYVELLFLTIMAHDRYVAVCQPL
HYPVIVNSRICQMTLASLLSGLVYAGMHTGSTFQLPFCRSNVIHQFFCDIPSLKLSCSDTFSNE
VMIVVSALGVGGGCFIIRSYIHIFSTVLGFPRGADRTKAFSTCIPHILVVSVFLSSCSSVYL RPP
AIPAATQDLILSGFYSIMPLFNPIIYSLRNKQIKVAIKKIMKRIFYSENV (SEQ ID NO: 437).

55 ATGCCCAATTCAACCACCGTGATGGAATTTCTCCTCATGAGGTTTTCTGATGTGTGGACAC
TACAGATTTTACATTCTGCATCCTTCTTTATGTTGTATTTGGTAACTCTAATGGGAAACATC

CTCATTGTGACCGTCACCACCTGTGACAGCAGCCTTCACATGCCCATGTACTTCTTCCTCAG
GAATCTGTCTATCTTGGATGCCTGCTACATTTCTGTTACAGTCCCTACCTCATGTGTCAATT
CCCTACTGGACAGCACCACCATTTCTAAGGCGGGATGTGTAGCTCAGGTCTTCCTCGTGGT
TTTTTTTGTATATGTGGAGCTTCTGTTTCTCACCATTATGGGTCATGACCGCTATGTGGCTG
5 TCTGCCAGCCACTTCACTACCTGTGATCGTGAATCTCGAATCTGCATCCAGATGACACT
GGCCTCCCTACTCAGTGGTCTTGTCTATGCAGGCATGCACACTGGCAGCACATTCCAGCTG
CCCTTCTGTGCGGTCCAACGTTATTCATCAATTCTTCTGTGACATCCCCTCTCTGCTGAAGCT
CTCTTGCTCTGACACCTTCAGCAATGAGGTCATGATTGTTGTCTCTGCTCTGGGGGTAGGT
GGCGGCTGTTTCATCTTTATCATCAGGTCTTACATTACATCTTTTCGACCGTGCTCGGGTT
10 TCCAAGAGGAGCAGACAGAACAAAGGCCCTTTTCCACCTGCATCCCTCACATCCTGGTGGTG
TCAGTCTTCCTCAGTTCATGCTCTTCTGTGTACCTCAGGCCACCTGCGATACCTGCAGCCAC
CCAGGATCTGATCCTTTCTGGTTTTTATTCCATAATGCCTCCCCTCTTTAACCTATTATTTA
CAGTCTTAGAAATAAGCAAATAAAGGTGGCCATCAAGAAAATCATGAAGAGAATTTTTTA
TTCAGAAAATGTGTAA (SEQ ID NO: 438).

15

AOLFR235 sequences:

MDGVNDSSLQGFVLMGISDHPQLEMIFFAILFSYLLTLLGNSTIILSRLEARLHTPMYFFLSNL
SSLDLAFATSSVPQMLINLWGPCKTISYGGCITQLYVFLWLGATECILLVMAFDYVAVCRPL
RYTAIMNPQLCWLAVIACLGGLGNSVIQSTFTLQLPLCGHRRVEGFLCEVPAMIKLACGDTSL
20 NQAVLNGVCTFFTAVPLSHVISYCLIAQAVLKIRSAEGRRKAFNTCLSHLLVFLFYGSASYGY
LLPAKNSKQDQKFIISLFSLVTPMVNPLIYTLRNMEVKGALRRLGKGREVG (SEQ ID NO:
439).

ATGGACGGGGTGAATGATAGCTCCTTGCAGGGCTTTGTTCTGATGGGCATATCAGACCATC
25 CCCAGCTGGAGATGATCTTTTTATAGCCATCCTCTTCTCCTATTTGCTGACCCTACTTGGG
AACTCAACCATCATCTTGCTTTCCCGCCTGGAGGCCCGGCTCCATACACCCATGTACTTCTT
CCTCAGCAACCTCTCCTCCTTGGACCTTGCTTTGCTACTAGTTCAGTCCCCCAAATGCTGA
TCAATTTATGGGGACCAGGCAAGACCATCAGCTATGGTGGCTGCATAACCCAGCTCTATGT
CTTCTTTGGCTGGGGGCCACCGAGTGCATCCTGCTGGTGGTGTGATGGCATTGACCGCTAC
30 GTGGCAGTGTGCCGGCCCCCTCCGCTACACCGCCATCATGAACCCCCAGCTCTGCTGGCTGC
TGGCTGTGATTGCCTGCCTGGGTGGCTTGGGCAACTCTGTGATCCAGTCAACATTCACTCT
GCAGCTCCCATTGTGTGGGCACCGGAGGGTGGAGGGATTCTCTGCGAGGTGCCTGCCAT
GATCAAACTGGCCTGTGGCGACACAAGTCTCAACCAGGCTGTGCTCAATGGTGTCTGCACC
TTCTTCACTGCAGTCCCACTAAGCATCATCGTGATCTCCTACTGCCTCATTGCTCAGGCAGT
35 GCTGAAAATCCGCTCTGCAGAGGGGAGGCGAAAGGCGTTCAATACGTGCCTCTCCCATCT
GCTGGTGGTGTTCCTCTTCTATGGCTCAGCCAGCTATGGGTATCTGCTTCCGGCCAAGAAC
AGCAAAACAGGACCAGGGCAAGTTCAATTCCTGTTTCTACTCGTTGGTACACCCATGGTGA
ATCCCCTCATCTACACGCTGCGGAACATGGAAGTGAAGGGCGCACTGAGGAGGTTGCTGG
GGAAAGGAAGAGAAGTTGGCTGA (SEQ ID NO: 440).

40

AOLFR236 sequences:

MTSQRDTAIYSINVSFVAKGMTSRSVCEKMTMTTENPNQTVVSHFFLEGLRYTAKHSSLFFL
LFLLIYSITVAGNLLILLTVGSDSHLSLPMYHFLGHSFLDACLSTVTVPKVMAGLLTLDGKVIS
FEGCAVQLYCFHFLASTEFLYTVMA YDRYLAICQLHYVPAMNRRMCAEMAGITWAIGATH
45 AAIHTSLTFRLLYCGPCHIA YFFCDIPPVLKLACTDTTINELVMLASIGIVAAGCLILIVISYIFIVA
AVLRIRTAQGRQRAFSPCTAQLTGVLVLYVPPVCYLYLQPRSEAGAGAPAVFYTIVTPMLNPFY
TLRNKEVKHALQRLLCSSFRETAGSPPP (SEQ ID NO: 441).

ATGACATCTCAGGAAAGGGATACAGCTATTTATTCCATTAATGTCAGTTTTGTTGCAAAGG
50 GGATGACTAGCCGCTCTGTGTGTGAGAAGATGACCATGACAACGGAGAACCCCAACCAGA
CTGTGGTGAGCCACTTCTTCTGGAGGGTTTGAGGTACACCGCTAAACATTCTAGCCTCTT
CTTCTCCTCTTCTCCTCATCTACAGCATCACTGTGGCTGGGAATCTCCTCATCCTCCTAA
CTGTGGGCTCTGACTCTACCTCAGCTTACCCATGTACCACTTCTGGGGCACCTCTCCTTC
CTGGATGCCTGTTTGTCTACAGTGACAGTGCCCAAGGTCATGGCAGGCCTGCTGACTCTGG
55 ATGGGAAGGTGATCTCCTTTGAGGGCTGTGCCGTACAGCTTTATTGCTTCCACTTTCTGGC
CAGCACTGAGTGCTTCTGTACACAGTCATGGCCTATGACCGCTATCTGGCTATCTGTCAA

CCCCTGCACTACCCAGTGGCCATGAACAGAAGGATGTGTGCAGAAATGGCTGGAATCACC
TGGGCCATAGGTGCCACGCACGCTGCAATCCACACCTCCCTCACCTTCCGCCTGCTCTACT
GTGGGCCTTGCCACATTGCCTACTTCTTCTGCGACATACCCCTGTCCATAAGCTCGCCTGT
ACAGACACCACCATTAATGAGCTAGTCATGCTTGCCAGCATTGGCATCGTGGCTGCAGGCT
5 GCCTCATCCTCATCGTTATTTCTACATCTTCATCGTGGCAGCTGTGTTGCGCATCCGCACA
GCCCAGGGCCCGGCAGCGGGCCTTCTCCCCCTGCACTGCCAGCTCACTGGGGTGCTCCTGT
ACTACGTGCCACCTGTCTGTATCTACCTGCAGCCTCGCTCCAGTGAGGCAGGAGCTGGGGC
CCCTGCTGTCTTCTACACAATCGTAACTCCAATGCTCAACCCATTCAATTTACACTTTGCGGA
ACAAGGAGGTGAAGCATGCTCTGCAAAGGCTTTTGTGCAGCAGCTTCCGAGAGTCTACAG
10 CAGGCAGCCCACCCCATAG (SEQ ID NO: 442).

AOLFR237 sequences:

MDQRNYTRVKEFTFLGITQSRELSQVLFTFLFLVYMTTLMGNFLIMVTVTCEHLHTPMYFLL
RNLSDICFSSITAPKVLIDLLSEKTSISFGCVTQMFFHLLGGADVFSLSVMAFDRIYAISKPL
15 HYMTIMSRGRCTGLIVGFLGGGLVHSIAQISLLPLPVCNPNVLDTFYCDVPQVLKLA CTDTFT
LELLMISNNGLVSWFVFFLLISYTVILMMLRSHTEGRRKAISTCTSHITVTVLHFVPCIYVYA
RPFTALPTDTAISVTFTVISPLLNPIIYTLRNQEMKLAMRKLKRRLGQSERILIQ (SEQ ID NO:
443).

20 ATGGATCAGAGAAATTACACCAGAGTGAAAGAATTTACCTTCCTGGGAATTACTCAGTCCC
GAGAACTGAGCCAGGTCTTATTTACCTTCCTGTTTTTGGTGTACATGACAACTCTAATGGG
AACTTCCTCATCATGGTTACAGTTACCTGTGAATCTCACCTTCATACGCCCATGTACTTCC
TGCTCCGCAACCTGTCTATTCTTGACATCTGCTTTTCTCCATCACAGCTCCTAAGGTCTGT
ATAGATCTTCTATCAGAGACAAAAACCATCTCCTTCAGTGGCTGTGTCACTCAAATGTTCT
25 TCTTCCACCTTCTGGGGGGAGCAGACGTTTTTCTCTCTCTGTGTGATGGCGTTTGACCGTAT
ATAGCCATCTCCAAGCCCCTGCACTATATGACCATCATGAGTAGGGGGCGATGCACAGGCC
TCATCGTGGGCTTCCTGGGTGGGGGGCTTGCCACTCCATAGCGCAGATTTCTCTATTGCT
CCCACTCCCTGTCTGTGGACCCAATGTTCTTGACACTTTCTACTGCGATGTCCCCCAGGTCC
TCAAACCTTGCTGCACTGACACCTTCACTCTGGAGCTCCTGATGATTTCAAATAATGGGTT
30 AGTCAGTTGGTTTGTATTCTTCTTCTCTCATATCTTACACGGTCATCTTGATGATGCTGA
GGTCTCACACTGGGGAAGGCAGGAGGAAAGCCATCTCCACCTGCACCTCCACATCACCG
TGGTGACCCTGCATTTCTGTGCCCTGCATCTATGTCTATGCCCGGCCCTTCACTGCCCTCCCC
ACAGACACTGCCATCTCTGTACCTTCACTGTCTATCTCCCTTTGCTCAATCCTATAATTTA
CACGCTGAGGAATCAGGAAATGAAGTTGGCCATGAGGAACTGAAGAGACGGCTAGGAC
35 AATCAGAAAGGATTTTAATTCAATAA (SEQ ID NO: 444).

AOLFR238 sequences:

MAPENFTRVTEFILTVSSCPQLPLFLVFLVYVLTMAAGNLGIITLTSVDSRLQTPMYFFLRHL
AIINLGNSTVIAPKMLMNFVKKKTTSFYECATQLGGFLFFIVSEVMMLAVMAYDRYVAICNP
40 LLYMVVVSRRLLCLLVSLTYLYGFSTAIVVSPCIFSVSYCSSNIINHFYCDIAPLLALSCSDTYPE
TIVFISAAITNLFSSMITVLVSFNVLSILRIRSPGRKKAFTSCASHMLAVTVFYGTMLFMYLQP
QTNHSLDTDKMASVFYTLVIPMLNPLIYSLRNNDVNVALKKFMENPCYSFKSM (SEQ ID NO:
445).

45 ATGGCTCCTGAAAATTTACACCAGGGTCACTGAGTTTATTCTCACAGGTGTCTCTAGCTGTC
CAGAGCTCCAGATTCCCCTCTTCTGGTCTTCTAGTGCTCTATGTGCTGACCATGGCAGG
GAACCTGGGCATCATCACCTCACAGGTGTGACTCTCGACTTCAAACCCCATGTACTTTT
TCCTGAGACATCTAGCTATCATCAATCTTGCAACTCTACTGTCATTGCCCTAAAATGCTG
ATGAACTTTTTAGTAAAGAAGAAACTACCTCATTCTATGAATGTGCCACCAACTGGGAG
50 GGTCTTGTCTTTATTGTATCGGAGGTAATGATGCTGGCTGTGATGGCCTATGACCGCTA
TGTGGCCATTTGTAACCCTCTGCTCTACATGGTGGTGGTGTCTCGGCGGCTCTGCCTCCTGC
TGGTGTCCCTCACGTACCTCTATGGCTTTTCTACAGCTATTGTGGTTTCACCTTGATATTC
TCTGTGCTTATTGCTCTTCTAATATAATCAATCATTTTTACTGTGATATTGCACCTCTGTT
AGCATTATCTTGCTCTGATACTTACATACCAGAAACAATAGTCTTTATATCTGCAGCAACA
55 AATTGTTTTTTTCCATGATTACAGTTCTAGTATCTTATTTCAATATTGTTTTGTCCATTCTA
AGGATACGTTACCAGAAGGAAGGAAAAAGCCTTTTCCACCTGCGCTTCGCATATGATA

GCAGTCACGGTTTTCTATGGGACAATGCTATTTATGTATTTGCAGCCCCAAACCAACCACT
CACTGGATACTGATAAGATGGCTTCTGTGTTTTACACATTGGTGATTCCCTATGCTGAATCC
CTTGATCTACAGCCTGAGGAATAATGATGTAAATGTTGCCTTAAAGAAATTCATGGAAAAT
CCATGTTACTCCTTTAAATCAATGTAA (SEQ ID NO: 446).

5

AOLFR239 sequences:

MDPQNYSLVSEFVLHGLCTSRHLQNFFIFFFGVYVAIMLGNLLILVTVISDPCLHSSPMYFLLG
NLAFLDMWLASFATPKMIRDFLSDQKLISFGGCMQAIFFLHFTGGAEMVLLVSMAYDRYVAIC
KPLHYMTLMSWQTCIRLVLASWVVGFBVHSISQVAFTVNLPYCGPNEVDSFFCDLPLVIKLACM
DTYVLGIIMISDSGLLSLSCFLLLLISYTVILLAIRQRAAGSTSKALSTCSAHIMVVTLFFGPCIFV
YVRPFSRFSVDKLLSVFYTIFTPLLNPIIYTLRNEEMKAAMKKLQNRRTVFQ (SEQ ID NO: 447).

10

ATGGACCCACAGAACTATTCCTTGGTGTCAGAAATTTGTGTTGCATGGACTCTGCACTTCAC
GACATCTTCAAAATTTTTCTTTATATTTTTCTTTGGGGTCTATGTGGCCATTATGCTGGGT
AACCTTCTCATTTTGGTCACTGTAATTTCTGATCCCTGCCTGCACTCCTCCCCTATGTACTT
CCTGCTGGGGAACCTAGCTTTCCTGGACATGTGGCTGGCCTCATTTGCCACTCCCAAGATG
ATCAGGGATTTCCCTTAGTGATCAAAAACCTCATCTCCTTTGGAGGATGTATGGCTCAAATCT
TCTTCTTGCACTTTACTGGTGGGGCTGAGATGGTGCCTCGGTTTCCATGGCCTATGACAG
ATATGTGGCCATATGCAAACCTTGCATTACATGACTTTGATGAGTTGGCAGACTTGCATC
AGGCTGGTGCTGGCTTCATGGGTCGTTGGATTTGTGCACTCCATCAGTCAAGTGGCTTTCA
CTGTAAATTTGCCTTACTGTGGCCCCAATGAGGTAGACAGCTTCTTCTGTGACCTCCCTCTG
GTGATCAAACTTGCCTGCATGGACACCTATGTCTTGGGTATAATTATGATCTCAGACAGTG
GGTTGCTTTCCTTGAGCTGTTTTCTGCTCCTCCTGATCTCCTACACCGTGATCCTCCTCGCT
ATCAGACAGCGTGCTGCCGGTAGCACATCCAAAGCACTCTCCACTTGCTCTGCACATATCA
TGGTAGTGACGCTGTTCTTTGGCCCTTGCATTTTTGTTTATGTGCGGCCTTTCAGTAGGTTT
TCTGTGGACAAGCTGCTGTCTGTGTTTTATACCAATTTTACTCCACTCCTGAACCCCATAT
CTACACATTGAGAAATGAGGAGATGAAAGCAGCTATGAAGAACTGCAAAACCGACGGGT
GACTTTTCAATGA (SEQ ID NO: 448).

15

20

25

30

AOLFR240 sequences:

MAGENHTTLPFLLLGFSDLKALQGFLFWVVLVYLVTLLGNSLIILLTQVSPALHSPMYFFLR
QLSVVELFYTTDIVPRTLNLGSPHPQAISFQGCAAQMYVFIVLGISECCLLTAMAYDRYVAIC
QPLRYSTLLSPRACLAMVGSSWLTGIIATTHASLIFSLPFRSHPIIPHFLCDILPVRLASAGKHR
SEISVMTATIVFIMIPFSLIVTSYRILGAILAMASTQSRKVFSTCSSHLLVVSLLFFGTASITYIRPQ
AGSSVTTDRVLSLFYTVITPMLNPIIYTLRNKDVRRLRHLVKRQRPS (SEQ ID NO: 449).

35

ATGGCTGGGGAAAAACCATACTACACTGCCTGAATTCCTCCTTCTGGGATTCTCTGACCTCA
AGGCCCTGCAGGGCCCCCTGTTCTGGGTGGTGCTTCTGGTCTACCTGGTCACCTTGCTGGG
TAACTCCCTGATCATCCTCCTCACACAGGTCAGCCCTGCCCTGCACTCCCCCATGTACTTCT
TCCTGCGCCAACTCTCAGTGGTGGAGCTCTTCTACACCACTGACATCGTGCCAGGACCCT
GGCCAATCTGGGCTCCCCGCATCCCCAGGCCATCTCTTCCAGGGCTGTGCAGCCCAGATG
TACGTCTTCATTGTCCTGGGCATCTCGGAGTGCTGCCTGCTCACGGCCATGGCCTATGACC
GATATGTTGCCATCTGCCAGCCCCTACGCTATTCCACCCTCTTGAGCCCACGGGCCTGCTT
GGCCATGGTGGGGTCTCCTGGCTCACAGGCATCATCACGGCCACCACCCATGCCTCCCTC
ATCTTCTCTCTACCTTTTCGCAGCCACCCGATCATCCCGCACTTTCTCTGTGACATCCTGCC
AGTACTGAGGCTGGCAAGTGCTGGGAAGCACAGGAGCGAGATCTCCGTGATGACAGCCAC
CATAGTCTTTCATTATGATCCCCCTCTCTCTGATTGTACCTCTTACATCCGCATCCTGGGTG
CCATCTAGCAATGGCCTCCACCCAGAGCCGCGCAAGGTCTTCTCCACCTGCTCCTCCCA
TCTGCTCGTGGTCTCTCTCTTTTGAACACGCCAGCATCACCTACATCCGGCCGACGCA
GGCTCCTCTGTTACCACAGACCGCGTCTCAGTCTCTTCTACACAGTCATCACACCCATGCT
CAACCCCATCATCTACACCTTCGGAACAAGGACGTGAGGAGGGCCCTGCGACACTTGGT
GAAGAGGCAGCGCCCCCTCACCTGA (SEQ ID NO: 450).

40

45

50

AOLFR241 sequences:

MPQILIFTYLNMFYFFPPLQILAENLTMVTEFLLLGFSLLGEIQLALFVVFLFLYLVLSGNVTIIS
VIHLDKSLHTPMYFFLGILSTSETFYTFVILPKMLINLLSVARTISFNCCALQMFFFLGFAITNCLL

55

LGVMGYDRYAAICHPLHYPTLMSWQVCGKLAACAIGGFLASLTVVNLVFSLPFCSANKVNH
YFCDISAVILLACTNTDVNEFVIFICGVLVLVVPFLFICVSYLCILRTLKIPSAEGRRKAFSTCAS
HLSVVIVHYGCASFYLRPTANYVSNKDLRVTVTYTIVTPLNPMVYSLRNKDVQLAIRKVLG
KKGSLKLYN (SEQ ID NO: 451).

5

ATGCCCCAAATTCTTATATTCACATACCTGAATATGTTTTACTTCTTTCCCCCTTTGCAGAT
CTTGGCAGAAAAACCTCACCATGGTCACCGAATTCCTGTTGCTGGGTTTTCCAGCCTTGGT
GAAATTCAGCTGGCCCTCTTTGTAGTTTTCTTTCTGTATCTAGTCATTCTTAGTGGCAA
10 TGTACCATTTATCAGTGTCATCCACCTGGATAAAAAGCCTCCACACACCAATGTACTTCTTCC
TTGGCATTCTCTCAACATCTGAGACCTTCTACACCTTTGTCAATCTACCCAAGATGCTCATC
AATCTACTTTCTGTGGCCAGGACAATCTCCTTCAACTGTTGTGCTCTTCAAATGTTCTTCTT
CCTTGGTTTTGCCATTACCAACTGCCTGCTATTGGGTGTGATGGGTTATGATCGCTATGCTG
CCATTTGTCAACCTCTGCATTACCCCACTCTTATGAGCTGGCAGGTGTGTGGAAAACTGGC
15 AGCTGCCTGTGCAATTGGTGGCTTCTTGGCCTCTCTTACAGTAGTAAATTTAGTTTTTCAGCC
TCCCTTTTTGTAGCGCCAACAAAGTCAATCACTTCTGTGACATCTCAGCAGTCATTCTT
CTGGCTTGTACCAACACAGATGTTAACGAATTTGTGATATTCATTTGTGGAGTTCTTGTAC
TTGTGGTTCCCTTTCTGTTTATCTGTGTTTCTTATCTCTGCATTCTGAGGACTATCCTGAAG
ATTCCCTCAGCTGAGGGCAGACGGAAGCGTTTTCCACCTGCGCCTCTCACCTCAGTGTG
20 TTATTGTTCAATTATGGCTGTGCTTCCCTTCATCTACCTGAGGCCTACAGCAAACTATGTGTCC
AACAAAGACAGGCTGGTGACGGTGACATACAGATTGTCACTCCATTACTAAACCCCATG
GTTTATAGCCTCAGAAACAAGGATGTCCAACCTTGCTATCAGAAAAGTGTTGGGCAAGAAA
GGTCTCTAAAACTATATAATTGA (SEQ ID NO: 452).

AOLFR242 sequences:

25 MNTTLFHPYSFLLLGPGLSMHLWVGPFPAVFLTAVLGNITLFIQTDSSLHHPMFYFLAILS
SIDPGLSTSTIPKMLGTFWFTLREISFEGCLTQMFFIHLCTGMESAVLVAMAYDCYVAICDPLCY
TLVLTNKVVSVMALAIFLRPLVFVIPFVLFILRLPFCGHQIIPHTYGEHMGILRLSCASIRVNIYG
LCAISILVFDIIAIVISYVQILCAVFLSSHDARLKAFTSCGSHVCVMLTFYMPAFFSFMTHRFR
NIPHFHILLANFYVIPPALNSVIYGVRTKQIRAQVLKMFFNK (SEQ ID NO: 453).

30

ATGAATACCACTCTATTTTCATCCTTACTCTTTCCTTCTTCTGCGAATTCCTGGGCTGGAAAG
TATGCATCTCTGGGTTGGTTTTCCITTTCTTTGCTGTGTTCCCTGACAGCTGTCCCTGGGAATA
TCACCATCCTTTTTGTGATTGAGACTGACAGTAGTCTCCATCATCCCATGTTCTACTTCTG
35 GCCATTCCTGTCTATTGACCCGGGCTGTCTACATCCACCATCCCTAAAATGCTTGGCAC
CTTCTGGTTTACCCTGAGAGAAATCTCCTTTGAAGGATGCCTTACCCAGATGTTCTTCATCC
ACCTGTGCACTGGCATGGAATCAGCTGTGCTTGTGGCCATGGCCTATGATTGCTATGTGGC
CATCTGTGACCCTCTTTGCTACACGTTGGTGCTGACAAACAAGGTGGTGTGAGTTATGGCA
CTGGCCATCTTTCTGAGACCCTTAGTCTTTGTCATACCCTTTGTTCTATTTATCCTAAGGCT
TCCATTTTGTGGACACCAAATTATCCTCATCTTATGGTGAGCACATGGGCATTGCCCGC
40 CTGTCTTGTGCCAGCATCAGGGTTAACATCATCTATGGCTTATGTGCCATCTCTATCCTGGT
CTTTGACATCATAGCAATTGTCAATTTCTATGTACAGATCCTTTGTGCTGTATTTCTACTCT
CTTCACATGATGCACGACTCAAGGCATTGACACCTGTGGCTCTCATGTGTGTGTCATGTT
GACTTTCTATATGCCTGCATTTTTCTCATTGACCCATAGGTTTGGTCGGAATATACCTC
ACTTTATCCACATTCTTCTGGCTAATTTCTATGTAGTCATTCCACCTGCTCTCAACTCTGTA
45 ATTTATGGTGTGAGAACCACAGATTAGAGCACAAGTGCTGAAAATGTTTTTCAATAAAT
AA (SEQ ID NO: 454).

AOLFR243 sequences:

50 MEQVNKTVVREFVVLGFSSLARLQQLFVIFLLYLFTLGTNAMIISTIVLDRALHTPMYFFLAIL
SCSEICYTFVIVPKMLVDLLSQKKTISFLGCAIQMFSFLFFGSSHSFLLAAMGYDRYMAICNPLR
YSVLMGHGVCMGLMAAACACGFTVSLVTTSLVFHLPFHSSNQLHHFFCDISPVLKLSQHSFG
SQLVIFMLGVFALVIPLLLVSYIRIISAILKIPSSVGRYKTFSTCASHLIVTVHYSCASFYLRPK
TNYTSSQDTLISVSYTILPLFNPMIYSLRNKEFKSALRRRTIGQTFYPLS (SEQ ID NO: 455).

55 ATGGAGCAAGTCAATAAGACTGTGGTGAGAGAGTTCGTGCTCCTCGGCTTCTCATCCCTGG
CCAGGCTGCAGCAGCTGCTCTTTGTTATCTTCTGCTCCTCTACCTGTTCACTCTGGGCACC

AATGCAATCATCATTTCCACCATTGTGCTGGACAGAGCCCTTCATACTCCCATGTACTTCTT
CCTTGCCATCCTTTCTTGCTCTGAGATTTGCTATACCTTTGTCATTGTACCCAAGATGCTGG
TTGACCTGCTGTCGCCAGAAGAAGACCATTTCTTTCTGGGCTGTGCCATCCAAATGTTTTCC
TTCCTCTTCTTTGGCTCCTCTCACTCCTTCCTGCTGGCAGCCATGGGCTATGATCGCTATAT
5 GGCCATCTGTAACCCACTGCGCTACTCAGTGCTCATGGGACATGGGGTGTGTATGGGACTA
ATGGCTGCTGCCTGTGCCTGTGGCTTCACTGTCTCCCTGGTCACCACTCCCTAGTATTTC
TCTGCCCTTCCACTCCTCCAACCAGCTCCATCACTTCTTCTGTGACATCTCCCCTGTCCTTA
AACTGGCATCTCAGCACTCCGGCTTCAGTCAGCTGGTCATATTCATGCTTGGTGTATTTC
CTTGGTCATTCCCTCTGCTACTTATCCTAGTCTCCTACATCCGCATCATCTCTGCCATTCTAA
10 AAATCCCTTCCCTCCGTTGGAAGATACAAGACCTTCTCCACCTGTGCCTCCCATCTCATTGTG
GTAAGTGTTCACACTACAGTTGTGCCTCTTTCATCTACTTAAGGCCCAAGACTAATTACACTTC
AAGCCAAGACACCCTAATATCTGTGTACATACCATCCTTACCCCATTTGTTCAATCCAATG
ATTTATAGTCTGAGAAATAAGGAATTCAAATCAGCCCTACGAAGAACAATCGGCCAACT
TTCTATCCTCTTAGTTAA (SEQ ID NO: 456).

15

AOLFR244 sequences:

MWQEYFFLVNFFPLKVCCLTINSHVVILLPWECYHLIWKILPYIGTTVGSMEEYNTSSTDFTF
MGLFNRKETSGLIFAIISIIFFTALMANGVMIFLIQTDLRLHTPMYFLLSHLSLIDMMYISTIVPKM
LVNYLLDQRTISFVGCTAQHFLYTLVGAEFFLLGLMAYDRYVAICNPLRYPVLMSSRRVCWMI
10 IAGSWFGGSLDGFLTPITMSFPFCNSREINHFFCEAPVLKLACADTALYETVMYVCCVLMMLL
IPFSVVLASYARILTTVQCMSSVEGRKKAFATCSSHMTVVSFLFYGAAMYTYMLPHSYHKPAQ
DKVLSVFYTILTPMLNPLIYSLRNKDVGTALKRALGRFKGPQRVSGGVF (SEQ ID NO: 457).

ATGTGGCAAGAATACTATTTTTTAAATGTTTTCTTCCCACTTTTAAAAGTTTGCTGCCTAAC
25 AATTAATTCACATGTTGTTATTTTACTGCCCTGGGAATGCTATCATCTTATTTGGAAGATAT
TACCTTATATCGGCACAACCTGTAGGATCAATGGAAGAGTACAACACATCCTCTACAGACTT
CACTTTTCATGGGGCTGTTCAACAGAAAGGAAACCTCAGGTCTTATTTTGGCATCATCTCT
ATCATCTTCTTACCCGCACTGATGGCCAATGGGGTTATGATCTTCTGATCCAAACAGATT
TGCGCCTTCATACACCCATGTACTTCTCCTCAGCCACCTTCTCTTAATTGACATGATGTAT
30 ATTTCCACTATTGTGCCTAAGATGCTGGTTAATTACCTGCTGGATCAAAGGACCATTTCCTT
TGTGGGGTGCACAGCTCAACACTTCTCTACCTTACCCTTGTGGGAGCTGAATTCCTTCTG
CTGGGCCTCATGGCCTATGACCGCTATGTGGCCATTTGCAACCCTCTGAGATACCCTGTCC
TCATGAGCCGCCGGGTCTGTTGGATGATTATAGCAGGTTCTGTTTGGGGGCTCTTGGGA
TGGCTTCTCTCTAACCCCATCACCATGAGCTTTCCTTCTGCAATTCCCAGGAGATTAAACC
35 ACTTCTTCTGTAGGCACCAGCAGTCCTGAAGTTGGCATGTGCAGACACAGCCCTCTACGA
GACAGTGTATGTGTGCTGTGTTTGTGCTGCTGATTCTCTTCTGTAGTCCTTGCTT
CCTATGCCCGAATCCTGACTACAGTTCAGTGCATGAGCTCAGTGAGGGCAGGAAGAAGG
CATTTGCCACTTGCTCATCCACATGACTGTGGTGTCTTGTCTACGGGGCTGCCATGTAC
ACCTACATGCTGCCACATTCTTACCACAAGCCAGCCAGGACAAAGTCCTCTCTGTGTTTT
40 ACACCATCTCACACCCATGCTGAACCCCTCATCTACAGCCTTAGAAACAAGGATGTGAC
TGGAGCTCTGAAGAGGGCCTTGGGGAGGTTCAAGGGTCTCAAAGGGTGTGAGGAGGTGT
CTTTTGA (SEQ ID NO: 458).

AOLFR245 sequences:

MDLKNGLVTEFILLGFFGRWELQIFFVTFSLIYGATVMGNILIMVTVTCRSTLHSPLYFLLGN
45 LSFLDMCLSTATTPKMIIDLLTDHKTISVWGCVTQMFFMHFFGGAEMTLIIMAFDRYVAICKP
LHYRTIMSHKLLKGFAILSWIIGFLHSISQIVLTMNLPFCGHNVINNIFCDLPLVIKLACIETYTLE
LFVIADSGLLSFTCFILLVSYIVLVSPVKSSHGLSKALSTLSAHIIIVTLFFGPCIFIYVWPFFSL
ASNKTLAVFYTVITPLNPSIYTLRNKKMQEAIKLRFPQYVSSAQNF (SEQ ID NO: 459).

50

ATGGATCTTAAAAATGGATCTCTAGTGACCGAGTTTATTTTACTAGGATTTTTTGGACGAT
GGGAACCTCAAATTTCTTCTTGTGACATTTCCCTGATCTACGGTGCTACTGTGATGGGA
AACATTCTCATTATGGTCACAGTGACATGTAGGTCAACCCTTCATTCTCCCTTGTACTTTCT
CCTTGGAAATCTCTCTTTTTTGGACATGTGTCTCTCCACTGCCACAACACCCAAGATGATCA
55 TAGATTTGCTCACTGACCACAAGACCATCTCTGTGTGGGGCTGCGTGACCCAGATGTTCTT
CATGCACTTCTTGGGGGTGCTGAGATGACTCTTCTGATAATCATGGCCTTTGACAGGTAT

GTAGCCATATGTAAACCCCTGCACTATAGGACAATCATGAGCCACAAGCTGCTAAAGGGG
TTTGGGATACTTTTCATGGATAATTGGTTTTTACACTCCATAAGCCAGATAGTTTTAAACAAT
GAACTTGCCTTTCTGTGGCCACAATGTCATAAACAACATATTTTGTGATCTTCCCCTTGTGA
TCAAGCTTGCTTGCATTGAAACATACACCCTGGAATTATTTGTCATTGCTGACAGCGGGCT
5 GCTCTCTTTCACCTGTTTCATCCTCTTGCTTGTTCCTTACATTGTCATCCTGGTCAGTGATACC
AAAAAAATCATCACATGGGCTCTCCAAGGCGCTGTCCACATTGTCTGCCACATCATTGTG
GTCACCTCTGTTCTTTGGACCTTGTATTTTTATCTATGTTTGGCCATTGAGTAGTTTGGCAAG
CAATAAAACTCTTGGCGTATTTTATACAGTTATCACACCCTTACTGAATCCGAGTATTTATA
10 CCCTGAGAAAATAAGAAAATGCAAGAGGCCATAAGAAAATTACGGTTCCAATATGTTAGTT
CTGCACAGAATTTCTAG (SEQ ID NO: 460).

AOLFR246 sequences:

MSPENQSSVSEFLLGLPIRPEQQA VFFTLFLGMYLTTVLGNLLIMLLIQLDLSHLHTPMYFFLSH
LALDISFSSVTVPKMLMDMRKYKSYLYEECISQMYFFIFFTDLSFLITSMA YDRYVAICHPL
15 HYTVIMREELCVFLVAVSWILSCASSLSHTLLLTRL SFCAANTIPHVFCDLAALLKLSCSDIFLNE
LVMFTVGVVITL PFMCLVSYGYIGATILRVPSTKGIHKALSTCGSHLSVVSLEYGSIFGQYLF
PTVSSSIDKDVIVALMYTVVTPMLNPFYSLRNRDMKEALGKLFSRATFFSW (SEQ ID NO:
461).

20 ATGAGCCCTGAGAACCAGAGCAGCGTGTCCGAGTTCCTCCTTCTGGGCTCCCCATCCGGC
CAGAGCAGCAGGCTGTGTTCTTACCCCTGTTCCCTGGGCATGTACCTGACCACGGTGCTGGG
GAACCTGCTCATCATGCTGCTCATCCAGCTGGACTCTCACCTTCACACCCCCATGTACTTCT
TCCTCAGCCACTTGGCTCTCACTGACATCTCCTTTTCATCTGTCACTGTCCCTAAGATGCTG
ATGGACATGCGGACTAAGTACAAATCGATCCTCTATGAGGAATGCATTTCTCAGATGTATT
25 TTTTATAATTTTACTGACCTGGACAGCTTCTTATTACATCAATGGCATATGACCGATAT
GTTGCCATATGTCACCCTCTCCACTACACTGTCTCATGAGGGAAGAGCTCTGTGTCTTCTT
AGTGGCTGTATCTTGGATTCTGTCTTGTGCCAGCTCCCTCTCTCACACCTTCTCCTGACCC
GGCTGTCTTTCTGTGCTGCGAACACCATCCCCATGTCTTCTGTGACCTTGTGCTGCTC
AAGCTGTCTGCTCAGATATCTTCTCAATGAGCTGGTCATGTTACAGTAGGGGTGGTGG
30 TCATTACCCTGCCATTCATGTGTATCCTGGTATCATATGGCTACATTGGGGCCACCATCCTG
AGGGTCCCTTCAACCAAAGGGATCCACAAAGCATTGTCCACATGTGGCTCCCATCTCTCTG
TGGTGTCTCTCTATTATGGGTCAATATTTGGCCAGTACCTTTTCCCGACTGTAAGCAGTTCT
ATTGACAAGGATGTCATTGTGGCTCTCATGTACACGGTGGTCACACCCATGTTGAACCCCT
TTATCTACAGCCTTAGGAACAGGGACATGAAAGARGCCCTTGGGAAACTCTTCAAGTAGAG
35 CAACATTTTCTCCTTGGTGACATCTGACTTTTTAAAAAATTAG (SEQ ID NO: 462).

AOLFR247 sequences:

MGQHNLTVLTEFILMELTRRPELQIPLFGVFLVIYLLITVVGNLTMILTKLDSHLHTPMYFSIRHL
ASVDLGNSTVICPKVLANFVVDNRNTISYYACAAQLAFFLMFIISEFFILSAMAYDRYVAICNP LL
40 YYVIMSQR LCHVLVGIQYLYSTFQALMFTIKIFLTFCGSNVISHFYCDDVPLLPMLCSNAQEIE
LLSILFSVFNLISSFLIVLVSYMLILLAICQMHSABGRKKAFSTCGSHLTVVVVFYGSLLFMYMQ
PNSTHFFDTDKMASVFYTLVIPMLNPLIYSLRNEEVKNAFYKLFEN (SEQ ID NO: 463).

ATGGGCCAACACAATCTAACAGTGCTAACTGAATTCATTCTGATGGAACCTCACAAAGGCGGC
45 CTGAGCTGCAGATTCCCCTTTTTGGAGTCTTCCCTCGTCATCTACCTAATCACAGTGGTGGGC
AACCTAACTATGATCATTTTGACCAAACTGGACTCCCACTTACATACACCTATGTACTTTTC
TATCAGACATTTGGCTTCTGTTGATCTTGGTAATTCTACTGTCAATTTGTCCCAAGGTGCTGG
CAAATTTTGTGTGGATCGAAATACTATTTCCTATTATGCATGTGCTGCACAGCTGGCATTC
TTCCTTATGTTTATTATCAGTGAATTTTTCATCCTGTGAGCCATGGCCTATGACCGCTATGT
50 GGCCATTTGTAAACCTCTGCTCTATTATGTTATTATGTCTCAGCGACTGTGTCATGTACTGG
TGGGCATTCAATATCTCTACAGCACATTTCAAGGCTCTGATGTTCACTATTAAGATTTTTACA
TTGACCTTCTGTGGCTCTAATGTCATCAGTCATTTTTACTGTGATGATGTTCTTTGCTACC
TATGCTTTGCTCAAATGCACAGGAAATAGAATTGTTGAGCATACTATTTTCTGTATTTAATT
TGATCTCCTCCTTTCTGATAGTCTTAGTGTCTACATGTTGATTTTGTAGCTATATGTCAA
55 ATGCATTCTGCAGAGGGCAGGAAAAAGGCTTTCTCCACATGTGGTTCCCATTTGACAGTGG
TGGTTGTGTTCTATGGGTCTCTACTCTTCATGTACATGCAGCCCAATTCCACTCACTTCTTT

GATACTGATAAAATGGCTTCTGTGTTTTACACTTTAGTAATCCCCATGCTTAACCCCTTTGAT
TTACAGCTTAAGAAACGAAGAGGTGAAAAATGCCTTCTATAAGCTCTTTGAGAAATTGA
(SEQ ID NO: 464).

5 **AOLFR248 sequences:**

MPCMPCALPTGGLLPHPQHTMMEIANVSSPEVFLVLLGFSTRPSLETVLFIVVLSFYMVLSILGNGI
IILVSHTDVHLHTPMYFFLANLPFLDMSFTTSIVPQLLANLWGPQKTISYGGCVVQFYISHWL
ATECVLLATMSYDRAAICRPLHYTVIMHPQLCLGLALASWLGGLTSMVSGSTLTMLLPLCG
NNCIDHFFCEMPLIMQLACVDTSLNEMEMYLASFVFLPLGLILVSYGHIARAVLKIRSAEGR
10 RKAFNTCSSHVAVVSIFYGSIIFMYLQPAKSTSHEQGFIALFYTVVTPALNPLIYTLRNTEVKS
ALRHMVLENC CGSAGKLAQI (SEQ ID NO: 465).

ATGCCCTGTATGCCCTGTGCTCTTCCCACAGGTGGCCTTTTGCCCCACCCCCAGCATACAAT
GATGGAAATAGCCAAATGTGAGTTCTCCAGAAGTCTTTGTCTCCTGGGCTTCTCCACACGA
15 CCCTCACTAGAACTGTCTCTTCATAGTTGTCTTGAGTTTTACATGGTATCGATCTTG
CAATGGCATCATCATTCTGGTCTCCCATACAGATGTGCACCTCCACACACCTATGACTTCT
TTCTTGCCAACCTCCCCTTCTGGACATGAGCTTCAACACGAGCATTGTCCCACAGCTCCTG
GCTAACCTCTGGGGACCACAGAAAACCATAAGCTATGGAGGGTGTGTGGTCCAGTTCTAT
ATCTCCCATTGGCTGGGGGCAACCGAGTGTGTCTGCTGGCCACCATGTCTATGACCGCT
20 ACGCTGCCATCTGCAGGCCACTCCATTACACTGTCATTATGCATCCACAGCTTTGCCTTG
GCTAGCTTTGGCCTCCTGGCTGGGGGGTCTGACCACCAGCATGGTGGGCTCCACGCTCACC
ATGCTCCTACCGCTGTGTGGGAACAATTGCATCGACCACTTCTTTGCGAGATGCCCTCA
TTATGCAACTGGCTTGTGTGGATACCAGCCTCAATGAGATGGAGATGTACCTGGCCAGCTT
TGCTTTTGTGTCTGCTCTGGGGCTCATCCTGGTCTCTTACGGCCACATTGCCCGGGCCG
25 TGTGAAGATCAGGTGAGCAGAAAGGGCGGAGAAAGGCATTCAACACCTGTTCTTCCACG
TGGTGTGGTGTCTCTGTTTTACGGGAGCATCATCTTCAATGTATCTCCAGCCAGCCAAGAG
CACCTCCCATGAGCAGGGCAAGTTCATAGCTCTGTTCTACACCGTAGTCACTCTGCGCTG
AACCCTTATTTACACCCTGAGGAACACGGAGGTGAAGAGCGCCCTCCGGCACATGGTA
TTAGAGAACTGCTGTGGCTCTGCAGGCAAGCTGGCGCAAATTTAG (SEQ ID NO: 466).

30

AOLFR249 sequences:

MKSQIEKSDLKYRAILLQKVTRMFLFWVLLLVLSRLLVVMGRGNSTEVTEFHLLGFGVQHEF
QHVLFIYVLLIYVTSIGNIGMILLIKTDSRLQTPMYFFPQHAFVDICYTSAITPKMLQSFTEN
NLITFRGCVIQLVYATFATSDCYLLAIMAMDCYVAICKPLRYPMIMSQT VYIQLVAGSYIIGSI
35 NASVHTGFTFSLFCKSNKINHFFCDGLPILALSCSNIDINILDVVFVGFDFLMTLVIIFSITYIM
VTILKMSSTAGRKKSFTCASHLTAVTIFYGTL SYMYLQPQSNNSQENMKVASIFYGTVIPMLN
PLIYSLRNKEGK (SEQ ID NO: 467).

ATGAAAAGTCAAATTGAAAAAAGTGACTTAAAATATAGAGCCATTTTATTGCAAAAAGTC
40 ACAAGGATGTTCTGCTTTTCTGGGTCCTTCTCTGGTCCCTTTCTAGACTTTTGGTAGTCAT
GGGTCGAGGAAACAGCACTGAAGTGACTGAATTCCATCTTCTGGGATTTGGTGTCCAACAC
GAATTCAGCATGTCCTTTTCAATTGTACTTCTTCTTATCTATGTGACCTCCCTGATAGGAAA
TATTGGAATGATCTTACTCATCAAGACCGATTCAGACTTCAAACACCCATGTACTTTTTTC
CACAACATTTGGCTTTTGTGATATCTGTTATACTTCTGCTATCACTCCCAAGATGCTCCAA
45 AGCTTCACAGAAGAAAATAATTTGATAACATTTGGGGCTGTGTGATACAATTCTTAGTTT
ATGCAACATTTGCAACCAGTGACTGTTACCTCCTAGCTATTATGGCAATGGATTGTTATGT
TGCCATCTGTAAAGCCCTTCGCTATCCCATGATCATGTCCCAAACAGTCTACATCCAACCTCG
TAGCTGGCTCATATATTATAGGCTCAATAAATGCCTCTGTACATACAGGTTTTACATTTCA
CTGTCTTCTGCAAGTCTAATAAAATCAATCACTTTTTCTGTGATGGTCTCCCAATCTTGC
50 CCTTTCATGCTCCAACATTGACATCAACATCATTCTAGATGTTGTCTTTGTGGGATTGACT
TGATGTTCACTGAGTTGGTCATCATCTTTTCTACATCTACATTATGGTCACCATCTGAAG
ATGTCTTCTACTGCTGGGAGGAAAAAATCCTTCTCCACATGTGCCTCCCACCTGACAGCAG
TAACCATTTTCTATGGGACACTCTTACATGTACTTACAGCCTCAGTCTAATAATTCTCAG
GAGAATATGAAAGTAGCCTCTATATTTATGGCACTGTTATTCCCATGTTGAATCCTTTAAT
55 CTATAGCTTGAGAAATAAGGAAGGAAAAATAA (SEQ ID NO: 468).

AOLFR250 sequences:

MENQSSISEFFLRGISAPPEQQQSLFGIFLCMYLVTLTGNLLIILAIGSDLHLHTPMYFFLANLSFV
DMGLTSSVTVKMLVNIQTRHHTISYTGCLTQMYFFLMFGDLDSFFLAAMAYDRYVAICHPLCY
STVMRPQVCALMLALCWVLTNIVALHTHFLMARLSFCVTGEIAHFFCDITPVCLKSCSDTHINE
5 MMVFLVGGTVLIVPFLCIVTSYIHVPAILRVTRGGVGKAFSTCSSHLCVVCVIFYGTLFSAYLC
PPSIASEEKDIAAAAMYTIVTPMLNPFYSLRNKDMKGALKRLFSHRSIVSS (SEQ ID NO: 469).

ATGGAAAACCAATCCAGCATTCTGAATTTTCTCCTCCGAGGAATATCAGCGCCTCCAGAGC
AACAGCAGTCCCTCTTCGGAATTTTCTGTGTATGTATCTTGTACACCTTGACTGGGAACCTG
10 CTCATCATCTCGGCCATTGGCTCTGACCTGCACCTCCACACCCCATGTACTTTTCTTGGC
CAACCTGTCTTTTGTGACATGGGTTTAAACGTCCTCCACAGTTACCAAGATGCTGGTGAAT
ATACAGACTCGGCATCACACCATCTCCTATACGGGTTGCCTCACGCAAATGTATTTCTTTCT
GATGTTTGGTGATCTAGACAGCTTCTTCTGCTGCCATGGCGTATGACCGCTATGTGGCC
ATTTGCCACCCCTCTGCTACTCCACAGTCATGAGGCCCCAAGTCTGTGCCCTAATGCTTGC
15 ATTGTGCTGGGTCTCACC AATATCGTTGCCCTGACTCACAGTTTCTCATGGCTCGGTTGT
CCTTCTGTGTGACTGGGGAAATTGCTCACTTTTCTGTGACATCACTCCTGTCTGAAGCTG
TCATGTTCTGACACCCACATCAACGAGATGATGGTTTTTGTCTTGGGAGGCACCGTACTCA
TCGTCCTCTTTTATGCATTGTACCTCCTACATCCACATTGTGCCAGCTATCCTGAGGGTC
CGAACCCGTGGTGGGGTGGGCAAGGCCTTTTCCACCTGCAGTTCCCACCTCTGCGTTGTTT
20 GTGTGTTCTATGGGACCTCTTCCAGTCCCTACCTGTGTCTCCTCCCTCCATTGCCTCTGAAGAG
AAGGACATTGCAGCAGCTGCAATGTACACCATAGTGACTCCCATGTTGAACCCCTTTATCT
ATAGCCTAAGGAACAAGGACATGAAGGGGGCCCTAAAGAGGCTCTTCAGTCACAGGAGTA
TTGTTTCTCTTAG (SEQ ID NO: 470).

AOLFR251 sequences:

MEGNKTWITDITLPRFQVGPALAILLCLGFSAFYTLTLLGNVIFGHIICLDCKLHTPMYFFLSHLA
IVDISYASNYVPKMLTNLMNQESTISFFPCIMQTFLYLAFHVECLILVMSYDRYADICHPLRY
NILMSWRVCTVLAVASWVFSLLALVPLVLILRPFPGPHEINHFEILSVLKLACADTWLNQV
30 VIFAA CVFILVGPLCLVLVSYLRLAAILRIQSGEGRRKAFSTCSSHLCVVLFFGSAIVTYMAPK
SRHPBEEQKVLSLFYSLFNPMLNPLIYSLRNAEVKGALRRALRKERLT (SEQ ID NO: 471).

ATGGAAGGCAACAAGACATGGATCACAGACATCACCTTGCCGCGATTCCAGGTTGGTCCA
GCACTGGAGATTCTCCTCTGTGGACTTTTCTCTGCCTTCTATACACTCACCCCTGCTGGGGAA
TGGGGTCATCTTTGGGATTATCTGCCTGGACTGTAAGCTTACACACCCATGTACTTCTTCC
35 TCTCACACCTGGCCATTGTTGACATATCCTATGCTTCCAATATGTCCCCAAGATGCTGACG
AATCTTATGAACCAGGAAAGCACCATCTCCTTTTTTCCATGCATAATGCAGACATTCTTGT
ATTTGGCTTTTGTCTACGCTAGAGTGTCTGATTTTGGTGGTGATGTCCTATGATCGCTATGCG
GACATCTGCCACCCCTTACGTTACAATATCCTCATGAGCTGGAGAGTGTGCACTGTCTCTGG
CTGTGGCTTCTGGGTGTTCACTTCTCCTGGCTCTGGTCCCTTTAGTTCTCATCCTGAGG
40 CTGCCCTTCTGCGGGCCTCATGAAATCAACCACTTCTGTGAAATCCTGTCTGTCTCAAGTT
GGCCTGTGCTGACACCTGGCTCAACCAGGTGGTCTCCTACTTGCGCATCCTGGCCGCCATCTTGAGGA
GTGGGGGCACTCTGCCTGGTGTCTCCTACTTGCGCATCCTGGCCGCCATCTTGAGGA
TCCAGTCTGGGGAGGGCCGAGAAAGGCCTTCTCCACCTGCTCCTCCCACCTTTGCGTGGT
GGGACTCTTCTTTGGCAGCGCCATTGTACGTACATGGCCCCCAAGTCCC GCCATCCTGAG
45 GAGCAGCAGAAAGTTCTTTCCCTGTTTTACAGCCTTTTCAATCCAATGCTGAACCCCTGA
TATATAGCCTAAGGAATGCAGAGGTCAAGGGCGCCCTGAGGAGGGCACTGAGGAAGGAG
AGGCTGACGTGA (SEQ ID NO: 472).

AOLFR252 sequences:

MRLANQTLGGDFLLGIFSQISHPGRLCLLIFSIFLMAVSWNITLILLIHIDSSLHTPMYFFINQLSL
IDLYISVTVPKMLVNQLAKDKTISVLGCGTQMYFYLLQGGAECCLLAAMAYDRYVAICHPLR
YSVLM SHRVCLLLASGCWVFGSVDGFMLTPIAMSFPCRSHEIQHFFCEVPAVLKLSCDTSLY
KIFMYLCCVIMLLIPVTVISVSYYYIILTIHKMNSVEGRKKAFTTCSHITVVSFLFYGAAIYNYML
55 PSSYQTPEKDMMSFFYTILTPVLNPIIYSFRNKDVTRALKKMLSVQKPPY (SEQ ID NO: 473).

ATGCGGCTGGCCAACCAGACCCTGGGTGGTGACTTTTTCCTGTTGGGAATCTTCAGCCAGA
TCTCACACCCTGGCCGCCTCTGCTTGCTTATCTTCAGTATATTTTGTGGCTGTGCTTGG
AATATTACATTGATACTTCTGATCCACATTGACTCCTCTCTGCATACTCCCATGTACTTCTT
TATAAACAGCTCTCACTCATAGACTTGACATATATTTCTGTCACTGTCCCCAAAATGCTG
5 GTGAACCAGCTGGCCAAAGACAAGACCATCTCGGTCCTTGGGTGTGGCACCCAGATGTAC
TTCTACCTGCAGTTGGGAGGTGCAGAGTGTGCTTCTAGCCGCCATGGCCTATGACCGCT
ATGTGGCTATCTGCCATCCTCTCCGTTACTCTGTGCTCATGAGCCATAGGGTATGTCTCCTC
CTGGCATCAGGCTGCTGGTTTGTGGGCTCAGTGGATGGCTTCATGCTCACTCCCATCGCCA
TGAGCTTCCCCTTCTGCAGATCCCATGAGATTCAGCACTTCTTCTGTGAGGTCCCTGCTGTT
10 TTGAAGCTCTCTTGCTCAGACACCTCACTTTACAAGATTTTCATGTACTTGTGCTGTGTCAT
CATGCTCCTGATACCTGTGACGGTCATTTCACTGTCTTACTACTATATCATCCTCACCATCC
ATAAGATGAACCTCAGTTGAGGGTCGGAAAAAGGCCTTCACCACCTGCTCCTCCACATTAC
AGTGGTCAGCCTCTTCTATGGAGCTGCTATTTTCACTACATGCTCCCCAGCTCCTACCAA
ACTCCTGAGAAAGATATGATGTCATCCTTTTCTACACTATCCTTACACCTGTCTTGAATCC
15 TATCATTTACAGTTTACAGGAATAAGGATGTCACAAGGGCTTTGAAAAAATGCTGAGCGT
GCAGAAACCTCCATATTAA (SEQ ID NO: 474).

AOLFR253 sequences:

MTTFSSGGNCEPVMCSGNQTSQNQTASTDFLTGLFAESKHAALLYTVTFLLFLMALTGNALL
20 ILLIHSEPRLHTPMYFFISQLALMDLMYLCVTVPKMLVGQVTGDDTISPSGCGIQMFFHLTLAG
AEVFLAAMAYDRYAAYCRPLHYPLLMNQRVCQLLVSAWVLMVMDGLLLTPITMSFPFCQS
RKILSFFCETPALLKLSCSDVSLYKMLTYLCCILMLLTPIMVISSSYTLILHLIHRMNSAAGRKA
LATCSSHMIIVLLLFASFYTYMLRSSYHTAEQDMMVSAFYTIFTPVLNPLIYSLRNKDVTRAL
RSMMQSRMNQEK (SEQ ID NO: 475).

25

ATGACTTTTTTTTTCCTCAGGGGGAAACTGTGAGCCAGTCATGTGCTCAGGGAATCAGACTT
CTCAGAATCAAACAGCAAGCACTGATTTACCCCTCACGGGACTCTTTGCTGAGAGCAAGCA
TGCTGCCCTCCTCTACACCGTGACCTTCTTCTTTCTTGATGGCCCTCACTGGGAATGCCC
30 TCCTCATCCTCCTCATCCACTCAGAGCCCCGCCTCCACACCCCATGTACTTCTTCATCAGC
CAGCTCGCGCTCATGGATCTCATGTACCTATGCGTGACTGTGCCCAAGATGCTTGTGGGCC
AGGTCACTGGAGATGATACCATTTCCCCGTGAGGCTGTGGGATCCAGATGTTCTTCCACCT
GACCCTGGCTGGAGCTGAGGTTTTCTCCTGGCTGCCATGGCCTATGACCGATATGCTGCT
GTTTGCAGACCTCTCCATTACCCACTGCTGATGAACCAGAGGGTGTGCCAGCTCCTGGTGT
CAGCCTGCTGGGTTTTGGGAATGGTTGATGGTTTGTGCTCACCCCATACCATGAGCTT
35 CCCCTTTTGCCAGTCTAGGAAAATCCTGAGTTTTTCTGTGAGACTCCTGCCCTGTGAAGC
TCTCCTGCTCTGACGTCTCCCTCTATAAGATGCTCACGTACCTGTGCTGCATCCTCATGCTT
CTCACCCCATCATGGTCATCTCCAGCTCATACACCCCTCATCCTGCATCTCATCCACAGGAT
GAATTCTGCCGCCGGCCGAGGAAGGCCTTGCCACCTGCTCCTCCCATGATCATAGTG
CTGCTGCTCTTCGGTGCTTCTTCTACACCTACATGCTCCGGAGTTCTTACCACACAGCTGA
40 GCAGGACATGATGGTGTCTGCCTTTACACCATCTTCACTCCTGTGCTGAACCCCTCATTT
ACAGTCTCCGCAACAAAGATGTCACCAAGGGCTCTGAGGAGCATGATGCAGTCAAGAATGA
ACCAAGAAAAGTAG (SEQ ID NO: 476).

AOLFR254 sequences:

MTNTSSSDFTLLGLLVNSEAAGIVFTVILAVFLGAVTANLVMIFLIQVDSRLHTPMYFLLSQLSI
45 MDTLFICTTVPKLLADMVSKEKIIISFVACGIQIFLYLTMIGSEFFLLGLMAYDCYVAVCNPLRYP
VLMNRKKCLLLAAGAWFGGSLDGFLLPITMNPVYCGSR SINHFCEIPAVLKLACADTSLYET
LMYICCVLMLLIPISIISTSYSLILLTHRMPSAEGRKKAFTTCSHLTVVSIFYGAAFYTYVLPQS
FHTPEQDKVVSIFYTIVTPMLNPLIYSLRNKDVIGAFKKVFACSSAQKVATSDA (SEQ ID NO:
50 477).

ATGACGAACACATCATCCTCTGACTTCACCCCTCCTGGGGCTTCTGGTGAACAGTGAGGCTG
CCGGGATTGTATTTACAGTGATCCTTGCTGTTTTCTTGGGGGCCGTGACTGCAAATTTGGT
CATGATATTCATTGATTCAAGGTGGACTCTCGCCTCCACACCCCATGTACTTTCTGCTCAGTC
55 AGCTGTCCATCATGGACACCCCTTTTCATCTGTACCACTGTCCCAAACTCCTGGCAGACAT
GGTTCTAAAGAGAAGATCATTTCCTTTGTGGCCTGTGGCATCCAGATCTTCTCTACCTG

ACCATGATTGGTTCTGAGTTCTTCCTCCTGGGCCTCATGGCCTATGACTGCTACGTGGCTGT
 CTGTAACCCTCTGAGATACCCAGTCCTGATGAACCGCAAGAAGTGTCTTTTGGTGGCTGCT
 GGTGCTGGTTTGGGGGCTCCCTCGATGGCTTTCTGCTCACTCCCATCACCATGAATGTCC
 CTTACTGTGGCTCCCGAAGTATCAACCATTTTTTCTGTGAGATCCCAGCAGTTCTGAAACT
 5 GGCCTGTGCAGACACGTCCTTGTATGAAACTCTGATGTACATCTGCTGTGCTCATGTTG
 CTCATCCCCATCTCTATCATCTCCACTTCCTACTCCCTCATCTTGTTAACCATCCACCGCAT
 GCCCTCTGCTGAAGGTCGCAAAAAGGCCTTACCACCTTGTTCCCTCCCACTGACTGTAGTT
 AGCATCTTCTATGGGGCTGCCTTCTACACATACGTGCTGCCCCAGTCCTTCCACACCCCCG
 10 AGCAGGACAAAGTAGTGTGACGCTTCTATACCATTGTCACGCCCATGCTTAATCCTCTCAT
 CTACAGCCTCAGAAACAAGGACGTCATAGGGGCATTTAAAAAGGTATTTGCATGTTGCTCA
 TCTGCTCAGAAAGTAGCAACAAGTGATGCTTAG (SEQ ID NO: 478).

AOLFR255 sequences:

MEQSNYSVYADFILLGLFSNARFPWLLFALILLVFLTSIASNVVKIILIHDSRLHTPMYFLLSQLS
 15 LRDILYISTIVPKMLVDQVMSQRAISFAGCTAQHFLYLTLGAEFFLLGLMSYDRYVAICNPLH
 YPVLMRSRKICWLIVAAA WLGGSIDGFLLPVTMQFPFCASREINHFFCEVPALLKLSCDTDSAY
 ETAMYVCCIMMLLIPFSVISGSYTRILITVYRMSEAEGRGKAVATCSSHMVVVSLFYGAAMYT
 YVLPHSYHTPEQDKAVSAFYTILTPMLNPLIYSLRNKDVGTALQKVVGRCVSSGKVTTT (SEQ
 ID NO: 479).

20 ATGGAGCAGAGCAATTATTCCTGTATGCCGACTTTATCCTTCTGGGTTTGTTCAGCAACG
 CCCGTTTCCCCTGGCTTCTCTTTGCCCTCATTCTCCTGGTCTTTTGGACCTCCATAGCCAGC
 AACGTGGTCAAGATCATTCTCATCCACATAGACTCCCGCCTCCACACCCCCATGTAATTCCT
 GCTCAGCCAGCTCTCCCTCAGGGACATCCTGTATATTTCCACCATTGTGCCAAAATGCTG
 25 GTCGACCAGGTGATGAGCCAGAGAGCCATTTCTTTGCTGGATGCACCTGCCCAACACTTCC
 TCTACTTGACCTTAGCAGGGGCTGAGTTCTTCCTCCTAGGACTCATGTCTATGATCGCTAC
 GTAGCCATCTGCAACCCTCTGCACTATCCTGTCTCATGAGCCGCAAGATCTGCTGGTTGA
 TTGTGGCGGCAGCCTGGCTGGGAGGGTCTATCGATGGTTTCTTGCTCACCCCCGTCACCAT
 GCAGTTCCCTTCTGTGCCTCTCGGGAGATCAACCACTTCTTCTGCGAGGTGCCTGCCCTTC
 30 TGAAGCTCTCCTGCACGGACACATCAGCCTACGAGACAGCCATGTATGTCTGCTGTATTAT
 GATGCTCCTCATCCCTTTCTCTGTCTATCTCGGGCTCTTACACAAGAATTCTCATTACTGTTT
 ATAGGATGAGCGAGGCAGAGGGGAGGGGAAAGGCTGTGGCCACCTGCTCCTCACACATGG
 TGGTTGTGACGCTTCTCTATGGGGCTGCCATGTACACATACGTGCTGCCTCATTCTTACCAC
 ACCCTGAGCAGGACAAAGCTGTATCTGCCTTCTACACCATCCTTACTCCCATGCTCAATC
 35 CACTCATTTACAGCCTTAGGAACAAGGATGTACAGGGGCCCTACAGAAGGTTGTGGGGA
 GGTGTGTGCTCAGGAAAGGTAACCACTTTCTAA (SEQ ID NO: 480).

AOLFR256 sequences:

MGGKQPWVTEFILVGFQVGPALAILLCGLFSVFYTLTLLGNGVIFGIIICLDSKLHTPMYFFLSHL
 40 AIIDMSYASNVPKMLANLMNQKSTISFVPCIMQTFLYLAFVTECLILVMSYDRYVAICHPF
 QYTVIMSWRVCTILASTCWISFLMALVHITHILRPPFCGPQKINHFICQIMSVFKLACAGPRLNQ
 VVLYAGSAFIVEGPLCLELVSNLHILSRHLEDPMGRAADRLTLPAPSHLCMVGLLFGSTMVM
 YMAPKSRHPPEEQKVLSLFYSLFNPMLNPLIYSLRNAEVKGALKRVLWKQRSK (SEQ ID NO:
 481).

45 ATGGGAGGCAAGCAGCCCTGGGTACAGAAATTCATCCTGGTGGGATTCCAGGTTGGTCCA
 GCACTGGCGATTCTCCTCTGTGGACTCTTCTCTGTCTTCTATACACTCACCCCTGCTGGGGAA
 TGGGGTCATCTTTGGGATTATCTGCCTGGACTCTAAGCTTCACACACCCATGTAATCTTCTCC
 TCTCACACCTGGCCATCATTGACATGTCCTATGCTTCCAACAATGTTCCCAAGATGTTGGC
 50 AAACCTAATGAACCAGAAAAGCACCATCTCCTTTGTTCCATGCATAATGCAGACTTTTGTG
 TATTTGGCTTTTGTGTTACAGAGTGCCTGATTTTGGTGGTGATGTCCTATGATAGGTATGT
 GGCCATCTGCCACCCTTTCCAGTACACTGTCATCATGAGCTGGAGAGTGTGCACGATCCTG
 GCCTCAACATGCTGGATAATTAGCTTTCTCATGGCTCTGGTCCATATAACTCATATTCTGAG
 GCCGCTTTTGTGGCCACAAAAGATCAACCACTTTATCTGTCAAATCATGTCCGTATTCA
 55 AATTGGCCTGTGCTGGCCCTAGGCTCAACCAGGTGGTCTTATATGCGGGTTCTGCGTTCAT
 CGTAGAGGGGGCCGCTCTGCCTGGAGCTGGTCTCCAACCTGCACATCCTGTCGCGCCATCTT

GAGGATCCAGTAATGGGGAGGGCCGACACCGACTTACTCTTCTGCTCCTTCCCACCTTT
GCATGGTGGGACTCCTTTTTGGCAGCACCATGGTCATGTACATGGCCCCCAAGTCCCGCCA
CCCTGAGGAGCAGCAGAAGGTCCTTTCCTGTTTTACAGCCTTTTCAACCCGATGCTGAAC
CCCTTGATCTACAGCCTGAGGAACGCAGAGGTCAAGGGTGCCCTGAAAAGAGTGTTGTGG
5 AAACAGAGATCAAAGTGA (SEQ ID NO: 482).

AOLFR257 sequences:

MESNQTWITEVILLGFQVDPALELFLFGFFLLFYSLTLMGNGIILGLIYLD SRLHTPMYVFLSHL
AIVDMSYASSTVPKMLANLVMHKKVISFAPCILQTFLYLAFATECLILVMMC YDRYVAICHPL
10 QYTLIMNWRVCTVLASTCWIFSLLALVHITLILRLPFCGPQKINHFFCQIMSVFKLACADTRLN
QVVLFAGS AFILVGPLCLVLVSYLHILVAILRIQS GEGRRKAFSTCSSHL CVVGLFFGSAIVMYM
APKSSHSQERRKILSLFYSLFNPLNPLIYSLRNAEVKGALKRVLWKQRSM (SEQ ID NO: 483).

ATGGAAGCAATCAGACCTGGATCACAGAAGTCATCCTGTTGGGATTCCAGGTGGACCCA
15 GCTCTGGAGTTGTTCTCTTTGGGTTTTCTTGCTATTCTACAGCTTAACCTGATGGGAAA
TGGGATTATCCTGGGGCTCATCTACTTGGA CTAGACTGCACACACCCATGTATGTCTTC
CTGTACACCTGGCCATTGTGGACATGTCCTATGCCTCGAGTACTGTCCCTAAGATGCTAG
CAAATCTTGTGATGCACAAAAAGTCATCTCCTTTGCTCCTTG CATACTTCAGACTTTTTTG
TATTTGGCGTTTGCTATTACAGAGTGTCTGATTTTGGTGATGATGTGCTATGATCGGTATG
20 TGGCAATCTGTACCCCTTGCAATACACCCTCATTATGAACTGGAGAGTGTGCACTGTCT
GGCCTCAACTTGCTGGATATTTAGCTTTCTCTTG GCTCTGGTCCATATTACTCTTATTCTGA
GGCTGCCTTTTTGTGGCCACAAAAGATCAACCAC TTTTTCTGTCAAATCATGTCCGTATTC
AAATTGGCCTGTGCTGACACTAGGCTCAACCAGGTGGTCTATTTGCGGGTTCTGCGTTCA
TCTTAGTGGGGCCGCTCTGCCTGGTGTGCTCTCTACTTG CACATCCTGGTGGCCATCTTG
25 AGGATCCAGTCTGGGGAGGGCCGAGAAAGGCCTTCTCTACCTGCTCCTCCCACTCTGCG
TGGTGGGGCTTTTCTTTGGCAGCGCCATGTGTCATGTACATGGCCCCAAGCAAGCCATTG
TCAAGAACGGAGGAAGATCCTTTCCCTGTTTTACAGCCTTTTCAACCCGATCCTGAACCCC
CTCATCTACAGCCTTAGGAATGCAGAGGTGAAAGGGGCTCTAAAGAGAGTCCTTTGGAAA
CAGAGATCAATGTGA (SEQ ID NO: 484).

30

AOLFR259 sequences:

MGDNQSRVTEFILVGFQLSVEMEVLFWIFSLLYLFSLLANGMILGLICLDPRLRTPMYFFLSHL
AVIDIYYASSNLLNMLENLVKHKKTISFISCIMQMALYLTFAAAVCMILVVM SYDRFVAICHPL
HYTVIMNWRVCTVLAITSWACGFSALINLILLRLPFCGPQEVNHFFGEILSVLKLACADTWIN
35 EIFVFAAGGVFVLVGPLSLMLISYMRILLAILKIQSKEGRKKAFTSCSSHL CVVGLYFGMAMVVY
LVPDNSQRQKQKILTLFYSLFNPLNPLIYSLRNAQVKGALYRALQKKRTM (SEQ ID NO:
485).

ATGGGGGACAACCAATCACGGGTCACAGAATTCATCCTGGTTGGATTCCAGCTCAGTGTG
40 GAGATGGAAGTGCTCCTCTTCTGGATCTTCTCCCTGTTATATCTCTTCAGCCTGCTGGCAAA
TGGCATGATCTTGGGGCTCATCTGTCTGGATCCCAGACTGCGCACCCCATGTACTTCTTCC
TGTCACACTTGGCCGTCATTGACATATACTATGCTTCCAGCAATTTGCTCAACATGCTGGA
AAACCTAGTGAAACACAAAAAACTATCTCGTTTCATCTCTTG CATTATGCAGATGGCTTTG
TATTTGACTTTTGCTGCTGCAGTGTGCATGATTTTGGTGGTGATGTCCTATGACAGATTTGT
45 GGCGATCTGCCATCCCCTGCATTACACTGT CATCATGAACTGGAGAGTGTGCACAGTACTG
GCTATTACTTCTGGGCATGTGGATTTTCCCTGGCCCTCATAAATCTAATTCTCCTTCTAAG
GCTGCCCTTCTGTGGGCCCCAGGAGGTGAACCACTTCTTCGGTGAAATTCTGTCTGTCTCCT
AACTGGCCTGTGCAGACACCTGGATTAATGAAATTTTGTCTTTGCTGGTGGTGTGTTTG
TCTTAGTCGGGCCCCCTTTCTTGATGCTGATCTCTACATGCGCATCCTCTTGGCCATCCTG
50 AAGATCCAGTCAAAGGAGGGCCGCAAAAAAGCCTTTTCCACCTGCTCCTCCACCTCTGTG
TGGTTGGGCTTTACTTTGGCATGGCCATGGTGGTTTACCTGGTCCCAGACAACAGTCAACG
ACAGAAGCAGCAGAAAATTCTCACCTGTTTTACAGCCTTTTCAACCCATTGCTGAACCCC
CTCATCTACAGCCTGCGGAATGCTCAAGTGAAGGGTGCCCTATACAGAGCACTGCAGAAA
AAGAGGACCATGTGA (SEQ ID NO: 486).

55

AOLFR24B sequences:

MPSINDTHFYPPFFLLGIPGLDTLHIWISFPFCIVYLIAIVGNMTILFVIKTEHSLHQPMFYFLAM
LSMIDLGLSTSTIPKMLGIFWFNLQEISFGGCLLQMFFIHMFTGMETVLLVVMAYDRFVAICNP
LQYTMILTNKTISILASVVVGRNLVLVTPFVFLRLPFCGHNIVPHTYCEHRGLAGLACAPIKIN
IYGLMVISYIIVDVILIASSYVLILRAVFRLP SQDVRLKAFNTCGSHVCVMLCFYTPAFFSFMTH
RFGQNIPHYIHILLANLYVVVPPALNPVIYGVRTKQIREQIVKIFVQKE (SEQ ID NO: 487)

ATGCCTTCTATCAATGACACCCACTTCTATCCCCCTTCTTCCTCCTGCTAGGAATACCAGG
ACTGGACACTTTACATATCTGGATTCTTTCCCATTTCTGTATTGTGTACCTGATTGCCATTG
TGGGGAATATGACCATTCTCTTTGTGATCAAAACTGAACATAGTCTACACCAGCCCATGTT
CTACTTCCTGGCCATGTTGTCTATGATTGATCTGGGTCTGTCCACATCCACTATCCCCAAAA
TGCTAGGAATCTTCTGGTTCAACCTCCAAGAGATCAGCTTTGGGGGATGCCTTCTTCAGAT
GTTCTTATTACATGTTTACAGGCATGGAGACTGTTCTGTTGGTGGTCATGGCTTATGACC
GCTTTGTTGCCATCTGCAACCCTCTCCAGTACACCATGATCCTCACCAATAAAACCATCAG
TATCCTAGCTTCTGTGGTTGTTGGAAGAAATTTAGTTCTTGTAACCCCATTTGTGTTTCTCA
TTCTGCGTCTGCCATTCTGTGGGCATAACATCGTACCTCACACATACTGTGAGCACAGGGG
TCTGGCCGGGTTGGCCTGTGCACCCATTAAAGATCAACATAATCTATGGGCTCATGGTGATT
TCTTATATTATTGTGGATGTGATCTTAATTGCCTCTTCCTATGTGCTTATCCTTAGAGCTGT
TTTTCGCTTCCCTCTCAAGATGTCCGACTAAAGGCCTTCAATACCTGTGGTTCTCATGTCT
GTGTTATGCTGTGCTTTTACACACGACGATTTTTCTTTTATGACACATCGTTTTGGCCAA
AACATTCCTCCACTATATCCATATTTCTTTGGCTAACCTGTATGTGGTTGTCCACCTGCCCT
TAACCCTGTCATTTATGGAGTCAGGACCAAGCAGATCCGAGAGCAAATTGTGAAAATATTT
GTACAGAAAGAATAA (SEQ ID NO: 488)

AOLFR33B sequences:

MLHTNNTQFHPSTFLVVGVPGLVDVHVWIGFPFFAVYLTALLGNIILFVIQTEQSLHQPMFYFL
AMLAGTDLGLSTATIPKMLGIFWFNLGEIAFGACITQMYTHICTGLESVVLVTGIDRYAICNP
LRYSMILTNKVAILGIVIVRTL VFVTPFTFLTLRLPFCGVRIIPHTYCEHMGKLACASINVY
GLIAFSVGYIDISVIGFSYVQILRAVFHLP AWDLKALSTCGSHVCVMLAFYLPALFSFMTHRF
GHNIPHYIHILLANLYVVFPALNSVTYGVKTKQIREQVLRILNPKSFWHFDPKRIFHNNSVRQ
(SEQ ID NO: 489)

ATGCTTCATACCAACAATACACAGTTTTACCCTTCCACCTTCCTCGTAGTGGGGGTCCCAG
GGCTGGAAGATGTGCATGTATGGATTGGCTTCCCCTTCTTTGCGGTGTATCTAACAGCCCT
TCTAGGGAACATCATTATCCTGTTTGTGATACAGACTGAACAGAGCCTCCACCAACCCATG
TTTTACTTCCTAGCCATGTTGGCCGGCACTGATCTGGGCTTGTCTACAGCAACCATCCCCA
AGATGCTGGGAATTTTCTGGTTTAATCTTGGAGAGATTGCATTTGGTGCCTGCATCACACA
GATGTATACCATTCATATATGCACTGGCCTGGAGTCTGTGGTACTGACAGTCACGGGCATA
GATCGCTATATTGCCATCTGCAACCCCTGAGATATAGCATGATCCTTACCAACAAGGTAA
TAGCCATTCTGGGCATAGTCATATTGTCAGGACTTTGGTATTTGTGACTCCATTACATTT
CTCACCTGAGATTGCCTTTCTGTGGTGTCCGATTATCCCTCATACCTATTGTGAACACAT
GGGCTTGGCAAAGTTAGCTTGTGCCAGTATTAATGTTATATATATGGATTGATTGCCTTCTCA
GTGGGATACATTGACATTTCTGTGATTGGATTTTCTTATGTCCAGATCCTCCGAGCTGTCTT
CCATCTCCCAGCCTGGGATGCCCGGCTTAAGGCACTCAGCACATGTGGCTCTCACGTCTGT
GTTATGTTGGCTTTTCTACCTGCCAGCCCTCTTTTCTTTCATGACACACCGCTTTGGCCACAA
CATCCCTCATTACATCCACATTCTTCTGGCCAATCTGTATGTGGTTTTTCCCCCTGCTCTTA
ACTCTGTTATCTATGGGGTCAAAACAAAACAGATACGAGAGCAGGTACTTAGGATACTCA
ACCCTAAAAGCTTTTGGCATTTTGACCCCAAGAGGATCTTCCACAACAATTACAGTTAGACA
ATAA (SEQ ID NO: 490)

50

AOLFR112B sequences:

MKNKTVLTEFILLGLTDVPELQVAVFTFLFLAYLLSILGNLTILILTLLDSHLQTPMYFFLRNFSF
LEISFTNIFIPRVLISITGNKSISFAGCFTQYFFAMFLGATEFYLLAAMS YDRYVAICKPLHYTTI
MSSRICQLIFCSWLGGMLMAIPTITLMSQQDFCASRNLNHYFCDYEPLELSCSDTSLIEKVVFL
VASVTLVVTLVLVILSYAFIHKTLKLP SAQQRTKAFSTCSSHMIVISLSYGSCMFMYINPSAKEG
DTFNKGVALLITSVAPLLNPFIYTLRNQQVKQPFKDMVKLLNL (SEQ ID NO: 491)

ATGAAAAATAAAACCGTGTTAACTGAGTTTATCCTTCTGGGTCTAACAGATGTCCTGAAC
 TCCAGGTGGCAGTTTTACCTTTCTTTTCTGCGTATTTACTCAGCATCCTTGAAATCTG
 ACTATCCTCATCCTCACCTTGCTGGACTCCCACCTTCAGACTCCCATGTATTTCTTTCTCCG
 5 GAACTTCTCCTTCTTGAAATTTCCCTTCACAAACATCTTCATTCCAAGGGTCTGATTAGCA
 TCACAACAGGGAACAAGAGTATCAGCTTTGCTGGCTGCTTCACTCAGTATTTCTTTGCCAT
 GTTCCTTGGGGCTACAGAGTTTTACCTTCTGGCTGCCATGTCCTATGACCGCTATGTGGCC
 ATCTGCAAACCTCTGCATTACACCACCATCATGAGCAGCAGAATCTGCATCCAGCTGATTT
 TCTGCTCTTGGCTGGGTGGGCTAATGGCTATTATACCAACAATCACCTGATGAGTCAGCA
 10 GGACTTTTGTGCATCCAACAGACTGAATCATTACTTCTGTGACTATGAGCCTCTTCTGGAA
 CTCTCATGTTTACAGACACAAGCCTCATAGAGAAGGTTGTCTTTCTTGTGGCATCTGTGACCC
 TGGTGGTCACTCTGGTGCTAGTGATTCTCTCCTATGCATTCAATTATCAAGACTATTCTGAAG
 CTCCCCTCTGCCCAACAAGGACAAAAGCCTTTTCCACATGTTCTTCCCACATGATTGTCAT
 CTCCCCTCTTTACGGAAGCTGCATGTTTATGTACATTAATCCCTCTGCAAAAGAAGGGGAT
 15 ACATTCAACAAGGGAGTAGCTCTACTCATTACTTCAGTTGCTCCTTTGTTGAACCCCTTTAT
 TTACACCCTAAGGAACCAACAGGTAAAACAACCCTTCAAGGATATGGTCAAAAAGCTTCT
 GAATCTTTAA (SEQ ID NO: 492)

AOLFR130B sequences:

20 MEGKNQTAPSEFILGFDHLNELQYLLFTIFFLTYICTLGGNVFIIVVTIADSHLHTPMYYFLGNL
 ALIDICYTTTNPQMMVHLLSEKKIISYGGCVTQLFAFIFFVGSECLLLAAMAYDRYIAICKPLR
 YSFIMNKALCSWLAASCWTCGFLNSVLHTVLTFHLPFCGNNQINYFFCDIPPLLLSCGDTSLNE
 LALLSIGILISWTPFLCHLSYLIIISTILRIRSSEGRHKAFSTCASHLLIVILYYGSAIFTYVRPISSYS
 LEKDRLISVLVSVVTPMLNPVIYTLRNKDIKEAVKAIGRKWQPPVFSSDI (SEQ ID NO: 493)

25 ATGGAAGGAAAGAATCAAACAGCTCCATCTGAATTCATCATCTTGGGGTTCGACCACCTGA
 ATGAATTGCAGTATTTACTCTTCACCATCTTCTTTCTGACCTACATATGCACTTTAGGAGGC
 AATGTTTTTATCATTGTGGTGACCATAGCTGATTCCACCTACACACACCCATGTATTATTT
 30 CCTAGGAAATCTTGCCCTTATTGACATCTGCTACACTACTACTAATGTCCCCCAGATGATG
 GTGCATCTTCTGTCAGAGAAGAAAATCATTTCCCTATGGAGGCTGTGTGACCCAGCTCTTTG
 CATTCATTTTCTTTGTTGGCTCAGAGTGTCTCCTCCTGGCAGCAATGGCATATGATCGATAT
 ATTGCTATCTGTAAGCCGTTAAGGTACTCATTTATTATGAACAAGGCCCTGTGCAGCTGGT
 TAGCAGCCTCATGCTGGACATGTGGGTTTCTCAACTCAGTGTTGCACACCGTTCTGACCTT
 CCACCTGCCCTTCTGTGGTAACAATCAGATCAATTATTTCTTCTGTGACATACCTCCCTTGC
 35 TCATCTTGTCTTGTGGTGATACTTCCCTCAATGAACCTGGCTTTGCTGTCCATTGGGATCCTC
 ATAAGCTGGACTCCTTTCCCTGTGCATCATCCTTTCCCTACCTTTACATCATCTCCACCATCTC
 GAGGATCCGTTCTCTGAGGGGAGGCACAAAGCCTTTTCCACCTGTGCCTCCCATGCTC
 ATTGTTATTCTCTATTATGGCAGTGCTATCTTACGTATGTGAGGCCCATCTCATCTTACTC
 TCTAGAGAAAGATAGATTGATCTCAGTGCTGTATAGTGTGTGACACCCATGCTGAATCCT
 40 GTAATTTATACGCTAAGGAATAAGGACATCAAAGAGGCTGTGAAGGCCATAGGGAGAAAG
 TGGCAGCCACCAGTTTTCTCTTCTGATATATAA (SEQ ID NO: 494)

AOLFR142B sequences:

45 MARKDMAHINCTQATEFILVGLTDHQLKMPLFVLFSLIYLFVVGNLGLILLIRADTSLNTPM
 YFFLSNLAFVDFCYSSVITPKMLGNFLYKQNVISFDACATQLGCFLTFMISESLLLASMAYDRY
 VAICNPLLYMVMVTPGICIQLVAVPYSYSFLMALFHTILTFRLSYCHSNIVNHFYCDMPPLRL
 TCSDFRFLQWIFACAGIMFISSLLIVFVSYMFIIISAILRMHSAEGRQKAFSTCGSHMLAVTIFYG
 TLIFMYLQPSSSHALDTDKMASVFYTVIIPMLNPLIYSLQNKEVKEALKKIINKN (SEQ ID NO:
 495)

50 ATGGCCAGAAAAGATATGGCTCACATCAATTGCACCCAGGCGACAGAGTTTATTCTTGTGG
 GCCTCACAGACCATCAGGAGTTGAAGATGCCCTCTTTGTGCTATTCTTATCCATCTACCTC
 TTCACAGTGGTAGGCAACTTGGGTTTGATCCTACTCATTAGAGCGGATACAAGTCTCAACA
 CACCAATGTACTTCTTTCTTAGCAACCTAGCTTTTGTGGATTTCTGTTACTCTTCTGTCATT
 55 ACACCCAAAATGCTTGGGAATTTCTTGTACAAAACAAATGTTATATCCTTTGATGCATGTG
 CTACTCAACTGGGCTGCTTTCTCACCTTCATGATATCAGAATCCTTGCTACTGGCTTCCATG

GCCTATGACCGATATGTGGCCATTTGTAACCCTCTATTGTATATGGTTGTAATGACTCCAG
 GAATCTGCATTCAACTTGTAGCAGTTCCTTATAGCTATAGCTTCCTAATGGCACTATTTTAC
 ACCATCCTCACCTTCCGCTCTCCTATTGCCACTCCAACATTGTCAACCATTCTATTGTGA
 TGACATGCCTCTCCTCAGGCTAACTTGCTCAGACACTCGCTTCAAACAGCTCTGGATCTTT
 5 GCCTGTGCTGGTATCATGTTTCATTTCCCTCCCTTCTGATTGTCTTTGTCTCCTACATGTTTCATC
 ATTTCTGCCATCCTGAGGATGCATTACAGCTGAGGGAAGACAGAAGGCTTTCTCGACGTGTG
 GCTCTCACATGCTGGCAGTCACCATATTCTATGGGACCTCATTTTTATGTACTTACAGCCT
 AGCTCTAGCCATGCCCTGGACACAGACAAGATGGCCTCTGTCTTCTACACAGTGATCATTC
 CCATGTTGAATCCCTTAATCTATAGCCTCCAGAATAAGGAGGTGAAAGAAGCTCTGAAGA
 10 AAATCATTATCAATAAAAACTAG (SEQ ID NO: 496)

AOLFR171C sequences:

MAEVNIIYVTVFILKGITNRPELQAPCFGVFLVIYLVTVLGNLGLITLIKIDTRLHTPMYYFLSHL
 AFVDLCYSSAITPKMMVNFVVERNTPFHACATQLGCFLTFMITECFLLASMAFYDCYVAICSP
 15 HYSTLMSRRVCIQLVAVPYIYSFLVALFHTVITFRLTYCGPNLINHFYCDLPLALSCSDTHMK
 EILIFAFAGFDMISSSSIVLTSYIFIAAILRIRSTQGQHKAISTCGSHMVTVTIFYGTLIFMYLQPKS
 NHSLDTDKMASVFYTVVIPMLNPLIYSLRNKEVKDASKKALDKGCENLQILFLKIRKLY (SEQ
 ID NO: 497)

20 ATGGCTGAAGTTAATATCATTTATGTCACTGTATTTCATTCTGAAAGGAATTACCAACCGGC
 CAGAGCTTCAGGCCCCGTGCTTTGGGGTGTTTTTAGTTATCTATCTGGTCACAGTGCTGGG
 CAATCTTGGGTTGATTACTTTAATCAAGATTGATACTCGACTCCACACACCTATGTACTATT
 TCCTCAGCCACCTGGCCTTTGTTGACCTTTGTTACTCCTCTGCTATTACACCGAAGATGATG
 GTGAATTTTGTGTGGAACGCAACACCATTCCTTTCCATGCTTGTGCAACCCAACTGGGTT
 25 GTTTTCTCACCTTCATGATCACTGAGTGTTTCTTCTAGCCTCCATGGCCTACGATTGCTAT
 GTCGCCATCTGTAGTCCCCTGCATTATTCAACACTGATGTCAAGAAGAGTCTGCATTCAAC
 TGGTGGCAGTTCATATATATACAGCTTCTGGTTGCCCTCTTCCACACCGTTATCACTTTC
 CGTCTGACTTACTGTGGCCCAAACCTTAATTAACCAATTTCTATTGTGATGACCTCCCCTTCTT
 AGCTCTGTCTGCTCAGACACACACATGAAGGAAATCTGATATTTGCCTTTGCTGGCTTT
 30 GATATGATCTCTTCTCTTCCATTGTCTCACCTCCTACATCTTTATTATTGCCGCTATCCTA
 AGGATCCGCTCTACTCAGGGGCAACACAAAGCCATTTCCACCTGTGGCTCCCATATGGTGA
 CTGTCATATTTTCTATGGCACACTGATCTTTATGTACCTACAGCCCAAATCAAATCACTCC
 TTGGACACAGACAAGATGGCTTCTGTATTTACACAGTGGTGATCCCCATGTTAAACCCCT
 TAATCTATAGTCTAAGGAACAAAGAAGTGAAAGATGCCTCAAAGAAAGCCTTGGATAAAG
 35 GTTGTGAAAACCTACAGATATTAACATTTTTAAAAATAAGAAAACCTTTATTAA (SEQ ID NO:
 498)

AOLFR225B sequences:

MKNRTMFGFILLGLTNQPELQVMIFIFLTYMLNLTITLTLDDPHLQTPMYFFLRNFSF
 40 LEISFTSIFIPRFLTSMITTGNKVISFAGCLTQYFFAIFLGATEFYLLASMSYDRYVAICKPLHYLTI
 MSSRVCIQLVFCSWLGGFLAILPPIILMTQVDFCVSNILNHYYCDYGPLVELACSDTSLELMVI
 LLAVVTLMVTLVLTLSYTYIIRTLRIPSAQQRKAFSTCSSHMIVISLSYGSCMFMYINPSAKE
 GGAFNKGIAVLITSVTPLLNPFIYTLRNQVVKQAFKDSVKKIVKL (SEQ ID NO: 499)

45 ATGAAAAACAGAACCATGTTTGGTGAGTTTATTCTACTGGGCCTTACAAATCAACCTGAAC
 TCCAAGTGATGATATTCATCTTTCTGTCTCACCTACATGCTAAGTATCCTAGGAAATCTG
 ACTATTATCACCTCACCTTACTAGACCCCCACCTCCAGACCCCCATGTATTTCTTCTCCG
 GAATTTCTCCTTCTTAGAAATTTCTTACATCCATTTTATTCCCAGATTTCTGACCAGCA
 TGACAAACAGGAAATAAAGTTATCAGCTTTGCTGGCTGCTTGACTCAGTATTTTTTGTCTAT
 50 ATTTCTTGGAGCTACCGAGTTTACCTCCTGGCCTCCATGTCTTATGATCGTTATGTGGCCA
 TCTGCAAACCTTGCATTACCTGACTATTATGAGCAGCAGAGTCTGCATACAACTAGTGTT
 CTGCTCCTGGTTGGGGGATTCTAGCAATCTTACCACCAATCATCCTGATGACCCAGGTA
 GATTTCTGTCTCCAACATTCTGAATCACTATTACTGTGACTATGGGCCTCTCGTGGAGCT
 TGCCTGCTCAGACACAAGCCTCTAGAACTATGCTGATCCTCTTGGCCGTTGTGACTCTC
 55 ATGGTTACTCTGGTGCTGGTGACACTTTCTTACACATACATTATCAGGACTATCTGAGGA
 TCCCTTCTGCCAGCAAAGGACAAAGGCCTTTTCCACTTGTTCTCTCCACATGATTGTCTATC

TCCCTCTCTTATGGCAGCTGCATGTTTATGTACATTAATCCTTCTGCAAAAGAAGGAGGTG
CTTTCACAAAGGAATAGCTGTACTCATTCTCGGTTACTCCCTTACTGAATCCCTTCATA
TATACTTTAAGAAATCAGCAAGTGAAACAAGCTTTCAAGGACTCAGTCAAAAAGATTGTG
AAACTTTAA (SEQ ID NO: 500)

5

AOLFR274B sequences:

MEFVFLAYPSCPELHLSFLGVSLVYGLIITGNILIVVSIHTETCLCTSMYYFLGSLSGIEICYTAV
VVPFILANTLQSEKTITLLGCATQMAFFIALGSADCFLLAAMAYDRYVAICHPLQYPLMLTLTL
CVHLVVASVISGLFSLQLVAFIFSLPFCQAQGIEHFFCDVPPVMHVVCASHIHEQSVLVAAIL
10 AIAVPFFLITTSYTFIVAALLKIHSAAGRHRAFSTCSSHLTVVLLQYGCCAFMYLCPSSSYNPKQ
DRFISLVYTLGTPLLNPLIYALRNSEMKGAVGRVLTRNCLSQNS (SEQ ID NO: 501)

15

ATGGAATTTGTGTTCTCTGGCCTATCCCTCCTGCCAGAACTGCATATTCTGTCTCTTCTTGG
GGTCAGCCTGGTTTATGGTTTGATCATCACTGGGAACATTCTCATTGTGGGTGCCATTACAC
ACAGAAACCTGTCTATGCACATCCATGTACTATTCTCTGGGCAGCCTTTCTGGGATTGAAA
TATGCTACACTGCAGTGGTGGTGCCCCATATCCTGGCCAACACCCTACAGTCAGAGAAGAC
CATCACTCTCCTGGGCTGTGCCACCCAGATGGCTTTCTTCATTGCACTGGGCAGTGCTGAT
TGCTTCTCTTGGCTGCCATGGCCTATGACCGCTATGTGGCCATTTGCCACCCGTTGCAGTA
CCCTCTCCTCATGACATTGACTCTTTGTGTCCACTTGGTTGTGGCATCAGTCATCAGTGGTC
20 TGTTCTCTGTCTTACAACCTGGTGGCCTTCATCTTCTCTGCCATTCTGCCAGGCTCAGGGC
ATTGAGCACCTTCTTTTGTGATGTGCCACCAGTCATGCATGTTGTTTGTGCTCAGAGTCACAT
TCATGAGCAGTCAGTGCTGGTGGCAGCCATACTAGCCATTGCTGTGCCTTTCTTCTCATC
ACCACCTCCTACACCTTCATAGTGGCTGCTCTGCTCAAGATCCACTCGGCTGCTGGCCGCC
ACCGGGCCTTCTCCACCTGCTCTTCCACCTCACTGTGGTGTGCTGCAGTATGGCTGCTGT
25 GCCTTCACTGTGCCCCAGCTCCAGCTACAACCCCAAGCAAGATCGGTTTCATCTCAC
TGGTGTACACATTGGGAACCCCACTGCTCAACCCACTTATCTATGCCCTGAGGAACAGTGA
GATGAAAGGGGCCGTAGGGAGAGTTCTTACCAGGAAGTGCCTTTCCAGAACAGCTAG
(SEQ ID NO: 502)

30

AOLFR276B sequences:

MGGFGTNISSTTSFTLTGFPEMKGLEHWLAALLLLLYAISFLGNILILFIIKEEQSLHQPMYYFLS
LFSVNDLGVSFSTLPTVLAAVCFHAPETTFDCLAQMFFIHFSSWTEFGILLAMSFHDHYVAICNP
LRYATVLT DVRVAHNGISIVRSFCMVFLPFLKRLPFCKASVVLASHYCLHADLIRLPWGDT
TINSMYGLFIVISAFGVDSLILLSYVLILHSVLAIASRGERLKLNTCVSHIYAVLIFYVPMVSVS
35 MVHRFGRHAPEYVHKFMSLCTSNALPNYLFHQD (SEQ ID NO: 503)

40

ATGGGGGGGCTTTGGGACTAACATCTCAAGTACTACCAGCTTCACTCTAACAGGCTTCCCTG
AGATGAAGGGTCTGGAGCACTGGCTGGCTGCCCTTCTGCTGCTGCTTTATGCTATTTCCCTT
CCTGGGCAACATCCTCATCCTCTTTATCATAAAGGAAGAGCAGAGCTTGCACCAGCCAATG
TACTACTTCTGTCTCTTTTTTCTGTTAATGACCTGGGTGTGTCCTTTTCTACATTGCCCACT
GTACTGGCTGCTGTGTGTTTTTCATGCCCCAGAGACAACCTTTGATGCCTGCCTGGCCCAGA
TGTTCTTCATCCACTTTTCTCCTGGACAGAGTTTGGCATCCTACTGGCCATGAGTTTTGAC
CACTATGTGGCCATCTGTAACCCGCTGCGCTATGCCACAGTGCTCACTGATGTCCGTGTGG
CCCACAATGGCATAATCCATTGTATCCGCAGCTTCTGCATGGTATTCCCACTTCCCTTCCCTC
45 CTGAAGAGACTGCCTTTCTGTAAGGCCAGTGTTGTTACTGGCCATTCTACTGTCTGCATG
CAGACCTGATTGGCTGCCCTGGGGAGACACTACCATCAACAGCATGTATGGCCTGTTTAT
TGTCATCTCTGCCTTTGGTGTAGATTCACTGCTCATCCTCCTCTCCTATGTGCTCATTTCTAC
ATTCTGTGCTGGCCATTGCCTCCAGGGGTGAGAGGCTTAAGACACTCAACACATGTGTGTC
ACATATCTATGCAGTGCTGATCTTCTATGTGCCTATGGTTAGTGTGTCCATGGTTCATCGAT
50 TTGGGAGGCATGCTCCTGAATATGTGCACAAGTTCATGTCTCTTTGTACCTCCAATGCTCT
ACCCAATTATCTATTCCATCAAGACTAA (SEQ ID NO: 504)

AOLFR311B sequences:

MDWENCSSLTDFLLGITNNPEMKVTLFAVFLAVYIINFSANLGMIVLIRMDYQLHTPMYFFLS
55 HLSFCDLCYSTATGPKMLVDLLAKNKSIPFYGCALQFLVFCIFADSECLLLSVMAFDYKAINP
LLYTVNMSSRVCYLLLTGVYLVGLADALIHMTLAFRLCFCGSNEINHFFCDIPLLLLSRSDTQV

NELVLFTVFGFIELSTISGVFISYCYIILSVLEIHSAGRFKALSTCTSHLSAVAI FQGTLLFMYFRP
SSSYSLDQDKMTSLFYTLVVPMLNPLIYSLRNKDVKEALKKLKNKILF (SEQ ID NO: 505)

5 ATGGACTGGGAAAATTGCTCCTCATTAAGTATTTTTTCTCTTGGGAATTACCAATAACCC
AGAGATGAAAGTGACCCTATTTGCTGTATTTCTTGGCTGTTTATATCATTAATTTCTCAGCAA
ATCTTGAATGATAGTTTTAATCAGAATGGATTACCAACTTCACACACCAATGTATTTCTT
CCTCAGTCATCTGTCTTTCTGTGATCTCTGCTATTCTACTGCAACTGGGCCCCAAGATGCTGG
TAGATCTACTTGCCAAGAACAAGTCAATACCCCTTCTATGGCTGTGCTCTGCAATTTCTTGGT
CTTCTGTATCTTTGCAGATTCTGAGTGTCTACTGCTGTCAAGTATGGCCTTTGATCGGTACA
10 AGGCCATCATCAACCCCCCTGCTCTATACAGTCAACATGTCTAGCAGAGTGTGCTATCTACT
CTTGACTGGGGTTTATCTGGTGGGAATAGCAGATGCTTTGATACATATGACACTGGCCTTC
CGCCTATGCTTCTGTGGGTCTAATGAGATTAATCATTTCTTCTGTGATATCCCTCCTCTCTT
ATTACTCTCTCGCTCAGATACACAGGTCAATGAGTTAGTGTTATTCACCGTCTTTGGTTTTA
TTGAAGTGAAGTACCATTTTCAAGGAGTTTTCAATTTCTTATTGTTATATCATCCTATCAGTCTTG
15 GAGATACACTCTGCTGAGGGGAGGTTCAAAGCTCTCTTACATGCACTTCCCACTTATCTG
CGGTTGCAATTTTCCAGGGAAGTCTGCTCTTTATGTATTTCCGGCCAAGTTCTTCTCTATTCT
CTAGATCAAGATAAAATGACCTCATTGTTTTACACCCTTGTGGTTCCCATGTTGAACCCCT
GATTTATAGCCTGAGGAACAAGGATGTGAAAGAGGGCCCTGAAAAAACTGAAAAATAAAAT
TTTATTTTAA (SEQ ID NO: 506)

20

AOLFR314 sequences:

MEVKNCMVTEFILLGIPHTGLEMTLFLVFLPFYACTLLGNVSILVAVMSSARLHTPMYFFLG
NLSVDFDMGFSSVTCPKMLLYLMLGSLRLISYKDCVCQLFFFHFLGSIECFLFTVMAYDRFTAICY
PLRYTVIMNPRICVALAVGTWLLGCIHSSILTSLTFTLPYCGPNEVDHFFCDIPALLPLACADTSL
25 AQRVSFTNVGLISLVCFLILLISYTRITISILSIRTTEGRRRAFSTCSAHLIAILCAYGPIITVYLQPT
PNPMLGTVVQILMNLVGPMLNPLIYTLRNKEVKTALKTLHRTGHVPES (SEQ ID NO: 507)

ATGGAGGTGAAGAACTGCTGCATGGTGACAGAGTTCATCCTTTTGGGAATCCCACACACA
GAGGGGCTGGAGATGACACTTTTTGTCTTATTTCTTGCCCTTCTATGCCTGCACTCTACTGGG
30 AAATGTGTCTATCCTTGTGTGTTATGTCTTCTGCTCGCCTTCACACACCTATGTATTTCT
TCCTGGGAAACTGTCTGTGTTTGACATGGGTTTCTCCTCAGTGACTTGCCCCAAATAGCT
GCTCTACCTTATGGGGCTGAGCCGACTCATCTCCTACAAAGACTGTGTCTGCCAGCTTTTCT
TCTTCCATTTCTCGGGAGCATTGAGTGCTTCTTGTGTTACGGTGATGGCCTATGACCGCTTC
ACTGCCATCTGTTATCCTCTGCGATACACAGTCATCATGAACCAAGGATCTGTGTGGCCC
35 TGGCTGTGGGCACATGGCTGTTAGGGTGCATTCAATCCAGTATCTTGACCTCCCTCACCTTC
ACCTTGCCATACTGTGGTCCCAATGAAGTGGATCACTTCTTCTGTGACATTCAGCACTGTT
GCCCTTGGCCTGTGCTGACACATCCTTAGCCCAGAGGGTGAGCTTCACCAACGTTGGCCTC
ATATCTCTTGTCTGCTTTCTGCTAATTCTTTTATCCTACACTAGAATCACAATATCTATCTT
AAGCATTCGTACAAGTGAAGGGCGTCGCGGTGCTTCTCCACCTGCAGTGCTCACCTCATT
40 GCCATCCTCTGTGCTATGGGCCCCATCATCACTGTCTACCTGCAGCCCAACCCCAACCCCA
TGCTGGGAACCGTGGTACAAATTCTCATGAATCTGGTAGGACCAATGCTGAACCCCTTTGAT
CTATACCTTGAGGAATAAGGAAGTAAAAACAGCCCTGAAAAAATATTGCACAGGACAGG
CCATGTTCTGAGAGTTAG (SEQ ID NO: 508)

AOLFR324B sequences:

MPIANDTQFHTSSFLLLGIPGLEDVHIWIGFPFFSVYLIALLGNAAIFFVIQTEQSLHEPMYYCLA
MLDSIDLSTATIPKMLGIFWFNIKEISFGGYLSQMFFIHFVMEISIVLVAMAFDRYIAICKPL
WYTMILTSKIIISLIAGIAVLRSLYMVIPLVFLRLRPFCHRIIPHTYCEHMGIAIRLACASIKVNM
FGLGSISLILLDVLILSHIRILYAVFCLPSWEARLKALNTCGSHIGVILAFSTPAFFSFFTHCFGH
50 DIPQYIHIFLANLYVVVPPTLNPVIYGVRTKHIRETVLRIFFKTDH (SEQ ID NO: 509)

ATGCCTATAGCTAACGACACCCAGTTCATACTTCTTCATTCTACTGCTGGGTATCCCAGG
GCTAGAAGATGTGCACATCTGGATTGGATTCCCTTTTTTCTCTGTGTATCTTATTGCACTCC
TGGGAAATGCTGCTATCTTCTTTGTGATCCAACTGAGCAGAGTCTCCATGAGCCCATGTA
55 CTACTGCCTGGCCATGTTGGATTCCATTGACCTGAGCTTGTCTACGGCCACCATTCCCAAA
ATGCTGGGCATCTTCTGGTTCAATATCAAGGAAATATCTTTTGGAGGCTACCTTTCTCAGA

TGTTCTTCATCCATTTCTTCACTGTCATGGAGAGCATCGTATTGGTGGCCATGGCCTTTGAC
CGCTACATTGCCATTTGCAAACCTCTTTGGTACACCATGATCCTCACCAGCAAAATCATCA
GCCTCATTGCAGGCATTGCTGTCCTGAGGAGCTTGACATGGTCATTCCACTGGTGTCTTCT
CCTCTTAAGGTTGCCCTTCTGTGGACATCGTATCATCCCTCATACTTACTGTGAGCACATGG
5 GCATTGCCCCGTCTGGCCTGTGCCAGCATCAAAGTCAACATTATGTTTGGTCTTGGCAGTAT
TTCTCTCTTGTTATTGGATGTGCTCCTTATTATTCTCTCCCATATCAGGATCCTCTATGCTGT
CTTCTGCCTGCCCTCCTGGGAAGCTCGACTCAAAGCTCTCAACACCTGTGGCTCTCACATT
GGTGTATCTTAGCCTTTTCTACACCAGCATTTTTCTCTTTCTTTACACACTGCTTTGGCCAT
GATATTCCTCAATATATCCACATTTTCTTGGCTAATCTATATGTGGTTGTCTCTCCACCCT
10 CAATCCTGTAATCTATGGGGTCAGAACCAACATATTAGGGAGACAGTGCTGAGGATTTTC
TTCAAGACAGATCACTAA (SEQ ID NO: 510)

AOLFR328 sequences:

MALGNHSTITEFLLLGLSADPNIRALLFVFLGIYLLTIMENLMLLLVRADSCLHKPMYFFLSH
15 LSFVDLCFSSVIVPKMLENLLSQRKTISVEGCLAQVFFVFTAGTEACLLSGMAYDRHAAIRRP
LLYGQIMGKQLYMHLVWGSWGLGFLDALINVLLAVNMVFCEAKIIHHYSYEMPSLLPLSCSDI
SRSLIVLLCSTLLHGLGNFLLVFLSYTRIISTLSISSTSGRSKAFSTCSAHLTAVTLYYGSGLLRHL
MPNSGSPIELIFSQYTVVTPMLNSLIYSLKNKEVKVALKRTLEKYLQYTRR (SEQ ID NO: 511)

20 ATGGCCTTGGGGAATCACAGCACCATCACCGAGTTCCTCCTCCTTGGGCTGTCTGCCGACC
CCAACATCCGGGCTCTGCTCTTTGTGCTGTTCTCTGGGGATTACCTCCTGACCATAATGGA
AAACCTGATGCTGCTGCTCGTGATCAGGGCTGATTCTTGTCTCCATAAGCCCATGTATTTCT
TCCTGAGTCACCTCTCTTTTGTGATCTCTGCTTCTCTTCAGTCATTGTGCCCAAGATGCTG
GAGAACCTCCTGTCACAGAGGAAAAACCATTTACAGTAGAGGGCTGCCTGGCTCAGGTCTTCT
25 TTGTGTTTGTCACTGCAGGGACTGAAGCCTGCCTTCTCTCAGGGATGGCCTATGACCGCCA
TGCTGCCATCCGCCGCCACTACTTTATGGACAGATCATGGGTAAACAGCTGTATATGCAC
CTTGTTGTTGGGGCTCATGGGGACTGGGCTTTCTGGACGCACTCATCAATGTCTCTAGCTG
TAAACATGGTCTTTTGTGAAGCCAAAATCATTCACCACTACAGCTATGAGATGCCATCCCT
CCTCCCTCTGTCCTGCTCTGATATCTCCAGAAGCCTCATCGTTTTGCTCTGCTCCACTCTCC
30 TACATGGGCTGGGAAACTTCCTTTTGGTCTTCTTATCCTACACCCGTATAATCTCTACCATC
CTAAGCATCAGCTCTACCTCGGGCAGAAGCAAGGCCTTCTCCACCTGCTCTGCCCACCTCA
CTGCAGTGACACTTTACTATGGCTCAGGTTTGTCTCGCCATCTCATGCCAAACTCAGGTTT
CCCCATAGAGTTGATCTTCTCTGTGCAGTATACTGTAGTCACTCCCATGCTGAATTCCTCA
TCTATAGCCTGAAAAATAAGGAAGTGAAGGTAGCTCTGAAAAGAACTTTGGAAAAATATT
35 TGCAATATACCAGACGTTGA (SEQ ID NO: 512)

CLAIMS

What is Claimed:

1. An isolated nucleic acid sequence selected from the group consisting of:
- 5 (i) an isolated nucleotide sequence selected from the group consisting of: SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID
- 10 NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID
- 15 NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110, SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128,
- 20 SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146, SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164, SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182,
- 25 SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200, SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218, SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID
- 30 NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236, SEQ ID NO: 238, SEQ ID NO: 240, SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 254, SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID

- NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272,
 SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID
 NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290,
 SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID
 5 NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308,
 SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID
 NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326,
 SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID
 NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344,
 10 SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID
 NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362,
 SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID
 NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380,
 SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID
 15 NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398,
 SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID
 NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416,
 SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID
 NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434,
 20 SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID
 NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452,
 SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID
 NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470,
 SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID
 25 NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488,
 SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID
 NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506,
 SEQ ID NO: 508, SEQ ID NO: 510; and SEQ ID NO: 512, or a fragment thereof
 which comprises at least 75 nucleotides;
- 30 (ii) an isolated cDNA or an insoluble RNA transcribed therefrom that encodes a
 polypeptide having an amino acid sequence selected from the group consisting of:
 SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ
 ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ

ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ
ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ
ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ
ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ
5 ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ
ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ
ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ
ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ
ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109,
10 SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID
NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127,
SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID
NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145,
SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID
15 NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163,
SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID
NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181,
SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID
NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199,
20 SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID
NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217,
SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID
NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233, SEQ ID NO: 235,
SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID
25 NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID NO: 253,
SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID
NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269, SEQ ID NO: 271,
SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID
NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287, SEQ ID NO: 289,
30 SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID
NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 307,
SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID
NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323, SEQ ID NO: 325,

SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511, or a fragment thereof which encodes at least 25 contiguous amino acids of said polypeptide;

(iii) a nucleic acid sequence that comprises at least 30% sequence identity with an isolated nucleic acid sequence selected from the group consisting of: SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID NO: 92,

SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ ID
NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110,
SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID
NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128,
5 SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID
NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146,
SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID
NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164,
SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID
10 NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182,
SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID
NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200,
SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID
NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218,
15 SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID
NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236,
SEQ ID NO: 238, SEQ ID NO: 240, SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID
NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 254,
SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID
20 NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272,
SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID
NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290,
SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID
NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308,
25 SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID
NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326,
SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID
NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344,
SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID
30 NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362,
SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID
NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380,
SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID

NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398,
 SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID
 NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416,
 SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID
 5 NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434,
 SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID
 NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452,
 SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID
 NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470,
 10 SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID
 NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488,
 SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID
 NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506,
 SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512, or to a fragment thereof
 15 which comprises at least 100 contiguous nucleotides thereof;

(iv) a nucleic acid sequence that encodes a polypeptide having at least 40%
 sequence identity at the amino acid level with a polypeptide having an amino acid
 sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ
 ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID
 20 NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID
 NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID
 NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID
 NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID
 NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID
 25 NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID
 NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID
 NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID
 NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ
 ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113,
 30 SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID
 NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131,
 SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID
 NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149,

SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID
NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167,
SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID
NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185,
5 SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID
NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203,
SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID
NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221,
SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID
10 NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239,
SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID
NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257,
SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID
NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275,
15 SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID
NO: 285, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293,
SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID
NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311,
SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID
20 NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329,
SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID
NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347,
SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID
NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365,
25 SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID
NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383,
SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID
NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401,
SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID
30 NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419,
SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID
NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437,
SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID

- NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511 or a nucleic acid sequence encoding at least 50 contiguous amino acid residues thereof;
- (v) an isolated nucleic acid sequence which encodes an olfactory receptor or a fragment thereof that specifically hybridizes and exhibits at least 30% sequence identity under stringent conditions to a nucleic acid sequence selected from the group consisting of: SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110, SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128, SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146, SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164, SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182, SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198,

SEQ ID NO: 200, SEQ ID NO: 202, SEQ ID NO: 204. SEQ ID NO: 206, SEQ ID
NO: 208, SEQ ID NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216,
SEQ ID NO: 218, SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID
NO: 226, SEQ ID NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234,
5 SEQ ID NO: 236, SEQ ID NO: 238, SEQ. ID NO. 240, SEQ ID NO: 242, SEQ ID
NO: 244, SEQ ID NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252,
SEQ ID NO: 254, SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID
NO: 262, SEQ ID NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270,
SEQ ID NO: 272, SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID
10 NO: 280, SEQ ID NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288,
SEQ ID NO: 290, SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID
NO: 298, SEQ ID NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306,
SEQ ID NO: 308, SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID
NO: 316, SEQ ID NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324,
15 SEQ ID NO: 326, SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID
NO: 334, SEQ ID NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342,
SEQ ID NO: 344, SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID
NO: 352, SEQ ID NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360,
SEQ ID NO: 362, SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID
20 NO: 370, SEQ ID NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378,
SEQ ID NO: 380, SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID
NO: 388, SEQ ID NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396,
SEQ ID NO: 398, SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID
NO: 406, SEQ ID NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414,
25 SEQ ID NO: 416, SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID
NO: 424, SEQ ID NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432,
SEQ ID NO: 434, SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID
NO: 442, SEQ ID NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450,
SEQ ID NO: 452, SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID
30 NO: 460, SEQ ID NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468,
SEQ ID NO: 470, SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID
NO: 478, SEQ ID NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486,
SEQ ID NO: 488, SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID

NO: 496, SEQ ID NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504,
SEQ ID NO: 506, SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512;

(vi) an isolated nucleic acid sequence that specifically hybridizes to (i) or a portion
thereof under stringent hybridization conditions that is at least 20-30 nucleotides in

5 length; and

(vii) a naturally occurring allelic or synthetic variant of a nucleic acid sequence
according to (i) or (ii), containing at least one substitution, deletion or addition
mutation in the coding region.

10 2. The isolated nucleic acid sequence of Claim 1 which is selected from
the group consisting of: SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID
NO: 8, SEQ ID NO: 10, SEQ ID NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID
NO: 18, SEQ ID NO: 20, SEQ ID NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID
NO: 28, SEQ ID NO: 30, SEQ ID NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID
15 NO: 38, SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID
NO: 48, SEQ ID NO: 50, SEQ ID NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID
NO: 58, SEQ ID NO: 60, SEQ ID NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID
NO: 68, SEQ ID NO: 70, SEQ ID NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID
NO: 78, SEQ ID NO: 80, SEQ ID NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID
20 NO: 88, SEQ ID NO: 90, SEQ ID NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID
NO: 98, SEQ ID NO: 100, SEQ ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106,
SEQ ID NO: 108, SEQ ID NO: 110, SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID
NO: 116, SEQ ID NO: 118, SEQ ID NO: 120, SEQ ID NO: 122, SEQ ID NO: 124,
SEQ ID NO: 126, SEQ ID NO: 128, SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID
25 NO: 134, SEQ ID NO: 136, SEQ ID NO: 138, SEQ ID NO: 140, SEQ ID NO: 142,
SEQ ID NO: 144, SEQ ID NO: 146, SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID
NO: 152, SEQ ID NO: 154, SEQ ID NO: 156, SEQ ID NO: 158, SEQ ID NO: 160,
SEQ ID NO: 162, SEQ ID NO: 164, SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID
NO: 170, SEQ ID NO: 172, SEQ ID NO: 174, SEQ ID NO: 176, SEQ ID NO: 178,
30 SEQ ID NO: 180, SEQ ID NO: 182, SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID
NO: 188, SEQ ID NO: 190, SEQ ID NO: 192, SEQ ID NO: 194, SEQ ID NO: 196,
SEQ ID NO: 198, SEQ ID NO: 200, SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID
NO: 206, SEQ ID NO: 208, SEQ ID NO: 210, SEQ ID NO: 212, SEQ ID NO: 214,

SEQ ID NO: 216, SEQ ID NO: 218, SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236, SEQ ID NO: 238, SEQ ID NO: 240, SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, 5 SEQ ID NO: 252, SEQ ID NO: 254, SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272, SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290, SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID 10 NO: 296, SEQ ID NO: 298, SEQ ID NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308, SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326, SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, 15 SEQ ID NO: 342, SEQ ID NO: 344, SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362, SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380, SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID 20 NO: 386, SEQ ID NO: 388, SEQ ID NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398, SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416, SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, 25 SEQ ID NO: 432, SEQ ID NO: 434, SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452, SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470, SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID 30 NO: 476, SEQ ID NO: 478, SEQ ID NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488, SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506, SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID

NO: 512 or a fragment thereof which comprises at least 75 contiguous nucleotides thereof.

3. The isolated nucleic acid sequence of Claim 1 which encodes a
5 polypeptide having an amino acid sequence selected from the group consisting of:
SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ
ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ
ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ
ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ
10 ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ
ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ
ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ
ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ
ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ
15 ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ
ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109,
SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID
NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127,
SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID
20 NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145,
SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID
NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163,
SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID
NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181,
25 SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID
NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199,
SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID
NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217,
SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID
30 NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233, SEQ ID NO: 235,
SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID
NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID NO: 253,
SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID

NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269, SEQ ID NO: 271,
 SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID
 NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287, SEQ ID NO: 289,
 SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID
 5 NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 307,
 SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID
 NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323, SEQ ID NO: 325,
 SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID
 NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 343,
 10 SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID
 NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 361,
 SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID
 NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 379,
 SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID
 15 NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 397,
 SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID
 NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID NO: 415,
 SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID
 NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID NO: 433,
 20 SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID
 NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID NO: 451,
 SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID
 NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469,
 SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID
 25 NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487,
 SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID
 NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505,
 SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511 or a fragment thereof
 encoding at least 25 contiguous amino acid residues of said polypeptide.

30

4. An isolated nucleic acid sequence having at least 30-60% sequence
 identity with a nucleic acid sequence selected from the group consisting of: SEQ ID
 NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID

NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID
NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID
NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID
NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID
5 NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID
NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID
NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID
NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID
NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ
10 ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110,
SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID
NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128,
SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID
NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146,
15 SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID
NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164,
SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID
NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182,
SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID
20 NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200,
SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID
NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218,
SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID
NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236,
25 SEQ ID NO: 238, SEQ ID NO: 240, SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID
NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 254,
SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID
NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272,
SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID
30 NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290,
SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID
NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308,
SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID

NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326,
 SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID
 NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344,
 SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID
 5 NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362,
 SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID
 NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380,
 SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID
 NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398,
 10 SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID
 NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416,
 SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID
 NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434,
 SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID
 15 NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452,
 SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID
 NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470,
 SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID
 NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488,
 20 SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID
 NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506,
 SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512; or a fragment thereof
 comprising at least 100 contiguous nucleotides of any of said sequences.

25 5. An isolated nucleic acid sequence having at least 60-80% sequence
 identity with a nucleic acid sequence selected from the group consisting of: SEQ ID
 NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID
 NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID
 NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID
 30 NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID
 NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID
 NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID
 NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID

NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID
NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID
NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ
ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110,
5 SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID
NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128,
SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID
NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146,
SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID
10 NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164,
SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID
NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182,
SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID
NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200,
15 SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID
NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218,
SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID
NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236,
SEQ ID NO: 238, SEQ ID NO: 240, SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID
20 NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 254,
SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID
NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272,
SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID
NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290,
25 SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID
NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308,
SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID
NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326,
SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID
30 NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344,
SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID
NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362,
SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID

NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380,
SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID
NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398,
SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID
5 NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416,
SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID
NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434,
SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID
NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452,
10 SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID
NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470,
SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID
NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488,
SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID
15 NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506,
SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512 or a fragment thereof
comprising at least 100 contiguous nucleotides of any of said sequences.

6. An isolated nucleic acid sequence having at least 80-90% sequence
20 identity with a nucleic acid sequence selected from the group consisting of: SEQ ID
NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID
NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID
NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID
NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID
25 NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID
NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID
NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID
NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID
NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID
30 NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ
ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110,
SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID
NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128,

SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID
NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146,
SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID
NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164,
5 SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID
NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182,
SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID
NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200,
SEQ ID NO: 202, SEQ ID NO: 204. SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID
10 NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218,
SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID
NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236,
SEQ ID NO: 238, SEQ ID NO: 240, SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID
NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 254,
15 SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID
NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272,
SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID
NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290,
SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID
20 NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308,
SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID
NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326,
SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID
NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344,
25 SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID
NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362,
SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID
NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380,
SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID
30 NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398,
SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID
NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416,
SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID

NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434,
SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID
NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452,
SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID
5 NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470,
SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID
NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488,
SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID
NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506,
10 SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512 or a fragment thereof
comprising at least 100 contiguous nucleotides of any of said sequences.

7. An isolated nucleic acid sequence having at least 85% sequence
identity with a nucleic acid sequence selected from the group consisting of: SEQ ID
15 NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID
NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID
NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID
NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID
NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID
20 NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID
NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID
NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID
NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID
NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ
25 ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110,
SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID
NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128,
SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID
NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146,
30 SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID
NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164,
SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID
NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182,

SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID
NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200,
SEQ ID NO: 202, SEQ ID NO: 204. SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID
NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218,
5 SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID
NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236,
SEQ ID NO: 238, SEQ ID NO: 240, SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID
NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 254,
SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID
10 NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272,
SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID
NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290,
SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID
NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308,
15 SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID
NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326,
SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID
NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344,
SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID
20 NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362,
SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID
NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380,
SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID
NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398,
25 SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID
NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416,
SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID
NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434,
SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID
30 NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452,
SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID
NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470,
SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID

NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488,
 SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID
 NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506,
 SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512, or a fragment thereof
 5 comprising at least 100 contiguous nucleotides of any of said sequences.

8. An isolated nucleic acid sequence having at least 90% sequence
 identity with a nucleic acid sequence selected from the group consisting of: SEQ ID
 NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID
 10 NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID
 NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID
 NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID
 NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID
 NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID
 15 NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID
 NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID
 NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID
 NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ
 ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110,
 20 SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID
 NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128,
 SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID
 NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146,
 SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID
 25 NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164,
 SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID
 NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182,
 SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID
 NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200,
 30 SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID
 NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218,
 SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID
 NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236,

SEQ ID NO: 238, SEQ ID NO: 240, SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID
NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 254,
SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID
NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272,
5 SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID
NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290,
SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID
NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308,
SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID
10 NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326,
SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID
NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344,
SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID
NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362,
15 SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID
NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380,
SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID
NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398,
SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID
20 NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416,
SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID
NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434,
SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID
NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452,
25 SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID
NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470,
SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID
NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488,
SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID
30 NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506,
SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512 or a fragment thereof
comprising at least 100 contiguous nucleotides of any of said sequences.

9. An isolated nucleic acid sequence according to Claim 1 which encodes a polypeptide having at least 40-60% sequence identity with a polypeptide having an amino acid sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID

NO: 283, SEQ ID NO: 285, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 291,
 SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID
 NO: 301, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309,
 SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID
 5 NO: 319, SEQ ID NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327,
 SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID
 NO: 337, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345,
 SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID
 NO: 355, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363,
 10 SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID
 NO: 373, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381,
 SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID
 NO: 391, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399,
 SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID
 15 NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417,
 SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID
 NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435,
 SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID
 NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453,
 20 SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID
 NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471,
 SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID
 NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489,
 SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID
 25 NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507,
 SEQ ID NO: 509 and SEQ ID NO: 511 or a fragment thereof that comprises at least
 40 contiguous amino acids thereof.

10. An isolated nucleic acid sequence according to Claim 1 which encodes
 30 a polypeptide having at least 60-70% sequence identity with a polypeptide having an
 amino acid sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID
 NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID
 NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID

NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID
NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID
NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID
NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID
5 NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID
NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID
NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID
NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ
ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111,
10 SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID
NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129,
SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID
NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147,
SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID
15 NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165,
SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID
NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183,
SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID
NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201,
20 SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID
NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219,
SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID
NO: 229, SEQ ID NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237,
SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID
25 NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255,
SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID
NO: 265, SEQ ID NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273,
SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID
NO: 283, SEQ ID NO: 285, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 291,
30 SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID
NO: 301, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309,
SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID
NO: 319, SEQ ID NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327,

SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID
NO: 337, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345,
SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID
NO: 355, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363,
5 SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID
NO: 373, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381,
SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID
NO: 391, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399,
SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID
10 NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417,
SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID
NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435,
SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID
NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453,
15 SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID
NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471,
SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID
NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489,
SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID
20 NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507,
SEQ ID NO: 509 and SEQ ID NO: 511 or a fragment thereof that comprises at least
40 contiguous amino acids thereof.

11. An isolated nucleic acid sequence according to Claim 1 which encodes
25 a polypeptide having at least 70-80% sequence identity with a polypeptide having an
amino acid sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID
NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID
NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID
NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID
30 NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID
NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID
NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID
NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID

NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID
NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID
NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ
ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111,
5 SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID
NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129,
SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID
NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147,
SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID
10 NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165,
SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID
NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183,
SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID
NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201,
15 SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID
NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219,
SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID
NO: 229, SEQ ID NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237,
SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID
20 NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255,
SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID
NO: 265, SEQ ID NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273,
SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID
NO: 283, SEQ ID NO: 285, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 291,
25 SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID
NO: 301, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309,
SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID
NO: 319, SEQ ID NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327,
SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID
30 NO: 337, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345,
SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID
NO: 355, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363,
SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID

NO: 373, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381,
 SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID
 NO: 391, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399,
 SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID
 5 NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417,
 SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID
 NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435,
 SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID
 NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453,
 10 SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID
 NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471,
 SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID
 NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489,
 SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID
 15 NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507,
 SEQ ID NO: 509 and SEQ ID NO: 511 or a fragment thereof that comprises at least
 40 contiguous amino acids thereof.

12. An isolated nucleic acid sequence according to Claim 1 which encodes
 20 a polypeptide having at least 80-90% sequence identity with a polypeptide having an
 amino acid sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID
 NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID
 NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID
 NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID
 25 NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID
 NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID
 NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID
 NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID
 NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID
 30 NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID
 NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ
 ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111,
 SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID

NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129,
SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID
NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147,
SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID
5 NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165,
SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID
NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183,
SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID
NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201,
10 SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID
NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219,
SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID
NO: 229, SEQ ID NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237,
SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID
15 NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255,
SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID
NO: 265, SEQ ID NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273,
SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID
NO: 283, SEQ ID NO: 285, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 291,
20 SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID
NO: 301, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309,
SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID
NO: 319, SEQ ID NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327,
SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID
25 NO: 337, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345,
SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID
NO: 355, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363,
SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID
NO: 373, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381,
30 SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID
NO: 391, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399,
SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID
NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417,

SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID
NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435,
SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID
NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453,
5 SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID
NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471,
SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID
NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489,
SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID
10 NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507,
SEQ ID NO: 509 and SEQ ID NO: 511 or a fragment thereof that comprises at least
40 contiguous amino acids thereof.

13. An isolated nucleic acid sequence according to Claim 1 which encodes
15 a polypeptide having about 90-99% sequence identity with a polypeptide having an
amino acid sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID
NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID
NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID
NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID
20 NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID
NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID
NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID
NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID
NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID
25 NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID
NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ
ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111,
SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID
NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129,
30 SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID
NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147,
SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID
NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165,

SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID
NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183,
SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID
NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201,
5 SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID
NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219,
SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID
NO: 229, SEQ ID NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237,
SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID
10 NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255,
SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID
NO: 265, SEQ ID NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273,
SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID
NO: 283, SEQ ID NO: 285, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 291,
15 SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID
NO: 301, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309,
SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID
NO: 319, SEQ ID NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327,
SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID
20 NO: 337, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345,
SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID
NO: 355, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363,
SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID
NO: 373, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381,
25 SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID
NO: 391, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399,
SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID
NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417,
SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID
30 NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435,
SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID
NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453,
SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID

NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511 or a fragment thereof that comprises at least 40 contiguous amino acids thereof.

14. An isolated nucleic acid sequence which exhibits at least 50% sequence identity with a nucleic acid sequence selected from the group consisting of: SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110, SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128, SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146, SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164, SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182, SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200, SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID

NO: 218, SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226,
SEQ ID NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID
NO: 236, SEQ ID NO: 238, SEQ ID NO: 240, SEQ ID NO: 242, SEQ ID NO: 244,
SEQ ID NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID
5 NO: 254, SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262,
SEQ ID NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID
NO: 272, SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280,
SEQ ID NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID
NO: 290, SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298,
10 SEQ ID NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID
NO: 308, SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316,
SEQ ID NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID
NO: 326, SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334,
SEQ ID NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID
15 NO: 344, SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352,
SEQ ID NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID
NO: 362, SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370,
SEQ ID NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID
NO: 380, SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388,
20 SEQ ID NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID
NO: 398, SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406,
SEQ ID NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID
NO: 416, SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424,
SEQ ID NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID
25 NO: 434, SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442,
SEQ ID NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID
NO: 452, SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460,
SEQ ID NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID
NO: 470, SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478,
30 SEQ ID NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID
NO: 488, SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496,
SEQ ID NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID
NO: 506, SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512 or a nucleic acid

sequence which exhibits at least 50% sequence identity to a fragment comprising at least 100 contiguous nucleotides of said nucleic acid sequence.

15. An isolated nucleic acid sequence which exhibits at least 60% sequence identity with a nucleic acid sequence selected from the group consisting of:
- 5 SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110, SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128, SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146, SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164, SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182, SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200, SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218, SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236, SEQ ID NO: 238, SEQ ID NO: 240, SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 254, SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262,

SEQ ID NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272, SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290, SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, 5 SEQ ID NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308, SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326, SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344, SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, 10 SEQ ID NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362, SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380, SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, 15 SEQ ID NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398, SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416, SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434, SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, 20 SEQ ID NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452, SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470, SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, 25 SEQ ID NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488, SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506, SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512 or a nucleic acid sequence which exhibits at least 60% sequence identity to a fragment comprising at 30 least 100 contiguous nucleotides of said nucleic acid sequence.

16. An isolated nucleic acid sequence that exhibits at least 70% sequence identity with a nucleic acid sequence selected from the group consisting of: SEQ ID

NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID
NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID
NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID
NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID
5 NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID
NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID
NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID
NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID
NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID
10 NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ
ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110,
SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID
NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128,
SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID
15 NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146,
SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID
NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164,
SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID
NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182,
20 SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID
NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200,
SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID
NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218,
SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID
25 NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236,
SEQ ID NO: 238, SEQ ID NO: 240, SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID
NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 254,
SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID
NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272,
30 SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID
NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290,
SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID
NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308,

SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID
NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326,
SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID
NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344,
5 SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID
NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362,
SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID
NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380,
SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID
10 NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398,
SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID
NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416,
SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID
NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434,
15 SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID
NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452,
SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID
NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470,
SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID
20 NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488,
SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID
NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506,
SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512 or a nucleic acid sequence
having at least 70% sequence identity with a fragment thereof comprising at least 100
25 contiguous nucleotides thereof.

17. An isolated nucleic acid sequence that exhibits at least 80% sequence
identity with a nucleic acid sequence selected from the group consisting of: SEQ ID
NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID
30 NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID
NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID
NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID
NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID

NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID
NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID
NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID
NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID
5 NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ
ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110,
SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID
NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128,
SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID
10 NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146,
SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID
NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164,
SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID
NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182,
15 SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID
NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200,
SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID
NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218,
SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID
20 NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236,
SEQ ID NO: 238, SEQ ID NO: 240, SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID
NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 254,
SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID
NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272,
25 SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID
NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290,
SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID
NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308,
SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID
30 NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326,
SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID
NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344,
SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID

NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362,
 SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID
 NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380,
 SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID
 5 NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398,
 SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID
 NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416,
 SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID
 NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434,
 10 SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID
 NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452,
 SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID
 NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470,
 SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID
 15 NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488,
 SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID
 NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506,
 SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512 or a nucleic acid sequence
 having at least 80% sequence identity with a fragment thereof comprising at least 100
 20 contiguous nucleotides thereof.

18. An isolated nucleic acid sequence that exhibits at least 85% sequence
 identity with a nucleic acid sequence selected from the group consisting of: SEQ ID
 NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID
 25 NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID
 NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID
 NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID
 NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID
 NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID
 30 NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID
 NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID
 NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID
 NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ

ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110,
SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID
NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128,
SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID
5 NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146,
SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID
NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164,
SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID
NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182,
10 SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID
NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200,
SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID
NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218,
SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID
15 NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236,
SEQ ID NO: 238, SEQ ID NO: 240, SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID
NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 254,
SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID
NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272,
20 SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID
NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290,
SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID
NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308,
SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID
25 NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326,
SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID
NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344,
SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID
NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362,
30 SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID
NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380,
SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID
NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398,

SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID
NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416,
SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID
NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434,
5 SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID
NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452,
SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID
NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470,
SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID
10 NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488,
SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID
NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506,
SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512 or a nucleic acid sequence
having at least 85% sequence identity with a fragment thereof comprising at least 100
15 contiguous nucleotides thereof.

19. An isolated nucleic acid sequence that exhibits at least 90% sequence
identity with a nucleic acid sequence selected from the group consisting of: SEQ ID
NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID
20 NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID
NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID
NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID
NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID
NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID
25 NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID
NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID
NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID
NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ
ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110,
30 SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID
NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128,
SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID
NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146,

SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID
NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164,
SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID
NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182,
5 SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID
NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200,
SEQ ID NO: 202, SEQ ID NO: 204. SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID
NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218,
SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID
10 NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236,
SEQ ID NO: 238, SEQ. ID NO. 240, SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID
NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 254,
SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID
NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272,
15 SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID
NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290,
SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID
NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308,
SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID
20 NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326,
SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID
NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344,
SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID
NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362,
25 SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID
NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380,
SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID
NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398,
SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID
30 NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416,
SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID
NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434,
SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID

NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452,
SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID
NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470,
SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID
5 NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488,
SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID
NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506,
SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512 or a nucleic acid sequence
having at least 90% sequence identity with a fragment thereof comprising at least 100
10 contiguous nucleotides thereof.

20. An isolated nucleic acid sequence that exhibits at least 95% sequence
identity with a nucleic acid sequence selected from the group consisting of: SEQ ID
NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID
15 NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID
NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID
NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID
NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID
NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID
20 NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID
NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID
NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID
NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ
ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110,
25 SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID
NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128,
SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID
NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146,
SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID
30 NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164,
SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID
NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182,
SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID

NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200,
SEQ ID NO: 202, SEQ ID NO: 204. SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID
NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218,
SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID
5 NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236,
SEQ ID NO: 238, SEQ ID NO: 240, SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID
NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 254,
SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID
NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272,
10 SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID
NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290,
SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID
NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308,
SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID
15 NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326,
SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID
NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344,
SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID
NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362,
20 SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID
NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380,
SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID
NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398,
SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID
25 NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416,
SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID
NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434,
SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID
NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452,
30 SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID
NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470,
SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID
NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488,

SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506, SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512 or a nucleic acid sequence having at least 95% sequence identity with a fragment thereof comprising at least 100
5 contiguous nucleotides thereof.

21. An isolated nucleic acid sequence that exhibits about 96-99% sequence identity with a nucleic acid sequence encoding an olfactory receptor selected from the group consisting of: SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8,
10 SEQ ID NO: 10, SEQ ID NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58,
15 SEQ ID NO: 60, SEQ ID NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID
20 NO: 108, SEQ ID NO: 110, SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128, SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146, SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152,
25 SEQ ID NO: 154, SEQ ID NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164, SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182, SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID
30 NO: 198, SEQ ID NO: 200, SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218, SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID

NO: 234, SEQ ID NO: 236, SEQ ID NO: 238, SEQ. ID NO. 240, SEQ ID NO: 242,
SEQ ID NO: 244, SEQ ID NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID
NO: 252, SEQ ID NO: 254, SEQ ID NO: 256, SEQ ID NO: 258, SEQ ID NO: 260,
SEQ ID NO: 262, SEQ ID NO: 264, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID
5 NO: 270, SEQ ID NO: 272, SEQ ID NO: 274, SEQ ID NO: 276, SEQ ID NO: 278,
SEQ ID NO: 280, SEQ ID NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID
NO: 288, SEQ ID NO: 290, SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 296,
SEQ ID NO: 298, SEQ ID NO: 300, SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID
NO: 306, SEQ ID NO: 308, SEQ ID NO: 310, SEQ ID NO: 312, SEQ ID NO: 314,
10 SEQ ID NO: 316, SEQ ID NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID
NO: 324, SEQ ID NO: 326, SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332,
SEQ ID NO: 334, SEQ ID NO: 336, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID
NO: 342, SEQ ID NO: 344, SEQ ID NO: 346, SEQ ID NO: 348, SEQ ID NO: 350,
SEQ ID NO: 352, SEQ ID NO: 354, SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID
15 NO: 360, SEQ ID NO: 362, SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 368,
SEQ ID NO: 370, SEQ ID NO: 372, SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID
NO: 378, SEQ ID NO: 380, SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 386,
SEQ ID NO: 388, SEQ ID NO: 390, SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID
NO: 396, SEQ ID NO: 398, SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 404,
20 SEQ ID NO: 406, SEQ ID NO: 408, SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID
NO: 414, SEQ ID NO: 416, SEQ ID NO: 418, SEQ ID NO: 420, SEQ ID NO: 422,
SEQ ID NO: 424, SEQ ID NO: 426, SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID
NO: 432, SEQ ID NO: 434, SEQ ID NO: 436, SEQ ID NO: 438, SEQ ID NO: 440,
SEQ ID NO: 442, SEQ ID NO: 444, SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID
25 NO: 450, SEQ ID NO: 452, SEQ ID NO: 454, SEQ ID NO: 456, SEQ ID NO: 458,
SEQ ID NO: 460, SEQ ID NO: 462, SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID
NO: 468, SEQ ID NO: 470, SEQ ID NO: 472, SEQ ID NO: 474, SEQ ID NO: 476,
SEQ ID NO: 478, SEQ ID NO: 480, SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID
NO: 486, SEQ ID NO: 488, SEQ ID NO: 490, SEQ ID NO: 492, SEQ ID NO: 494,
30 SEQ ID NO: 496, SEQ ID NO: 498, SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID
NO: 504, SEQ ID NO: 506, SEQ ID NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512
or a fragment having at least 96-99% sequence identity with a fragment thereof
comprising at least 100 contiguous nucleotides thereof.

22. A nucleic acid sequence which encodes for a functional olfactory receptor polypeptide, wherein said nucleic acid sequence comprises a portion which is at least 100 nucleotides in length and exhibits at least 40% sequence identity with at least 100 contiguous nucleotides of a portion of an olfactory receptor encoding a nucleic acid sequence selected from the group consisting of: SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110, SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128, SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146, SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164, SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182, SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200, SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218, SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236, SEQ ID NO: 238, SEQ ID NO: 240, SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 254, SEQ ID NO: 256,

SEQ ID NO: 258, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID NO: 264, SEQ ID
NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272, SEQ ID NO: 274,
SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID NO: 282, SEQ ID
NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290, SEQ ID NO: 292,
5 SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID NO: 300, SEQ ID
NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308, SEQ ID NO: 310,
SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID NO: 318, SEQ ID
NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326, SEQ ID NO: 328,
SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID NO: 336, SEQ ID
10 NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344, SEQ ID NO: 346,
SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID NO: 354, SEQ ID
NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362, SEQ ID NO: 364,
SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID NO: 372, SEQ ID
NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380, SEQ ID NO: 382,
15 SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID NO: 390, SEQ ID
NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398, SEQ ID NO: 400,
SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID NO: 408, SEQ ID
NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416, SEQ ID NO: 418,
SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID NO: 426, SEQ ID
20 NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434, SEQ ID NO: 436,
SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID NO: 444, SEQ ID
NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452, SEQ ID NO: 454,
SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID NO: 462, SEQ ID
NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470, SEQ ID NO: 472,
25 SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID NO: 480, SEQ ID
NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488, SEQ ID NO: 490,
SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID NO: 498, SEQ ID
NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506, SEQ ID NO: 508,
SEQ ID NO: 510 and SEQ ID NO: 512.

30

23. The nucleic acid sequence of Claim 22 which is a chimeric nucleic acid sequence, wherein said nucleic acid sequence is produced by combining portions of at least two different G protein-coupled receptors.

24. The chimeric nucleic acid sequence of Claim 23 wherein said two different G protein-coupled receptors are olfactory receptors.

5 25. The chimeric nucleic acid sequence of Claim 23 wherein said chimeric sequence contains at least 200 contiguous nucleotides that are at least 40% identical to a portion of one of said olfactory receptor encoding nucleic acid sequences.

10 26. An isolated nucleic acid sequence according to Claim 1, wherein said isolated nucleic acid sequence is directly or indirectly attached to a nucleic acid sequence that encodes a detectable polypeptide.

 27. The nucleic acid sequence of Claim 26, wherein said detectable polypeptide is green fluorescent protein, or a fragment or variant thereof.

15

 28. An isolated nucleic acid sequence which encodes a polypeptide that exhibits at least 40% sequence identity with a polypeptide selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID

20
25
30

NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161,
SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID
NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179,
SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID
5 NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197,
SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID
NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215,
SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID
NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233,
10 SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID
NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251,
SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID
NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269,
SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID
15 NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287,
SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID
NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305,
SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID
NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323,
20 SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID
NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341,
SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID
NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359,
SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID
25 NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377,
SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID
NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395,
SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID
NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413,
30 SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID
NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431,
SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID
NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449,

SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID
NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467,
SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID
NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485,
5 SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID
NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503,
SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511 or a
fragment thereof comprising at least 40 contiguous amino acids thereof that optionally
is directly or indirectly attached to a sequence that facilitates the expression and/or
10 translocation of said polypeptide on the surface of a cell.

29. An isolated nucleic acid sequence which encodes a polypeptide that
exhibits at least 50% sequence identity with a polypeptide selected from the group
consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID
15 NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID
NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID
NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID
NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID
NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID
20 NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID
NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID
NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID
NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID
NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107,
25 SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID
NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125,
SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID
NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143,
SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID
30 NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161,
SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID
NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179,
SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID

NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197,
SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID
NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215,
SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID
5 NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233,
SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID
NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251,
SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID
NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269,
10 SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID
NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287,
SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID
NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305,
SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID
15 NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323,
SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID
NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341,
SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID
NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359,
20 SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID
NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377,
SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID
NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395,
SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID
25 NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413,
SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID
NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431,
SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID
NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449,
30 SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID
NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467,
SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID
NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485,

SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511 or a fragment thereof comprising at least 40 contiguous amino acids thereof that optionally
5 is directly or indirectly attached to a sequence that facilitates the expression and/or translocation of said polypeptide on the surface of a cell.

30. An isolated nucleic acid sequence which encodes a polypeptide that exhibits at least 60% sequence identity with a polypeptide selected from the group
10 consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID

NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233,
SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID
NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251,
SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID
5 NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269,
SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID
NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287,
SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID
NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305,
10 SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID
NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323,
SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID
NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341,
SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID
15 NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359,
SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID
NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377,
SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID
NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395,
20 SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID
NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413,
SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID
NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431,
SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID
25 NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449,
SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID
NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467,
SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID
NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485,
30 SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID
NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503,
SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511 or a
fragment thereof comprising at least 40 contiguous amino acids thereof that optionally

is directly or indirectly attached to a sequence that facilitates the expression and/or translocation of said polypeptide on the surface of a cell.

31. An isolated nucleic acid sequence which encodes a polypeptide that
5 exhibits at least 70% sequence identity with a polypeptide selected from the group
consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID
NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID
NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID
NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID
10 NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID
NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID
NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID
NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID
NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID
15 NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID
NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107,
SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID
NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125,
SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID
20 NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143,
SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID
NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161,
SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID
NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179,
25 SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID
NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197,
SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID
NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215,
SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID
30 NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233,
SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID
NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251,
SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID

NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269,
SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID
NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287,
SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID
5 NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305,
SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID
NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323,
SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID
NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341,
10 SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID
NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359,
SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID
NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377,
SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID
15 NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395,
SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID
NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413,
SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID
NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431,
20 SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID
NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449,
SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID
NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467,
SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID
25 NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485,
SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID
NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503,
SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511 or a
fragment thereof comprising at least 40 contiguous amino acids thereof that optionally
30 is directly or indirectly attached to a sequence that facilitates the expression and/or
translocation of said polypeptide on the surface of a cell.

32. An isolated nucleic acid sequence which encodes a polypeptide that exhibits at least 80% sequence identity with a polypeptide selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287,

SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511 or a fragment thereof comprising at least 40 contiguous amino acids thereof that optionally is directly or indirectly attached to a sequence that facilitates the expression and/or translocation of said polypeptide on the surface of a cell.

33. An isolated nucleic acid sequence which encodes a polypeptide that exhibits at least 85% sequence identity with a polypeptide selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID

NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID
NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID
NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID
NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID
5 NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID
NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID
NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID
NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID
NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107,
10 SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID
NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125,
SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID
NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143,
SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID
15 NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161,
SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID
NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179,
SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID
NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197,
20 SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID
NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215,
SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID
NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233,
SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID
25 NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251,
SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID
NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269,
SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID
NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287,
30 SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID
NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305,
SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID
NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323,

SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511 or a fragment thereof comprising at least 40 contiguous amino acids thereof that optionally is directly or indirectly attached to a sequence that facilitates the expression and/or translocation of said polypeptide on the surface of a cell.

25

34. An isolated nucleic acid sequence which encodes a polypeptide that exhibits at least 90% sequence identity with a polypeptide selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID

NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID
NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID
NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID
NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID
5 NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107,
SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID
NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125,
SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID
NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143,
10 SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID
NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161,
SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID
NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179,
SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID
15 NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197,
SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID
NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215,
SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID
NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233,
20 SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID
NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251,
SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID
NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269,
SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID
25 NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287,
SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID
NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305,
SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID
NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323,
30 SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID
NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341,
SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID
NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359,

SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511 or a fragment thereof comprising at least 40 contiguous amino acids thereof that optionally is directly or indirectly attached to a sequence that facilitates the expression and/or translocation of said polypeptide on the surface of a cell.

35. An isolated nucleic acid sequence which encodes a polypeptide that exhibits about 90-99% sequence identity with a polypeptide selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID

NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107,
SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID
NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125,
SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID
5 NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143,
SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID
NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161,
SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID
NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179,
10 SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID
NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197,
SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID
NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215,
SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID
15 NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233,
SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID
NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251,
SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID
NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269,
20 SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID
NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287,
SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID
NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305,
SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID
25 NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323,
SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID
NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341,
SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID
NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359,
30 SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID
NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377,
SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID
NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395,

SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511 or a fragment thereof comprising at least 40 contiguous amino acids thereof that optionally is directly or indirectly attached to a sequence that facilitates the expression and/or translocation of said polypeptide on the surface of a cell.

36. The isolated nucleic acid sequence according to Claim 26, wherein said isolated nucleic acid sequence is operably linked to a constitutive promoter.

37. The isolated nucleic acid sequence according to Claim 1, wherein said isolated nucleic acid sequence is operably linked to a regulatable promoter.

38. The isolated nucleic acid sequence of Claim 1, wherein said isolated nucleic acid sequence is directly or indirectly attached to a nucleic acid sequence encoding a mammalian rhodopsin polypeptide or a fragment thereof.

39. An isolated nucleic acid molecule comprising a nucleotide sequence that encodes a fragment of at least 60 contiguous amino acids of a polypeptide having an amino acid sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID

NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID
NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID
NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID
NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID
5 NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID
NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID
NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ
ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111,
SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID
10 NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129,
SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID
NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147,
SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID
NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165,
15 SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID
NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183,
SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID
NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201,
SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID
20 NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219,
SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID
NO: 229, SEQ ID NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237,
SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID
NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255,
25 SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID
NO: 265, SEQ ID NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273,
SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID
NO: 283, SEQ ID NO: 285, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 291,
SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID
30 NO: 301, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309,
SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID
NO: 319, SEQ ID NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327,
SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID

NO: 337, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345,
SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID
NO: 355, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363,
SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID
5 NO: 373, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381,
SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID
NO: 391, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399,
SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID
NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417,
10 SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID
NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435,
SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID
NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453,
SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID
15 NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471,
SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID
NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489,
SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID
NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507,
20 SEQ ID NO: 509, and SEQ ID NO: 511.

40. The isolated nucleic acid molecule of Claim 39, wherein the nucleotide
sequence encodes at least 100 amino acids.

25 41. The isolated nucleic acid molecule of Claim 39, wherein the nucleotide
sequence encodes at least 150 amino acids.

42. The isolated nucleic acid molecule of Claim 39, wherein the nucleotide
sequence encodes at least 200 amino acids.

30

43. The isolated nucleic acid molecule of Claim 39, wherein the nucleotide
sequence encodes at least 250 amino acids.

44. The isolated nucleic acid molecule of Claim 39, wherein the polypeptide is an olfactory G protein-coupled receptor.

45. The isolated nucleic acid molecule of Claim 39, wherein the expression
5 product binds an odorant.

46. The isolated nucleic acid molecule of Claim 1 comprising a nucleotide sequence selected from the group consisting of: SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, SEQ ID NO: 12, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO: 18, SEQ ID NO: 20, SEQ ID NO: 22, SEQ ID NO: 24, SEQ ID NO: 26, SEQ ID NO: 28, SEQ ID NO: 30, SEQ ID NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 50, SEQ ID NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID NO: 62, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 68, SEQ ID NO: 70, SEQ ID NO: 72, SEQ ID NO: 74, SEQ ID NO: 76, SEQ ID NO: 78, SEQ ID NO: 80, SEQ ID NO: 82, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID NO: 92, SEQ ID NO: 94, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ ID NO: 102, SEQ ID NO: 104, SEQ ID NO: 106, SEQ ID NO: 108, SEQ ID NO: 110, SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 116, SEQ ID NO: 118, SEQ ID NO: 120, SEQ ID NO: 122, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 128, SEQ ID NO: 130, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID NO: 138, SEQ ID NO: 140, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 146, SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID NO: 156, SEQ ID NO: 158, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 164, SEQ ID NO: 166, SEQ ID NO: 168, SEQ ID NO: 170, SEQ ID NO: 172, SEQ ID NO: 174, SEQ ID NO: 176, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 182, SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 190, SEQ ID NO: 192, SEQ ID NO: 194, SEQ ID NO: 196, SEQ ID NO: 198, SEQ ID NO: 200, SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID NO: 210, SEQ ID NO: 212, SEQ ID NO: 214, SEQ ID NO: 216, SEQ ID NO: 218, SEQ ID NO: 220, SEQ ID NO: 222, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID NO: 228, SEQ ID NO: 230, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 236, SEQ ID NO: 238, SEQ ID NO: 240,

SEQ ID NO: 242, SEQ ID NO: 244, SEQ ID NO: 246, SEQ ID NO: 248, SEQ ID
NO: 250, SEQ ID NO: 252, SEQ ID NO: 254, SEQ ID NO: 256, SEQ ID NO: 258,
SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID NO: 264, SEQ ID NO: 266, SEQ ID
NO: 268, SEQ ID NO: 270, SEQ ID NO: 272, SEQ ID NO: 274, SEQ ID NO: 276,
5 SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID NO: 282, SEQ ID NO: 284, SEQ ID
NO: 286, SEQ ID NO: 288, SEQ ID NO: 290, SEQ ID NO: 292, SEQ ID NO: 294,
SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID NO: 300, SEQ ID NO: 302, SEQ ID
NO: 304, SEQ ID NO: 306, SEQ ID NO: 308, SEQ ID NO: 310, SEQ ID NO: 312,
SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID NO: 318, SEQ ID NO: 320, SEQ ID
10 NO: 322, SEQ ID NO: 324, SEQ ID NO: 326, SEQ ID NO: 328, SEQ ID NO: 330,
SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID NO: 336, SEQ ID NO: 338, SEQ ID
NO: 340, SEQ ID NO: 342, SEQ ID NO: 344, SEQ ID NO: 346, SEQ ID NO: 348,
SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID NO: 354, SEQ ID NO: 356, SEQ ID
NO: 358, SEQ ID NO: 360, SEQ ID NO: 362, SEQ ID NO: 364, SEQ ID NO: 366,
15 SEQ ID NO: 368, SEQ ID NO: 370, SEQ ID NO: 372, SEQ ID NO: 374, SEQ ID
NO: 376, SEQ ID NO: 378, SEQ ID NO: 380, SEQ ID NO: 382, SEQ ID NO: 384,
SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID NO: 390, SEQ ID NO: 392, SEQ ID
NO: 394, SEQ ID NO: 396, SEQ ID NO: 398, SEQ ID NO: 400, SEQ ID NO: 402,
SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID NO: 408, SEQ ID NO: 410, SEQ ID
20 NO: 412, SEQ ID NO: 414, SEQ ID NO: 416, SEQ ID NO: 418, SEQ ID NO: 420,
SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID NO: 426, SEQ ID NO: 428, SEQ ID
NO: 430, SEQ ID NO: 432, SEQ ID NO: 434, SEQ ID NO: 436, SEQ ID NO: 438,
SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID NO: 444, SEQ ID NO: 446, SEQ ID
NO: 448, SEQ ID NO: 450, SEQ ID NO: 452, SEQ ID NO: 454, SEQ ID NO: 456,
25 SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID NO: 462, SEQ ID NO: 464, SEQ ID
NO: 466, SEQ ID NO: 468, SEQ ID NO: 470, SEQ ID NO: 472, SEQ ID NO: 474,
SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID NO: 480, SEQ ID NO: 482, SEQ ID
NO: 484, SEQ ID NO: 486, SEQ ID NO: 488, SEQ ID NO: 490, SEQ ID NO: 492,
SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID NO: 498, SEQ ID NO: 500, SEQ ID
30 NO: 502, SEQ ID NO: 504, SEQ ID NO: 506, SEQ ID NO: 508, SEQ ID NO: 510
and SEQ ID NO: 512.

47. An expression vector that comprises a nucleic acid sequence according to Claim 1.

48. The expression vector of Claim 47, wherein said vector is a
5 mammalian, yeast, bacterial or insect expression vector.

49. A cell which is transfected or transformed with at least one nucleic acid sequence according to Claim 1.

10 50. A mammalian cell according to Claim 49.

51. A human cell according to Claim 50.

52. A yeast or insect cell according to Claim 49.

15

53. The mammalian cell according to Claim 49 which is selected from the group consisting of: an olfactory cell, Chinese hamster ovary cell, baby hamster kidney cell, and a myeloma cell.

20 54. A solid phase comprising at least one isolated nucleic acid sequence according to Claim 1.

55. A solid phase comprising at least one isolated nucleic acid sequence according to Claim 1, wherein the solid phase is attached to an array comprising at
25 least one additional nucleic acid sequence.

56. The solid phase according to Claim 55 which comprises an array of at least 4 different nucleic acid sequences that encode olfactory receptors or fragments or variants thereof.

30

57. The solid phase according to Claim 55 which comprises at least 10 different nucleic acid sequences that encode olfactory receptors or fragments or variants thereof.

58. The solid phase according to Claim 55 which comprises at least 50 different nucleic acid sequences that encode olfactory receptors or fragments or variants thereof.

5

59. The solid phase according to Claim 55 which comprises at least 100 different sequences that encode olfactory receptors or fragments or variants thereof.

60. An isolated polypeptide that is selected from the group consisting of:

- 10 (i) a polypeptide comprising an amino acid sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215,

SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID
NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233,
SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID
NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251,
5 SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID
NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269,
SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID
NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287,
SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID
10 NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305,
SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID
NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323,
SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID
NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341,
15 SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID
NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359,
SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID
NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377,
SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID
20 NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395,
SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID
NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413,
SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID
NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431,
25 SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID
NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449,
SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID
NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467,
SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID
30 NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485,
SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID
NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503,
SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511;

- (ii) a polypeptide comprising an amino acid sequence that exhibits at least 40% sequence identity with an amino acid sequence selected from the group consisting of:
- SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287, SEQ ID NO: 289,

- SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511;
- (iii) a polypeptide comprising an amino acid sequence that exhibits at least 60% sequence identity with a fragment of a polypeptide according to (i) which fragment is at least 40 amino acids in length;
- (iv) a chimeric polypeptide that comprises a portion of a polypeptide according to (i) or (ii) that is at least 40 amino acids in length and a portion of at least one other G protein-coupled receptor; and
- (v) a variant of a polypeptide according to (i) which differs by said polypeptide by at least one substitution, addition or deletion modification.

61. An isolated polypeptide according to Claim 60 wherein such polypeptide exhibits at least 70% sequence identity with a polypeptide having a sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275,

SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID
NO: 285, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293,
SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID
NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311,
5 SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID
NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329,
SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID
NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347,
SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID
10 NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365,
SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID
NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383,
SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID
NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401,
15 SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID
NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419,
SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID
NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437,
SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID
20 NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455,
SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID
NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473,
SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID
NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491,
25 SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID
NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509
and SEQ ID NO: 511 or a fragment thereof which is at least 50 amino acids.

62. An isolated polypeptide according to Claim 60 wherein said
30 polypeptide exhibits at least 80% sequence identity with a polypeptide having a
sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ
ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID
NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID

NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID
NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID
NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID
NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID
5 NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID
NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID
NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID
NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ
ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113,
10 SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID
NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131,
SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID
NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149,
SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID
15 NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167,
SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID
NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185,
SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID
NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203,
20 SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID
NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221,
SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID
NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239,
SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID
25 NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257,
SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID
NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275,
SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID
NO: 285, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293,
30 SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID
NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311,
SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID
NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329,

SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID
NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347,
SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID
NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365,
5 SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID
NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383,
SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID
NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401,
SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID
10 NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419,
SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID
NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437,
SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID
NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455,
15 SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID
NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473,
SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID
NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491,
SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID
20 NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509
and SEQ ID NO: 511 or a fragment thereof which is at least 50 amino acids.

63. An isolated polypeptide according to Claim 60 wherein said
polypeptide exhibits at least 90% sequence identity with a polypeptide having a
25 sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ
ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID
NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID
NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID
NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID
30 NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID
NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID
NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID
NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID

NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID
NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ
ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113,
SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID
5 NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131,
SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID
NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149,
SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID
NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167,
10 SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID
NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185,
SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID
NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203,
SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID
15 NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221,
SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID
NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239,
SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID
NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257,
20 SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID
NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275,
SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID
NO: 285, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293,
SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID
25 NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311,
SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID
NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329,
SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID
NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347,
30 SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID
NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365,
SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID
NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383,

64. An isolated polypeptide according to Claim 60 wherein said polypeptide exhibits about 80-90% sequence identity with a polypeptide having a sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ
ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID
NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID
NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID
NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID
NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID
NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID
NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID
NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID
NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID
NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ
ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113,
SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID
NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131,
SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID

NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149,
SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID
NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167,
SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID
5 NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185,
SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID
NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203,
SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID
NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221,
10 SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID
NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239,
SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID
NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257,
SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID
15 NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275,
SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID
NO: 285, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293,
SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID
NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311,
20 SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID
NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329,
SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID
NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347,
SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID
25 NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365,
SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID
NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383,
SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID
NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401,
30 SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID
NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419,
SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID
NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437,

SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID
NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455,
SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID
NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473,
5 SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID
NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491,
SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID
NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509
and SEQ ID NO: 511 or a fragment thereof which is at least 50 amino acids.

10

65. An isolated polypeptide according to Claim 60 wherein said
polypeptide exhibits at least 90-95% sequence identity with a polypeptide having a
sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ
ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID
15 NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID
NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID
NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID
NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID
NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID
20 NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID
NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID
NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID
NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ
ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113,
25 SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID
NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131,
SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID
NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149,
SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID
30 NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167,
SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID
NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185,
SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID

NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203,
SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID
NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221,
SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID
5 NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239,
SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID
NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257,
SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID
NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275,
10 SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID
NO: 285, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293,
SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID
NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311,
SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID
15 NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329,
SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID
NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347,
SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID
NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365,
20 SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID
NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383,
SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID
NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401,
SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID
25 NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419,
SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID
NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437,
SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID
NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455,
30 SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID
NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473,
SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID
NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491,

SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511 or a fragment thereof which is at least 50 amino acids.

5 66. An isolated polypeptide according to Claim 60 wherein said polypeptide exhibits about 95-99% sequence identity with a polypeptide having a sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID

NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257,
 SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID
 NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275,
 SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID
 5 NO: 285, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293,
 SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID
 NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311,
 SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID
 NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329,
 10 SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID
 NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347,
 SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID
 NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365,
 SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID
 15 NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383,
 SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID
 NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401,
 SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID
 NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419,
 20 SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID
 NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437,
 SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID
 NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455,
 SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID
 25 NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473,
 SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID
 NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491,
 SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID
 NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509
 30 and SEQ ID NO: 511 or a fragment thereof which is at least 50 amino acids.

67. A variant according to Claim 60(v) which comprises at least 5 conservative amino acid substitutions.

68. A variant according to Claim 60(v) which comprises at most 5 conservative amino acid substitutions.

5 69. A variant according to Claim 60(v) which comprises 5 to 7 conservative substitution modifications.

70. A variant according to Claim 60(v) which comprises 3 to 4 conservative substitution modifications.

10

71. A variant according to Claim 60(v) which comprises 1 or 2 conservative substitution modifications.

72. A solid phase comprising at least one directly or indirectly
15 immobilized isolated polypeptide according to Claim 60, or a cell which expresses said polypeptide on the surface thereof.

73. The solid phase of Claim 72 comprising at least 4 different
20 immobilized polypeptides according to Claim 60, or a cell which expresses said polypeptide on the surface thereof.

74. The solid phase of Claim 72 comprising at least 16 different
25 immobilized polypeptides according to Claim 60, or a cell which expresses said polypeptide on the surface thereof.

75. The solid phase of Claim 72 comprising at least 25 different
immobilized polypeptides according to Claim 60 or a cell which expresses said polypeptide on the surface thereof.

30 76. A method of detecting expression of an olfactory receptor gene comprising (a) hybridizing at least one sample with a nucleic acid according to Claim 1 and (b) detecting expression of the olfactory receptor gene by a positive hybridization signal.

77. A method of screening a library comprising (a) hybridizing the library with a nucleic acid according to Claim 1 and (b) detecting one or more olfactory receptor clones in the library by a positive hybridization signal.

5

78. A recombinant polynucleotide comprising a nucleic acid according to Claim 1 attached directly or indirectly to a heterologous nucleic acid.

79. An expression vector comprising the nucleic acid of Claim 1 and an operably linked heterologous nucleic acid that drives expression thereof.

10

80. A transfected or transformed cell comprising the recombinant polynucleotide of Claim 78 introduced into a host cell, or a progeny thereof.

15

81. A transgenic non-human organism comprising the recombinant polynucleotide of Claim 78 introduced into a cell of a host non-human organism, or a progeny thereof.

82. A method of making a recombinant polynucleotide comprising ligating the nucleic acid of Claim 1 to a heterologous nucleic acid.

20

83. The method of Claim 82 wherein the heterologous nucleic acid comprises a translational and/or transcriptional regulatory region.

84. A method of making a transfected cell comprising introducing the recombinant polynucleotide of Claim 79 into a host cell, and propagating the host cell in which the recombinant polynucleotide has been introduced.

25

85. A method of detecting specific binding of a putative ligand to an olfactory receptor comprising (a) contacting the putative ligand with a cell in which the expression vector of Claim 79 has been introduced, wherein the olfactory receptor is expressed by the cell thereby, and (b) directly or indirectly detecting specific binding between the putative ligand and the olfactory receptor.

30

86. A method of making transgenic non-human organism comprising introducing the recombinant polynucleotide of Claim 78 into a cell of a host non-human organism, or propagating the host non-human organism in which the recombinant polynucleotide has been introduced.

87. An isolated protein molecule comprising a fragment of at least 60 contiguous amino acids of a polypeptide having an amino acid sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID

NO: 233, SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241,
SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID
NO: 251, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259,
SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID
5 NO: 269, SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277,
SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID
NO: 287, SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295,
SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID
NO: 305, SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313,
10 SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID
NO: 323, SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331,
SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID
NO: 341, SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349,
SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID
15 NO: 359, SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367,
SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID
NO: 377, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385,
SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID
NO: 395, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403,
20 SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID
NO: 413, SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421,
SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID
NO: 431, SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439,
SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID
25 NO: 449, SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457,
SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID
NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475,
SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID
NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493,
30 SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID
NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO:
511.

88. The isolated protein molecule of Claim 87, wherein the fragment contains at least 100 amino acids.

89. The isolated protein molecule of Claim 87, wherein the fragment
5 contains at least 150 amino acids.

90. The isolated protein molecule of Claim 87, wherein the fragment contains at least 200 amino acids.

10 91. The isolated protein molecule of Claim 87, wherein the fragment contains at least 250 amino acids.

92. The isolated protein molecule of Claim 87, which is a functional olfactory receptor polypeptide.
15

93. The isolated protein molecule of Claim 87, wherein the fragment specifically binds an odorant molecule.

94. A recombinant polypeptide comprising the protein molecule of Claim
20 87 and a heterologous peptide domain.

95. The recombinant polypeptide of Claim 94, wherein the heterologous peptide domain comprises a G protein-coupled receptor transmembrane domain.

25 96. The recombinant polypeptide of Claim 94 comprising a seven-transmembrane receptor with an olfactory receptor ligand-binding domain, wherein the olfactory receptor ligand-binding domain is a chimera of at least two different olfactory receptors.

30 97. A method of detecting specific binding of a ligand to an olfactory receptor comprising (a) contacting the ligand with the protein of Claim 86, and (b) directly or indirectly detecting specific binding between the ligand and the olfactory receptor.

98. An antibody or antibody fragment that specifically binds a polypeptide having an amino acid sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281,

SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID
NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299,
SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID
NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 317,
5 SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID
NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID NO: 333, SEQ ID NO: 335,
SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID
NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 353,
SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID
10 NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 371,
SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID
NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 387, SEQ ID NO: 389,
SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID
NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405, SEQ ID NO: 407,
15 SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID
NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 425,
SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID
NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441, SEQ ID NO: 443,
SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID
20 NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459, SEQ ID NO: 461,
SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID
NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477, SEQ ID NO: 479,
SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID
NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495, SEQ ID NO: 497,
25 SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID
NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511.

99. A method of detecting specific binding of the antibody of Claim 98 to
an olfactory receptor comprising (a) contacting the antibody with a sample comprising
30 the olfactory receptor and (b) detecting specific binding therebetween.

100. The method of Claim 99, wherein specific binding of the antibody to a
cell in the sample identifies the cell as an olfactory cell.

101. A method of screening a library of chemical compounds for compounds that are involved in olfactory sensation comprising contacting compounds in said library with at least one polypeptide according to Claim 87 and identifying
5 compounds that specifically bind to at least one of said polypeptides.

102. The method of Claim 101 wherein said library is a combinatorial chemical library.

10 103. The method of Claim 101 wherein said library is a peptide library.

104. The method of Claim 101 wherein said library is a peptide, encoded peptide, benzodiazepine, diversomer, vinylogous polypeptide, nonpeptidal peptidomimetic, or small molecule organic compound library.
15

105. The method of Claim 101 wherein said library is a random combination of compounds.

106. The method of Claim 101 wherein said compounds are screened by
20 high turning point screening.

107. The method of Claim 101 wherein said screening is effected using animal cells or tissues that express at least one of said polypeptides.

25 108. A cell-based assay for identifying molecules that interact with an olfactory receptor comprising:

obtaining a cell that expresses at least one polypeptide according to Claim 60 or a chimeric protein comprising a portion of said protein and that of another G protein-coupled receptor, and which optionally expresses at least one functional G protein;
30

contacting said cell with a molecule to be screened for its ability to modulate an olfactory receptor; and

detecting whether modulation occurs.

109. The method of Claim 108 wherein modulation is detected based on changes in intracellular calcium.

110. The method of Claim 108 wherein modulation is detected by
5 measuring the transfer of ^{32}P from gamma-labeled GTP to the olfactory receptor polypeptide.

111. The method of Claim 108 wherein modulation is determined based on a comparison to a control compound known to modulate the particular olfactory
10 receptor protein.

112. The method of Claim 108 wherein the G protein is Ga_{15} or Ga_{16} or another promiscuous G protein.

113. The method of Claim 108 wherein modulation is determined by
15 detecting whether a change in the level of intracellular cyclic nucleotides occurs.

114. The method of Claim 108 wherein modulation is determined based on the level of transcription of said olfactory polypeptide after contacting the cell with the
20 screened compound.

115. The method of Claim 108 when said screened compounds are synthesized by computer assisted drug devices based on the predicted or actual three-dimensional structure of the amino acid sequence of the olfactory protein or a
25 fragment thereof.

116. The method of Claim 108 wherein compounds that modulate olfactory receptor are identified based on whether they specifically bind to a olfactory receptor polypeptide.
30

117. The method of Claim 108 wherein modulation refers to the inhibition of olfactory receptor function.

118. The method of Claim 108 wherein modulation refers to the enhancement of olfactory receptor function.

119. A method for representing the olfactory perception of one or more
5 odors in one or more mammals, comprising:
providing values X_1 to X_n representative of the quantitative stimulation of each of n
odor receptors of said mammals; and
generating from said values a quantitative representation of odor perception, wherein
at least one of said odor receptors is an odor receptor polypeptide having a sequence
10 that is at least about 40% identical to a sequence selected from the group consisting
of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9,
SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19,
SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29,
SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39,
15 SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49,
SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59,
SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69,
SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79,
SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89,
20 SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID NO: 99,
SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID
NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117,
SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID
NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135,
25 SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143, SEQ ID
NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153,
SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID
NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171,
SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID
30 NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 189,
SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID
NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207,
SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID

NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225,
SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233, SEQ ID
NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID NO: 243,
SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID
5 NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID NO: 261,
SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269, SEQ ID
NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID NO: 279,
SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287, SEQ ID
NO: 289, SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID NO: 297,
10 SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID
NO: 307, SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID NO: 315,
SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323, SEQ ID
NO: 325, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID NO: 333,
SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID
15 NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351,
SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID
NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID NO: 369,
SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID
NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 387,
20 SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID
NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 405,
SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413, SEQ ID
NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID NO: 423,
SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431, SEQ ID
25 NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID NO: 441,
SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449, SEQ ID
NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID NO: 459,
SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467, SEQ ID
NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID NO: 477,
30 SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485, SEQ ID
NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID NO: 495,
SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID
NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511.

120. The method of claim 119, wherein said representation constitutes a point or a volume in n-dimensional space.

5 121. The method of claim 119, wherein said representation constitutes a graph or a spectrum.

122. The method of claim 119, wherein said representation constitutes a matrix of quantitative representations.

10

123. The method of claim 119, wherein said providing step comprises contacting a plurality of recombinantly produced olfactory receptors with a test composition, and quantitatively measuring the interaction of said composition with said receptors.

15

124. A method for predicting the odor perception in a mammal generated by one or more molecules or combinations of molecules comprising:

providing values X_1 to X_n representative of the quantitative stimulation of each of n odor receptors of said mammal, for one or more molecules or combinations of molecules yielding known odor perception in a mammal,

20

generating from said values a quantitative representation of odor perception in a mammal for the one or more molecules or combinations of molecules yielding known odor perception in a mammal;

providing values X_1 to X_n representative of the quantitative stimulation of each of n odor receptors of said mammal, for one or more molecules or combinations of molecules yielding unknown odor perception in a mammal;

25

generating from said values a quantitative representation of odor perception in a mammal for the one or more molecules or combinations of molecules yielding unknown odor perception in a mammal; and

30

predicting the olfactory perception in a mammal generated by one or more molecules or combinations of molecules yielding unknown odor perception in a mammal by comparing the quantitative representation of odor perception in a mammal generated by one or more molecules or combinations of molecules yielding unknown odor

perception in a mammal to the quantitative representation of odor perception in a mammal for the one or more molecules or combinations of molecules yielding known odor perception in a mammal, wherein at least one of said odor receptors is a odor receptor polypeptide having a sequence that is at least about 40% identical to a

5 sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID

10 NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID

15 NO: 95, SEQ ID NO: 97, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID

20 NO: 141, SEQ ID NO: 143, SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179, SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185,

25 SEQ ID NO: 187, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215, SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID

30 NO: 231, SEQ ID NO: 233, SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO:

267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ
ID NO: 277, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID NO: 285,
SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID
NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 303,
5 SEQ ID NO: 305, SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID
NO: 313, SEQ ID NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID NO: 321,
SEQ ID NO: 323, SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID
NO: 331, SEQ ID NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339,
SEQ ID NO: 341, SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID
10 NO: 349, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357,
SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID
NO: 367, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375,
SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID
NO: 385, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393,
15 SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID
NO: 403, SEQ ID NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411,
SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID
NO: 421, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429,
SEQ ID NO: 431, SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID
20 NO: 439, SEQ ID NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447,
SEQ ID NO: 449, SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID
NO: 457, SEQ ID NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465,
SEQ ID NO: 467, SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID
NO: 475, SEQ ID NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483,
25 SEQ ID NO: 485, SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID
NO: 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501,
SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID
NO: 511.

	*	20	*	40	*	60	*	80
AOLFR01.pr	:	KT						
AOLFR02.pr	:							
AOLFR03.pr	:							
AOLFR04.pr	:							
AOLFR05.pr	:							
AOLFR06.pr	:							
AOLFR07.pr	:							
AOLFR08.pr	:							
AOLFR09.pr	:							
AOLFR10.pr	:							
AOLFR11.pr	:							
AOLFR12.pr	:							
AOLFR13.pr	:							
AOLFR14.pr	:							
AOLFR15.pr	:							
AOLFR16.pr	:							
AOLFR17.pr	:							
AOLFR18.pr	:							
AOLFR19.pr	:							
AOLFR20.pr	:							
AOLFR21.pr	:							
AOLFR22.pr	:							
AOLFR23.pr	:							
AOLFR24.pr	:							
AOLFR25.pr	:							
AOLFR26.pr	:							
AOLFR27.pr	:							
AOLFR28.pr	:							
AOLFR29.pr	:							
AOLFR30.pr	:							
AOLFR31.pr	:							
AOLFR32.pr	:							
AOLFR33.pr	:							
AOLFR34.pr	:							
AOLFR35.pr	:							
AOLFR36.pr	:							
AOLFR37.pr	:							
AOLFR38.pr	:							
AOLFR39.pr	:							
AOLFR40.pr	:							
AOLFR41.pr	:							
AOLFR42.pr	:							
AOLFR43.pr	:							
AOLFR44.pr	:							
AOLFR45.pr	:							
AOLFR46.pr	:							
AOLFR47.pr	:							
AOLFR48.pr	:							
AOLFR49.pr	:							
AOLFR50.pr	:							
AOLFR51.pr	:							
AOLFR52.pr	:							

Figure 1

AOLF001.pr : 120 * 140 * 160 * 180 * 200 *
 AOLF002.pr : 152
 AOLF003.pr : 141
 AOLF004.pr : 140
 AOLF005.pr : 137
 AOLF006.pr : 139
 AOLF007.pr : 141
 AOLF008.pr : 176
 AOLF009.pr : 139
 AOLF010.pr : 139
 AOLF011.pr : 138
 AOLF012.pr : 189
 AOLF013.pr : 139
 AOLF014.pr : 164
 AOLF015.pr : 139
 AOLF016.pr : 138
 AOLF017.pr : 137
 AOLF018.pr : 138
 AOLF019.pr : 140
 AOLF020.pr : 137
 AOLF021.pr : 139
 AOLF022.pr : 137
 AOLF023.pr : 137
 AOLF024.pr : 139
 AOLF025.pr : 138
 AOLF026.pr : 137
 AOLF027.pr : 137
 AOLF028.pr : 140
 AOLF029.pr : 137
 AOLF030.pr : 141
 AOLF031.pr : 156
 AOLF032.pr : 139
 AOLF033.pr : 135
 AOLF034.pr : 160
 AOLF035.pr : 139
 AOLF036.pr : 106
 AOLF037.pr : 140
 AOLF038.pr : 106
 AOLF039.pr : 106
 AOLF040.pr : 139
 AOLF041.pr : 139
 AOLF042.pr : 139
 AOLF043.pr : 152
 AOLF044.pr : 138
 AOLF045.pr : 141
 AOLF046.pr : 213
 AOLF047.pr : 141
 AOLF048.pr : 142
 AOLF049.pr : 141
 AOLF050.pr : 157
 AOLF051.pr : 169
 AOLF052.pr : 143

Figure 1

Figure 1

440

AOLFR01.pr	:	-----	:	-
AOLFR02.pr	:	-----	:	-
AOLFR03.pr	:	-----	:	-
AOLFR04.pr	:	-----	:	-
AOLFR05.pr	:	-----	:	-
AOLFR06.pr	:	-----	:	-
AOLFR07.pr	:	-----	:	-
AOLFR08.pr	:	-----	:	-
AOLFR09.pr	:	-----	:	-
AOLFR10.pr	:	-----	:	-
AOLFR11.pr	:	-----	:	-
AOLFR12.pr	:	-----	:	-
AOLFR13.pr	:	-----	:	-
AOLFR14.pr	:	-----	:	-
AOLFR15.pr	:	-----	:	-
AOLFR16.pr	:	-----	:	-
AOLFR17.pr	:	-----	:	-
AOLFR18.pr	:	-----	:	-
AOLFR19.pr	:	-----	:	-
AOLFR20.pr	:	-----	:	-
AOLFR21.pr	:	-----	:	-
AOLFR22.pr	:	-----	:	-
AOLFR23.pr	:	-----	:	-
AOLFR25.pr	:	-----	:	-
AOLFR26.pr	:	-----	:	-
AOLFR27.pr	:	-----	:	-
AOLFR28.pr	:	-----	:	-
AOLFR29.pr	:	-----	:	-
AOLFR30.pr	:	-----	:	-
AOLFR31.pr	:	-----	:	-
AOLFR32.pr	:	-----	:	-
AOLFR34.pr	:	-----	:	-
AOLFR35.pr	:	-----	:	-
AOLFR36.pr	:	HSIPTSANPAP	:	305
AOLFR37.pr	:	-----	:	-
AOLFR38.pr	:	EKGQPH	:	300
AOLFR39.pr	:	-----	:	-
AOLFR40.pr	:	-----	:	-
AOLFR41.pr	:	-----	:	-
AOLFR42.pr	:	-----	:	-
AOLFR43.pr	:	-----	:	-
AOLFR44.pr	:	-----	:	-
AOLFR45.pr	:	-----	:	-
AOLFR46.pr	:	-----	:	-
AOLFR47.pr	:	-----	:	-
AOLFR48.pr	:	-----	:	-
AOLFR49.pr	:	-----	:	-
AOLFR50.pr	:	-----	:	-
AOLFR51.pr	:	-----	:	-
AOLFR52.pr	:	-----	:	-

Figure 1

Figure 2

220

Figure 2

[illegible]

Figure 3

AOLFRI110.P : L*CN-PAFLDASYSFIVA*PRMVD-FL-SEK-KVHSYRGCTTOLR-FLHFLGCGEGLT*VMAFDRVAICRBUHCS*VNPRACVYAC
 AOLFRI111.P : E*KN-SEFIDCLIVTA*KSAN-SLIHNNS--LSHLCVSOVE--LLSSSASABLL*TVMSFDR-IAICRPHEDVIMDRSTCAVAC
 AOLFRI113.P : LCTTL-SVFFPSWSCGQIP*LSRCCFLSRRPFLQDASFRPSSTPWGACCYL*TA*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI114.P : REP*SF-PSLTDICFT*SVAP*KNAN-AN-IHTQS--QIIS*SGC*IA*FLLMFGGLDNC*IA*VMAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI115.P : REPAN-PSLTDACFT*AS*P*KNAN-AN-IHTQS--QIIS*SGC*IA*FLLMFGGLDNC*IA*VMAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI116.P : ELAN-SIHNIVFC*STAP*KNAN-AN-IHTQS--QIIS*SGC*IA*FLLMFGGLDNC*IA*VMAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI117.P : ELQH-PAFVDICFT*AIT*P*KNAN-AN-IHTQS--QIIS*SGC*IA*FLLMFGGLDNC*IA*VMAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI118.P : I*EG-IFCMVDMGLAT*TH*PKID*AIWF--DAKVISLPE*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI119.P : RECHA-SLIDULTO*TT*P*KNAN-AN-IHTQS--QIIS*SGC*IA*FLLMFGGLDNC*IA*VMAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI120.P : REPTH-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI121.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI122.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI123.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI124.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI125.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI126.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI127.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI128.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI129.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI130.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI131.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI132.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI133.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI134.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI135.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI136.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI137.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI138.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI139.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI140.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI141.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI143.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI144.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI145.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI146.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI147.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI148.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI149.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI150.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI151.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI152.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI153.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI157.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI158.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI159.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI160.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI161.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI162.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*
 AOLFRI163.P : REPM-TASSETVYLIV*PRM*LS-LIFHN--QPSISLAC*CA*IA*YAHFFVGM*SC*ILC*MAEDRYVAICR*PBYPI*ITTLCAK*

Figure 3

12/22

[illegible]

Figure 3

BNSDOCID: <WO__0168805A2_1_>

AOLFR165.P : MA-----*-----20-----*-----40-----*-----60-----*-----80-----*-----100-----25
AOLFR166.P : MEME-----NNTVTKPZLGLSDHPQK : 25
AOLFR167.P : QS-----NCTRKKEZFLGTONREVS : 24
AOLFR168.P : KE-----NSSSVTMZMLGWDHPHQ : 27
AOLFR169.P : -----KINNVTEZFLWLSQSPHE : 22
AOLFR170.P : MSFTSLPSLCFSLPLFCYLSLPLFLSAFLITRWLLAFLSLFVSVPSSSSVMVLCVLSVSAFSCVFCSCMQGQILMTANI : 23
AOLFR171.P : -----MOHSSATEFLGFGPGSQGPH : 108
AOLFR172.P : -----ABTLQLNFTLHPNFZLTPPGGLGSAQ : 1
AOLFR173.P : -----S-----HTNVT-----LPHFAVF-----LPSLPGLEAYH : 29
AOLFR175.P : CHF--LSQ--NDLAIN-LIPHLCLEHRH-----SVIAGAFTHRMKIFNSPS-----NSSTFGZMLGPPCPREGO : 62
AOLFR176.P : CFF--II-----H-----SLVTSVFLTALGPO--NRT-----M-HAVTEZMLGPHGQREHQ : 42
AOLFR177.P : CSF-----NSF-----FFVDLRPM--NRS-----ATHIVTEZMLGPPGCKWQIQ : 34
AOLFR178.P : BNGA-----AOLFR179.P : -----TNGM-----AOLFR180.P : -----TNK-----MYAIYI-----KNLVYSFLIVOCLOPTMAIFNNTSSSSNFTLTPAPGLECAH : 24
AOLFR181.P : -----S-----V-----LN-----NSEVKLZMLGTPGLEHAH : 24
AOLFR182.P : -----T-----L-----CSLG-----ASQANHRN--ZMLTTPGTPDKN : 29
AOLFR183.P : -----T-----ST-----LNL-----LPTQIAPNSSTSWAPTZMLGMPGLSGAP : 26
AOLFR184.P : -----ST-----LNDISTKMSNIMSCCN1--LFIKTEVILLVNTQSPWIPVPSKSLVYNNNTCFDCYHLQRDVCPDRDHINQSNVLASGSSSHPSVZMLGTPGLESFQ : 32
AOLFR185.P : -----AQ-VREALHKIMA-----LFSANSIGAMNNSDTRIA-----GCF-----ZMLTTPGLEQPH : 106
AOLFR186.P : -----K-----K-----KONNVTEZMLGTONPEQ : 22
AOLFR187.P : -----K-----K-----ONNSVPEZMLGLTODPLRQ : 22
AOLFR188.P : -----K-----K-----NYTKVTEZMLGLSQTREHQ : 24
AOLFR189.P : -----K-----K-----KINNTVTEZMLGFSDFPRIL : 25
AOLFR190.P : -----K-----K-----NNTVTEZMLGLTMDPEHQ : 22
AOLFR191.P : -----K-----K-----NKTETVTEZMLGLTNDSEHQ : 22
AOLFR192.P : -----K-----K-----NOSCVVEZMLGFSNYPERQ : 24
AOLFR193.P : -----K-----K-----NOLVSEZMLGLSGYPKHE : 54
AOLFR194.P : -----K-----K-----NYMTEZMLGFTDYLPER : 24
AOLFR195.P : -----K-----K-----NESNIAGETMLGFSVDPORQ : 44
AOLFR196.P : -----K-----K-----NCTETVTEZMLGLTSVPEHQ : 22
AOLFR197.P : -----K-----K-----PODETMLGFGSQTIQ : 24
AOLFR198.P : -----K-----K-----NYTSITEZMLGLADTLEHQ : 24
AOLFR199.P : -----K-----K-----NHTLVTEZMLGLSGHPRHE : 24
AOLFR200.P : -----K-----K-----NHTLVTEZMLGLSGHPRHE : 24
AOLFR201.P : -----K-----K-----NOSCVVEZMLGFSNPPHQ : 24
AOLFR202.P : -----K-----K-----KKNNVTEZMLGLTONPHE : 22
AOLFR203.P : -----K-----K-----NRTVIREZMLGLTOSQDIQ : 24
AOLFR204.P : -----K-----K-----NRRNVTEZMLGLTENPMQ : 22
AOLFR205.P : -----K-----K-----SNHTVTEZMLGFTNDPGQ : 23
AOLFR206.P : -----K-----K-----NDSTSTZMLGLSAHPHQ : 24
AOLFR207.P : -----K-----K-----NHTLVTEZMLGFTFYPMQ : 24
AOLFR208.P : -----K-----K-----NHTLVTEZMLGLSGYKHE : 24
AOLFR209.P : -----K-----K-----NHTLVTEZMLGLSGYKHE : 24
AOLFR210.P : -----K-----K-----NHTLVTEZMLGLSGYKHE : 25
AOLFR211.P : -----K-----K-----NHTLVTEZMLGLSGYKHE : 25
AOLFR212.P : -----K-----K-----NHTLVTEZMLGLSGYKHE : 24
AOLFR213.P : -----K-----K-----NHTLVTEZMLGLSGYKHE : 65
AOLFR214.P : -----K-----K-----NHTLVTEZMLGLSGYKHE : 24
AOLFR215.P : -----K-----K-----NHTLVTEZMLGLSGYKHE : 24
AOLFR216.P : -----K-----K-----NHTLVTEZMLGLSGYKHE : 24
AOLFR217.P : -----K-----K-----NHTLVTEZMLGLSGYKHE : 34

Figure 4

AOLFR165.P : * 120 140 160 180 200 *
AOLFR166.P : * 120 140 160 180 200 *
AOLFR167.P : * 120 140 160 180 200 *
AOLFR168.P : * 120 140 160 180 200 *
AOLFR169.P : * 120 140 160 180 200 *
AOLFR170.P : * 120 140 160 180 200 *
AOLFR171.P : * 120 140 160 180 200 *
AOLFR172.P : * 120 140 160 180 200 *
AOLFR173.P : * 120 140 160 180 200 *
AOLFR175.P : * 120 140 160 180 200 *
AOLFR176.P : * 120 140 160 180 200 *
AOLFR177.P : * 120 140 160 180 200 *
AOLFR178.P : * 120 140 160 180 200 *
AOLFR180.P : * 120 140 160 180 200 *
AOLFR181.P : * 120 140 160 180 200 *
AOLFR182.P : * 120 140 160 180 200 *
AOLFR183.P : * 120 140 160 180 200 *
AOLFR184.P : * 120 140 160 180 200 *
AOLFR185.P : * 120 140 160 180 200 *
AOLFR186.P : * 120 140 160 180 200 *
AOLFR187.P : * 120 140 160 180 200 *
AOLFR188.P : * 120 140 160 180 200 *
AOLFR189.P : * 120 140 160 180 200 *
AOLFR218.P : * 120 140 160 180 200 *
AOLFR191.P : * 120 140 160 180 200 *
AOLFR192.P : * 120 140 160 180 200 *
AOLFR193.P : * 120 140 160 180 200 *
AOLFR194.P : * 120 140 160 180 200 *
AOLFR195.P : * 120 140 160 180 200 *
AOLFR196.P : * 120 140 160 180 200 *
AOLFR197.P : * 120 140 160 180 200 *
AOLFR198.P : * 120 140 160 180 200 *
AOLFR199.P : * 120 140 160 180 200 *
AOLFR200.P : * 120 140 160 180 200 *
AOLFR201.P : * 120 140 160 180 200 *
AOLFR202.P : * 120 140 160 180 200 *
AOLFR203.P : * 120 140 160 180 200 *
AOLFR204.P : * 120 140 160 180 200 *
AOLFR205.P : * 120 140 160 180 200 *
AOLFR206.P : * 120 140 160 180 200 *
AOLFR190.P : * 120 140 160 180 200 *
AOLFR207.P : * 120 140 160 180 200 *
AOLFR208.P : * 120 140 160 180 200 *
AOLFR209.P : * 120 140 160 180 200 *
AOLFR210.P : * 120 140 160 180 200 *
AOLFR211.P : * 120 140 160 180 200 *
AOLFR212.P : * 120 140 160 180 200 *
AOLFR213.P : * 120 140 160 180 200 *
AOLFR214.P : * 120 140 160 180 200 *
AOLFR215.P : * 120 140 160 180 200 *
AOLFR216.P : * 120 140 160 180 200 *
AOLFR217.P : * 120 140 160 180 200 *

Figure 4

AOLFR328.P : *ALGNH-----SHTEFLLGLSADPNIRALLFVLFGYLTITIMENELVIRA : 51

AOLFR248.P	: SHQ	120	*	140	*	160	*	180	*	200	*	157
AOLFR338.P	: SHQ	120	*	140	*	160	*	180	*	200	*	157
AOLFR130B.	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR142B.	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR171C.	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR218.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR220.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR221.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR222.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR223.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR224.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR225B.	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR226.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR227.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR228.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR229.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR230.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR231.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR232.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR233.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR234.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR235.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR236.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR237.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR238.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR239.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR240.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR241.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR242.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR243.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR244.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR245.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR246.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR247.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR248.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR249.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR250.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR251.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR252.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR253.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR254.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR255.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR256.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR257.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR259.P	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR274B.	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR276B.	: SHQ	120	*	140	*	160	*	180	*	200	*	155
AOLFR311B.	: SHQ	120	*	140	*	160	*	180	*	200	*	155

Figure 5
2/5

$$\frac{J}{I}$$

Figure 4

```

AOLFR244B.P :
AOLFR333B.P :
AOLFR130B. :
AOLFR142B. :
AOLFR171C. :
AOLFR218.P :
AOLFR219.P :
AOLFR220.P :
AOLFR221.P :
AOLFR222.P :
AOLFR223.P :
AOLFR224.P :
AOLFR225B. :
AOLFR226.P :
AOLFR227.P :
AOLFR228.P :
AOLFR229.P :
AOLFR230.P :
AOLFR231.P :
AOLFR232.P :
AOLFR233.P :
AOLFR234.P :
AOLFR235.P :
AOLFR236.P :
AOLFR237.P :
AOLFR238.P :
AOLFR239.P :
AOLFR240.P :
AOLFR241.P :
AOLFR242.P :
AOLFR243.P :
AOLFR244.P :
AOLFR245.P :
AOLFR246.P :
AOLFR247.P :
AOLFR248.P :
AOLFR249.P :
AOLFR250.P :
AOLFR251.P :
AOLFR252.P :
AOLFR253.P :
AOLFR254.P :
AOLFR255.P :
AOLFR256.P :
AOLFR259.P :
AOLFR274B. :
AOLFR276B. :
AOLFR311B. :
AOLFR314.P :
AOLFR324B. :

PS-----INDTHFYPPF-----80-----100
MH-----TNNTQ-FHPST-----
E-----GXNQFAPSE-----
AR-----MAHNGCQOAE-----
AE-----JLYVVR-----
AOLFR218.P : ETANTYKVR-----
AOLFR219.P : LPKSMNEHNSR-----
AOLFR220.P : SLTFPFL-CSQMTOLTAGN-----
AOLFR221.P : RNLSGHVE-----
AOLFR222.P : GQNVTSW-----
AOLFR223.P : EA-----ANE-----
AOLFR224.P : GSFN-----TSFEDG-----
AOLFR225B. : KXRTMF-----
AOLFR226.P : E-----
AOLFR227.P : SP-----ENQ-----
AOLFR228.P : FYVN-QIPFQLY-----
AOLFR229.P : HISFYPTELMS-RAIIPCMPT-----
AOLFR230.P : GMEGLLONS-----
AOLFR231.P : ERANHVVS-----
AOLFR232.P : TWMANHGSD-----
AOLFR233.P : TRMANHFGKLD-----
AOLFR234.P : NSHIVME-----
AOLFR235.P : NDSSLOQ-----
AOLFR236.P : DQNYRVR-----
AOLFR237.P : APEN-----
AOLFR238.P : DQNYRVR-----
AOLFR239.P : DPQNYSLVS-----
AOLFR240.P : GENHILPE-----
AOLFR241.P : ILAENLWV-----
AOLFR242.P : NTTLFHPYS-----
AOLFR243.P : NKUVR-----
AOLFR244.P : NGSLV-----
AOLFR245.P : SVS-----
AOLFR246.P : SVS-----
AOLFR247.P : SVS-----
AOLFR248.P : VVMGRGNS-----
AOLFR249.P : SVS-----
AOLFR250.P : SVS-----
AOLFR251.P : SVS-----
AOLFR252.P : SVS-----
AOLFR253.P : SVS-----
AOLFR254.P : SVS-----
AOLFR255.P : SVS-----
AOLFR256.P : SVS-----
AOLFR259.P : SVS-----
AOLFR274B. : SVS-----
AOLFR276B. : SVS-----
AOLFR311B. : SVS-----
AOLFR314.P : SVS-----
AOLFR324B. : SVS-----

```

Figure 5
1/5

[illegible]

Figure 5
3/5

AOLF276B. : VFPLPILKRIPEFCRKA5WVLAH5YCHADLIRLPWGDITINSYGLFIVISATGVDSSTHILSVYVTHLSVLA-LASRGERIKLNTICVSHIYAVLIFVVPVSVS
 AOLF311B. : ALIHMTAFRIJECGSNEIRHFCDDPFIILHSRSDIQNLEIVETVFGFHEHSTISGNSFQCYLHSL-L-E-SAEGRPKALSTCTSHISAVALLKQZTILMY
 AOLF314.P : SEILTSMTFPIVPCGENVDHEDCPALMIPACADKATXVDSFVNGVLNLSHVCFLIAHSTVTRITSL-LSEHETGRKARFESLCSNHLALCNVCPITVY
 AOLF324B. : VPLVPLVHLURLPFCGHRIIPATVCEHMGHJALACASINIMFGL-GSISHUHLVAVFC-IPEWEARLKNICGSHIWLASTIPAFESF
 AOLF328.P : LDALINVLNVLNVFCAAKIHHYSYEMPSLPLSCSDPSRSRSEHVLUCSTHONGLGNFEDVFLSYTRIILSTIL-SISSTGRCRKAFTCSAHEATVATLYYSGGL

[illegible]

Figure 5
4/5

AOLFR259.P : EONSQRQKQ--QKLTIFYSIFPMENPLNYSRRNAQKGMVRAIQKKRTM----- : 310
AOLFR274B. : ESSSYNPKO--ERFISIVHFGTETENPISYAARSEKGMGRYLRNCLSQNS----- : 305
AOLFR276B. : HRFGHAPF--YVHKFMSLCTSNAPNTPFHOD----- : 295
AOLFR311B. : ESSSYSLDQ--DKMTSLFMRWVEMNENETZSHRNDVKEWKKGNKILF----- : 310
AOLFR314.P : ETPNEMLGT---VVOTLMMNGEMLNPPATLENNENKTKTATYTLHRTGHVPES----- : 312
AOLFR324B. : HCFGHDIPQYIHIFLANLVVVPETENPVSIGVATICHRETIVLRFFKTDH----- : 313
AOLFR328.P : LMPNSGSPIEL---IFSQYTVVTPMINSLLYSLNKEVRAKKTLEKYLQYTR----- : 312

Figure 5
5/5

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

REVISED VERSION

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
20 September 2001 (20.09.2001)

PCT

(10) International Publication Number
WO 01/68805 A2

- (51) International Patent Classification⁷: C12H 21/02, C12N 15/00, C07K 1/00
- (21) International Application Number: PCT/US01/07771
- (22) International Filing Date: 13 March 2001 (13.03.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
- | | | |
|------------|-------------------------------|----|
| 60/188,914 | 13 March 2000 (13.03.2000) | US |
| 60/192,033 | 24 March 2000 (24.03.2000) | US |
| 60/198,474 | 12 April 2000 (12.04.2000) | US |
| 60/199,335 | 24 April 2000 (24.04.2000) | US |
| 60/207,702 | 26 May 2000 (26.05.2000) | US |
| 60/213,849 | 23 June 2000 (23.06.2000) | US |
| 60/226,534 | 16 August 2000 (16.08.2000) | US |
| 60/230,732 | 7 September 2000 (07.09.2000) | US |
| 60/266,862 | 7 February 2001 (07.02.2001) | US |
- (71) Applicant: SENOMYX, INC. [US/US]; Suite 160, 11099 N. Torrey Pines Road, La Jolla, CA 92037 (US).
- (72) Inventor: ZOZULYA, Sergey; 3950 Mahaila Avenue #B22, San Diego, CA 92122 (US).
- (74) Agents: TESKIN, Robin, L. et al.; Pillsbury Winthrop LLP, 1100 New York Avenue, NW, Washington, DC 20005 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:
— with declaration under Article 17(2)(a); without abstract; title not checked by the International Searching Authority
- (48) Date of publication of this revised version:
6 December 2001
- (15) Information about Correction:
see PCT Gazette No. 49/2001 of 6 December 2001, Section II
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: HUMAN OLFACTORY RECEPTORS AND GENES ENCODING SAME

(57) Abstract:

WO 01/68805 A2

PATENT COOPERATION TREATY

PCT

DECLARATION OF NON-ESTABLISHMENT OF INTERNATIONAL SEARCH REPORT (PCT Article 17(2)(a), Rules 13ter and 39)

Applicant's or agent's file reference 278005PCT	IMPORTANT DECLARATION	Date of mailing (day/month/year) 05 SEP 2001
International application No. PCT/US01/07771	International filing date (day/month/year) 13 MARCH 2001	(Earliest) Priority Date (day/month/year) 13 MARCH 2000
International Patent Classification (IPC) or both national classification and IPC Please See Continuation Sheet.		
Applicant SENOMYX, INC.		

This International Searching Authority hereby declares, according to Article 17(2)(a), that **no international search report will be established on the international application for the reasons indicated below.**

1. ☒ The subject matter of the international application relates to:
 - a. ☐ scientific theories.
 - b. ☐ mathematical theories.
 - c. ☐ plant varieties.
 - d. ☐ animal varieties.
 - e. ☒ essentially biological processes for the production of plants and animals, other than microbiological processes and the products of such processes.
 - f. ☐ schemes, rules or methods of doing business.
 - g. ☐ schemes, rules or methods of performing purely mental acts.
 - h. ☐ schemes, rules or methods of playing games.
 - i. ☐ methods for treatment of the human body by surgery or therapy.
 - j. ☐ methods for treatment of the animal body by surgery or therapy.
 - k. ☐ diagnostic methods practiced on the human or animal body.
 - l. ☐ mere presentations of information.
 - m. ☐ computer programs for which this International Searching Authority is not equipped to search prior art.
2. ☒ The failure of the following parts of the international application to comply with prescribed requirements prevents a meaningful search from being carried out:

☐ the description
 ☒ the claims
 ☐ the drawings
3. ☒ The failure of the nucleotide and/or amino acid sequence listing to comply with the standard provided for in Annex C of the Administrative Instructions prevents a meaningful search from being carried out.

☐ the written form has not been furnished or does not comply with the standard.
 ☒ the computer readable form has not been furnished or does not comply with the standard.
4. Further comments:

Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 505-3230	Authorized officer CHUNDURU SURYAPRABHA Telephone No. (703) 305-0254
---	--

**DECLARATION OF NON-ESTABLISHMENT OF
INTERNATIONAL SEARCH REPORT**

International application No
PCT/US01/07771

The International Patent Classification (IPC) or National Classification and IPC are as listed below:

IPC(7): C07H 21/02; C12N 15/00; C07K 1/00 US Cl.: 536/23.1; 435/320.1; 530/350

